# SIXTYSIX Technical Specifications

SIXTYSIX Mobile Media Wall has been designed for workplaces that require flexibility and need to be reconfigured to suit the task on demand. Blending seamlessly into the Square Bear mobile accessory range, SIXTYSIX can be moved throughout the office to provide a solution for face-to-face meetings, presentations, virtual meetings, and the cheeky need to relax with a movie.

Easily moved for planned or spontaneous activities, SIXTYSIX adapts to the team needs and room use. Options for a magnetic whiteboard or a pinboard on the rear of the mounted AV screen means that the unit has functionality on both sides and the design has a neat discreet storage capability to hide unsightly cables. Shelving to the lower levels of the unit provide extra storage for whatever the team needs.





## Product Data

### 1366

### suits up to 55" collbaoration display

### **Product dimensions**

Overall dimensions Rear Whiteboard panel Acoustic monitor backing Monitor mount\* (Monitor not supplied) 1430W × 600D × 1905mmH 1366W × 930mmH 1366W × 870mmH VESA compatible up to 600 × 400 Max. monitor weight 30kg

### Structure

Plywood frame Whiteboard Acoustic monitor backing Shelf inlay 32mm hoop pine plywood Magnetic whiteboard substrate 12mm PET Panel 12mm PET Panel

### Power

Standard - wall / floor power Mobile - Battery power 10amp started lead, 3 metres CMS Freedom FR210 series

### 1566

### suits up to 65" collbaoration display

### **Product dimensions**

Overall dimensions Rear Whiteboard panel Acoustic monitor backing Monitor mount (Monitor not supplied) 1630W x 600D x 1905mmH 1566W x 930mmH 1566W x 870mmH VESA compatible up to 600 x 400 Max. monitor weight 40kg


### Structure

Plywood frame Whiteboard Acoustic monitor backing Shelf inlay 32mm hoop pine plywood Magnetic whiteboard substrate 12mm PET Panel


12mm PET Panel

### Power

Standard - wall / floor power Mobile - Battery power 10amp started lead, 3 metres CMS Freedom FR210 series








## **SIXTYSIX** Fixed Power Specification

NW1802RBK \* NW18 Series Dual Auto 10A GPO - Black

SW5205BK \*\* Tag I/C Cable 500mm - Black

SWT5L30BK \*\*\* 10A 3-pin starter - TAG end - Black







### SIXTYSIX FR210 Charging Station \*\*\* Mobile Power Specification FR210PBP Power Bank \* Dual Auto 10A GPO Capacity 9.540mAh (206wh) Charging Output USB-C Port - PD 100W (5V3A, 9V3A, 12V3A, 15V3A, 20V3A.) or QC3.0/2.0 18W (5V/3A, 9V/2A, 12V/1.5A) USB-A Port - QC3.0/2.0 18W (5V/3A, 9V/2A, 12V/1.5A) Power lead from monitor Total 118W (PD100W and QC18W) to GPO (not supplied) Charging Total USB-C port when factory enabled/(disabled by default): PD 60W max (5V, 9V, 12V, 15V, 20V) Charging Input Methods Charging Station Docking station **FR210DS Docking Station \*\*** Input 7.4x5.0 DC Jack (to recharge units while docked) 20v/5A Output Ports **USB - C output** : PD100W (5V3A, 9V3A, 12V3A, FR210I Inverter DC Input 16V - 26V, AC 15V3A, 20V3A) or QC3.0/2.0 18W (5V/3A, 9V/2A, Output 240V 350W 12V/1.5A) Converts DC power to AC USB - A output : QC3.0/2.0 18V (5V/3A, 9V/2A, for monitor power 12V/1.5A) DC OUT 1:18-25.2V, 18-18A Docking Capability DC OUT2:12V/18V/20V/24V,11A Max combined output 150W - 1 docked, 350W 2+ FR210 Docking Station \*\* Docked + Power Bank \* 3x FR210 power banks (630wh) + 1000mm DC lead\*\*\*\* FR210CS Charging Station\*\*\* Input 7.4x5.0 DC jack : 20V 7.5A Max Power Banks Up to max 5x Power Banks Charging TIme Charging Station - 5 docked (DC input 150W) 9-10hrs Charging Station - 3 docked (DC input 150W) 6-7hrs Charging Station - 1 docked (DC input 150W) 2-3hrs FRLA10BK XT60 Lead\*\*\*\* XT60 Plug to XT60 Socket, 1000mm - Black XT60 Plug to XT60 Socket



## **SIXTYSIX** Fixed Power Schematic



## Mobile Power Schematic



\*Monitor not supplied by Square Bear



## Product Data & Finishes

### Product data - common for all configurations

### PET

Composition	100% PET, 60-68% recycled
Sustainability	Greentag certified. Greenrate level: A
VOC emission	<0.004mg/m²/hr


### Cleaning

Whiteboard PET / Upholstery Timber Refer to product care and maintainence guide Refer to product care and maintainence guide Refer to product care and maintainence guide

### **Timber finishes**



### **Pinboard panel finishes**



\*Contact Square-Bear Acoustics for custom colour options.

### Whiteboard panel



Magnetic whiteboard laminate

### Power / Battery components



Black



### **SQUARE BEAR**

© Copyright 2021 All Rights Reserved

### **HEAD OFFICE**

Unit 6/80 Jedda Road, Prestons New South Wales 2170, Australia P: +61 (0)2 9189 1444 sales@square-bear.com

### SYDNEY SHOWROOM

Level 3, 140 William Street, Woolloomooloo New South Wales 2011, Australia

www.square-bear.com



SIXTYSIX sales@square-bear.com TECHNICAL SPECIFICATIONS www.square-bear.com

## FREE YOUR MIND