




RETREAT 1.15

Technical Specifications

At Square Bear, we know that people work better when they feel better, and we have designed RETREAT 1.15 to provide just that little bit more space than the traditional phone booth style acoustic pods without being too large for workplace floor areas. RETREAT 1.15 is a true versatile member of the RETREAT family - generous in size for one person to be comfortable for longer periods of time, and ideal for two people to have a quick meeting.


 **VENTILATION**
Low noise, sensor-controlled ventilation system with constant air exchange via top and base outlets with internal fan systems.


 **ENVIRONMENTAL DATA**
60% recycled content to PET.
Sustainably sourced timber FSC timber available on request.

 **SERVICES**
Seamless mechanical services integration with allowances for a sprinkler and smoke detector.

 **INSTALLATION**
RETREAT 1.15 requires 2 men for 2-3 hours.

 **VC LIGHT**
Dimmable touch activated

 **PERFORMANCE**
Acoustic materials used for internal and external surfaces provide ambient noise reduction and minimise noise reverberation from the surrounding office.


 **ACCESS**
RETREAT sits flush on the floor with a rubber seal for acoustic protection, there is no step or floor base to impede entry.

 **PLUG AND PLAY**
Quick connection to mains power using standard sockets.

 **WARRANTY**
7 year structural warranty.



PRODUCT DATA



Product dimensions

| | |
|---------------------|------------------------------|
| External dimensions | 1380/1700W x 1120D x 2178mmH |
| Internal dimensions | 1215/1530W x 990D x 2092mmH |
| People | 1-2 |

Ventilation

| | |
|-------------------------|---|
| QTY of fans | 4 total; 2 draw in through side, 2 draw out through ceiling |
| Air flow rate | 117.2CFM |
| Input | 24V DC |
| User motion detected to | 30sec / 3min / 10min |

Power

| | |
|-----------------|--------------------------------------|
| Mains supply | 10 amps |
| Cord from booth | 3 metres |
| Output | 2 gang; 1x Power, 1x USB A, 1x USB C |

Socket options

| | | |
|-----|----|--------------|
| AUS | UK | USB A, USB C |
| | | |

Lighting

| | |
|-------------------------|----------------------|
| Input | 24V |
| Lumen output | 85lm/W |
| LED options | Natural white |
| User motion detected to | 30sec / 3min / 10min |

Motion sensor

| | |
|-------------------------|----------------------|
| Passive infrared sensor | |
| Running time options | 30sec / 3min / 10min |

VC light

| | |
|--------------------------|--|
| Natural white | |
| Touch activated dimmable | |

PET

| | |
|----------------|--|
| Composition | 100% PET, 60-68% recycled |
| Sustainability | Greentag certified. Greenrate level: A |
| VOC Emission | <0.004mg/m ² /hr |

Structure

| | |
|---------------|------------------------|
| Faced plywood | 64mm hoop pine plywood |
| Internal | Acoustic wall paneling |
| External | Acoustic wall covering |

Door

| | |
|-----------------|--|
| Door dimensions | 718/876W x 2068H x 8mm frameless toughened glass |
| Door weight | 23kg |
| Disabled access | No wheelchair access - disability accessible |
| Door hardware | Stainless steel or matte black |
| Drop seal | Engaged when door is closed |

Floor

| | |
|-----------|-----------------------------|
| Levelling | Adjustable glides |
| Floor | No floor - sealed perimeter |

Install

| | |
|-----------------|-----------|
| Time | 2-3 hours |
| People required | 2 |

Fire safety

| | |
|----------------------|-------------------------------|
| Fire alarm | Provision provided on request |
| Smoke detection | Provision provided on request |
| Sprinkler compatible | Provision provided on request |

Cleaning


| | |
|------------------|---|
| PET / Upholstery | Refer to product care and maintenance guide |
| Timber | Refer to product care and maintenance guide |

OPTIONS & FINISHES

Timber finishes




Natural




Black Stain



Blazer Silcoates



Blazer Surrey



Blazer St Andrews

Stool upholstery finishes

Interior / exterior finishes



454



908



101



442



402



444



447



365



468



580



384



349



330



269



542



550



124



167



487



274



551



660

*Contact Square-Bear Acoustics for custom colour options.

SQUARE BEAR

© Copyright 2021

All Rights Reserved

HEAD OFFICE

Unit 6/80 Jemma Road, Prestons

New South Wales 2170, Australia

P: +61 (0)2 9189 1444

sales@square-bear.com

SYDNEY SHOWROOM

Level 3/140 William Street, Woolloomooloo

New South Wales 2011, Australia

www.square-bear.com