



Husqvarna®

HTC SYSTEM GUIDE 2021/2022

FLOOR GRINDING SOLUTIONS BY HUSQVARNA
FOR A BETTER WAY OF WORKING

THE ORANGE EVOLUTION

ONE MISSION. ONE PARTNER.



From now on, the former HTC products will be offered under the Husqvarna brand. Beside some exciting innovations, the core of the HTC system remains the same: with state-of-the-art grinding machines, dust extractors, diamond tools, chemicals and floor solutions. This guide shows the entire HTC system. For the complete Husqvarna surface preparation offering, please visit www.Husqvarnacp.com.

Welcome to the Orange Evolution.




PRODUCT NEWS

2021

RESIN TOOLS

REDESIGNED TOOL UNIVERSE WITH THREE NEW RESIN TOOL SERIES FOR FLOOR GRINDING AND FLOOR POLISHING.



PAGE

28

INTROD
WITH T
EZCHA
EZCHA

EDGE TOOLS

A NEW AND COMPLETE RANGE OF TOOLS FOR EDGE GRINDING & POLISHING FOR HANDHELD GRINDERS.



PAGE

34





NEW TOOL HOLDERS

INTRODUCING A NEW LEVEL OF COMPATIBILITY
WITH THE TOOL HOLDERS MULTI (FOR BOTH
REDI LOCK™ AND REDI LOCK® TOOLS) AND THE
REDI LOCK™ CLICK HOLDERS.

PAGE

40

CHEMICALS

A NEW AND UPDATED RANGE OF CHEMICALS
TO SUIT ALL OUR FLOOR GRINDING AND
POLISHING PROCESSES.




PAGE

44

TABLE OF CONTENTS

Floor grinders	6-17
Dust extractors	16-17
Diamond tools	18-39
Tool holders	40-43
Chemicals	44-45
Floor solutions	46-49
Services & solutions	50-53



DURATIQ TECHNOLOGY


The most recently launched floor grinding machines of the HTC system are equipped with DURATIQ Technology.

This is what it stands for.

**DURATIQ
TECHNOLOGY**


BORN TO RUN. AND RUN. AND RUN.

The grinding head design is based on equal portions of precision and strength. The dust tight, hermetically sealed design increases the service life of all components, while increasing grinding precision.



BORN TO BE IN CONTROL

Instant and intuitive feedback on your grinding progress – thanks to the digital control panel (HMI) and the equally smart remote control unit. It will give you all the control and precision to maximize your grinding performance.



BORN TO BRING BALANCE TO WORK

The floor grinders with DURATIQ Technology have an ingenious chassis design to allow for easier operation, significantly improved ergonomics and increased safety.

up to
20
handle positions

MAXIMIZED SYNERGIES

The AirFlow technology has been further developed into a system that handles airflows in a controlled manner. Along with a new Mist Cooler System you achieve both optimal grinding effect and service life for your EZ Diamond Tools.

HTC 8

HTC 8 is the largest grinder model with DURATIQ Technology, which stands for operational reliability, precision, control and power.

The machine features an intuitive digital control panel, which gives you continuous feedback and thus control over the grinding process. The completely dustproof, hermetically-sealed grinding head and the electrical cabinet protects vital components and extends their lifetime. The well-balanced chassis design makes the HTC 8 floor grinder easy to operate, with superior ergonomics and advanced safety features.

The following configurations are available:

- HTC RX8 (remote controlled and with 4 grinding discs)
- HTC X8 (with 4 grinding discs)
- HTC T8 (with 3 grinding discs)

-  Weight: **1,100-1,265 lbs (499-574 kg)**
-  Grinding pressure: **335-765 lbs (152-347 kg)**
(Depending on model & weight position)
-  Grinding width: **31.5 in (800 mm)**
-  Grinding discs: **3 × 10.6 in / 4 × 10.6 in**
Grinding discs: **(3 × 270 mm / 4 × 270 mm)**
-  Motor: **16/20 hp (12/15 kW)**
-  Revolution speed: **430-1430 RPM**
-  Power: **3 × 230 V / 3 × 480 V**

RECOMMENDED DUST EXTRACTORS

HTC D80



FOR PART NUMBERS AND CONFIGURATIONS:
SEE PAGE 11.



HTC 6

HTC 6 is the second largest grinder model with DURATIQ Technology, which stands for operational reliability, precision, control and power.

The machine features an intuitive digital control panel, which gives you continuous feedback and thus control over the grinding process. The completely dustproof, hermetically-sealed grinding head and the electrical cabinet protects vital components and extends their lifetime. The well-balanced chassis design makes the HTC 6 floor grinder easy to operate, with superior ergonomics and advanced safety features.

The following configurations are available:

- HTC RX6 (remote controlled and with 4 grinding discs)
- HTC RT6 (remote controlled and with 3 grinding discs)
- HTC X6 (with 4 grinding discs)
- HTC T6 (with 3 grinding discs)



Weight: **846-972 lbs (384-441 kg)**



Grinding pressure: **203-492 lbs (92-223 kg)**
(Depending on model & weight position)



Grinding width: **23.6 in (600 mm)**



Grinding discs: **3 × 9 in**
(Grinding discs: **3 × 230 mm**)



Motor: **8/10 hp (6/7.5 kW)**



Revolution speed: **450-1500 RPM**



Power: **1 × 230 V**

RECOMMENDED DUST EXTRACTORS

HTC D80



HTC D60



FOR PART NUMBERS AND CONFIGURATIONS:
SEE PAGE 11.



HTC 5

HTC 5 is the smallest grinder machine with DURATIQ Technology.

This is an ultra-compact and powerful planetary grinder with three grinding discs suitable for all types of grinding jobs.

Just as the large models with DURATIQ Technology, the machine is equipped with an intuitive digital control panel that provides all the control and precision you need to maximize machine performance. The dustproof design of the grinding head and electrical cabinet, along with the precision of the heavy duty components, provides high reliability and increased grinding precision. The chassis can be easily separated from the grinding head and weights dismantled prior to transport.

-  Weight: **269/395 lbs (122/179 kg)**
-  Grinding pressure: **159/181 lbs (72/82 kg)**
-  Grinding width: **20 in (515 mm)**
-  Grinding discs: **3 x 9 in (230 mm)**
-  Motor: **3/5 hp (2.2/4 kW)**
-  Revolution speed: **360-1200 RPM**
-  Power: **1 x 230V 30 A / 3 x 480V 10 A / 3 x 230V 16 A**

RECOMMENDED DUST EXTRACTORS

HTC D60



S 36



C 3000



FOR PART NUMBERS AND CONFIGURATIONS:
SEE PAGE 11.



FLOOR GRINDERS WITH DURATIQ TECHNOLOGY

HTC 5

MODEL	PART NO	LONG DESCRIPTION
HTC T5	967863616	4 kW 1 × 220–240 V 50–60 Hz
HTC T5	967863618	4 kW 3 × 440–480 V 50–60 Hz
HTC T5	967863621	4 kW 3 × 220–240 V 50–60 Hz

HTC 6

MODEL	PART NO	LONG DESCRIPTION
HTC T6	967839113	6 kW 1 × 220–240 V 50–60 Hz

HTC 8

MODEL	PART NO	LONG DESCRIPTION
HTC RX8	967839609	12 kW 3 × 220–240 V 50–60 Hz
HTC RX8	967839611	15 kW 3 × 440–480 V 50–60 Hz
HTC X8	967839707	15 kW 3 × 440–480 V 50–60 Hz
HTC T8	967839507	15 kW 3 × 440–480 V 50–60 Hz
HTC T8	967839508	12 kW 3 × 220–240 V 50–60 Hz

HTC XP6

MODEL	PART NO	LONG DESCRIPTION
HTC XP6	967978002	24 hp Propane

ACCESSORIES

DESCRIPTION	PART NO.
Mug Holder (With Gyro-Suspension)	593491901
Phone Holder	593492001
Remote Control Cable (For Non-Wireless Controlling)	593584901
Remote Control Case	593492401
Remote Control Harness	593493403
Radio Battery	593491501
Remote Control Battery Charger (24 V Dc, 100–240 V Ac)	593491401
Weight Extra 17 Kg / 37.5 Pounds (HTC 6/8)	593544702
Weight Extra for HTC 5	595718801
Hose And Cable Strap	593543801
Hose Guide Assembly	593536701
Duratiq Light Kit	594042401
HTC D60 Light Kit	593964401
HTC D60 Remote Connection	529890301
HTC D60 Auto Purge	593964501



594042401



593493403



595718801



593491401



593491901



593492001



593544701



593492401










PROPANE GRINDER



HTC XP6

HTC XP6 combines all the features and benefits of the DURATIQ Technology with a powerful 22 hp (16.2 kW) propane engine. The electronic fuel injection system reduces the risk of freezing – while the exhaust catalyst makes for low emissions.

These features combined with the four-discs planetary grinding head, intuitive and smart digital control panel, and the Mist Cooler system give you all the control and precision to maximize your grinder performance.

-  Weight: **1,005 lbs (456 kg)**
-  Grinding pressure: **377-534 lbs (171-242 kg)**
-  Grinding width: **24 in (600 mm)**
-  Grinding discs: **4 × 9 in (230 mm)**
-  Motor: **Kohler PCV680 22 hp**
-  Revolution speed: **750-1010 RPM**
-  Power: **Propane**

RECOMMENDED DUST EXTRACTORS

T 8600 P



MODEL	PART NO.
HTC XP6 24 hp Propane	967978002



PROPANE GRINDER

HTC 800 XP

The propane floor grinder **HTC 800 XP** is perfect for high performance and flexibility without the dependency of a generator or external power supply.

It is a planetary grinder with four grinding discs.

A floating grinding cover together with an effective dust extractor prevents the dust from spreading around the jobsite. The grinding cover is also flexible so you can grind much closer to corners and edges.



Weight: **1,202 lbs (545 kg)**



Grinding pressure: **259-725 lbs (240-329 kg)**



Grinding width: **31.5 in (800 mm)**



Grinding discs: **4 x 10.6 in (270 mm)**



Motor: **1 - 852cc Kawasaki EnviroGard**



Revolution speed: **700-1400RPM**



Power: **Propane**

RECOMMENDED DUST EXTRACTORS

T 8600 P



MODEL	PART NO.
HTC 800 XP	967838807



HTC 950 RX

HTC 950 RX is a remote-controlled grinder for large surfaces. It is a planetary grinder with four grinding discs and has several functions that increase capacity and enhance operator ergonomics.

The integrated Mist Cooler System prevents metal tools from overheating during grinding and significantly increases the machine's grinding capacity. The machine is equipped with a flexible, floating hood that prevents the spread of dust and enables grinding closer to corners and edges. HTC 950 RX also has an integrated weight system for multi-position adjustment of grinding pressure, as well as battery power for movement during loading and unloading.



Weight: **1,322 lbs (600 kg)**



Grinding pressure: **617-661-882 lbs**
(Grinding pressure: **280-300-400 kg**)



Grinding width: **36 in (920 mm)**



Grinding discs: **4 × 10.6 in (4 × 270 mm)**



Motor: **20 hp (15 kW)**



Revolution speed: **450-1400 RPM**



Power: **3 × 480 V 32 A**

RECOMMENDED DUST EXTRACTORS

HTC D80



MODEL	PART NO.
3 × 480 V	967837702



HTC 270 EG

HTC 270 is a professional edge grinding machine allowing you to grind and polish edges quickly, efficiently and in an ergonomic manner. Instead of grinding edges uncomfortably with handheld equipment, this machine makes it possible to tackle edges just as any other part of the floor, standing upright and progressing fast.

Every step of the grinding and polishing process can be followed by mounting the same tools under the HTC 270 edge grinder as under the main floor grinder. The high head pressure and ingenious design (which allows for both left and right edge grinding) has earned praise from floor grinding specialists around the world.

Additionally, the low grinding head height of only 4 in (100 mm), enables grinding under shelves or other low-hanging obstacles. The floating cover follows the floor at all times and transportation is easy thanks to the detachable chassis.



Weight: **227 lbs (103 kg)**



Grinding pressure: **80 lbs (36 kg)**



Grinding width: **10.6 in (270 mm)**



Motor: **3 hp (2.2 kW)**



Revolution speed: **460–1220 RPM**



Power: **1 × 110 V 20 A / 1 × 220 V 16 A / 3 × 480 V 16 A**

RECOMMENDED DUST EXTRACTORS

S 26



S 36



C 3000



MODEL

PART NO.

1 × 220V

967838708

3 × 480V

967838709

1 × 110 V

967838710



HTC D80

HTC D80 is a large dust extractor especially suitable for heavy coating removal (floor preparation) and large flooring projects in combination with large size grinders (size 8 and above).

HTC D80 is equipped with a high-performing integrated pre-separator that removes up to 95% of the dust and increases filter lifetime.

The HTC D80 dust extractor can be used in various ways depending on your setup. For maximum efficiency and output we recommend a remote-controlled grinder. If you use a traditional grinder without remote control you can still benefit from the double Longopac® or make use of the optional remote control to turn on and off the dust extractor from a distance.



Weight: **600 lbs (272 kg)**



Power: **3 × 230 V / 3 × 480 V**



Motor: **10 hp (7.5 kW)**



Max theoretical airflow: **412 CFM**



MODEL	PART NO.
3 × 480 V, 50/60 Hz, distribution box, no remote	967839011
3 × 230 V, 50/60 Hz, no remote	967839014

**DURATIOQ
TECHNOLOGY**

HTC D60

HTC D60 is a specifically designed dust extractor for high-performance floor grinding with a remote connection to the floor grinders with DURATIOQ Technology.

A large LCD display provides information about critical data needed for optimal dust extraction – airflow, under-pressure and filter status.

An auto-purge function is available as an option to clean the filters via the remote control of the grinders (with DURATIOQ Technology).

Remotely connect your grinder with DURATIOQ Technology (most suitably HTC 6) to start and stop operation, clean the filter and receive important notifications on the display of your grinder or remote control unit, all so that you can focus on the floor and ultimately save time and money.

Weight: **395 lbs (179 kg)**Power: **3 × 230 V / 3 × 480 V**Motor: **7.4 hp (5.5 kW)**Max theoretical airflow: **365 CFM**

MODEL	PART NO.
3 × 230 V	967839909
3 × 230 V Remote connect	967839904
3 × 230 V Remote connect & Auto purge	967839910
3 × 480 V	967839908
3 × 480 V Remote connect	967839014
3 × 480 V Remote connect & Auto purge	967839912



Adjustable height in four positions. Two operating positions and two transport positions.














EZ TOOL SYSTEM

A COMPLETE TOOL OFFERING FOR:




















- REMOVAL
- GRINDING
- POLISHING
- EDGING





SURFACE PREP TOOLS

FLOOR PREPARATION COATINGS REMOVAL	 RAVAGER  EZ PREP S1	 EZ PREP 0  EZ PREP M1  EZ PREP H1	 T-Rex™ Super  T-Rex™ Classic  T-Rex™ Dome  T-Rex™ Rings
	RAVAGER: BUSH HAMMERED SURFACE EZ PREP S1: COATINGS 0-1MM SURFACE LEVELING	EZ PREP 0: COATINGS 0-2MM EZ PREP M1 / H1: COATINGS 1-3MM	T-REX™ CLASSIC/SUPER/RINGS: COATINGS 1-3 MM T-REX™ DOME: COATINGS >3 MM

CONCRETE GRINDING – METAL TOOLS

	S	M	H	X	XX	CONC	
GRINDING	#25	 S2	 M2	 H2	 X2	 XX2	
	#40	 S3	 M3	 H3	 X3	 XX3	SP3
	#80	 S4	 M4	 H4	 X4	 XX4	SP4
HONING / TRANSITIONAL	#100/150	 S5	 M5	 H5	 X5		SP5
	#200						SP6
	#400						SP7
FINE POLISHING	#800						SP8
	#1500						SP9
	#3000						SP10
	EZCHANGE™ ABRASIVE, COARSE AND UNEVEN SURFACES	EZCHANGE™ MEDIUM TO HARD CONCRETE GRINDING		EZCHANGE™ EXTREMELY HARD CONCRETE GRINDING		EZCHANGE™	

 Metal bond tools

 Resin bond tools

DIAMOND TOOL OVERVIEW

EZ-SYSTEM

CONCRETE POLISHING – RESIN TOOLS

SPECIAL APPLICATIONS

NATURAL STONE

CONCRETE








































SF

DIAMOND
BLOCKS

DIAMOND
FENIX

DIAMOND
XPRESS










DIAMOND
SGW

					SGW2 
		DB3 	DF3 	DX3 	SGW3 
		DB4 	DF4 	DX4 	SGW4 
	SF5 	DB5 	DF5 	DX5 	SGW5 
	SF6 	DB6 	DF6 	DX6 	
	SF7 	DB7 	DF7 	DX7 	
	SF8 		DF8 	DX8 	
	SF9 		DF9 	DX9 	
	SF10 		DF10 	DX10 	
CONCRETE POLISHING	FLEXIBLE PADS MAXIMUM GLOSS CONCRETE POLISHING	EZCHANGE™ CONCRETE GRINDING & HONING	FLEXIBLE PADS CEMENTITIOUS TOPPING CONCRETE	RESIN PADS MARBLE LIMESTONE TERRAZZO CONCRETE	RINGS MARBLE LIMESTONE TERRAZZO GRANITE

SUPERPREP SERIES

The Husqvarna Superprep series of tools has all of the capabilities you need to deliver profitable results and finish the job on time. The series combines the EZ PREP series, along with the well-known T-Rex™ and Ravager tools.

All gathered and packaged under the name Husqvarna Superprep – the absolute toughest tooling series from Husqvarna.

 <p>EZ PREP S1</p>  <p>EZ PREP M1</p>  <p>EZ PREP H1</p>	 <p>EZ PREP O</p>	 <p>EZ T-REX™ CLASSIC</p>  <p>EZ T-REX™ SUPER II</p>  <p>T-REX™ SUPER II/ CLASSIC RING</p>	 <p>EZ T-REX™ DOME II</p>	 <p>RAVAGER</p>
<p>Coatings 0–1mm Surface leveling</p>	<p>Coatings 0–2mm</p>	<p>Coatings 1–3mm</p>	<p>Coatings > 3mm</p>	<p>Bush hammering tool</p>

HIGHLIGHTS AND INNOVATIVE FEATURES OF THE SUPERPREP SERIES

INTEGRATED DUST CHANNELS

T-REX™ RING SUPER has been designed with channels for effective removal of grinding residue to keep the cutting edge clean around the PCDs. Countersunk holes for hex bolts, enable easier and more secure mounting, even in the roughest environments.



TOOL FOR ABRASIVE SURFACES

EZ PREP O is a tool with crushed polycrystalline diamonds (PCD) for tough jobs and speedy grinding. It has a broad application area for both soft and hard surfaces.



RAVAGER FOR BUSH HAMMERING


The **RAVAGER** tool has high wear resistance and creates a homogeneously bush-hammered surface.



REMOVAL TOOL FOR ABRASIVE SURFACES

EZ PREP S1 has been developed for soft surfaces, with a focus on surface leveling and removal of thinner coatings, 0–1mm.





SUPERPREP SERIES

FLOOR REMOVAL AND FLOOR PREPARATION

EZ PREP SERIES



DESCRIPTION	PART NO.	COATINGS REMOVAL
EZ PREP S1	598885602	0-1 mm
EZ PREP M1	598885702	0-1 mm
EZ PREP H1	598885802	0-1 mm
EZ PREP O	598885402	0-2 mm

Sold as 3-pack.

EZ T-REX™ SUPER



DESCRIPTION	PART NO.	COATINGS REMOVAL
EZ T-Rex™ SUPER A	598886101	1-3 mm
EZ T-Rex™ SUPER B	598886301	1-3 mm
EZ T-Rex™ SUPER A Protective segment	598886201	1-3 mm
EZ T-Rex™ SUPER B Protective segment	598886401	1-3 mm

Sold as 3-pack.

EZ T-REX™ CLASSIC



DESCRIPTION	PART NO.	COATINGS REMOVAL
EZ T-Rex™ Classic A	598886501	1-3 mm
EZ T-Rex™ Classic B	598886701	1-3 mm
EZ T-Rex™ Classic A Protective segment	598886601	1-3 mm
EZ T-Rex™ Classic B Protective segment	598886801	1-3 mm

Sold as 3-pack.

EZ T-REX™ DOME



DESCRIPTION	PART NO.
EZ T-Rex™ Dome A Protective segment	598885901
EZ T-Rex™ Dome B Protective segment	598886001

Sold as 3-pack.

ALL EZCHANGE™ TOOLS ARE DELIVERED AS 3-PACKS.



T-REX™ RINGS



593331001



593346006



593346005



593346003



593346004

DESCRIPTION	PART NO.	COATINGS REMOVAL
T-Rex™ RING CLASSIC 160 mm	593331001	1–3 mm
T-Rex™ RING SUPER A 230 mm Protect segment	593346006	1–3 mm
T-Rex™ RING SUPER B 230 mm Protect segment	593346005	1–3 mm
T-Rex™ RING SUPER A 270 mm Protect segment	593346003	1–3 mm
T-Rex™ RING SUPER B 270 mm Protect segment	593346004	1–3 mm

Sold as single units.

RAVAGER (BUSH HAMMERING)




593344202



593344205



593344207



593344206

DESCRIPTION	PART NO.	
Ravager 180 mm	593344202	Includes (3) Ravager rollers assembled and mounted to plate. Recommended for use with HTC 450.
Ravager 230 mm (3 rolls)	593344205	Includes (3) Ravager rollers assembled and mounted to plate. Recommended for use with HTC 6, HTC 650 series, HTC 5, HTC 500 series and the HTC 510.
Ravager 270 mm (6 rolls)	593344207	Includes (6) Ravager rollers assembled and mounted to plate. Recommended for HTC 950, HTC 8 and HTC 800 series.
Ravager 270 mm (6 rolls)	593344206	Includes (3) Ravager rollers assembled and mounted to plate. Recommended with HTC 950, HTC 8 and HTC 800 series.

Sold as single units.

SMHXX METAL GRINDING TOOLS

FOR ALL CONCRETE TYPES

EZ S SERIES – For soft concrete



DESCRIPTION	PART NO.	GRIT
EZ S2 Gold DS	598882002	25
EZ S3 Grey DS	598882102	40
EZ S4 Brown DS	598882202	80
EZ S5 Black DS	598882302	150

Sold as 3-pack.

EZ M SERIES – For medium concrete



DESCRIPTION	PART NO.	GRIT
EZ M2 Gold DS	598882402	25
EZ M2 Gold SS	598882401	25
EZ M3 Grey DS	598882502	40
EZ M3 Grey SS	598882501	40
EZ M4 Brown DS	598882602	80
EZ M4 Brown SS	598882601	80
EZ M5 Black DS	598882702	150
EZ M5 Black SS	598882701	150

Sold as 3-pack.

EZ H SERIES – For hard concrete



DESCRIPTION	PART NO.	GRIT
EZ H2 Gold DS	598883202	25
EZ H2 Gold SS	598883201	25
EZ H3 Grey DS	598883302	40
EZ H3 Grey SS	598883301	40
EZ H4 Brown DS	598883402	80
EZ H4 Brown SS	598883401	80
EZ H5 Black DS	598883502	150
EZ H5 Black SS	598883501	150

Sold as 3-pack.

CHOOSE THE RIGHT TOOL FOR CONCRETE GRINDING

SOFT CONCRETE	MEDIUM CONCRETE	HARD CONCRETE	XTREMELY HARD CONCRETE	
S SERIES Moh's scratch test from 2 to 3				
	M SERIES Moh's scratch test from 3 to 5			
		H SERIES Moh's scratch test from 5 to 7		
			X SERIES Moh's scratch test from 7 to 9	WHEN NOTHING ELSE MAKES THE CUT!
				XX
S2 Gold	M2 Gold	H2 Gold	X2 Gold	XX2 Gold
S3 Grey	M3 Grey	H3 Grey	X3 Grey	XX3 Grey
S4 Brown	M4 Brown	H4 Brown	X4 Brown	XX4 Brown
S5 Black	M5 Black	H5 Black	X5 Black	XX5 Black

CHOOSE THE RIGHT TOOL WITH HUSQVARNA'S HARDNESS TESTER

By means of a simple scratch test, you determine the hardness of the floor or the concrete in relation to the Moh's Scale. The table above guides you which tool to choose.



Part no. – 593316901

EZ X SERIES – For extremely hard concrete



DESCRIPTION	PART NO.	GRIT
EZ X2 Gold DS	598884002	25
EZ X2 Gold SS	598884001	25
EZ X3 Grey DS	598884102	40
EZ X3 Grey SS	598884101	40
EZ X4 Brown DS	598884202	80
EZ X4 Brown SS	598884201	80
EZ X5 Black DS	598884302	150
EZ X5 Black SS	598884301	150

Sold as 3-pack.

EZ XX SERIES – For extremely hard concrete



DESCRIPTION	PART NO.	GRIT
EZ XX2 Gold DS	598884802	25
EZ XX2 Gold SS	598884801	25
EZ XX3 Grey DS	598884902	40
EZ XX3 Grey SS	598884901	40
EZ XX4 Brown DS	598885002	80
EZ XX4 Brown SS	598885001	80t

Sold as 3-pack.

WELCOME TO A WHOLE NEW WORLD OF POLISHING TOOLS

The best polished floors require skill – and the best tools.
In Husqvarna's own diamond tool laboratories, a whole crew
of engineers have pushed resin innovation to a new level
– all to maximize performance and increase user friendliness.



NEW



SF SERIES

NEW



SP SERIES

NEW



DB SERIES



NEW

SF SERIES

PREMIUM CONCRETE POLISHING

NEW SF SERIES (Super Flexible) is your first option for dry polishing providing unsurpassed gloss and DOI*. Fantastic results already from low grits.


- Available from #100 to easily transfer from metal tools with excellent scratch removal capacity
- Reach higher gloss levels earlier in the process
- High temperature resistance
- Optimized fiber pad for increased durability and ability to clean up resin residues
- Ingenious magnetic attachment system (patent pending)
 - no failing glue or hook-and-loop fastener solutions
- Flexible pad design
 - follows uneven floor surfaces
- Available in three sizes

* DOI = Distinctness Of Image, clarity of the reflection.




GLOSS* EARLIER

Extensive testing and development of the SF series have resulted in remarkable characteristics and premium performance. Already at 400 grit (RED step) you can reach gloss levels up to 55.



FLEXIBLE PAD DESIGN FOLLOWS UNEVEN FLOOR SURFACES



SF-SERIES	PART NO		
SF5 Black	529640801 7 in (180 mm)	529640802 9 in (230 mm)	529640803 10.6 in (270 mm)
SF6 Blue	529640901 7 in (180 mm)	529640902 9 in (230 mm)	529640903 10.6 in (270 mm)
SF7 Red	529641001 7 in (180 mm)	529641002 9 in (230 mm)	529641003 10.6 in (270 mm)
SF8 White	529641101 7 in (180 mm)	529641102 9 in (230 mm)	529641103 10.6 in (270 mm)
SF9 Yellow	529641201 7 in (180 mm)	529641202 9 in (230 mm)	529641203 10.6 in (270 mm)
SF10 Green	529640701 7 in (180 mm)	529640702 9 in (230 mm)	529640703 10.6 in (270 mm)

Sold as single units.

* Comparative side-by-side internal test on a medium hard concrete slab with an HTC RX8, measuring gloss.

NEW

SP SERIES

ALL ROUND CONCRETE POLISHING

New EZ SP series (Super Polishing) is the next generation "SR" tools improved in many aspects. An all round polishing series with capabilities to reach high gloss levels already from grit 400 and up. At the same time improved cutting rates on lower grits.


- Reach high gloss and DOI* levels earlier in the polishing process
- Available from already #40 with excellent cutting ability
- EZchange™ system – no screws, no hook-and-loop fasteners

* DOI = Distinctness Of Image, clarity of the reflection.



SUPERIOR ENHANCEMENTS*

The all-new EZ SP series replace the previous SR series and include a lot of enhancements. Build gloss and DOI early in the process and reach your desired end result faster!



* Comparative side-by-side internal test on a hard concrete slab with an HTC RX8 and full set of tools (12 pcs), measuring gloss.





SP-SERIES	PART NO
EZ SP3 Grey	529640403
EZ SP4 Brown	529640404
EZ SP5 Black	529640405
EZ SP6 Blue	529640406
EZ SP7 Red	529640407
EZ SP8 White	529640408
EZ SP9 Yellow	529640409

Sold as 3-pack.

HASSLE-FREE TOOL CHANGING

EZchange™ CLICK tool holder

No more failing glue or hook-and-loop fasteners collecting dust. Just click on the tool and start grinding.



EZchange™ CLASSIC

Change tools in an instant. No screws, no hook-and-loop fasteners – no struggle.



NEW

DIAMOND BLOCK

DIAMOND BLOCK series is the go-to tools when a "puck-design" resin tool is preferred. Developed for all round polishing and honing with a range between 40–400 grit. Fast tool change with EZchange™ system.

- An all-round polishing and honing series
- Large contact area for smooth operation
- Metal EZchange™ system for excellent heat control but also – no screws, no hook-and-loop fasteners




DB-SERIES	PART NO (sold as 3-pack)
EZ DB3 Grey	529640303
EZ DB4 Brown	529640304
EZ DB5 Black	529640305
EZ DB6 Blue	529640306
EZ DB7 Red	529640307

Sold as 3-pack.

DIAMOND FENIX

DIAMOND FENIX series is perfect for grinding and polishing of concrete and cementitious toppings such as overlays or screed. Thanks to its flexible pad design it is also a good problem solver in case of minor low spots when grinding and polishing concrete.

- Can grind and polish most floor coverings
- Available in three sizes for each color/grit
- A clear color-coding on the backside





DF-SERIES	PART NO		
DF3 Grey	593342602 (7 in 180 mm)	593342603 (9 in 230 mm)	593342604 (10.6 in 270 mm)
DF4 Brown	593342702 (7 in 180 mm)	593342703 (9 in 230 mm)	593342704 (10.6 in 270 mm)
DF5 Black	593342902 (7 in 180 mm)	593342903 (9 in 230 mm)	593342904 (10.6 in 270 mm)
DF6 Blue	593343102 (7 in 180 mm)	593343103 (9 in 230 mm)	593343104 (10.6 in 270 mm)
DF7 Red	593343002 (7 in 180 mm)	593343003 (9 in 230 mm)	593343004 (10.6 in 270 mm)
DF8 White	593343202 (7 in 180 mm)	593343203 (9 in 230 mm)	593343204 (10.6 in 270 mm)
DF9 Yellow	593343302 (7 in 180 mm)	593343303 (9 in 230 mm)	593343304 (10.6 in 270 mm)
DF10 Green	593685602 (7 in 180 mm)	593685603 (9 in 230 mm)	593342504 (10.6 in 270 mm)

Sold as single units.

DIAMOND XPRESS

DIAMOND XPRESS series is a polishing system specifically developed for dry-processing of natural stone such as marble, terrazzo and limestone. The specific formula and design also makes it a very good polishing tool for hard concrete floors.

- Proven dry process for natural stone polishing
 - no slurry to deal with
- High gloss without a need for additional chemicals
- Available in three sizes



DX-SERIES	PART NO		
DX3 Grey	593341903 (7 in 180 mm)	593341901 (9 in 230 mm)	593341902 (10.6 in 270 mm)
DX4 Brown	593342003 (7 in 180 mm)	593342001 (9 in 230 mm)	593342002 (10.6 in 270 mm)
DX5 Black	593342103 (7 in 180 mm)	593342101 (9 in 230 mm)	593342102 (10.6 in 270 mm)
DX6 Blue	593342203 (7 in 180 mm)	593342201 (9 in 230 mm)	593342202 (10.6 in 270 mm)
DX7 Red	593342303 (7 in 180 mm)	593342301 (9 in 230 mm)	593342302 (10.6 in 270 mm)
DX8 White	593342403 (7 in 180 mm)	593342401 (9 in 230 mm)	593342402 (10.6 in 270 mm)
DX9 Yellow	593342503 (7 in 180 mm)	593342501 (9 in 230 mm)	593342502 (10.6 in 270 mm)
DX10	593341803 (7 in 180 mm)	593341801 (9 in 230 mm)	593341802 (10.6 in 270 mm)

Sold as single units.



A WHOLE NEW WORLD OF EDGE GRINDING TOOLS

Edges frame your floor. They should reflect the same quality as the rest of the floor. With this whole new edge tool grinding system, we aim to make edge-grinding less tedious and more rewarding for you.

EASY TO CHOOSE

Tools for edges mirror the logic and performance of the standard floor grinding machine series. You can now follow every step in your grinding and polishing process even for the edges.


TIME SAVING

The grinding series SM edge and HX edge have up to 2.5 times higher removal rate – less time spent on your knees and reduced labor cost.

HIGHER GLOSS, EARLIER

The polishing series SP edge achieves higher gloss earlier in the process with a significant increase at 400 grit.


REMOVAL (kg/h)



Comparative side-by-side internal test on a medium hard concrete slab with a hand-held grinder at 9000RPM, measuring removal in Kg/h.

* Previous tool version

GLOSS



Comparative side-by-side internal test on a medium hard concrete slab with a hand-held grinder at 1500RPM, measuring gloss.

** Previous tool version

SURFACE PREP TOOLS

FLOOR PREPARATION
COATINGS REMOVAL



T-REX™ EDGE

THICK AND BRITTLE
COATINGS 1-3 MM



PREP O EDGE

THIN COATINGS
LIKE GLUE PAINT ETC
< 1MM

EDGE GRINDING TOOL OVERVIEW

CONCRETE GRINDING – METAL TOOLS

CONCRETE POLISHING
– RESIN TOOLS

SPECIAL APPLICATIONS



























SM EDGE

HX EDGE

SP EDGE

DIAMOND
TRANSITIONAL EDGE

DIAMOND
FENIX EDGE

		SM EDGE	HX EDGE	SP EDGE	DIAMOND TRANSITIONAL EDGE	DIAMOND FENIX EDGE
GRINDING	#25	SM EDGE 2 	HX EDGE 2 			
	#40	SM EDGE 3 	HX EDGE 3 	SP EDGE 3 	DT EDGE 3 	DF EDGE 3 
	#80	SM EDGE 4 	HX EDGE 4 	SP EDGE 4 		DF EDGE 4 
HONING / TRANSITIONAL	#100/150	SM EDGE 5 	HX EDGE 5 	SP EDGE 5 	DT EDGE 5 	DF EDGE 5 
	#200			SP EDGE 6 		DF EDGE 6 
	#400			SP EDGE 7 		DF EDGE 7 
POLISHING	#800			SP EDGE 8 		DF EDGE 8 
	#1500			SP EDGE 9 		DF EDGE 9 
	#3000			SP EDGE 10 		DF EDGE 10 
		SOFT – MEDIUM CONCRETE	HARD – EXTRA HARD CONCRETE	ALL CONCRETE	TRANSITIONAL TOOL	CEMENTITIOUS TOPPINGS

Metal bond tools

Resin bond tools

Hybrid bond tools

NEW

EDGE TOOLS

AVAILABLE LATE Q2 2021

SUPERPREP EDGE – FOR HEAVY REMOVAL



529859325 529859125

DESCRIPTION	PART NO.	SIZE IN (MM)
T-REX™ EDGE	529859325	5 (125)
T-REX™ EDGE	529859380	7 (180)
PREP O EDGE	529859125	5 (125)
PREP O EDGE	529859180	7 (180)

Sold as single units.

SM EDGE – FOR SOFT/MEDIUM CONCRETE




529856325 529856525 529856625 529856725

DESCRIPTION	PART NO.	SIZE IN (MM)	GRIT
SM EDGE 2	529856325	5 (125)	25
SM EDGE 2	529856380	7 (180)	25
SM EDGE 3	529856525	5 (125)	40
SM EDGE 3	529856580	7 (180)	40
SM EDGE 4	529856625	5 (125)	80
SM EDGE 4	529856680	7 (180)	80
SM EDGE 5	529856725	5 (125)	150
SM EDGE 5	529856780	7 (180)	150

Sold as single units.

HX EDGE – FOR HARD/EXTREMELY HARD CONCRETE



529856825 529856925 529857025 529857125

DESCRIPTION	PART NO.	SIZE (MM)	GRIT
HX EDGE 2	529856825	5 (125)	25
HX EDGE 2	529856880	7 (180)	25
HX EDGE 3	529856925	5 (125)	40
HX EDGE 3	529856980	7 (180)	40
HX EDGE 4	529857025	5 (125)	80
HX EDGE 4	529857080	7 (180)	80
HX EDGE 5	529857125	5 (125)	150
HX EDGE 5	529857180	7 (180)	150

Sold as single units.

SP EDGE – FOR POLISHING



529860103 529860104 529860105 529860106
529860107 529860108 529860109 529860110

DESCRIPTION	PART NO.	SIZE (MM)	GRIT
SP EDGE 3	529860103	5 (125)	40
SP EDGE 4	529860104	5 (125)	80
SP EDGE 5	529860105	5 (125)	100
SP EDGE 6	529860106	5 (125)	200
SP EDGE 7	529860107	5 (125)	400
SP EDGE 8	529860108	5 (125)	800
SP EDGE 9	529860109	5 (125)	1500
SP EDGE 10	529860110	5 (125)	3000

Sold as single units.



DIAMOND TRANSITIONAL HIPER EDGE



529859625



529859725

DESCRIPTION	PART NO.	SIZE IN (MM)	GRIT
Hiper Edge 5	599400701	5 (125)	30
Hiper Edge 5	599400801	5 (125)	50
Hiper Edge 5	599400901	5 (125)	100
Hiper Edge 5	599401001	5 (125)	270
Hiper Edge 5	599401101	5 (125)	400
Hiper Edge 7	599401201	7 (180)	30
Hiper Edge 7	599401301	7 (180)	50
Hiper Edge 7	599401401	7 (180)	100
Hiper Edge 7	599401501	7 (180)	270
Hiper Edge 7	599401601	7 (180)	400

Sold as single units.

DIAMOND FENIX EDGE



593342601



593342701



593342901



593343101



593343001



593343201



593343301



593685601

DESCRIPTION	PART NO.	SIZE IN (MM)	GRIT
DF EDGE 3	593342601	5 (125)	40
DF EDGE 4	593342701	5 (125)	80
DF EDGE 5	593342901	5 (125)	100
DF EDGE 6	593343101	5 (125)	200
DF EDGE 7	593343001	5 (125)	400
DF EDGE 8	593343201	5 (125)	800
DF EDGE 9	593343301	5 (125)	1500
DF EDGE 10	593685601	5 (125)	3000

Sold as single units.

OTHER METAL TOOLS

TOOL RINGS – FOR CONCRETE GRINDING



DESCRIPTION	PART NO.	GRIT
Tool Ring 180 S2 Gold	593329601	25
Tool Ring 180 S3 Grey	593329701	40
Tool Ring 180 M1 Silver	593329801	150
Tool Ring 180 M2 Gold	593329901	25
Tool Ring 180 X2 Gold	593330001	25
Tool Ring 180 X3 Grey	597255601	40

Sold as single units.

SGW RINGS – FOR WET GRINDING



For wet grinding of natural stone floors with uneven surfaces and lippages.

SGW rings are developed for efficient wet processing (wet grinding) of natural stone such as Marble, Terrazzo, Limestone and Granite.

The SGW-rings are especially efficient when it comes to wet grinding of uneven placed floor tiles. The tools come in different sizes to match your machine.



DESCRIPTION	PART NO.	GRIT
SGW 2 Gold	593345101 (6 in 160 mm) 593345102 (8.6 in 220 mm) 593345103 (10.6 in 270 mm)	25
SGW 3 Grey	593345201 (6 in 160 mm) 593345202 (8.6 in 220 mm) 593345203 (10.6 in 270 mm)	40
SGW 4 Brown	593345301 (6 in 160 mm) 593345302 (8.6 in 220 mm) 593345303 (10.6 in 270 mm)	80
SGW 5 Black	593345401 (6 in 160 mm) 593345402 (8.6 in 220 mm) 593345403 (10.6 in 270 mm)	150

Sold as single units.

TOOLS FOR WOOD GRINDING

EZ SL SERIES – FOR WOOD GRINDING

		
598887001	598887101	598887201
DESCRIPTION	PART NO.	GRIT
EZ SL 30 Wood	598887001	25
EZ SL 50 Wood	598887101	40
EZ SL 70 Wood	598887201	70
<i>Sold as 3-pack.</i>		

TOOL HOLDERS – ACCESSORIES FOR WOOD GRINDING

	
593319201	593314002
	
593343801	593314702
DESCRIPTION	PART NO.
Elastic tool holder EZ (7in/180 mm) 3	593319201
Elastic tool holder EZ (9 in/230 mm) 3	593319202
Tool holder wood sanding (7in/180 mm)	593343801
Tool holder wood sanding (9 in/230 mm)	593314801
Foamflex for wood sanding (7in/180 mm)	593314002
Foamflex for wood sanding (9 in/230 mm)	593314003
Pad holder (7in/180 mm)	593314702
Pad holder (9 in/230 mm)	593314703
<i>Sold as single units.</i>	

SANDING PAPER – FOR WOOD GRINDING



DESCRIPTION	PART NO.	GRIT
Sanding paper (7in/180 mm)	593343601	40
Sanding paper (7in/180 mm)	593343701	60
Sanding paper (7in/180 mm)	593343801	80
Sanding paper (7in/180 mm)	593343901	100
Sanding paper (7in/180 mm)	593344002	120
Sanding paper (9 in/230 mm)	593343602	40
Sanding paper (9 in/230 mm)	593343702	60
Sanding paper (9 in/230 mm)	593343802	80
Sanding paper (9 in/230 mm)	593343902	100
Sanding paper (9 in/230 mm)	593344003	120
<i>Sold as single units.</i>		

OIL PAD – FOR WOOD GRINDING

	
593772302	
DESCRIPTION	PART NO.
Oil pad (7in/180 mm)	593772302
<i>Sold as 3-pack.</i>	

NEW

A WHOLE NEW WORLD OF OPTIONS WITH THE TOOL HOLDER MULTI

With the Orange Evolution, two complete diamond tool universes are available to the professional floor grinders – thanks to the brand-new tool holder multi, you can operate tools with both EZchange™ and Redi Lock® attachment systems under any Husqvarna grinder! No more adapter plates needed.



MACHINE	STANDARD CONFIGURATION	NOTE!
PG 820/830	Tool holder Multi headlock	
PG 680/690	Tool holder Multi headlock	
PG 530/540	Tool holder Multi headlock	All Husqvarna PG grinders from size 450 and above and the HTC EG 270 edge grinder will be equipped with a Tool holder Multi upon delivery from mid-year 2021.
PG 510	Tool holder Multi headlock	
PG 450	Tool holder Multi headlock	
HTC 950 RX	Tool holder Multi	
HTC 8	Tool holder AirFlow	All Husqvarna HTC grinders (except the HTC 270 EG) will be equipped with an AirFlow tool holder upon delivery from mid-year 2021.
HTC 6	Tool holder AirFlow	
HTC 5	Tool holder AirFlow	
HTC 270 EG	Tool holder Multi	



TOOL HOLDERS

GRINDING TOOL HOLDERS

- ⊕ Standard configuration
- H Headlock
- C HTC Cross



	DESCRIPTION	PART NO.	HTC 270-EG (1 plate)	PG280 (1 plate)	PG400 (1 plate)	PG450 (3 plates)	PG510 (3 plates)	PG540 (3 plates)
AIRFLOW	Tool Holder EZ AirFlow 230 6 C	593319302						
	Tool Holder EZ AirFlow 270 6 C	593319301						
TOOL HOLDER MULTI	Tool Holder Multi 180 3 H	529617203				⊕		
	Tool Holder Multi 230 3 H	529617212					⊕	
	Tool Holder Multi 230 6 H	529617202						⊕
	Tool Holder Multi 270 6 H	529617201						
	Tool Holder Multi 230 6 C	529617102						
	Tool Holder Multi 270 6 C	529617101						
	Tool Holder Multi 280 6	529617002		●				
	Tool Holder Multi 400 9	529617001			●			
REDI LOCK®	Tool Holder Redi Lock® 280 12	598502101		⊕				
	Tool Holder Redi Lock® 400 18	595308701				⊕		

POLISHING TOOL HOLDERS

- ⊕ Standard configuration
 - H Headlock
 - C HTC Cross
- Resin holders** for Diamond Xpress tools, sandpaper, foamflex.
Pad holders for Diamond Fenix Pads.
EZchange™ CLICK for SF pads.



	DESCRIPTION	PART NO.	HTC270-EG (1 plate)	PG280 (1 plate)	PG400 (1 plate)	PG450 (3 plates)	PG510 (3 plates)	PG540 (3 plates)
EZCHANGE™ CLICK	Tool Holder EZchange™ CLICK 180 HC	529617303				●		
	Tool Holder EZchange™ CLICK 230 HC	529617302					●	●
	Tool Holder EZchange™ CLICK 270 HC	529617301						
ELASTIC / FLEXIBLE TOOL HOLDERS	Tool Holder elastic EG 270 4	598966901	⊕					
	Tool Holder Elastic 230 3 C	593319202						
	Tool Holder Elastic 270 6 C	593319203						
PAD HOLDER	Tool Holder Flexible 270 6 C	593319401						
	Pad Holder EG 270	593314704	●					
	Pad Holder 230 C	593314703						
RESIN HOLDER	Pad Holder 270 C	593314701						
	Resin Holder EG 270 C	593314705	●					
	Resin Holder 230 C	593314802					●	●
	Resin Holder 270 C	593314803						
	Resin Holder 180 H	596901303				●		
	Resin Holder 230 H	596901302						
	Resin Holder 270 H	596901301						

TOOL HOLDER NAME COMPOSITION

TOOL HOLDER | MULTI | 270 | 6 | H

A B C D

A: Type of holder
B: Diameter (mm)

C: Max # of tools
D: Machine connector(s)




HTC 5 (3 plates)	PG690 (3 plates)	HTC 6 (3 or 4 plates)	PG830 (3 plates)	HTC 8 (3 or 4 plates)	HTC 950 RX (3 or 4 plates)
+		+			
				+	+
	+		+		
.		.			
				.	.
				.	.



HTC 5 (3 plates)	PG690 (3 plates)	HTC 6 (3 or 4 plates)	PG830 (3 plates)	HTC 8 (3 or 4 plates)	HTC 950 RX (3 or 4 plates)
.		.			

.		.		.	.
				.	.
.		.		.	.
				.	.
.
				.	.
			.		



CHEMICALS

FLOOR GROUTING SYSTEM

NEW



GM3000 is our primary recommendation of grouting. A ready-to use liquid that is easily spread out onto the floor and grinded down into the surface. Suitable for medium- to large-scale projects.

DESCRIPTION	PART NO.	SIZE	CONSUMPTION RATE
GM 3000	529750905	1 gallon (3.8 L)	Approx. 5 m ² /L
GM 3000	529750906	5 gallon (19 L)	Approx. 5 m ² /L
GM 3000	529750907	55 gallon (208 L)	Approx. 5 m ² /L

FLOOR HARDENING SYSTEM

NEW



CURE (K) – a potassium silicate. Ideal for densification early in the grinding process or for use on porous or troweled floors. Well suited for large-scale projects.

DESCRIPTION	PART NO.	SIZE	CONSUMPTION RATE
CURE (K)	529751005	1 gallon (3.8 L)	Approx. 5 m ² /L
CURE (K)	529751006	5 gallon (19 L)	Approx. 5 m ² /L
CURE (K)	529751007	55 gallon (208 L)	Approx. 5 m ² /L

FLOOR HARDENING SYSTEM

NEW



CURE (L) – a lithium silicate. Ideal for dense surfaces or outdoor projects. Also can be used as an additional lip coat after the initial CURE application, to optimize the densification effect throughout the grinding process.

DESCRIPTION	PART NO.	SIZE	CONSUMPTION RATE
CURE (L)	529751303	1 gallon (3.8 L)	Approx. 5–10 m ² /L
CURE (L)	529751304	5 gallon (19 L)	Approx. 5–10 m ² /L
CURE (L)	529751305	55 gallon (208 L)	Approx. 5–10 m ² /L

FLOOR PROTECTION SYSTEM

NEW



TOPICAL GUARD is a water based silane modified acrylic sealer that forms a microscopic semi-topical barrier. It is designed to be used when the surface is needing extra protection from topical harsh spills and chemical attacks. Suitable for indoor use.

DESCRIPTION	PART NO.	SIZE	CONSUMPTION RATE
TOPICAL GUARD	580502907	1 gallon (3.8 L)	Approx. 20 m ² /L
TOPICAL GUARD	580502908	5 gallon (19 L)	Approx. 20 m ² /L
TOPICAL GUARD	580502909	55 gallon (208 L)	Approx. 20 m ² /L

FLOOR PROTECTION SYSTEM

NEW



PREMIUM GUARD SB/WB is a solvent based fully penetrating guard that is very easy to apply and provides premium protection. It creates a hydrophobic barrier that will prevent liquids from penetrating the polished concrete surface, but with limited protection against topical harsh spills and chemical attacks. It is not a surface/topical sealer and therefore cannot blister, wear off or discolor. It is UV stable and also aids in enhancing the color of the floor and imparts high gloss when burnished. For indoor and outdoor use.

DESCRIPTION	PART NO.	SIZE	CONSUMPTION RATE
PREMIUM GUARD SB	501197913	1 gallon (3.8 L)	Approx. 20–40 m ² /L
PREMIUM GUARD SB	501197914	5 gallon (19 L)	Approx. 20–40 m ² /L
PREMIUM GUARD SB	501197915	55 gallon (208 L)	Approx. 20–40 m ² /L

DESCRIPTION	PART NO.	SIZE	CONSUMPTION RATE
PREMIUM GUARD WB	501197909	1 gallon 3.8 L)	Approx. 20–40 m ² /L
PREMIUM GUARD WB	501197910	5 gallon (19 L)	Approx. 20–40 m ² /L
PREMIUM GUARD WB	501197911	55 gallon (208 L)	Approx. 20–40 m ² /L

FLOOR CLEANING SYSTEM

NEW



CLEAN & PROTECT is a natural soap, specifically developed as a cleaning and treatment solution for concrete and natural stone floors.

DESCRIPTION	PART NO.	SIZE	CONSUMPTION RATE
CLEAN & PROTECT	529755204	1 gallon (3.8 L)	For daily cleaning mix 0.5–1 part Clean & Protect with 100 parts water (0.5–1 dl/10 L water).
CLEAN & PROTECT	529755205	5 gallon (19 L)	




SUPERFLOOR


HUSQVARNA SUPERFLOOR™

POLISHED CONCRETE

UP TO 117% HIGHER RESISTANCE TO WEAR
COMPARED TO UNTREATED CONCRETE*



LIFE-CYCLE COST 20 YEARS#
(Indicative)



SUPER-STRONG

A Superfloor™ polished concrete has a nearly unlimited service life and can handle the toughest treatment imaginable. Concrete is 80–85% stone and sand, which means your Superfloor™ polished concrete floor is comparable to rock. Clean it with Hiperclean pads, and little more will be needed in the way of maintenance.

* Source: SP Report P303050, SS 137241.


SUPER-ECONOMIC

A Superfloor™ polished concrete is a very cost-effective solution. The installation cost per square foot is usually low since the concrete is already in place. Due to the extreme durability and low maintenance needs, the life cycle cost of a Superfloor™ polished concrete floor is very competitive.

Comparison of average costs (2018) for installation and maintenance of four common flooring solutions over a 20-year period. Compared flooring: vinyl, ceramic tiles, quarry tiles and epoxy-terrazzo. Comparison made with Superfloor™ as the departure point. Source: Husqvarna AB.



**SLIP RESISTANCE
PER THE PENDULUM METHOD EN13036-4****




SUPER-SAFE

Superfloor™ is a natural concrete floor that creates a safe and secure working environment for many different activities. It produces no dust. It's an extremely smooth and even surface to drive on. At the same time it provides a slip resistant surface well in line with other flooring solutions**. It complies with high standards for handling electrical equipment and when it comes to fire safety, it's rated highest of all***.

** Source: SP Report, F812033, Technical Research Institute of Sweden, 2008-06-13
 *** Classed as A1 and A1FL as provided for in European Commission Decision 2000/147/EC as of 4 October 1996.

**ENVIRONMENTAL IMPACT
Comparison of the environmental impact of a SUPERFLOOR™
polished concrete versus an epoxy floor****



SUPER-ECO SENSIBLE

Superfloor™ as a floor solution is an eco-sensible choice, as the process consists of refining the natural components of the concrete without adding more layers of materials. The polishing process requires a minimal amount of chemicals and these have been chosen carefully to cause very little environmental stress.

Source: Life Cycle Assessment of Industrial Floors, The Department of Mechanical Engineering (IKP), Linköpings University, 2010.



WHY SUPERFLOOR

- Highly robust, durable floor solution.
- Low life-cycle cost.
- Works just as well for new floors as when renovating existing floors.
- The grinding process is entirely dry, without sludge or water.
- Extreme evenness means low vibrations.
- A smart choice for lowering your environmental impact.
- Easy to maintain.

STEP-BY-STEP TO YOUR SUPERFLOOR™


When a concrete floor is cast the strongest material, the stone aggregate, settles below the surface leaving mainly cement at the upper surface. The concrete is ground step-by-step according to a well-defined process to achieve the desired characteristics.

Your Superfloor™ polished concrete is there, just beneath the surface! You'll get your first glimpse of it once you grind away the top layer. Continue grinding and polishing to bring out its full luster. The more aggregate exposed, the stronger the floor.



WHICH SUPERFLOOR™ CONCEPT IS RIGHT FOR YOU?

Besides the four concepts Bronze, Silver, Gold and Platinum, you can also have a custom finish that matches your specific preferences for aggregate exposure and gloss.



SUPERFLOOR™ BRONZE

Aggregate Gloss

With its finely honed upper layer, Bronze is the simplest Superfloor™. The aggregate will not be visible. This produces a smooth and matte surface with somewhat lower resistance to wear. Best in applications with limited wear.

SUPERFLOOR™ GOLD

Aggregate Gloss

Gold entails a floor that is not ground as deep as with Platinum. However, the floor is polished to the same gloss. Gold can therefore be a good choice for concrete floors that are already smooth and even.

SUPERFLOOR™ SILVER

Aggregate Gloss

Silver is a less glossy variant of Platinum. Since the grinding depth is the same and aggregate is widely exposed, the floor is very strong. Yet, because of fewer polishing steps, the surface of the floor will be matte. A good choice when you do not need or want a highly reflective floor.

SUPERFLOOR™ PLATINUM

Aggregate Gloss

Platinum is the best of the best. By repeatedly grinding and polishing the floor, you get a smoother, more even floor with more aggregate exposure and unmatched resistance to wear. Platinum is the most popular surface finish and is a good choice for most applications.



THE HUSQVARNA ADVANTAGE

MINIMIZE DOWNTIME. MAXIMIZE THE RESULTS.

Husqvarna is a partner you can trust. With our global network of application specialists and service partners, we support you in your floor grinding and polishing projects. We have also developed a series of services dedicated to making your work day as efficient as possible.

SMART SERVICES FOR AN EASIER WORK DAY

FLEET READY

Husqvarna Fleet Services is a digital, cloud-based asset management service that gathers and presents key machine data such as run-time, location, and service interval alerts. Machine sensors are either embedded or retrofitted to the exterior of the machine. Embedded machines present valuable machine health data like machine overload via the service's Operation Insights module. Husqvarna Fleet Services will help you to make better decisions and unleash the full potential of your operation's productivity. All data is conveniently displayed in your Husqvarna Fleet Services web portal or mobile app. Connect Your Fleet to Stay in Charge!

UPCARE

Maintenance and repairs are a natural part of any operation. But scheduling and keeping track of service times can be time consuming and often result in unwanted costs as well as unplanned downtime. UpCare is a fixed-price service agreement that will give you security and peace of mind, allowing you to achieve better long-term planning with less paper work.

HUSQVARNA TOOL SELECTOR APP

Through the Husqvarna Diamond Tools Selector app, you will now be able to save valuable time and find the right equipment for the right job, every time. By using the app to calculate a complete list of diamond tools and chemicals needed, you'll be able to do fast estimations and answer quotations quicker.



Scan to download.

GLOBAL SERVICE NETWORK

Husqvarna offers a global service network with a strong local presence. When you need a diamond tool, new equipment, technical service or expert advice, our service is just a phone call away.

FINANCING

Husqvarna Construction Finance offers financial solutions designed to meet the needs of professionals in the construction industry. Our financial solutions make Husqvarna equipment easy to acquire and rewarding to use. Offers may vary between markets.

HUSQVARNA FLEET SERVICES




UPCARE SERVICE CONTRACTS



WE'LL KEEP YOU INFORMED ONLINE!

VISIT OUR WEBSITE Here you'll find updated information on our machines and diamond tools, including complete product technical data, service literature, user manuals, an interactive tool guide, news and much more. You'll also find news and information from our company and your local organisation, such as Service Centres and authorised dealers.
www.husqvarnacp.com



SUBSCRIBE TO OUR YOUTUBE CHANNEL Watching our high-quality videos is one of the best ways to find out about the features and benefits of our products, as well as getting useful tips and hints on usage, maintenance and repair procedures for your Husqvarna equipment. Stay tuned for our latest video updates by subscribing to our YouTube channel!
www.youtube.com/HusqvarnaCP

PICK UP YOUR SMARTPHONE Our mobile website provides constant access to updated product information and useful support for your equipment, including an interactive tool guide to help you find the right tool for your job, a library of instructional videos, a searchable archive of user manuals for the machines in PDF format, and contact details of all our dealers.

Local deviations may occur. For the full range and most updated information, please visit our website or download the Husqvarna Construction catalog for iPad from App Store.



FOLLOW US ON FACEBOOK Don't miss if you're in business! On our Facebook page you can get in touch with us at Husqvarna, and meet Husqvarna users from all over the world. Tell us what you think of our products and services, share your own stories and watch pics and videos from our exhibition shows and other Husqvarna events.
www.facebook.com/HusqvarnaConstruction



HUSQVARNA CONSTRUCTION CATALOG FOR iPad

The future is digital, also for this product catalog. The iPad app version is the foremost source of product updates from Husqvarna for news-seeking construction professionals. Browse the complete product range, find the latest technical specifications for your favorite Husqvarna equipment and e-mail your order directly to your Husqvarna representative. Download it for free from App Store today!



Construction catalog available for iPad

DISCOVER THE FULL HUSQVARNA SURFACE PREPARATION RANGE

COMPLETE DUST AND SLURRY MANAGEMENT SOLUTIONS

Full range of construction dust extractors (wet and dry), pre-separators and air cleaners. Large assortment of smart accessories available to fit a wide range of applications.



Visit
www.husqvarnacp.com



EASY TO USE GRINDING MACHINES

Professional floor grinders in many sizes and with a wide spectrum of features.

EFFICIENT DIAMOND TOOLS

The full range of diamond tools for all applications can now be run on all Husqvarna grinders (PG range and HTC system) thanks to the tool holder Multi.



 **Husqvarna**[®]

husqvarnacp.com