Revision: 12-19-23

PolyStar WT 85 – Part B

WE LEAD THE WAY

Polyaspartic Industrial High-Performance Coating

SAFETY DATA SHEET

Section 1. Identification		
Product identifier		PolyStar WT 85 – Part B
Other means of identification		PolyStar WT 85 B
Recommended use and restrictions on use		Floor coating
Supplier informations		2271 Cornell Ave, Montgomery, IL 60538, United States info@specialityproductsdevelopmentgroup.com
Emergency telephone number/restriction on use		Canada – CANUTEC 24-hour number 613-996- 6666
Section 2. Hazard identification		
Classification of hazardous product (name of the	category or subcategory of the hazard class)	
Specific target organ toxicity – single exposure (Skin sensitization (category 1) Acute toxicity inhalation (Category 4) Respiratory sensitization (category 1) Specific target organ toxicity - repeated exposur Information elements (symbols, signal words, haz	e (Category 2)	e category/subcategory)
P260 Do not breathe dusts or mists. P264 Wash I P272 Contaminated work clothing should not be protection. P284 Wear respiratory protection. P3 a doctor if you feel unwell. P342 + P311 If experie several minutes. P333 + P313 IF SKIN irritation or reuse. P305 + P351 + P338 IF IN EYES, Rinse cauti Continue rinsing. P337 + P313 If eye irritation per release to the environment. P391 Collect spillage	-	e only outdoors or in a well-ventilated area. gloves/protective clothing/eye protection/face nd keep comfortable for breathing. P312 Call 352 IF ON SKIN, Wash with plenty of water for ce off contaminated clothing and wash it before ct lenses, if present and easy to do. or concerned: Get medical attention. P273 Avoid c. Keep container tightly closed. Keep cool.
Other hazards known		None
Section 3. Composition/information on ingredien	ts	
Chemical name (common name/synonyms)	CAS number or other	Concentration (%)
Homopolymer of HDI	28182-81-2	60-80
Hexamethylene diisocyanate	822-06-0	<1
Dipropylene glycol dimethyl ether	111109-77-4	15-40
* Statement - This safety data sheet provides co volume) considered trade secret(s).	ncentration range(s) instead of the actual concentra	tion(s) by weight (except for gases/propellants by

_ DEVELOPMENT GROUP ____

WE LEAD THE WAY

Revision: 12-19-23

PolyStar WT 85 – Part B Polyaspartic Industrial High-Performance Coating

Section 4. First-aid measures		
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.	
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.	
Skin contact	IF ON SKIN: wash with plenty of water. (15-20 minutes) IF SKIN irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.	
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.	
Most important symptoms and effects (acute or delayed)	Causes skin irritation.	
Indication of immediate medical attention/ special treatment	In all cases, call a doctor. Also consider the other instructions of this section document.	

Section 5. Fire-fighting measures

Specific hazards of the hazardous product (hazardous combustion products)

Carbon oxides and other irritant/toxic gases and fumes.

Suitable and unsuitable extinguishing media

In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.

Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

Section 7. Handling and storage

Precautions for safe handling

Wear gloves/protective clothing/eye protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection

_ DEVELOPMENT GROUP ____

WE LEAD THE WAY

PolyStar WT 85 – Part B

Polyaspartic Industrial High-Performance Coating

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: Dust - PEL-TWA 15 mg/m3 (total dust) & 5 mg/m3 (respirable fraction);

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

Section 9. Physical and chemical properties

Section 31 hysical and chemical prop			
Appearance, physical state/colour	Liquid	Vapour pressure	Not available
Odour	Characteristic	Vapour density	Heavier than air
Odour threshold	Not available	Relative density	Not available
рН	Not available	Solubility	Not available
Melting/freezing point	Not available	Partition coefficient - n-octanol/ water	Not available
Initial boiling point/range	Not available	Auto-ignition temperature	Not available
Flash point	> 93° C	Decomposition temperature	Not available
Evaporation rate	Not available	Viscosity	Not available
Flammability (solids and gases)	Not available	VOC	Not available
Upper and lower flammability/ explosive limits	Not available	Other	None known
Section 10. Stability and reactivity			
Reactivity		Does not react under the recommended storage and handling conditions prescribed.	
Chemical stability		Stable under the recommended storage and handling conditions prescribed.	
Possibility of hazardous reactions		None known	
Conditions to avoid (static discharge, shock or vibration)		None known	
Incompatible materials		Oxidizing materials; etc.	
Hazardous decomposition products		None known	

Revision: 12-19-23

DEVELOPMENT GROUP -WE LEAD THE WAY PolyStar WT 85 – Part B

Polyaspartic Industrial High-Performance Coating

Section 11. Toxicological information	
Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)	Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure.
Symptoms related to the physical, chemical and toxicological characteristics	Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing; Digestive tract irritation; Respiratory tract irritation, coughing, shortness of breath, dizziness, drowsiness, nausea, and headaches.
Delayed and immediate effects (chronic effects from short-term and long- term exposure)	Skin Sensitization – Possible; Respiratory Sensitization – Possible; Germ Cell Mutagenicity – No data available; Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP or OSHA Reproductive Toxicity – No data available; Specific Target Organ Toxicity — Single Exposure – Possible; Specific Target Organ Toxicity — Repeated Exposure – Possible; Aspiration Hazard – No data available; Health Hazards Not Otherwise Classified – No data available.
Numerical measures of toxicity (ATE; LD50 & LC50)	CAS 28182-81-2 LC50 Inhalation - Rat - 4 h – 400-425 mg/m3; CAS 822-06-0 LC50 Inhalation - Rat - 4 h – 310-350 mg/m3; ATE not available in this document.
Section 12. Ecological information	
Ecotoxicity (aquatic and terrestrial information)	No data available for the product
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Other adverse effects	Harmful to aquatic life with long lasting effects.
Section 13. Disposal considerations	
Information on safe handling for disposal/methods of disposal/ contaminated packaging	Dispose of contents/container into safe container in accordance with local, regional, or national regulations.
Section 14. Transport information	
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations	Not regulated
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)	Not regulated
UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)	Not regulated
Special precautions (transport/conveyance)	None
Environmental hazards (IMDG or other)	None
Bulk transport (usually more than 450 L in capacity)	Possible



DEVELOPMENT GROUP

Revision: 12-19-23

WE LEAD THE WAY

PolyStar WT 85 – Part B

Polyaspartic Industrial High-Performance Coating

ection 15. Regulatory information	
afety/health Canadian regulations specifics	Refer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).
nvironmental Canadian regulations specifics	Refer to Section 3 for ingredient(s) of the DSL
afety/health/environmental outside regulations specifics	
United States OSHA information: This product is regulated according to OS United States EPA (Environmental Protection Agency) information: 40 CFR F United States TCSA information: Refer to the ingredients listed in Section 3	Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.
ection 16. Other information	
ate of the latest revision of the safety data sheet	October 4, 2023 version 001
orrections	Complete review
eferences	Safety Data Sheets from manufacturer/supplier & from Canadian Centr for Occupational Health and Safety, CCOHS.
bbreviations	
ACGIH ATE CAS DSL IARC IATA IMDG LC LD NIOSH NTP OSHA PEL STEL TDG TLV	American Conference of Governmental Industrial Hygienists Acute toxicity estimate Chemical Abstract Service Domestic Substance List International Agency for Research on Cancer International Air Transport Association International Maritime Dangerous Goods Code Lethal concentration Lethal Dosage National Institute for Occupational Safety and Health National Toxicology Program (U.S.A.) Occupational Safety and Health Administration (U.S.A.) Permissible Exposure Limit Short-term Exposure Limit Transport of dangerous goods in Canada Threshold Limit Value Toxic Substances Control Act

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.