



**SAFETY
FIRST**
**KEEP AISLES
CLEAR**



**BOX
1 OF 3**

**BOX
2 OF 3**

ARCHFORD

PRODUCT CATALOG

Online edition



KEEPING YOU
SAFE
SINCE 1970

Ordering

We're here to help you meet your safety and visual communication challenges in any way possible. Call us, email us, or visit us online for a live chat. Tell us the challenge, and we'll find a solution.



PHONE

Call **(03) 9013 7291** to speak with one of our knowledgeable representatives to find the right equipment and supplies for your specific needs.



WEB

Feel like browsing? Visit **archford.com.au** for details on any of our products. Add desired items for purchase to your cart and proceed to checkout.



MAIL

Send PO to:
Archford
30/73 Assembly Drive
Dandenong South, Vic 3175

Email:
sales@archford.com.au



ICON KEY

Keep an eye out for these helpful icons throughout the catalog!



Indicates the most popular products



FYI facts and compliance information



Related items in the catalogue or online



CUSTOMISE IT! Call to customise these select supplies.

Table of Contents

4

Labelling & Signage



6-37

PRINTERS & SUPPLIES

40

Floor Marking & Wayfinding



Guides - Look for these quick reference guides with useful compliance information and more!

Ammonia Pipe Marking Guide 9
How To Choose a Chemical Label 10
Pipe Marking Guide 30

Right-To-Know NFPA Labels Guide 32
Arc Flash Label Requirements Guide 35

Product prices, specifications, and availability are subject to change without notice.



DuraLabel Toro Max

Toro Max has a full-size keyboard, touchscreen interface, and preloaded labeling software. No need for a desktop computer or network connection.

DuraLabel Bronco Max

Bronco Max prints on 1/2" to 4" wide supply. It shares supplies with Toro Max so you can use the same tape in both machines.

DuraLabel Lobo

Lobo prints labels up to 2" in width and is a great choice for inventory and shelf labeling. Easily take Lobo wherever you need it with the convenient Grab 'n Go™ handle.

DuraLabel Kodiak

Create durable multi-colour signs from 4" to 10" wide on demand. Use the touchscreen, wireless keyboard, and preinstalled software to design code-compliant signs and labels.



Need help choosing the best labelling & signage

(03) 9013 7291

Labelling & Signage | TABLE OF CONTENTS

LABEL & SIGN PRINTER COMPARISON	4	DURALABEL KODIAK®	29
DURALABEL TORO MAX®/BRONCO MAX®/ TORO®/BRONCO®	6	General Purpose	30
General Purpose	8	Standards Compliance	31
Standards Compliance	11	Special Adhesives	33
Special Adhesives	13	Repositionable Labels	33
Wire Marking	14	Tag Stock	34
Electronics Labeling	15	High Visibility	34
Security Labels	15	Low/High Temperatures	35
Repositionable Labels	16	Floor Marking	35
Tag Stock	16	Ribbon	36
High Visibility	17	Ribbon Compatibility Chart	37
Low/High Temperatures	18		
Floor Marking	18		
Ribbons	19		
Ribbon Compatibility Charts	20		
DURALABEL LOBO®	24		
General Purpose	25		
Standards Compliance	25		
Special Adhesives	26		
Wire Marking	26		
Electronics Labeling	26		
Repositionable Labels	27		
High Visibility	27		
Low/High Temperatures	27		



✓ Audit Your Facility

- Are all piping systems marked with their contents?
- Are all containers of hazardous materials clearly labeled?
- Do you have signs identifying all permit-required confined spaces?
- Are hazards and potential accident points identified with appropriate warning signs?
- Are storage areas marked for efficiency and clarity?

Label & Sign Printer Comparison



	DURALABEL TORO MAX	DURALABEL BRONCO MAX	DURALABEL KODIAK
DESCRIPTION	Independent, standalone, mobile 4" label printer	Efficient, fast, intelligent 4" label printer	Multi-colour, large-format, 10" print station
TAPE WIDTHS	½" - 4"	½" - 4"	4" - 10"
DIMENSIONS	13.5"Wx10.25"Dx8.5"H	13.5" W x 10.25" D x 8.5" H	18.5"Wx21.65"Dx13.8"H
PORTABILITY	Yes	No	No
SCREEN	9" colour touchscreen	No	9" colour touchscreen
SOFTWARE	LabelForge PRO™	LabelForge PRO™	LabelForge PRO™
PC CONNECTIVITY	PC connect, Standalone	PC connect	PC connect, Standalone
KEYBOARD	Full-size flip-down QWERTY keyboard	No	Full-size QWERTY keyboard
COLOUR PRINTING	Single print colour on label (pre-printed multicolor supplies also available)	Single print colour on label (pre-printed multicolor supplies also available)	Multi-colour print capabilities; single colour and pre-printed multi-colour supplies

APPLICATIONS			
OSHA and ANSI Signage	✓	✓	✓
Arc Flash Labeling	✓	✓	✓
GHS/HazCom Labeling	✓	✓	✓
Aisle Markers	✓	✓	✓
Equipment Signs/Labels	✓	✓	✓
Glow-In-The-Dark Signs/Labels	✓	✓	✓
Lean Manufacturing	✓	✓	✓
Shipping Labels	✓	✓	✓
Wire/Cable Marking	✓	✓	✓
Pipe Marking	✓	✓	✓



	DURALABEL PRO/PRO 300	DURALABEL LOBO
DESCRIPTION	Reliable, versatile, high-quality 4" label printer	Portable, standalone, simple 2" label printer
TAPE WIDTHS	1/2" - 4"	1/2" - 2"
DIMENSIONS	8.4"Wx12.4"Dx7.4"H	11.63"Wx12.25"Dx4.35"H
PORTABILITY	Optional battery	Yes
SCREEN	No	3.5" diagonal colour LCD
SOFTWARE	DuraSuite™, LabelForge™	DuraSuite™
PC CONNECTIVITY	PC connect	PC connect, Standalone
KEYBOARD	No	Full-size QWERTY keyboard
COLOUR PRINTING	Single print colour on label (pre-printed multicolor supplies also available)	Single colour printing

APPLICATIONS		
OSHA and ANSI Signage	✓	
Arc Flash Labeling	✓	
GHS/HazCom Labeling	✓	
Aisle Markers	✓	
Equipment Signs/Labels	✓	✓
Glow-In-The-Dark Signs/Labels	✓	
Lean Manufacturing	✓	✓
Shipping Labels	✓	
Wire/Cable Marking	✓	✓
Pipe Marking	✓	✓



▶ How Can Toro Max Help You?
See it in action.

DuraLabel Toro Max®

Take your work into the field with the tough, portable Toro Max. The standalone label printer supports labels up to 4" wide and comes preloaded with LabelForge PRO™ labelling software that makes designing and printing standard-compliant labels easier than ever.

ITEM	SKU
DuraLabel Toro Max	DLTOROMAX
Soft Carrying Case	DLT-SOFTCASE
Hard Carrying Case	DLT-CASE
Lid Pouch Organizer	DLT-LPO
Dust Cover	DLT-DC
DuraLabel Toro Max Battery***	DLTM-BATT



▶ How Can Bronco Help You?
See it in action.

DuraLabel Bronco Max®

The all new Bronco Max is your facility labelling workhorse. Built-in Ethernet allows for easy network printing with the whole team. Quick-load cartridges and auto calibration make changing out supplies easier than ever. LabelForge PRO labelling software included.

ITEM	SKU
DuraLabel Bronco Max	DLBRONCOMAX

Toro Max/Bronco Max Accessories



Soft Carrying Case



Dust Cover*



Hard Carrying Case*



Lid Pouch Organizer
Store laptop, tablet, and accessories.
Attaches to Hard Carrying Case** lid.



DLTM Battery***

*Printer and supplies not included.

**Hard Carrying Case sold separately.

***Battery is specific to Toro Max. Do not use a Toro battery in Toro Max.



Toro Max, Bronco Max, Toro, and Bronco can share supplies! See the next page for more info.



Double Your Output, Not Your Supplies

Tape supplies for Toro Max, Bronco Max, Toro, and Bronco can be shared, unless otherwise marked, so you can use the same tape in each machine. Ribbon for the Toro and Bronco comes as a roll, while Toro Max and Bronco Max use ribbon cartridges. See the chart below for a quick snapshot of what can be shared between printers.



Ready to start browsing?

Turn the page to see all Toro Max, Bronco Max, Toro, and Bronco compatible supplies!



Questions? We can help! Call Archford Products at **(03) 9013 7291**

General Purpose



Premium Vinyl Tape

Achieve lasting performance with this durable, versatile supply

- Works on surfaces up to 200 °F
- Indoor & outdoor use
- Resistant to water, UV light, most chemicals
- Other colour and size options available



	0.5" X 280**	1" X 280**	2" X 140'	3" X 140'	4" X 140'
White	2-T05-3001	2-T1-3001	T2-3001	T3-3001	T4-3001
Black	2-T05-3002	2-T1-3002	T2-3002	T3-3002	T4-3002
Clear	2-T05-3003	2-T1-3003	T2-3003	T3-3003	T4-3003
Battleship Gray	2-T05-3004	2-T1-3004	T2-3004	T3-3004	T4-3004
Silver Gray	2-T05-3005	2-T1-3005	T2-3005	T3-3005	T4-3005
Blue	2-T05-3006	2-T1-3006	T2-3006	T3-3006	T4-3006
Green	2-T05-3007	2-T1-3007	T2-3007	T3-3007	T4-3007
Yellow	2-T05-3008	2-T1-3008	T2-3008	T3-3008	T4-3008
Orange	2-T05-3009	2-T1-3009	T2-3009	T3-3009	T4-3009
Red	2-T05-3010	2-T1-3010	T2-3010	T3-3010	T4-3010
Purple	2-T05-3011	2-T1-3011	T2-3011	T3-3011	T4-3011
Brown	2-T05-3012	2-T1-3012	T2-3012	T3-3012	T4-3012
Pink	2-T05-3013	2-T1-3013	T2-3013	T3-3013	T4-3013
Sky Blue	2-T05-3018	2-T1-3018	T2-3018	T3-3018	T4-3018
Teal	2-T05-3019	2-T1-3019	T2-3019	T3-3019	T4-3019
Gold	2-T05-3030	2-T1-3030	T2-3030	T3-3030	T4-3030
Medium Gray	2-T05-3031	2-T1-3031	T2-3031	T3-3031	T4-3031

* Comes in a 2-pack of 140' per roll, for a total of 280'

Standard Colour Code

Suggested colour scheme. Not a substitute for review of applicable standards.

GREEN	SAFETY: Safety equipment, first aid, safety posters, recycle containers, exits, OSHA compliance
BLUE	EQUIPMENT & INVENTORY: Machines, inventory lines & signs, inspection points, notices, OSHA compliance
ORANGE OR YELLOW	STANDARDS: Machine guards, aisle walkways, operation standards, handrails & guardrails, cautions, warnings, OSHA compliance
RED	DEFECTS & FIRE: Scrap containers, firefighting equipment locations, sprinkler piping, tags for unused items
WHITE	TOTAL PROCESS MANAGEMENT: Repair tools, total process management materials, cleanliness
GRAY	RACKS & STORAGE: Racks, warehouse, mold skids

(03) 9013 7291 | archford.com.au

Extended-Life Vinyl Tape

Create labels that withstand harsh environments

- Lasts up to 8 years outdoors
- Resistant to moisture, oil, chemicals, UV light
- 2.6 mil thick



	0.5" X 140'	1" X 140'	2" X 140'	3" X 140'	4" X 140'
White	T05-2601	T1-2601	T2-2601	T3-2601	T4-2601
Black	T05-2602	T1-2602	T2-2602	T3-2602	T4-2602
Clear	T05-2603	T1-2603	T2-2603	T3-2603	T4-2603
Gray	T05-2604	T1-2604	T2-2604	T3-2604	T4-2604
Blue	T05-2606	T1-2606	T2-2606	T3-2606	T4-2606
Green	T05-2607	T1-2607	T2-2607	T3-2607	T4-2607
Yellow	T05-2608	T1-2608	T2-2608	T3-2608	T4-2608
Orange	T05-2609	T1-2609	T2-2609	T3-2609	T4-2609
Red	T05-2610	T1-2610	T2-2610	T3-2610	T4-2610
Brown	T05-2612	T1-2612	T2-2612	T3-2612	T4-2612

Blank Die-Cut Labels*

Create custom die-cut labels

- Recommended for indoor use only
- Resistant to water, most chemicals
- Matte vinyl
- Die-cut - peel & apply



	3" X 4"	4" X 6"	4" X 6"
Yellow - rectangle	T0304-02	T0406-10	—
Red - rectangle	—	—	T0406-15
Green - rectangle	—	—	T0406-16
Labels Per Roll	250	200	200

* Premium Black Ribbon required for this supply, please see page 19.

Blank Outdoor Die-Cut Labels

Create industrial-strength die-cut labels for outdoor use

- Lasts 5 years outdoors
- Resistant to water, most chemicals, UV light
- Gloss vinyl
- Die-cut - peel & apply



	2" X 2"	2" X 3"	3" X 4"	4" X 6"
White	T0202-90	T0203-30	T0304-010	T0406-90N
Labels Per Roll	500	500	250	200



Premium Vinyl Five-Year Warranty

If labels made with DuraLabel Premium Vinyl fail within five years of the purchase date, we will provide a one-time replacement roll of the same supply.

Ammonia Pipe Marking Guide

This guide follows International Institute of Ammonia Refrigeration (IIAR) Bulletin No. 114, as revised in 2014. Facilities using an older version of the standard may continue to do so, as long as their usage is consistent and documented.

Ammonia Pipe Markers – Five-Part Labels



1. Piping Abbreviation

Identifies the part of the system with text printed in black on an orange background. Abbreviations are recommended; see table of *Piping Abbreviations*. If additional identifying information is needed, include it here.

2. Physical State

- For liquid ammonia, show “LIQ” in black on a yellow band
- For vapor, show “VAP” in black on a sky blue band
- If both states may be present, both elements may appear



3. Pipe Contents

The word “AMMONIA” should be printed in black on an orange background.

4. Pressure Level

- For contents at 70 psig or less, show “LOW” in black on a green band
- For contents above 70 psig, show “HIGH” in black on a red band



5. Flow Direction

Show the direction of flow with directional arrows, printed in black on an orange background. The arrows may appear at one or both ends of the label, and may repeat around the circumference of the pipe if desired.

PIPING ABBREVIATIONS

Piping Description	Abbr.
Booster Discharge	BD
Booster Suction	BS
Condenser Drain	CD
Economizer Suction	ES
High Pressure Liquid	HPL
High Stage Discharge	HSD
High Stage Suction	HSS
High Temperature Recirculated Liquid	HTRL
High Temperature Recirculated Suction	HTRS
High Temperature Suction	HTS
Hot Gas Defrost	HGD
Intermediate Pressure Liquid	IPL
Liquid Injection Cooling	LIC
Low Stage Suction	LSS
Low Temperature Recirculated Liquid	LTRL
Low Temperature Recirculated Suction	LTRS
Low Temperature Suction	LTS
Medium Temperature Recirculated Liquid	MTRL
Medium Temperature Recirculated Suction	MTRS
Medium Temperature Suction	MTS
Oil Drain	OD
Pump Out	PO
Relief Vent	RV
Sub-Cooled Liquid	SCL
Thermosyphon Return	TSR
Thermosyphon Supply	TSS
Thermosyphon Vent	TSV

Pipe Marker Dimensions

Outside Pipe Diameter Including Covering	Minimum Marker Height	Minimum Marker Length	Minimum Height of Letters	Min. Width of State/Press. Bands
Up to 1.25"	32 mm	1"	25 mm	8"
1.25" - 2"	32 - 51 mm	1.5"	38 mm	8"
2" - 7"	51 - 178 mm	2.5"	64 mm	12"
7" - 10"	178 - 254 mm	3.5"	89 mm	24"
Over 10"	Over 254 mm	4.5"	114 mm	32"

Pipe Marker Locations

- Before and after any change in pipe direction. If the pipe ends at equipment or changes direction again within 24 inches (61cm), the label in the short space may be omitted.
- Before and after any wall, ceiling, or floor penetration.
- No farther than 40 feet (12m) apart on extended runs of pipe.
- At least once in each room or area through which the pipe passes.

System Component Markers - Two-Part Labels



1. Component Identifier

Name the component with black text on an orange background. Abbreviations are acceptable; see the table of *Component Abbreviations*. If additional identifying information is needed, include it here.

2. Pressure Level

- For contents at 70 psig or less, show “LOW” in black on a green band
- For contents above 70 psig, show “HIGH” in black on a red band



Component Marker Dimensions

- At least 3.5 inches high
- Lettering at least 2.5 inches high
- Marker length will vary to allow for the length of the component name
- Pressure level band should be at least 1.5 inches wide

COMPONENT ABBREVIATIONS

Component/Equipment	Abbr.	Component/Equipment	Abbr.
Accumulator (with/without int. coil)	ACC	Low Temperature Compressor	LTC
Air Cooled Condenser	AC	Low Temperature Recirculator	LTR
Air Handling Unit	AHU	Low Low Temp Recirculator	LLTR
Air Unit	AU	Oil Pot	OP
Booster Compressor	BC	Oil Separator	OS
Controlled Pressure Receiver	CPR	Pilot Receiver	PR
Evaporative Condenser	EC	Purger Unit	PRG
Heat Exchanger	HEX	Refrigerant Pump	RP
High Pressure Receiver	HPR	Refrigerated Make-Up Air Unit	RMAU
High Stage Compressor	HSC	Rooftop Air Unit	RTU
High Temperature Recirculator	HTR	Surge Drum	SD
Intercooler (with/without int. coil)	IC	Swing Compressor	SWC
Liquid Transfer Unit	LTU	Thermosyphon Receiver	TSR
		Water Cooled Condenser	WC


IIAR Suggested Pipe Colour Scheme

In addition to the detailed labels, it may be helpful to include a colour code for refrigeration system pipes. These colors may be applied as paint over the length of the pipe, or as bands of colour applied periodically, as sufficient for pipe recognition. IIAR Bulletin No. 114 suggests the colour scheme shown at right.

Colour	Pipe Designation
Orange	High Pressure Liquid
Yellow	High Pressure Vapor
Sky Blue	Low Pressure, High Temperature Liquid/Vapor
Blue	Low Pressure, Low Temperature Liquid/Vapor
Purple	Low Pressure, Very Low Temperature Liquid/Vapor
Gray	Pressure Relief Vent piping
Green	Nonvolatile, Non-pressurized Process piping

This, or any other pipe coloring scheme, should only be used in conjunction with a clearly posted legend or key describing the color scheme in place.

How To Choose a Chemical Label



DuraChem Chemical Resistant Tape*

Give labels an extra level of chemical resistance

- Resistant to strong solvents, chemicals, acetone
- Comply with FDA for indirect food contact
- Indoor & outdoor use



	0.5" X 90'	1" X 90'	2" X 90'	3" X 90'	4" X 90'
White	T05-01DC	T1-01DC	T2-01DC	T3-01DC	T4-01DC

*DuraChem Ribbon required for this supply, please see page 19.

Clear Matte Poly Tape

Print clear matte labels for a professional look

- Non-reflective finish so surface colors show without glare
- Permanent pressure-sensitive adhesive
- Resistant to alcohol, petroleum



	1" X 70'	2" X 70'	3" X 70'	4" X 70'
Clear	T1-07P	T2-07P	T3-07P	T4-07P

Dry Erase Tape

Write onto supply and re-write when information changes

- Bonds well to low-surface energy plastics & painted metals
- Use any dry erase marker to note temporary information; erase as needed



	1" X 94'	2" X 94'	3" X 94'	4" X 94'
White	T1-01DE	T2-01DE	T3-01DE	T4-01DE

Metallized Poly Tape

Give signs and labels a brushed aluminum accent

- Brushed aluminum appearance
- Resistant to mild acids, alkalis, salt



	1" X 140'*	2" X 70'	3" X 70'	4" X 70'
Brushed Aluminum	2-T1-50	T2-50	T3-50	T4-50

* Comes in a 2-pack of 70' per roll, for a total of 140'

Standards Compliance

HAZMAT COMPLIANCE

GHS Labels*

Communicate chemical hazards

- Comply with standards set by the UN & EU
- Comply with British Standard (BS) 5609 for saltwater immersion
- 2.0 mil outdoor durable polyester
- Preprinted with up to 4 red diamonds



	3" X 4.5"	4" X 6"
1 Diamond	T03045M-1I	T04060M-1I
2 Diamonds	T03045M-2I	T04060M-2I
3 Diamonds	T03045M-3I	T04060M-3I
4 Diamonds	T03045M-4I	T04060M-4I
Labels Per Roll	311	235

* Premium Black Ribbon required for this supply, please see page 19.

HazCom 2012*

Comply with OSHA hazardous chemical labeling standards

- Comply with standards established by OSHA
- Comply with British Standard (BS) 5609 for saltwater immersion
- 2.0 mil outdoor durable polyester
- Preprinted with up to 5 red diamonds



	3" X 4.5"	4" X 6"	4" X 11"
1 Diamond	T03045M-1D	T04060M-1D	T04110M-1D
2 Diamonds	T03045M-2D	T04060M-2D	T04110M-2D
3 Diamonds	T03045M-3D	T04060M-3D	T04110M-3D
4 Diamonds	T03045M-4D	T04060M-4D	T04110M-4D
5 Diamonds	T03045M-5D	T04060M-5D	T04110M-5D
Labels Per Roll	311	235	129

* Premium Black Ribbon required for this supply, please see page 19.

Outdoor RTK Color Bar Labels

Communicate material hazards with RTK Color Bar labels

- Lasts 5 years outdoors
- Resistant to water, most chemicals
- Die-cut gloss vinyl



	2" X 2"	3" X 1.4375"	4" X 3.5"
Outdoor RTK Color Bar Labels	T0202-20	T0301-10	T04035-40
Labels Per Roll	500	500	250

Outdoor RTK Diamond Labels†

Alert workers to chemical hazards outdoors

- Lasts 5 years outdoors
- Resistant to water, most chemicals
- Die-cut gloss vinyl - peel & apply



	2" X 2"	3" X 5"	4" X 6"
Outdoor RTK Diamond Labels	T0202-10	T0305-10	T0406-10N
Labels Per Roll	500	250	200

† Compatible with DuraSuite™ Labeling Software 1.5.5.3 or earlier

Outdoor NFPA Labels‡

Alert workers to outdoor chemical hazards

- NFPA 704 compliant
- Lasts 5 years outdoors
- Resistant to water, most chemicals
- Die-cut gloss vinyl - peel & apply



	1" X 3"	2" X 2"	3" X 5"	4" X 6"
Outdoor NFPA Labels	T0103-NFPAO	T0202-NFPAO	T0305-NFPAO	T0406-NFPAON
Labels Per Roll	500	500	250	200

‡ Compatible with DuraSuite™ Labeling Software 1.6.2.2

Material Condition Tags

Military tags formatted to meet the requirements of MIL-STD-129 section 5.10.21

- 7.5 mil synthetic perforated rip-resistant tag stock
- Chemical, abrasion, and weather resistant
- Pre-punched hole for easy application



	3" X 5.5"
DD Form 1574	T3-DD1574A-DT
DD Form 1574	T3-DD1574B-DT
DD Form 1575	T3-DD1575A-DT
DD Form 1576	T3-DD1576A-DT
DD Form 1577	T3-DD1577A-DT
DD Form 1577-2	T3-DD1577B-DT
Tags Per Roll	250

Material Condition Labels

Military labels formatted to meet the requirements of MIL-STD-129 section 5.10.21

- Tough 3.0 mil vinyl film provides lasting performance in harsh environments



	3" X 5.5"
DD Form 1574-1	T03054-08N
DD Form 1574-1	T03054-09N
DD Form 1575-1	T03054-12N
DD Form 1576-1	T03054-06N
DD Form 1577-1	T03054-10N
DD Form 1577-3	T03054-07N
Labels Per Roll	256

LABEL COMPLIANCE

UL 969 Compliant Poly Tape*

Ensure labels comply with UL 969 requirements

- Strong, industrial adhesive
- Resistant to water, UV light, solvents
- 2.0 mil gloss polyester



	1" X 94'	2" X 94'	3" X 94'	4" X 94'
White	T1-01UL	T2-01UL	T3-01UL	T4-01UL
Clear	T1-03UL	T2-03UL	T3-03UL	T4-03UL
Silver	T1-06UL	T2-06UL	T3-06UL	T4-06UL

* Premium Black Ribbon required for UL recognition, please see page 19.

Marine Label Tape*

Make signs that can withstand saltwater immersion

- Comply with British Standard (BS) 5609 for saltwater immersion
- Withstands extreme saltwater spray
- Resistant to chemicals, UV light, abrasive handling



	1" X 95'	2" X 95'	3" X 95'	4" X 95'
White	T1-2001M	T2-2001M	T3-2001M	T4-2001M

* Premium Black Ribbon required for this supply, please see page 19.

Metal-Detectable Tape

Detect label fragments to prevent contamination

- Permitted by FDA for indirect food contact (21 CFR §175.105)
- Easily locate with a metal detector
- Ideal for the food industry



	2" X 75'	4" X 75'
White	T2-01MD	T4-01MD

SAFETY COMPLIANCE

Arc Flash/OSHA Two-Colour Vinyl Tape

Create OSHA-compliant Health & Safety signs quickly

- Specialty colours & sizes available
- Customise labels & signs with OSHA-approved colours
- Resistant to water, UV light, most chemicals
- 3.0 mil vinyl
- Works on surfaces up to 200° F

Chart sizes show supply width and height of stripe – for instance 3" x 1" supply is 3" tall supply with a 1" stripe. Supply rolls are 70' in length.



	3" X 0.25"	3" X 0.5"	3" X 0.75"	3" X 1"	3" X 1.1875"
Orange Stripe	T3-4025	T3-4050	T3-4075	T3-4100	T3-4118
Red Stripe	T3-5025	T3-5050	T3-5075	T3-5100	T3-5118

	4" X 0.5"	4" X 0.75"	4" X 1"	4" X 1.1875"	4" X 1.5"
Orange Stripe	T4-4050	T4-4075	T4-4100	T4-4118	T4-4150
Red Stripe	T4-5050	T4-5075	T4-5100	T4-5118	T4-5150

Outdoor Arc Flash, Health & Safety Labels

Alert workers to outdoor safety hazards

- OSHA/NFPA 70E/NEC/CSA Z462/ANSI compliant
- Lasts 5 years outdoors
- Resistant to chemicals, water, UV light
- Die-cut gloss vinyl - peel & apply



	4" X 6"
CAUTION	T0406-17ON
PRECAUCIÓN	T0406-17SON
NOTICE	T0406-6ON
AVISO	T0406-6SON
WARNING	T0406-7ON
AVERTISSEMENT	T0406-7FON
ADVERTENCIA	T0406-7SON
DANGER	T0406-8ON
PELIGRO	T0406-8SON
Labels Per Roll	200

Special Adhesives

Ultra-Aggressive Adhesive Vinyl Tape

Print labels that adhere to uneven materials, including plastics, concrete, brick, and wood.

- Stays in place for up to 7 years
- Indoor and outdoor use
- Resistant to chemicals
- For surfaces which may reach -65° F to 225° F



	1" X 150*	2" X 150*	3" X 150*	4" X 150*
White	2-T1-2601UA	2-T2-2601UA	2-T3-2601UA	2-T4-2601UA

* Comes in a 2-pack of 75' per roll, for a total of 150'

Aggressive Adhesive Vinyl Tape

Make labels that stand up to tough environments

- Ideal for tough, textured surfaces
- Pressure-sensitive adhesive
- Stick to sign blanks, flexible substrates, and painted metal



	1" X 150'	2" X 150'	3" X 150'	4" X 150'
White	T1-2600UA	T2-2600UA	T3-2600UA	T4-2600UA
Black	T1-2602UA	T2-2602UA	T3-2602UA	T4-2602UA
Blue	T1-2606UA	T2-2606UA	T3-2606UA	T4-2606UA
Green	T1-2607UA	T2-2607UA	T3-2607UA	T4-2607UA
Yellow	T1-2608UA	T2-2608UA	T3-2608UA	T4-2608UA
Orange	T1-2609UA	T2-2609UA	T3-2609UA	T4-2609UA
Red	T1-2610UA	T2-2610UA	T3-2610UA	T4-2610UA
Brown	T1-2612UA	T2-2612UA	T3-2612UA	T4-2612UA
Gray	T1-2631UA	T2-2631UA	T3-2631UA	T4-2631UA

High-Tack Tape

Ensure lasting label adhesion

- Applies to low energy surfaces (plastic, metals, & paints)
- White is vinyl; silver & clear are polyester



	1" X 140*	2" X 140*	3" X 140*	4" X 140*
White	2-T1-3201HT	2-T2-3201HT	2-T3-3201HT	2-T4-3201HT

	1" X 94'	2" X 94'	3" X 94'	4" X 94'
Clear	T1-3HT	T2-3HT	T3-3HT	T4-3HT
Silver	T1-6HT	T2-6HT	T3-6HT	T4-6HT

* Comes in a 2-pack of 70' per roll, for a total of 140'

Oily Surface Tape

Create signs and labels that bond with oily surfaces

- Adheres to greasy, dirty surfaces
- Resistant to oil, gas, moisture



	0.5" X 95'	1" X 95'	2" X 95'	3" X 95'	4" X 95'
White	T0595-010S	T195-010S	T295-010S	T395-010S	T495-010S

Low-Halogen Label Tape

Protect stainless steel pipes from corrosion

- Adhesive contains low levels of halogen to help protect stainless steel alloys from corrosive damage
- Low profile polyester



	1" X 80'	2" X 80'	3" X 80'	4" X 80'
White	T1-4201	T2-4201	T3-4201	T4-4201
Black	T1-4202	T2-4202	T3-4202	T4-4202
Green	T1-4207	T2-4207	T3-4207	T4-4207
Yellow	T1-4208	T2-4208	T3-4208	T4-4208
Orange	T1-4209	T2-4209	T3-4209	T4-4209
Red	T1-4210	T2-4210	T3-4210	T4-4210
Purple	T1-4211	T2-4211	T3-4211	T4-4211
Brown	T1-4212	T2-4212	T3-4212	T4-4212
Sky Blue	T1-4218	T2-4218	T3-4218	T4-4218

Iron-On Tape

Label fabric with a tough industrial label

- Washer & dryer safe
- Easy to apply with a household iron
- Hot melt adhesive bonds to fabric



	1.5" X 100'
White	T150-01100IOL

Wire Marking

Self-Laminating Wire Wraps

Organize and identify wires and cables

- Custom order colors/sizes available
- A clear tail wraps over the printed portion to help protect against chemicals & abrasion
- Resistant to water, oil, UV light, mild solvents



Chart sizes show supply width and height of printable area – for instance 1" x 0.25" supply is 1" tall supply with a 0.25" high printable strip. Supply rolls are 70' in length.

	1" X 0.25"	2" X 0.5"	3" X 1"	4" X 1"
White	T1-201	T2-201	T3-201	T4-201

	1" X .25"	2" X .5"	3" X 1"	4" X 1"
Blue	T1-201B	T2-201B	T3-201B	T4-201B
Green	T1-201G	T2-201G	T3-201G	T4-201G
Yellow	T1-201Y	T2-201Y	T3-201Y	T4-201Y
Orange	T1-201O	T2-201O	T3-201O	T4-201O
Red	T1-201R	T2-201R	T3-201R	T4-201R
Magenta	T1-201M	T2-201M	T3-201M	T4-201M

Shrink-Tubing*

Give wires and cables a professional-grade label

- Meets UL, CSA, & military requirements
- Ideal for wires & cable
- Flame retardant
- 3:1 shrink ratio



	0.125" X 25'	0.1875" X 25'	0.25" X 25'	0.375" X 25'	0.5" X 25'	0.75" X 25'	1" X 25'	1.5" X 25'
White	T0125-1	T01875-1	T025-1	T0375-1	T050-1	T075-1	T100-1	T150-1
Yellow	T0125-2	T01875-2	T025-2	T0375-2	T050-2	T075-2	N/A	N/A

	0.375" X 25'	0.5" X 25'***	0.75" X 25'***	1" X 25'	1.5" X 25'
Gray	T0375-4	T050-4	T075-4	T100-4	T150-4
Blue	T0375-6	T050-6	T075-6	T100-6	T150-6
Green	T0375-7	T050-7	T075-7	T100-7	T150-7
Orange	T0375-9	T050-9	T075-9	T100-9	T150-9
Red	T0375-10	T050-10	T075-10	T100-10	T150-10
Purple	T0375-11	T050-11	T075-11	T100-11	T150-11
Black	T0375-15	T050-15	T075-15	T100-15	T150-15

* Not compatible with the DuraLabel Bronco printer.


Premium White Ribbon required for Black Shrink-Tubing. All other colors use Shrink-Tubing Ribbon, please see page 19.

** Requires manual cutting.

Ladder Shrink Tube*

Organize your labels for easy wire marking

- Meets UL, CSA, and military standards
- Provides clear, reliable wire and cable identification
- Organizes and groups labels with ladder-style construction
- Passes VW-1 flammability tests
- Shrinks to a third of original size (3:1 shrink ratio)



	.125" X 2"	.1875" X 2"	.25" X 2"	.375" X 2"	.5" X 2"
White	T0125-1L	T01875-1L	T025-1L	T0375-1L	T050-1L

* Not compatible with Toro Max, Bronco Max, or Bronco printers. Shrink-Tubing Ribbon required.

Nylon Label Tape

Label fabrics, wire, and other flexible surfaces

- Pliant label conforms to unusual shapes
- Maintains its shape, even after twisting



	1" X 150'	2" X 150'
White	T1-01N	T2-01N

DuraLabel Toro Max Wire Marking Kit

Includes a Toro Max printer, preloaded with LabelForge PRO™ software, and a variety of wire marking supplies.



We can customise your kit!

Call for details
(03) 9013 7291

Electronics Labeling

Circuit Board Polyimide Tape

Label electrical components even when surface temperatures reach extremes

- For surfaces which may reach -40°F to 350°F
- Resistant to wave soldering, acidic solvents
- Low profile polyimide



	1" X 100'
White	T1-01CB

Electrostatic Dissipative Tape (ESD)

Prevent electronic damage caused by static charge

- Decreases risk of print voids and damage to electronics due to static discharge
- Strong industrial adhesive
- Resistant to solvents, UV light, oil



	1" X 94'	2" X 94'	3" X 94'	4" X 94'
Silver	T1-6ESD	T2-6ESD	T3-6ESD	T4-6ESD

Security Labels



Custom UV Watermark Tapes

Call (03) 9013 7291 today to speak with an experienced representative about Custom UV Watermark options. Then, electronically send us a graphic and/or text of your choice for UV Watermarking to receive your order of Custom UV Watermark Tape!

Tamper-Evident Destructible Labels

Detect label tampering

- Tape crumbles like dry paint when tampering occurs
- Resistant to water, cleaning solution



	1.875" X 0.75"
White	T018075-TE
Labels Per Roll	250

Tamper-Evident "Void" Tape

Reveal label changes to prevent tampering

- When removed, the word "VOID" is recorded onto both the surface & the label
- Resistant to water, cleaning solution



	1" X 100'	2" X 100'
White	T1-601	T2-601



Customise Any Sign or Label to Fit Your Needs.

Customise labels, signs, and banners for safety, compliance, wayfinding, or any visual communication challenge you may have. Look for the **Customise It icon** throughout the catalog for products that can be altered to your specifications.

Repositionable Labels

Repositionable Tape

Remove and reapply labels again and again

- Indoor & outdoor use
- Resistant to many chemicals & solvents
- Gloss vinyl




	0.5" X 280'*	1" X 280'*	2" X 140'	3" X 140'	4" X 140'
White	2-T05-701	2-T1-701	T2-701	T3-701	T4-701

* Comes in a 2-pack of 140' per roll, for a total of 280'

Static Cling Supply

This supply is perfect for custom temporary labeling tasks

- Material applies easily to a variety of smooth surfaces without the need for an adhesive, making it easy to remove
- Use it on windows, doors, and other smooth surfaces



	2" X 75'*	3" X 75'*	4" X 75'
Clear	2-T2-112	2-T3-112	2-T4-112

Magnetic Supply

Place on metal shelves or vehicles and move when needed

- Ideal for temporary labeling & signage on metal surfaces
- No surface damage
- Ideal for vehicles & equipment



	0.5" X 25'	1" X 25'	2" X 25'
White	T05-01M	T1-01M	T2-01M
Black	T05-02M	T1-02M	T2-02M
Gray	T05-04M	T1-04M	T2-04M
Blue	T05-06M	T1-06M	T2-06M
Green	T05-07M	T1-07M	T2-07M
Yellow	T05-08M	T1-08M	T2-08M
Orange	T05-09M	T1-09M	T2-09M
Red	T05-10M	T1-10M	T2-10M
Purple	T05-11M	T1-11M	T2-11M
Brown	T05-12M	T1-12M	T2-12M

Lockout/Tagout (LO/TO)

4 steps to isolating equipment during Lockout/Tagout.



- 1 Identify the energy source.
- 2 Isolate the energy source.
- 3 Lockout and/or tagout the energy source.
- 4 Test that the isolation is effective.

Request a **FREE LO/TO Best Practice Guide**



Tag Stock

DuraTag™ (Tag Stock)

Create rugged tear-resistant tags that stand up to high temperatures

- Blank canvas for customization
- Colors resist heat up to 180°F
- White resists heat up to 200°F
- Tear resistant, no grommets needed
- Attach with cable tie, chain, etc.
- Indoor & outdoor use
- Resistant to moisture, chemicals



	3" X 100'	4" X 100'
White	T3100-1	T4100-1

	3" X 100'	4" X 100'
Yellow	T3100-2	T4100-2
Red	T3100-4	T4100-4
Green	T3100-5	T4100-5
Orange	T3100-10	T4100-10
Light Blue	T3100-11	T4100-11



DuraTag™ LO/TO Tag Stock (Lockout/Tagout)

Grab attention with vivid red stripes

- Red candy striping with "Danger" header on one side
- Tear resistant, no grommets needed
- Attach with cable tie, chain, etc.
- Indoor & outdoor use
- Resistant to moisture, UV light, common chemicals
- Custom tags available



	Tags Per Roll	3" X 5"
Red Stripe	240	T0305-15

High-Temp Tag Stock

Label surfaces up to 446°F


- Indoor & outdoor use
- Tear-resistant, repels oil & dirt
- Call (03) 9013 7291 for attachment



	3" X 100'
White	T3100-1HT

Looking for tag attachment options?

Call us at **(03) 9013 7291** today!



High Visibility

Reflective Vinyl Tape

Make labels that stand out in low-light conditions

- Indoor & outdoor use
- Resistant to common chemicals
- Engineering grade reflective vinyl



	1" X 70'	2" X 70'	3" X 70'	4" X 70'
White	T1-101	T2-101	T3-101	T4-101
Yellow	T1-102	T2-102	T3-102	T4-102
Red	T1-104	T2-104	T3-104	T4-104
Green	T1-105	T2-105	T3-105	T4-105
Orange	T1-110	T2-110	T3-110	T4-110
Blue	T1-111	T2-111	T3-111	T4-111

Fluorescent HiViz Tape

Grab attention with bright fluorescent labels and signs

- Short-term, indoor use only
- Resistant to mild acids, mold, salt
- Low profile tape



	0.5" X 280'*	1" X 280'*	2" X 140'	3" X 140'	4" X 140'
Yellow	2-T05-36	2-T1-36	T2-36	T3-36	T4-36
Green	2-T05-62	2-T1-62	T2-62	T3-62	T4-62
Orange	2-T05-74	2-T1-74	T2-74	T3-74	T4-74

* Comes in a 2-pack of 140' per roll, for a total of 280'

Fluorescent Outdoor HiViz Tape

Capture attention with outdoor fluorescent signs

- Ideal for use in construction sites, industrial equipment warnings, etc.
- Thick label constructed for extended outdoor resistance



	1" X 50'	2" X 50'	3" X 50'	4" X 50'
Yellow	T1-360	T2-360	T3-360	T4-360
Green	T1-620	T2-620	T3-620	T4-620
Pink	T1-700	T2-700	T3-700	T4-700
Orange	T1-740	T2-740	T3-740	T4-740
Orange-Red	T1-780	T2-780	T3-780	T4-780
Red	T1-980	T2-980	T3-980	T4-980

BoldGlo Phosphorescent Tape

Designate a safe emergency exit route

- Complies with many state and federal "Emergency Exit Sign" laws and standards
- Ideal for emergency exit labeling
- Glow-in-the-dark properties for up to 8 hours!
- Resistant to common chemicals
- Recommended for indoor use only
- Colour: off white - glows green



	1" X 50'	2" X 50'	4" X 50'
Glow Green	T1-250	T2-250	T4-250


Phosphorescent Tape

Keep workers safe with glowing signs

- Glow-in-the-dark properties for approximately 1 hour
- Recommended for indoor use only
- Colour: off white - glows green



	1" X 50'	2" X 50'	4" X 50'
Glow Green	T1-150	T2-150	T4-150



ENSURE CODE COMPLIANCE!

BoldGlo Phosphorescent Tapes provide dependable luminescence for up to 8 hours after the lights go out, meeting NFPA and OSHA codes and standards.

Low/High Temperatures

Cold Storage Tape

Create labels that withstand sub-zero temps

- For temperatures down to -65°F
- Indoor & outdoor use
- Pressure-sensitive acrylic adhesive



	1" X 200'*	2" X 100'	3" X 100'	4" X 100'
White	2-T1-301	T2-301	T3-301	T4-301
Yellow	2-T1-302	T2-302	T3-302	T4-302

* Comes in a 2-pack of 100' per roll, for a total of 200'

Cryogenic Labels

Create labels that survive the freezing process

- Resistant to liquid/vapor phase liquid nitrogen, dry ice deep freezes, autoclaving & more
- For temperatures of -320°F to 248°F



	0.75" X 0.75"	1" X 1"	1.25" X 0.5"	2" X 0.5"
White	T075075-1C	T1010-1C	T05125-1C	T0520-1C
Labels Per Roll	1000	1000	1000	1000

	2" X 1"	2" X 3"	4" X 1"	4" X 3"
White	T1020-1C	T3020-1C	T1040-1C	T3040-1C
Labels Per Roll	500	500	250	250

LN2 Poly Tape

Label extremely cold surfaces

- For temperatures of -112°F to 176°F
- Permanent acrylic adhesive
- Low profile polyester



	1" X 140'	2" X 140'
Clear	T1-03CT	T2-03CT

Extreme High-Temp Poly Tape

Print labels that withstand the most extreme temperatures

- Withstands temperatures as high as 350°F
- Pressure-sensitive acrylic adhesive



	.5" X 100'	1" X 100'	1.5" X 50'	2" X 50'	3" X 50'
White	T05-01IP	T1-01IP	T150-01IP	T2-01IP	T3-01IP

High-Temp Poly Tape

Print labels that withstand very hot or cold temperatures

- For temperatures of -40°F to 300°F
- Sticks to cold & hot surfaces
- Low surface energy adhesive



	1" X 300'*	2" X 150'	3" X 150'	4" X 150'
White	2-T1-801	T2-801	T3-801	T4-801

	1" X 70'	2" X 70'	3" X 70'	4" X 70'
Yellow	T1-802	T2-802	T3-802	T4-802
Black	T1-805	T2-805	T3-805	T4-805
Blue	T1-806	T2-806	T3-806	T4-806
Orange	T1-809	T2-809	T3-809	T4-809
Red	T1-810	T2-810	T3-810	T4-810

* Comes in a 2-pack of 150' per roll, for a total of 300'

Floor Marking

DuraPav Floor Marking Tape

Mark outdoor concrete or asphalt

- Print directly onto tape
- Ideal for areas where aggressive adhesive is needed
- 3-year outdoor durability; 5-year outdoor durability when used with Floor Marking Overlaminat



	0.5" X 140'*	1" X 140'*	2" X 70'	3" X 70'	4" X 70'
White	2-T0570-01DP	2-T170-01DP	T270-01DP	T370-01DP	T470-01DP

* Comes in a 2-pack of 70' per roll, for a total of 140'

Printable Floor Marking Tape

Extend your safety message to the floor

- Print directly onto tape
- Resistant to common light, moderate wash-down chemicals
- Increase life of printed message - use with our Floor Marking Overlaminat



	0.5" X 140'	1" X 140'	2" X 140'	3" X 140'	4" X 140'
White	TPFMT105140	TPFMT110140	TPFMT120140	TPFMT130140	TPFMT140140
Black	TPFMT205140	TPFMT210140	TPFMT220140	TPFMT230140	TPFMT240140
Gray	TPFMT405140	TPFMT410140	TPFMT420140	TPFMT430140	TPFMT440140
Blue	TPFMT605140	TPFMT610140	TPFMT620140	TPFMT630140	TPFMT640140
Green	TPFMT705140	TPFMT710140	TPFMT720140	TPFMT730140	TPFMT740140
Yellow	TPFMT805140	TPFMT810140	TPFMT820140	TPFMT830140	TPFMT840140
Orange	TPFMT905140	TPFMT910140	TPFMT920140	TPFMT930140	TPFMT940140
Red	TPFMT1005140	TPFMT1010140	TPFMT1020140	TPFMT1030140	TPFMT1040140
Brown	TPFMT1205140	TPFMT1210140	TPFMT1220140	TPFMT1205140	TPFMT1205140

Floor Marking Overlaminates

Place this supply over Printable Floor Marking Tape or DuraPav Floor Marking Tape to increase their lifespan. Use 2" overlaminates for 1/2" - 1" tape, 3" overlaminates for 2" tape, 4" overlaminates for 3" tape, or 5" overlaminates for 4" tape.



	2" X 140'	3" X 140'	4" X 140'	5" X 140'
Clear	L320140	L330140	L340140	L350140

Ribbons



Toro and Bronco ribbon comes on rolls



Toro Max and Bronco Max ribbon comes as a cartridge

Premium Ribbons

Print lasting text and graphics with "fine-print" definition

- Thermal transfer ribbons (TTR), suitable for the most demanding applications
- Resistant to UV light, moisture, abrasion, most chemicals



TORO MAX/BRONCO MAX	
	4" X 361'
Black	M431110
White	M431111
Yellow	M431118
Green	M431121
Orange	M431122
Red	M431123
Blue	M431124

TORO/BRONCO	
	4" X 361'
White	4431111

	4" X 361'
Black	4431110

	4" X 361'
Yellow	4431118
Green	4431121
Orange	4431122
Red	4431123
Dark Blue	4431124

Petroleum Resistant Ribbon

Print onto signs and labels meant for oily environments

- Improved chemical resistance
- Resin-based ink lasts even when exposed to petroleum-based liquids

TORO MAX/BRONCO MAX	
	4" X 361'
Black	M431120

TORO/BRONCO	
	4" X 361'
Black	4431120

Extreme Chemical Resistant Ribbon

Ensure labels survive exposure to harsh chemicals

- Our most abrasion-resistant ribbon
- Resistant to alcohol, oil, mineral spirits, hydraulic fluid, lubricating oil, & 5% salt water

TORO MAX/BRONCO MAX	
	4" X 361'
Black	M431136

TORO/BRONCO	
	4" X 361'
Black	4431136

Shrink-Tubing Ribbon

Obtain peak performance from shrink-tubing supply

- Use with Shrink-Tubing Supply
- Meets UL, CSA & military requirements

TORO MAX/BRONCO MAX	
	4" X 361'
Black	M431140

TORO/BRONCO	
	4" X 361'
Black	4431140

DuraChem Ribbon

Print signs and labels that can stand up to chemicals

- Designed for use with DuraChem Chemical Resistant Tapes
- Best choice for chemical resistance, even resistant to acetone

TORO MAX/BRONCO MAX	
	4" X 361'
Black	M431133

TORO/BRONCO	
	4" X 361'
Black	4431133

Which ribbon should you choose?

See next page for our ribbon compatibility information.



Ribbon Compatibility Chart Toro/Bronco

Use the following chart to find the best ribbon to go with your supply. Please feel free to call us with questions. We will ensure you receive everything you need for your labeling/signage project.

KEY

REQ = **REQUIRED**

REC = **RECOMMENDED**

COM = **COMPATIBLE**

N/C = **NOT COMPATIBLE**

N/R = **NOT RECOMMENDED**

	Premium Black	Petroleum Resistant	Extreme Chem Resistant	Premium White	Premium Colors	Shrink-Tubing	DuraChem
Aggressive Adhesive	COM	COM	COM	COM	COM	N/C	N/C
Arc Flash/OSHA Two-Color Vinyl	COM	COM	COM	N/R	COM	N/C	N/C
Blank Die-Cut	REQ	N/C	N/C	N/R	N/C	N/C	N/C
Blank Outdoor Die-Cut	COM	COM	COM	N/R	COM	N/C	N/C
BoldGlo Phosphorescent/Phosphorescent	COM	COM	COM	N/R	COM	N/C	N/C
Circuit Board Polyimide	COM	COM	COM	N/R	COM	N/C	N/C
Clear Matte Poly	COM	COM	COM	COM	COM	N/C	N/C
Cold Storage (White)	COM	COM	COM	N/C	COM	N/C	N/C
Cold Storage (Yellow)	COM	COM	COM	N/C	COM	N/C	N/C
Cryogenic Labels	REC	N/C	N/C	N/C	REC	N/C	N/C
Dry Erase Tape	COM	COM	COM	N/C	COM	N/C	N/C
DuraChem Chemical Resistant	N/C	N/C	N/C	N/C	N/C	N/C	REQ
DuraPav	COM	N/C	COM	N/C	COM	N/C	N/C
DuraTag (White)	REC	N/C	N/C	N/C	COM	N/C	N/C
DuraTag (Colors)	REQ	N/C	N/C	N/C	N/C	N/C	N/C
DuraTag LO/TO Tag Stock	COM	N/C	N/C	N/C	COM	N/C	N/C
Electrostatic Dissipative (ESD)	COM	COM	COM	COM	COM	N/C	N/C
Extended-Life Vinyl	COM	COM	COM	COM	COM	N/C	N/C
Fluorescent HiViz	COM	COM	COM	COM	COM	N/C	N/C
Fluorescent Outdoors HiViZ	COM	COM	COM	COM	COM	N/C	N/C
GHS/HazCom 2012	REQ	N/C	N/C	N/C	N/C	N/C	N/C
High-Tack	COM	COM	COM	N/C	COM	N/C	N/C
High-Temp Poly (White)	COM	COM	COM	N/C	COM	N/C	N/C
High-Temp Poly (Colors)	COM	N/C	N/C	N/C	COM	N/C	N/C

	Premium Black	Petroleum Resistant	Extreme Chem Resistant	Premium White	Premium Colors	Shrink-Tubing	DuraChem
High-Temp Tag Stock	COM	N/C	N/C	N/C	COM	N/C	N/C
Iron-On	COM	N/C	N/C	N/C	N/C	N/C	N/C
LN2 Poly	COM	COM	N/C	COM	COM	N/C	N/C
Low-Halogen	COM	COM	COM	COM	COM*	N/C	N/C
Marine Label Tape	REQ	N/C	N/C	N/C	N/C	N/C	N/C
Military Materiel Condition Labels	COM	COM	COM	N/C	COM	N/C	N/C
Metal-Detectable	COM	COM	COM	COM	COM	N/C	N/C
Metallized Poly	COM	COM	COM	COM	COM	N/C	N/C
Nylon Label	COM	N/C	N/C	N/C	N/C	N/C	N/C
Oily Surface	COM	COM	COM	N/R	COM	N/C	N/C
Outdoor Arc Flash, Health & Safety Labels	COM	COM	COM	N/C	COM	N/C	N/C
Outdoor NFPA Diamond/Outdoor RTK Diamond Labels	COM	COM	COM	N/C	COM	N/C	N/C
Outdoor RTK Color Bar Labels	COM	COM	COM	N/C	COM	N/C	N/C
Premium Vinyl	COM	COM	COM	COM	COM	N/C	N/C
Printable Floor Marking Tape	COM	COM	COM	COM	COM	N/C	N/C
Reflective Vinyl	COM	COM	COM	COM	COM	N/C	N/C
Repositionable (White)	COM	COM	COM	N/R	COM	N/C	N/C
Repositionable (Yellow)	COM	COM	COM	COM	COM	N/C	N/C
Self-Laminating Wire Wraps (White)	REC	COM	COM	N/C	COM	N/C	N/C
Self-Laminating Wire Wraps (Colors)	REC	COM	COM	COM	COM	N/C	N/C
Shrink-Tubing (White)**	N/C	N/C	N/C	N/C	N/C	REQ	N/C
Shrink-Tubing (Black)**	N/C	N/C	N/C	REQ	N/C	N/C	N/C
Shrink-Tubing (Colors)**	N/C	N/C	N/C	COM	COM	REC	N/C
Tamper-Evident "VOID"	REC	N/C	N/C	N/C	COM	N/C	N/C
Tamper-Evident Destructible	REC	N/C	N/C	N/C	COM	N/C	N/C
UL 969 Compliant Poly	REQ	N/C	N/C	N/C	N/C	N/C	N/C
Ultra-Aggressive Adhesive	REC	N/C	N/C	N/C	COM	N/C	N/C

*Not compatible with green, brown, or purple premium ribbon. **Not compatible with the DuraLabel Bronco printer.

Ribbon Compatibility Chart

Toro Max/Bronco Max

Use the following chart to find the best ribbon to go with your supply. Please feel free to call us with questions. We will ensure you receive everything you need for your labeling/signage project.

KEY	
REQ	= REQUIRED
REC	= RECOMMENDED
COM	= COMPATIBLE
N/C	= NOT COMPATIBLE
N/R	= NOT RECOMMENDED

	Premium Black	Petroleum Resistant	Extreme Chem Resistant	Premium White	Premium Red	Premium Green	Premium Blue	Premium Yellow	Premium Orange	DuraChem	Shrink-Tubing	Clean Room	Bright Silver	Bright Gold
Aggressive Adhesive	COM*	COM	COM*	COM	COM*	COM*	COM*	COM*	COM*	N/C	N/C	N/C	COM*	N/C
Arc Flash/OSHA Two-Color Vinyl	COM	COM	COM	N/C	COM	COM	COM	COM	COM	N/C	N/C	N/C	COM*	COM*
Blank Die-Cut	COM*	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C
Blank Outdoor Die-Cut	COM	N/C	COM	N/C	N/C	COM	COM	COM	COM	N/C	N/C	N/C	COM*	COM*
BoldGlo Phosphorescent/Phosphorescent	COM	COM*	COM	COM	COM	N/C	COM	COM	COM	N/C	N/C	N/C	COM*	COM*
Circuit Board Polyimide	COM	COM*	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	COM*
Clean Room	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	REQ	N/C	N/C
Clear Matte Poly	COM	COM*	N/C	COM	COM	COM*	COM*	COM	COM	N/C	N/C	N/C	COM*	COM*
Cold Storage (White)	COM	COM*	COM	N/R	COM*	COM	COM	COM	COM	N/C	N/C	N/C	COM*	COM*
Cold Storage (Yellow)	COM	COM*	N/C	COM	COM*	N/C	COM*	N/C	COM*	N/C	N/C	N/C	COM*	COM*
Cryogenic Labels	COM	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C
Dry Erase Tape	COM	N/C	COM	N/R	COM	COM	COM	COM	COM	N/C	N/C	N/C	N/C	N/C
DuraChem Chemical Resistant	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	REQ	N/C	N/C	N/C	N/C
DuraPav	COM	COM*	COM	N/R	COM	COM*	COM*	COM	COM	N/C	N/C	N/C	N/C	N/C
DuraTag (Colors)	COM	COM*	N/C	COM	COM	COM*	COM	N/C	COM	N/C	N/C	N/C	N/C	COM*
DuraTag (White)	COM	COM*	N/C	N/R	COM	COM*	COM	COM	COM	N/C	N/C	N/C	N/C	N/C
DuraTag LO/TO Tag Stock	COM	COM	N/C	N/R	COM	COM	COM	COM	COM	N/C	N/C	N/C	N/C	N/C
Electrostatic Dissipative (ESD)	COM	N/C	COM	COM*	COM	COM	COM	COM	COM	N/C	N/C	N/C	N/C	N/C
Extended-Life Vinyl	COM	COM	COM	COM	COM	COM	COM	COM	COM	N/C	N/C	N/C	N/C	COM*
Extreme High Temp Poly	COM	COM*	N/C	N/R	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C
Fluorescent HiViz	COM	COM	COM	COM	COM	N/C	COM	COM	COM	N/C	N/C	N/C	COM*	COM*
Fluorescent Outdoors HiVIZ	COM	COM	COM	COM*	COM	N/C	COM	COM	COM	N/C	N/C	N/C	N/C	N/C
GHS/HazCom 2012	COM	N/C	N/C	N/C	COM	COM	COM	COM	COM	N/C	N/C	N/C	N/C	N/C
High-Tack	COM	COM*	COM*	COM	COM	COM	COM	COM	COM	N/C	N/C	N/C	COM*	COM*

	Premium Black	Petroleum Resistant	Extreme Chem Resistant	Premium White	Premium Red	Premium Green	Premium Blue	Premium Yellow	Premium Orange	DuraChem	Shrink-Tubing	Clean Room	Bright Silver	Bright Gold
High-Temp Poly	COM	N/C	COM	COM*	COM	COM	COM	COM	COM	N/C	N/C	N/C	N/C	N/C
High-Temp Tag Stock	COM	N/C	N/C	N/R	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C
Iron-On	COM*	N/C	N/C	N/C	COM*	N/C	N/C	N/C	N/C	N/C	N/C	N/C	COM*	COM*
LN2 Poly	COM	COM*	COM*	COM	COM*	N/C	COM	COM*	COM*	N/C	N/C	N/C	N/C	N/C
Low-Halogen	COM*	N/C	N/C	N/R	N/C	COM*	COM*	COM*	COM*	N/C	N/C	N/C	COM*	COM*
Low-Halogen (Colors)	COM*	N/C	N/C	COM*	N/C	N/C	COM*	COM*	COM*	N/C	N/C	N/C	COM*	COM*
Magnetic (Colors)	COM*	COM*	N/C	COM	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C
Magnetic (White)	COM*	COM*	N/C	N/R	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C
Marine Label Tape	COM	N/C	N/C	N/C	COM	COM	COM	COM	COM	N/C	N/C	N/C	N/C	N/C
Material Condition Tags/Labels	COM	COM	N/C	N/C	COM	COM	COM	COM	COM	N/C	N/C	N/C	N/C	N/C
Metal-Detectable	COM	COM*	COM	N/C	COM	COM	COM	COM	COM	N/C	N/C	N/C	COM*	COM
Metallized Poly	COM	COM*	N/C	COM	COM	COM	COM	COM	COM	N/C	N/C	N/C	COM*	COM*
Nylon Label	COM*	N/C	N/C	N/C	N/C	COM	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C
Oily Surface	COM	COM	COM*	N/C	COM	COM	COM	COM	COM	N/C	N/C	N/C	COM*	COM*
Outdoor Arc Flash, Health & Safety Labels	COM	N/C	COM	N/C	N/C	COM	COM	COM	COM	N/C	N/C	N/C	COM*	COM*
Outdoor NFPA Diamond/Outdoor RTK Diamond Labels	COM	N/C	COM	N/C	N/C	COM	COM	COM	COM	N/C	N/C	N/C	COM*	COM*
Outdoor RTK Color Bar Labels	COM	N/C	COM	N/C	N/C	COM	COM	COM	COM	N/C	N/C	N/C	COM*	COM*
Premium Vinyl	COM	COM*	COM	COM	COM	COM	COM	COM	COM	N/C	N/C	N/C	COM*	COM*
Printable Floor Marking Tape	COM	COM	COM	COM	COM	COM	COM	COM	COM	N/C	N/C	N/C	N/C	COM*
Prismatic Reflective	COM*	COM*	COM*	N/C	COM*	COM*	COM*	COM*	COM*	N/C	N/C	N/C	N/C	N/C
Reflective Vinyl	COM	COM	COM	COM	COM	COM	COM	COM	COM	N/C	N/C	N/C	COM	COM*
Repositionable	COM	COM*	COM	COM	COM	COM	COM	COM	COM	N/C	N/C	N/C	COM*	COM*
Self-Laminating Wire Wraps	COM	COM	COM	COM	COM	COM	COM	COM	COM	N/C	N/C	N/C	COM	COM
Static Cling	COM	COM*	N/C	COM	COM	COM	COM	COM	COM	N/C	N/C	N/C	COM*	N/C
Shrink-Tubing	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	REQ	N/C	N/C	N/C
Tamper-Evident "VOID"	N/C	N/C	COM*	N/R	COM	COM	COM	COM	COM	N/C	N/C	N/C	COM*	COM*
Tamper-Evident Destructible	COM	N/C	COM*	N/R	COM	COM	COM	COM	COM	N/C	N/C	N/C	N/C	COM*
UL 969 Compliant Poly	REQ	N/C	COM	N/C	COM	COM	COM	COM	COM	N/C	N/C	N/C	N/C	N/C
Ultra-Aggressive Adhesive	COM	N/C	COM*	N/C	COM	COM	COM	COM	COM	N/C	N/C	N/C	COM*	COM*

COM* = Compatible in positive print mode only



DuraLabel Lobo®

Make a durable label up to 2" wide with the easy-to-use Lobo. Change supply in seconds, type with a full-size keyboard, and use the Grab 'n Go™ handle to haul the rugged Lobo anywhere.

Easy-Loading Supplies



- Drop-in cartridges for convenience
- Change cartridges in seconds
- Uses ½" to 2" wide supply

Lobo Accessories



Battery

Soft Carrying Case


ITEM	SKU
DuraLabel Lobo	DLLOBO
Battery	DLL-BATTERY
Soft Carrying Case	DLL-SOFTCASE

 **How Can Lobo Help You?**
Learn more: archford.com.au

Benefits

At a desk, workbench, or in a vehicle, Lobo's ready to work anywhere.

- No wasted supply—automatically backfeeds for precisely cut labels
- Automatic cutter—no additional actions required
- Battery allows for 3 hours of continuous printing (equivalent to 2,800 2" x 6" labels)
- Fast print speed—2" per second
- One-touch command keys for simple formatting
- Auto font size—text will shrink or expand to fit label
- What you see is what you get! Lobo's color screen shows you exactly what you'll print using the supplies loaded, so only desired labels are produced.



Not actual size

General Purpose

Premium Vinyl Tape

Achieve lasting performance with this durable, versatile supply

- Works on surfaces up to 200° F
- Indoor & outdoor use
- Resistant to water, UV light, most chemicals
- Other color and size options available



PREMIUM RIBBON	0.5" X 45'	0.75" X 45'	1" X 45'	1.5" X 45'	2" X 45'
● Black on White	L05-103001	L075-103001	L1-103001	L150-103001	L2-103001
● Black on Clear	L05-103003	L075-103003	L1-103003	L150-103003	L2-103003
● Black on Yellow	L05-103008	L075-103008	L1-103008	L150-103008	L2-103008
● Black on Orange	L05-103009	L075-103009	L1-103009	L150-103009	L2-103009
● White on Black	L05-113002	L075-113002	L1-113002	L150-113002	L2-113002
● White on Clear	L05-113003	L075-113003	L1-113003	L150-113003	L2-113003
● White on Blue	L05-113006	L075-113006	L1-113006	L150-113006	L2-113006
● White on Green	L05-113007	L075-113007	L1-113007	L150-113007	L2-113007
● White on Red	L05-113010	L075-113010	L1-113010	L150-113010	L2-113010
● White on Purple	L05-113011	L075-113011	L1-113011	L150-113011	L2-113011
● White on Brown	L05-113012	L075-113012	L1-113012	L150-113012	L2-113012
● Green on White	L05-213001	L075-213001	L1-213001	L150-213001	L2-213001
● Green on Clear	L05-213003	L075-213003	L1-213003	L150-213003	L2-213003
● Red on White	L05-233001	L075-233001	L1-233001	L150-233001	L2-233001
● Red on Clear	L05-233003	L075-233003	L1-233003	L150-233003	L2-233003
● Dark Blue on White	L05-243001	L075-243001	L1-243001	L150-243001	L2-243001
● Dark Blue on Clear	L05-243003	L075-243003	L1-243003	L150-243003	L2-243003

EXTREME CHEMICAL RESISTANT RIBBON	0.5" X 45'	0.75" X 45'	1" X 45'	1.5" X 45'	2" X 45'
● Black on White	L05-363001	L075-363001	L1-363001	L150-363001	L2-363001
● Black on Clear	L05-363003	L075-363003	L1-363003	L150-363003	L2-363003
● Black on Yellow	L05-363008	L075-363008	L1-363008	L150-363008	L2-363008
● Black on Orange	L05-363009	L075-363009	L1-363009	L150-363009	L2-363009



Premium Vinyl Five-Year Warranty

If labels made with DuraLabel Premium Vinyl fail within five years of the purchase date, we will provide a one-time replacement roll of the same supply.



Extended-Life Vinyl Tape

Create labels that withstand harsh environments

- Lasts up to 8 years outdoors
- Resistant to moisture, oil, chemicals, UV light
- 2.6 mil thick



PREMIUM RIBBON	0.5" X 45'	0.75" X 45'	1" X 45'	1.5" X 45'	2" X 45'
● Black on White	L05-102601	L075-102601	L1-102601	L150-102601	L2-102601
● Black on Yellow	L05-102608	L075-102608	L1-102608	L150-102608	L2-102608
● Black on Orange	L05-102609	L075-102609	L1-102609	L150-102609	L2-102609
● White on Black	L05-112602	L075-112602	L1-112602	L150-112602	L2-112602
● White on Blue	L05-112606	L075-112606	L1-112606	L150-112606	L2-112606
● White on Green	L05-112607	L075-112607	L1-112607	L150-112607	L2-112607
● White on Red	L05-112610	L075-112610	L1-112610	L150-112610	L2-112610
● White on Brown	L05-112612	L075-112612	L1-112612	L150-112612	L2-112612
● Green on White	L05-212601	L075-212601	L1-212601	L150-212601	L2-212601
● Red on White	L05-232601	L075-232601	L1-232601	L150-232601	L2-232601
● Dark Blue on White	L05-242601	L075-242601	L1-242601	L150-242601	L2-242601

EXTREME CHEMICAL RESISTANT RIBBON	0.5" X 45'	0.75" X 45'	1" X 45'	1.5" X 45'	2" X 45'
● Black on White	L05-362601	L075-362601	L1-362601	L150-362601	L2-362601
● Black on Yellow	L05-362608	L075-362608	L1-362608	L150-362608	L2-362608
● Black on Orange	L05-362609	L075-362609	L1-362609	L150-362609	L2-362609

Standards Compliance

LABEL COMPLIANCE

UL 969 Compliant Poly Tape

Ensure labels comply with UL 969 requirements

- Strong, industrial adhesive
- Resistant to water, UV light, solvents
- 2.0 mil gloss polyester



EXTREME CHEMICAL RESISTANT RIBBON	0.75" X 45'	1" X 45'	1.5" X 45'	2" X 45'
● Black on White	L075-3601UL	L1-3601UL	L150-3601UL	L2-3601UL

Special Adhesives

High-Tack Tape

Ensure lasting label adhesion

- Applies to low energy surfaces (plastic, metals, & paints)
- White, silver & clear are polyester.



PREMIUM RIBBON	0.5" X 45'	0.75" X 45'	1" X 45'	1.5" X 45'	2" X 45'
● Black on White	L05-100801	L075-100801	L1-100801	L150-100801	L2-100801
● Black on Clear	L05-100803	L075-100803	L1-100803	L150-100803	L2-100803
● Black on Silver	L05-100806	L075-100806	L1-100806	L150-100806	L2-100806
● White on Clear	L05-110803	L075-110803	L1-110803	N/A	L2-110803
● Green on White	L05-210801	L075-210801	N/A	L150-210801	L2-210801
● Green on Clear	L05-210803	L075-210803	L1-210803	L150-210803	L2-210803
● Red on White	L05-230801	L075-230801	L1-230801	L150-230801	L2-230801
● Red on Clear	L05-230803	L075-230803	L1-230803	L150-230803	L2-230803
● Dark Blue on White	L05-240801	L075-240801	L1-240801	L150-240801	L2-240801
● Dark Blue on Clear	L05-240803	L075-240803	L1-240803	L150-240803	L2-240803

EXTREME CHEMICAL RESISTANT RIBBON					
● Black on White	L05-360801	L075-360801	L1-360801	L150-360801	L2-360801
● Black on Clear	L05-360803	L075-360803	L1-360803	L150-360803	L2-360803
● Black on Silver	L05-360806	L075-360806	L1-360806	L150-360806	L2-360806

Wire Marking

Self-Laminating Wire Wraps

- Organize and identify wires and cables
- Custom order colors/sizes available
- A clear tail wraps over the printed portion to help protect against chemicals & abrasion
- Resistant to water, oil, UV light, mild solvents



Chart sizes show supply width and height of printable area – for instance 2" x 0.5" supply is 2" tall supply with a 0.5" high printable strip. Supply rolls are 45' in length.

PREMIUM RIBBON	1" X 0.3125"	1.5" X 0.375"	2" X 0.5"
● Black on White	L13125-100301	L15375-100301	L2050-100301
● Black on Yellow	L13125-100308	L15375-100308	L2050-100308
● Black on Orange	L13125-100309	L15375-100309	L2050-100309
● Black on Magenta	L13125-100370	L15375-100370	L2050-100370
● White on Blue	L13125-110306	L15375-110306	L2050-110306
● White on Green	L13125-110307	L15375-110307	L2050-110307
● White on Red	L13125-110310	L15375-110310	L2050-110310
● Red on White	L13125-230301	L15375-230301	L2050-230301
● Dark Blue on White	L13125-240301	L15375-240301	L2050-240301

Shrink-Tubing

Give wires and cables a professional-grade label

- Meets UL, CSA, & military requirements
- Ideal for wires & cable
- Flame retardant
- 3:1 shrink ratio



PREMIUM RIBBON	0.25" X 20'	0.375" X 20'	0.5" X 20'	0.75" X 20'
● Black on White	L025-100501	L0375-100501	L05-100501	L075-100501
● Black on Yellow	L025-100508	L0375-100508	L05-100508	L075-100508

What size shrink-tubing do I need?

IF YOU HAVE:	USE:
8 Conductor Flat Silver Satin	0.25"
Duplex Fiber Cord (Zipcord)	0.375"
RG59 Coaxial Cable	0.5"
Category 5 4-pair Twisted Pair	0.5"
AWG 16-22G	0.125"
AWG 12-18G	0.1875"
AWG 10-16G	0.25"
AWG 4-14G	0.375"
AWG 1-12G	0.5"



Electronics Labelling

Circuit Board Polyimide Tape

Label electrical components even when surface temperatures reach extremes

- For surfaces which may reach -40°F to 350°F
- Resistant to wave soldering, acidic solvents
- Low profile polyimide



PREMIUM RIBBON	1" X 20'
● Black on White	L1-1001CB

Electrostatic Dissipative Tape (ESD)

Prevent electronic damage caused by static charge

- Decreases risk of print voids and damage to electronics due to static discharge
- Strong industrial adhesive
- Resistant to solvents, UV light, oil



PREMIUM RIBBON	0.5" X 45'	0.75" X 45'	1" X 45'	1.5" X 45'	2" X 45'
● Black on Silver	L05-101006	L075-101006	L1-101006	L150-101006	L2-101006
● Green on Silver	L05-211006	L075-211006	L1-211006	L150-211006	L2-211006
● Red on Silver	L05-231006	L075-231006	L1-231006	L150-231006	L2-231006
● Dark Blue on Silver	L05-241006	L075-241006	L1-241006	L150-241006	L2-241006

EXTREME CHEMICAL RESISTANT RIBBON					
● Black on Silver	L05-361006	L075-361006	L1-361006	L150-361006	L2-361006

Repositionable Labels

Repositionable Tape

Remove and reapply labels again and again

- Indoor & outdoor use
- Resistant to many chemicals & solvents
- Gloss vinyl



PREMIUM RIBBON	0.5" X 45'	0.75" X 45'	1" X 45'	1.5" X 45'	2" X 45'
● Black on White	L05-10701	L075-10701	L1-10701	L150-10701	L2-10701
● Green on White	L05-21701	L075-21701	L1-21701	L150-21701	L2-21701
● Red on White	L05-23701	L075-23701	L1-23701	L150-23701	L2-23701
● Dark Blue on White	L05-24701	L075-24701	L1-24701	L150-24701	L2-24701

EXTREME CHEMICAL RESISTANT RIBBON					
● Black on White	L05-36701	L075-36701	L1-36701	L150-36701	L2-36701

**Negative/reversed printing is not recommended on 1" or smaller tape sizes*

High Visibility

Fluorescent HiViz Tape

Grab attention with bright fluorescent labels and signs

- Short-term, indoor use only
- Resistant to mild acids, mold, salt
- Low profile tape



PREMIUM RIBBON	0.5" X 35'	0.75" X 35'	1" X 35'	1.5" X 35'	2" X 35'
● Black on Yellow	L05-101636	L075-101636	L1-101636	L150-101636	L2-101636
● Black on Green	L05-101662	L075-101662	L1-101662	L150-101662	L2-101662
● Black on Orange	L05-101674	L075-101674	L1-101674	L150-101674	L2-101674
● White on Green	L05-111662	L075-111662	L1-111662	L150-111662	L2-111662
● Red on Yellow	L05-231636	L075-231636	L1-231636	L150-231636	L2-231636

EXTREME CHEMICAL RESISTANT RIBBON					
● Black on Yellow	L05-361636	L075-361636	L1-361636	L150-361636	L2-361636
● Black on Green	L05-361662	L075-361662	L1-361662	L150-361662	L2-361662
● Black on Orange	L05-361674	L075-361674	L1-361674	L150-361674	L2-361674

**Negative/reversed printing is not recommended on 1" or smaller tape sizes*

Low/High Temperatures

Cold Storage Tape

Create labels that withstand sub-zero temps

- For temperatures down to -65°F
- Indoor & outdoor use
- Pressure-sensitive acrylic adhesive



PREMIUM RIBBON	0.5" X 45'	0.75" X 45'	1" X 45'	1.5" X 45'	2" X 45'
● Black on White	L05-101401	L075-101401	L1-101401	L150-101401	L2-101401
● Green on White	L05-211401	L075-211401	L1-211401	L150-211401	L2-211401
● Red on White	L05-231401	L075-231401	L1-231401	L150-231401	L2-231401
● Dark Blue on White	L05-241401	L075-241401	L1-241401	L150-241401	L2-241401

High-Temp Poly Tape

Print labels that withstand very hot or cold temperatures

- For temperatures of -40°F to 300°F
- Sticks to cold & hot surfaces
- Low surface energy adhesive



PREMIUM RIBBON	0.5" X 45'	0.75" X 45'	1" X 45'	1.5" X 45'	2" X 45'
● Black on White	L05-101201	L075-101201	L1-101201	L150-101201	L2-101201
● Green on White	L05-211201	L075-211201	L1-211201	L150-211201	L2-211201
● Dark Blue on White	L05-241201	L075-241201	L1-241201	L150-241201	L2-241201

EXTREME CHEMICAL RESISTANT RIBBON					
● Black on White	L05-361201	L075-361201	L1-361201	L150-361201	L2-361201

LN2 Poly Tape

Label extremely cold surfaces

- For temperatures of -112°F to 176°F
- Permanent acrylic adhesive
- Low profile polyester



PREMIUM RIBBON	0.75" X 45'	1" X 45'	1.5" X 45'	2" X 45'
● Black on Clear	L075-101503	L1-101503	L150-101503	L2-101503
● Green on Clear	L075-211503	L1-211503	L150-211503	L2-211503
● Red on Clear	L075-231503	L1-231503	L150-231503	L2-231503
● Dark Blue on Clear	L075-241503	L1-241503	L150-241503	L2-241503

MAKE YOUR FACILITY **SAFER** & MORE **EFFICIENT**



Put PathFinder floor marking, wayfinding, and safety tape to work in your facility today.

Contact us today!

(03) 9013 7291
archford.com.au





DuraLabel® Kodiak

Multi-color, large-format, 10" print station

Produce bold, clear, attention-grabbing messages with DuraLabel Kodiak. Create durable multi-color signs on demand, fit for your facility's unique needs anywhere from 4" to 10" wide. Use the touchscreen, wireless keyboard, and preinstalled software to design code-compliant signs and labels with ease.

Efficient

- From GHS-compliant drum labels to facility safety signs—print the signs and labels you need
- Quick print speeds with use of multiple print heads—for efficient output

Versatile

- Prints on 4" to 10" supply widths
- Multi-color print capabilities (two ribbon and one supply stock)
- Single-color and multi-color supplies
- Industry and application-specific supplies

Simple

- All-inclusive design for effortless sign and label creation
- Preinstalled compliance and custom sign design software
- No IT support or network connection required
- 9" touchscreen, wireless keyboard and stylus

LabelForge PRO™ Software is **FREE** and Preinstalled

Software includes an extensive chemical database for GHS, RTK/NFPA labeling, arc flash templates, ASME/ANSI, IIAR, and general pipe marking templates, as well as the ability to create custom signs.



ITEM	SKU
DuraLabel Kodiak*	DLKODIAK
Ribbon Cartridge	DLK-RIBBCART

*Two ribbon cartridges included with purchase.

 **How Can Kodiak Help You?**
See it in action: archford.com.au

General Purpose

Premium Vinyl Tape

Achieve lasting performance with this durable, versatile supply

- Works on surfaces up to 200°F
- Indoor & outdoor use
- Resistant to water, UV light, most chemicals
- Other colour and size options available



	4" X 50'	6" X 50'	7" X 50'	8" X 50'	8.75" X 50'	9.75" X 50'
White	K4-3001	K6-3001	K7-3001	K8-3001	K9-3001	K10-3001
Black	K4-3002	K6-3002	K7-3002	K8-3002	K9-3002	K10-3002
Clear	K4-3003	K6-3003	K7-3003	K8-3003	K9-3003	K10-3003
Battleship Gray	K4-3004	K6-3004	K7-3004	K8-3004	K9-3004	K10-3004
Silver Gray	K4-3005	K6-3005	K7-3005	K8-3005	K9-3005	K10-3005
Blue	K4-3006	K6-3006	K7-3006	K8-3006	K9-3006	K10-3006
Green	K4-3007	K6-3007	K7-3007	K8-3007	K9-3007	K10-3007
Yellow	K4-3008	K6-3008	K7-3008	K8-3008	K9-3008	K10-3008
Orange	K4-3009	K6-3009	K7-3009	K8-3009	K9-3009	K10-3009
Red	K4-3010	K6-3010	K7-3010	K8-3010	K9-3010	K10-3010
Purple	K4-3011	K6-3011	K7-3011	K8-3011	K9-3011	K10-3011
Brown	K4-3012	K6-3012	K7-3012	K8-3012	K9-3012	K10-3012
Pink	K4-3013	K6-3013	K7-3013	K8-3013	K9-3013	K10-3013
Sky Blue	K4-3018	K6-3018	K7-3018	K8-3018	K9-3018	K10-3018
Teal	K4-3019	K6-3019	K7-3019	K8-3019	K9-3019	K10-3019
Gold	K4-3030	K6-3030	K7-3030	K8-3030	K9-3030	K10-3030
Medium Gray	K4-3031	K6-3031	K7-3031	K8-3031	K9-3031	K10-3031



Premium Vinyl Five-Year Warranty

If labels made with DuraLabel Premium Vinyl fail within five years of the purchase date, we will provide a one-time replacement roll of the same supply.

Extended-Life Vinyl Tape

Create labels that withstand harsh environments

- Lasts up to 8 years outdoors
- Resistant to moisture, oil, chemicals, UV light
- 2.6 mil thick



	4" X 50'	6" X 50'	8" X 50'	9" X 50'
White	K4-2601	K6-2601	K8-2601	K9-2601
Black	K4-2602	K6-2602	K8-2602	K9-2602
Clear	K4-2603	K6-2603	K8-2603	K9-2603
Gray	K4-2604	K6-2604	K8-2604	K9-2604
Blue	K4-2606	K6-2606	K8-2606	K9-2606
Green	K4-2607	K6-2607	K8-2607	K9-2607
Yellow	K4-2608	K6-2608	K8-2608	K9-2608
Orange	K4-2609	K6-2609	K8-2609	K9-2609
Red	K4-2610	K6-2610	K8-2610	K9-2610
Brown	K4-2612	K6-2612	K8-2612	K9-2612

Blank Die-Cut Labels

Create custom die-cut labels

- Labels last up to 5 years outdoors
- Resistant to water, most chemicals
- Gloss vinyl
- Die-cut - peel & apply



	4" X 6"	6" X 9"	7" X 10.5"	9" X 13"
White - rectangle	K0406-90	K0609-90	K070105-90	K09013-90
Labels Per Roll	90	60	50	40



Metallized Poly Tape

Give signs and labels a brushed aluminum accent

- Brushed aluminum appearance
- Resistant to mild acids, alkalis, salt



	4" X 50'
Brushed Aluminum	K4-50

Standards Compliance

HAZMAT COMPLIANCE

GHS Labels

Communicate chemical hazards

- Comply with standards set by the UN & EU
- Comply with British Standard (BS) 5609 for saltwater immersion
- 2.0 mil outdoor durable polyester
- Preprinted with up to 4 red diamonds



Die-cut	4" X 6"	6" X 9"
1 Diamond	K04060D-1I	K06090D-1I
2 Diamond	K04060D-2I	K06090D-2I
3 Diamond	K04060D-3I	K06090D-3I
4 Diamond	K04060D-4I	K06090D-4I
Labels Per Roll	90	60

Continuous	4" X 6"	6" X 9"	9" X 12"
1 Diamond	K04060M-1I	K06090M-1I	K09120M-1I
2 Diamond	K04060M-2I	K06090M-2I	K09120M-2I
3 Diamond	K04060M-3I	K06090M-3I	K09120M-3I
4 Diamond	K04060M-4I	K06090M-4I	K09120M-4I
Labels Per Roll	90	60	40

HazCom 2012

Comply with OSHA hazardous chemical labeling standards

- Comply with standards established by OSHA
- Comply with British Standard (BS) 5609 for saltwater immersion
- 2.0 mil outdoor durable polyester
- Preprinted with up to 5 red diamonds



Die-cut	4" X 6"	6" X 9"
1 Diamond	K04060D-1D	K06090D-1D
2 Diamond	K04060D-2D	K06090D-2D
3 Diamond	K04060D-3D	K06090D-3D
4 Diamond	K04060D-4D	K06090D-4D
5 Diamond	K04060D-5D	K06090D-5D
Labels Per Roll	90	60

Continuous	4" X 6"	6" X 9"	9" X 12"
1 Diamond	K04060M-1D	K06090M-1D	K09120M-1D
2 Diamond	K04060M-2D	K06090M-2D	K09120M-2D
3 Diamond	K04060M-3D	K06090M-3D	K09120M-3D
4 Diamond	K04060M-4D	K06090M-4D	K09120M-4D
5 Diamond	K04060M-5D	K06090M-5D	K09120M-5D
Labels Per Roll	90	60	40

Outdoor RTK Diamond Labels

Alert workers to chemical hazards outdoors

- Lasts 5 years outdoors
- Resistant to water, most chemicals
- Die-cut gloss vinyl - peel & apply



	4" X 6"	6" X 9"
RTK Diamond	K0406-1O	K0609-1O
Labels Per Roll	90	60

Outdoor NFPA Labels

Mark your facility's chemicals for compliance and safety

- NFPA 704 compliant
- Resistant to water, most chemicals
- Die-cut matte vinyl - peel & apply



	4" X 6"	6" X 9"
NFPA	K0406-NFPAO	K0609-NFPAO
Labels Per Roll	90	60

LABEL COMPLIANCE

Marine Label Tape

Make signs that can withstand saltwater immersion

- Comply with British Standard (BS) 5609 for saltwater immersion
- Withstands extreme saltwater spray
- Resistant to chemicals, UV light, abrasive handling



	4" X 50'	6" X 50'	8" X 50'	9" X 50'
White	K4-2001M	K6-2001M	K8-2001M	K9-2001M

Metal-Detectable Tape

Detect label fragments to prevent contamination

- Permitted by FDA for indirect food contact (21 CFR §175.105)
- Easily locate with a metal detector
- Ideal for the food industry



	4" X 50'	6" X 50'	8" X 50'	9" X 50'
White	K4-01MD	K6-01MD	K8-01MD	K9-01MD

SAFETY COMPLIANCE



Arc Flash/OSHA Two-Color Vinyl Tape

Create OSHA-compliant Health & Safety signs quickly

- Specialty colors & sizes available
- Customize labels & signs with OSHA-approved colors
- Resistant to water, UV light, most chemicals
- 3.0 mil vinyl
- Works on surfaces up to 200°F



	4" X 1" X 50'	4" X 1.187" X 50'	6" X 1" X 50'	6" X 1.5" X 50'	7" X 2" X 50'	7" X 2.5" X 50'
Orange Stripe	K4-4100	K4-4118	K6-4100	K6-4150	K7-4200	K7-4250
Red Stripe	K4-5100	K4-5118	K6-5100	K6-5150	K7-5200	K7-5250
Yellow Stripe	K4-6100	K4-6118	K6-6100	K6-6150	K7-6200	K7-6250

	8" X 2.25" X 50'	8" X 2.5" X 50'	8" X 2.75" X 50'	9" X 2.5" X 50'	9" X 2.75" X 50'	9" X 3.25" X 50'
Orange Stripe	K8-4225	K8-4250	K8-4275	K9-4250	K9-4275	K9-4325
Red Stripe	K8-5225	K8-5250	K8-5275	K9-5250	K9-5275	K9-5325
Yellow Stripe	K8-6225	K8-6250	K8-6275	K9-6250	K9-6275	K9-6325

Outdoor Arc Flash, Health & Safety Labels

Alert workers to outdoor safety hazards

- OSHA/NFPA 70E/NEC/CSA Z462/ANSI compliant
- Lasts 5 years outdoors
- Resistant to chemicals, water, UV light
- Die-cut gloss vinyl - peel & apply



	4" X 6"	6" X 9"
CAUTION	K0406-170	K0609-170
NOTICE	K0406-60	K0609-60
WARNING	K0406-70	K0609-70
DANGER	K0406-80	K0609-80
Labels Per Roll	90	60



Special Adhesives

Ultra-Aggressive Adhesive Vinyl Tape

Print labels that adhere to uneven materials, including plastics, concrete, brick, and wood.

- Stays in place for up to 7 years
- Indoor and outdoor use
- Resistant to chemicals
- For surfaces which may reach -65°F to 225°F



4" X 50'	
White	K4-2601UA

Aggressive Adhesive Vinyl Tape

Make labels that stand up to tough environments

- Ideal for tough, textured surfaces
- Pressure-sensitive adhesive
- Stick to sign blanks, flexible substrates, and painted metal



4" X 50'	
White	K4-2600UA
Black	K4-2602UA
Blue	K4-2606UA
Green	K4-2607UA
Yellow	K4-2608UA
Orange	K4-2609UA
Red	K4-2610UA
Brown	K4-2612UA
Gray	K4-2631UA

Oily Surface Tape

Create signs and labels that bond with oily surfaces

- Adheres to greasy, dirty surfaces
- Resistant to oil, gas, moisture



	4" X 50'	6" X 50'	8" X 50'	9" X 50'
White	K450-01OS	K650-01OS	K850-01OS	K950-01OS

Repositionable Labels

Repositionable Tape

Remove and reapply labels again and again

- Indoor & outdoor use
- Resistant to many chemicals & solvents
- Gloss vinyl



	4" X 50'	6" X 50'	8" X 50'	9" X 50'
White	K4-701	K6-701	K8-701	K9-701

Magnetic Supply

Place on metal shelves or vehicles and move when needed

- Ideal for temporary labeling & signage on metal surfaces
- No surface damage
- Ideal for vehicles & equipment



	4" X 25'	6" X 25'
White	K4-01M	K6-01M



Tag Stock

DuraTag™ (Tag Stock)

Create rugged tear-resistant tags that stand up to high temperatures

- Colours resist heat up to 180°F
- White resists heat up to 200°F
- Tear resistant, no grommets needed
- Attach with cable tie, chain, etc.
- Indoor & outdoor use
- Resistant to moisture, chemicals



	4" X 50'	6" X 50'	8" X 50'	9" X 50'
White	K4100-1	K6100-1	K8100-1	K9100-1
Orange	K4100-10	K6100-10	K8100-10	K9100-10
Light Blue	K4100-11	K6100-11	K8100-11	K9100-11
Yellow	K4100-2	K6100-2	K8100-2	K9100-2
Red	K4100-4	K6100-4	K8100-4	K9100-4
Green	K4100-5	K6100-5	K8100-5	K9100-5

High Visibility

Reflective Vinyl Tape

Make labels that stand out in low-light conditions

- Indoor & outdoor use
- Resistant to common chemicals
- Engineering grade reflective vinyl



	4" X 50'	6" X 50'	8" X 50'	9" X 50'
White	K4-101	K6-101	K8-101	K9-101
Yellow	K4-102	K6-102	K8-102	K9-102
Red	K4-104	K6-104	K8-104	K9-104
Green	K4-105	K6-105	K8-105	K9-105
Orange	K4-110	K6-110	K8-110	K9-110
Blue	K4-111	K6-111	K8-111	K9-111

BoldGlo Phosphorescent Tape

Designate a safe emergency exit route

- Complies with many state and federal "Emergency Exit Sign" laws and standards
- Ideal for emergency exit labeling
- Glow-in-the-dark properties for up to 8 hours!
- Resistant to common chemicals
- Recommended for indoor use only
- Color: off white - glows green



	4" X 50'	6" X 50'	8" X 50'	9" X 50'
Glows Green	K4-250	K6-250	K8-250	K9-250

Prismatic Reflective Tape

Make your labels stand out in low-light conditions

- A high-intensity reflective material for marking vehicles, wayfinding, and more



	4" X 50'
White	KPFPR1-4001
Blue	KPFPR1-4006
Green	KPFPR1-4007
Yellow	KPFPR1-4008
Orange	KPFPR1-4009
Red	KPFPR1-4010

Fluorescent HiViz Tape

Grab attention with bright fluorescent labels and signs

- Short-term, indoor use only
- Resistant to mild acids, mold, salt
- Low profile tape



	4" X 50'	6" X 50'	8" X 50'	9" X 50'
Yellow	K4-36	K6-36	K8-36	K9-36
Green	K4-62	K6-62	K8-62	K9-62
Orange	K4-74	K6-74	K8-74	K9-74

Low/High Temperatures

Cold Storage Tape

Create labels that withstand sub-zero temps

- For temperatures down to -65°F
- Indoor & outdoor use
- Pressure-sensitive acrylic adhesive



	4" X 50'	6" X 50'	8" X 50'	9" X 50'
White	K4-301	K6-301	K8-301	K9-301

Floor Marking

DuraPav Floor Marking Tape

Mark outdoor concrete or asphalt

- Ideal for areas where aggressive adhesive is needed
- 3-year outdoor durability; 5-year outdoor durability when used with Floor Marking Overlaminates



	4" X 50'	6" X 50'	8" X 50'	9" X 50'
White	K450-01DP	K650-01DP	K850-01DP	K950-01DP

Printable Floor Marking Tape

Extend your safety message to the floor

- Resistant to common light, moderate wash-down chemicals
- Increase life of printed message - use with our Floor Marking Overlaminates



	4" X 50'	6" X 50'	8" X 50'	9" X 50'
White	KPFMT14050	KPFMT16050	KPFMT18050	KPFMT19050
Black	KPFMT24050	KPFMT26050	KPFMT28050	KPFMT29050
Gray	KPFMT44050	KPFMT46050	KPFMT48050	KPFMT49050
Blue	KPFMT64050	KPFMT66050	KPFMT68050	KPFMT69050
Green	KPFMT74050	KPFMT76050	KPFMT78050	KPFMT79050
Yellow	KPFMT84050	KPFMT86050	KPFMT88050	KPFMT89050
Orange	KPFMT94050	KPFMT96050	KPFMT98050	KPFMT99050
Red	KPFMT104050	KPFMT106050	KPFMT108050	KPFMT109050
Brown	KPFMT124050	KPFMT126050	KPFMT128050	KPFMT129050

Floor Marking Overlaminates

Place this supply over Printable Floor Marking Tape or DuraPav Floor Marking Tape to increase their lifespan. Use 2" overlaminates for 1/2" - 1" tape, 3" overlaminates for 2" tape, 4" overlaminates for 3" tape, or 5" overlaminates for 4" tape.



	2" X 140'	3" X 140'	4" X 140'	5" X 140'
Clear	L320140	L330140	L340140	L350140



Ribbon

Premium Ribbons

Print lasting text and graphics with "fine-print" definition

- Thermal transfer ribbons (TTR), suitable for the most demanding applications
- Resistant to UV light, moisture, abrasion, most chemicals



	4" X 361'	8.66" X 361'
White	K431111	K861111

	4" X 361'	8.66" X 361'
Black	K431110	K861110

	4" X 361'	8.66" X 361'
Yellow	K431118	K861118
Green	K431121	K861121
Orange	K431122	K861122
Red	K431123	K861123
Dark Blue	K431124	K861124

Petroleum Resistant Ribbon

Print onto signs and labels meant for oily environments

- Improved chemical resistance
- Resin-based ink lasts even when exposed to petroleum-based liquids



	4" X 361'	8.66" X 361'
Black	K431120	K861120

Extreme Chemical Resistant Ribbons

Ensure labels survive exposure to harsh chemicals

- Our most abrasion-resistant ribbon
- Resistant to alcohol, oil, mineral spirits, hydraulic fluid, lubricating oil, & 5% salt water



	4" X 361'
Black	K431136

Which ribbon should you choose?
See next page for our ribbon compatibility information.

Expand Visual Communication Throughout Your Facility

No matter the industry, odds are good your workplace contains any number of hazards.

A few common hazards include:

Electrical equipment poses arc flash risks, and workers can be injured when **LOCKOUT/TAGOUT** procedures aren't followed



Construction workers encounter height-related risks, electrocution, and **FALLING OBJECTS**




Warehouses struggle to **KEEP PEDESTRIANS SAFE** around forklifts and machinery



In most instances, visual communication can alert workers to hazards and offer best practices for staying safe:



ARC FLASH LABELS
inform employees about arc flash boundaries, PPE requirements, and more




SIGNS AND LABELS
remind workers to wear fall protection and use PPE whenever necessary



FLOOR SIGNS
improve warehouse traffic and keep workers safe in areas with heavy traffic



EMERGENCY SIGNS
call out fire exits, first aid kits, and other potentially life-saving resources



GOOD TO KNOW

Safety signs can improve safety, promote positive work practices, and help facilities avoid hefty OSHA fines.

Maximum OSHA Penalties:

SERIOUS VIOLATIONS: \$12,934 per violation <small>as of Jan. 2, 2018</small>	WILLFUL OR REPEATED VIOLATIONS: \$129,336 per violation
---	---

Ribbon Compatibility Chart

Use the following chart to find the best ribbon to go with your supply. Please feel free to call us with questions. We will help ensure you receive everything you need for your labeling/signage project.

KEY

REQ	=	REQUIRED
REC	=	RECOMMENDED
COM	=	COMPATIBLE
N/C	=	NOT COMPATIBLE
N/R	=	NOT RECOMMENDED

	Premium Black	Premium White	Premium Color	Petroleum Resistant	Extreme Chemical Resistant
Aggressive Vinyl	COM	COM	COM	COM	COM
Arc Flash/OSHA Two-Color Vinyl	COM	N/R	COM	N/C	N/C
Blank Outdoor Die-Cut	REC	COM	COM	COM	N/C
BoldGlo Phosphorescent	COM	N/C	COM	N/C	N/C
Cold Storage	COM	N/C	COM*	N/R	N/R
DuraPav	COM	N/C	COM	COM	N/C
DuraTag	COM	COM	COM	N/C	N/C
Extended-Life Vinyl	COM	COM	COM	REC	COM
Fluorescent HiViz	COM	N/R	COM	N/R	N/C
GHS/HazCom 2012	COM	N/C	COM	N/C	N/C
Magnetic Supply	COM	COM	COM	N/C	N/C
Marine Label Tape	COM	N/C	COM	N/C	N/C
Metal-Detectable Tape	COM	COM	COM	N/C	N/C
Metallized Poly Tape	COM	COM	COM	COM	COM
Oily Surface	COM	N/C	N/C**	N/R	N/C
Outdoor Arc Flash, Health & Safety Labels	REC	COM	COM	COM	N/C
Outdoor NFPA Diamond/RTK Diamond Labels	REC	COM	COM	COM	N/C
Premium Vinyl	REC	COM	COM	COM***	N/C
Printable Floor Marking Tape	COM	COM	COM	REC	COM
Prismatic Reflective Vinyl	COM	COM	COM	COM	N/R
Reflective Vinyl (White)	COM	N/R	COM	REC	COM
Reflective Vinyl (Colors)	COM	COM	COM	REC	COM
Repositionable (White)	COM	N/C	COM	COM	COM
Repositionable (Yellow)	COM	N/R	COM	N/R	N/R
Ultra-Aggressive Adhesive	COM	N/C	COM	COM	COM

* Not compatible with Orange, Red, or Blue Premium Ribbon.

** Premium Red ribbon is compatible, all other ribbon colors are not.

*** Not compatible with Medium Gray, Sky Blue, Gold Premium Vinyl.

Don't see ribbon information for your supply?

Please call for additional ribbon compatibility information.

(03) 9013 7291

GO BIG FOR SAFETY

Print **Large Multi-Color Signs and Labels** that command attention with DuraLabel Kodiak.



- **Small to Large:** print labels and signs using 4"-10" tape widths
- **Multi-color:** enhance organization with color-coded labels for 5S applications
- **Fast output:** custom, on-demand signs/labels for immediate use
- **Little to no training:** easy-to-use 9" touchscreen interface
- **All-inclusive:** built-in software, wireless keyboard, free updates, and free lifetime customer support



Grab Attention Now

(03) 9013 7291 | archford.com.au

SAVE MONEY with DuraLabel Labeling Kits

Our kits include one or more DuraLabel printers, software, and a variety of supplies—all at a discounted price.

KODIAK STARTER KIT

SKU: DLK-START



KODIAK HAZCOM/GHS KIT

SKU: DLK-GHS



TORO MAX PIPE MARKING KIT

SKU: DLTM-PIPE



TORO MAX OSHA KIT

SKU: DLTM-OSHA



BRONCO MAX ARC FLASH KIT

SKU: DLBM-ARCO




Visit archford.com.au to view more kits

Can't find the kit you need?

Give us a call and we'll customize it!

(03) 9013 7291



PF PATHFINDER
by Graphic Products, Inc.

42 Aisle Tape

These heavy-duty tapes will withstand heavy traffic from forklifts, hand trucks, and pedestrians.

44 5S Tape

LITE™ 5S tape is a cost-efficient vinyl tape and is the perfect solution for 5s, lean, or general use.

46 Glow-in-the-Dark Tape

Highlight egress pathways and ensure your employees can see where they're going in emergencies or during low-light situations.

47 Reflective Tape

Increase visibility, day and night, with reflective tape. This tape is ideal for marking machinery, pathways, vehicles, and more.

49 Anti-Slip Tape

Anti-slip tape helps eliminate slips and falls, and is ideal for stairways, ramps, hazardous floors, and more.

54 General Floor Signs

Floor signs are an ideal way to communicate safety information in your facility or warehouse.

Floor Marking & Wayfinding | TABLE OF CONTENTS



AISLE TAPE	42	GENERAL FLOOR SIGNS	54
RIGID™ Aisle Marking Tape	42	Blank	54
RIGID™ Carpet Tape	42	Exit	54
RIGID™ Striped Aisle Marking Tape	42	Fire Safety	54
FLEX™ Aisle Marking Tape	43	Forklift	55
Print Boundaries & Print PPE	43	Stop	55
5S TAPE	44	First Aid	55
LITE™ 5S Tape	44	Pedestrian	56
LITE™ Laminated 5S Tape	45	Lockout/Tagout	56
LITE™ 5S Clean Room Tape	45	Personal Protective Equipment	56
GLOW-IN-THE-DARK TAPE	46	Safety Message	56
GLOW™ Floor Safety Tape	46	Trash and Recycling	56
GLOW™ Floor Exit Markers	46	Restricted Access	56
GLOW™ Anti-Slip Floor Tape	46	Multilingual	56
REFLECTIVE TAPE	47	Restricted Area	56
REFLECT™ Engineer-Grade Reflective Tape	47	Traffic	58
REFLECT™ Conspicuity Tape	47	Storage Area	58
REFLECT™ High-Intensity Reflective Tape	48	FLOOR SIGN BUNDLES	59
REFLECT™ DOT-Certified Reflective Stick-ons	48	AED Floor Marking Bundle	59
ANTI-SLIP TAPE	49	Electrical Panel Clearance Bundle	59
TREAD™ Standard Anti-Slip Floor Tape	49	Eye Wash Station Bundle	59
TREAD™ Coarse Anti-Slip Safety Tape	49	First Aid Kit Floor Sign Bundle	59
TREAD™ Extra Coarse Anti-Slip Safety Tape	49	Fire Exit Floor Sign Bundle	59
TREAD™ Waterproof Anti-Slip Floor Tape	50	Glow-in-the-Dark Fire Exit Bundle	59
TREAD™ Non-Abrasive Coarse Resilient	50	Fire Extinguisher Floor Sign Bundle	60
TREAD™ Conformable Anti-Slip Floor Tape	50	SDS Binder Floor Sign Bundle	60
Bolt-Down Anti-Slip Stair Plates	51	Spill Kit Floor Sign Bundle	60
TREAD™ Anti-Slip Die-Cut Steps	51	Pallet Jack Parking Kit	60
FLOOR MARKING SHAPES	52	Forklift Parking Kit	60
FLEX™ Floor Marking Shapes	52	CROSSWALK KITS	60
RIGID™ Floor Marking Shapes	52	Basic Crosswalk Kit	60
FLOOR MARKING ACCESSORIES	53	Premium Crosswalk Kit	60
Light-Duty Floor Tape Applicator	53	Deluxe Crosswalk Kit	60
Heavy-Duty Floor Tape Applicator	53		
Floor Marking Overlamine	53		
Heavy-Duty Floor Marking Overlamine	53		

✓ Audit Your Facility

- Can visitors easily locate the reception area, restrooms, and emergency exits?
- Are walkways and traffic lanes easy to identify?
- Are exit routes marked to be kept clear and accessible?
- Are any other clearance areas marked, such as those in front of electrical panels or other hazardous areas?

Aisle Tape

RIGID™ Aisle Marking Tape

Our most popular floor marking material provides maximum durability under pressure. This tough PVC tape with liner has a gloss coat to provide extra strength and visibility. The beveled edges ensure that items moving across the floor won't snag. Organizing traffic flow or implementing 5S is easier to do with Rigid.

KEY FEATURES

- Fork-Lift Safe: this floor tape is designed for use with forklifts and other heavy equipment.
- Beveled Edge: this floor tape stands the test of time by preventing equipment and items from snagging.
- Low Profile: ensures your floor tape does not become a safety hazard.
- Heavy Duty: resistant to water and most chemicals.
- Easy to Install: our easy-to-peel liners and quick curing adhesive make installation a snap.
- Removes Cleanly: the rubber based adhesive removes easily and cleanly with minimal to no residue.
- Shapes: offered in circles, corners, Ts and footprints.
- Lifetime Support: receive free support for the life of your product.

SPECIFICATIONS

- Thickness: 30 mil
- Min. Application Temperature: 40 °F
- Service Temperature Range: 0 °F to 130 °F
- Shelf Life (Unused): 1 Year
- Warranty: 1 Year Limited Warranty



	2" X 100'	3" X 100'	4" X 100'	6" X 100'
WHITE	PFHD1-2001	PFHD1-3001	PFHD1-4001	PFHD1-6001
BLACK	PFHD1-2002	PFHD1-3002	PFHD1-4002	PFHD1-6002
BLUE	PFHD1-2006	PFHD1-3006	PFHD1-4006	PFHD1-6006
GREEN	PFHD1-2007	PFHD1-3007	PFHD1-4007	PFHD1-6007
YELLOW	PFHD1-2008	PFHD1-3008	PFHD1-4008	PFHD1-6008
ORANGE	PFHD1-2009	PFHD1-3009	PFHD1-4009	PFHD1-6009
RED	PFHD1-2010	PFHD1-3010	PFHD1-4010	PFHD1-6010

RIGID™ Carpet Tape

Quickly and easily establish boundaries in offices and other indoor carpeted environments with the RIGID Carpet Floor Tape. This tape uses a familiar hook and loop application in which the tape's hooks will snag the carpet's pile loops for a secure application on low pile carpets. Durable and secure once applied, the tape can also be lifted and repositioned with little effort and will not damage carpets. It is available in 2" x 80' or 4" x 80' rolls in various colors.



	2" X 80'	4" X 80'
White	PFHD8-2001	PFHD8-4001
Black	PFHD8-2002	PFHD8-4002
Blue	PFHD8-2006	PFHD8-4006
Green	PFHD8-2007	PFHD8-4007
Yellow	PFHD8-2008	PFHD8-4008
Orange	PFHD8-2009	PFHD8-4009
Red	PFHD8-2010	PFHD8-4010



RIGID™ Striped Aisle Marking Tape

Our most durable floor tape just got safer. This hazard stripe design improves visibility to dangerous areas in the workplace. The tough PVC material and adhesive offers a highly durable hold in a variety of heavy traffic environments. It's ideal for marking physical hazards, wayfinding, doorways, exits, and more.

KEY FEATURES

- High Visibility: colorful hazard striping creates clear boundaries and increases emphasis of dangerous areas.
- Heavy Duty: endures heavy traffic from thick PVC and rubber adhesive. It is also resistant to water and chemicals. The smooth gloss finish provides extra durability and eases maintenance.
- Subsurface print: protects from smears and scuffs for optimal service life.
- Easy to Install: simply peel and apply for quick and easy installation with no clean up or dry time necessary. For optimal adhesion, allow 24 hours to fully cure.
- Multipurpose: rubber adhesive sticks to a variety of surfaces, from finished concrete to tile flooring.
- Compliant: black and yellow hazard stripe design meets standards for marking physical hazards: 29 CFR 1910.144(a)(3).
- Lifetime Support: receive free support for the life of your product.

SPECIFICATIONS

- Thickness: Film: 19 mi, Adhesive: 11 mil
- Min. Application Temperature: 40 °F
- Service Temperature Range: 40 °F to 130 °F
- Shelf Life (Unused): 2 Years
- Warranty: 1 Year



	2" X 100'	3" X 100'	4" X 100'	6" X 100'
BLACK/YELLOW	PFHD1-2040	PFHD1-3040	PFHD1-4040	PFHD1-6040
BLACK/WHITE	PFHD1-2042	PFHD1-3042	PFHD1-4042	PFHD1-6042
RED/WHITE	PFHD1-2043	PFHD1-3043	PFHD1-4043	PFHD1-6043
GREEN/WHITE	PFHD1-2044	PFHD1-3044	PFHD1-4044	PFHD1-6044

FLEX™ Aisle Marking Tape

Developed to withstand heavy foot traffic, Flex tapes provide a durable solution for 5S, organization, safety communication and work flow. Flexible enough to be applied to uneven surfaces Flex's textured surface provides an anti-slip surface for foot traffic safety. This tape is ideal for colour coding, aisle, hazard and boundary and organizational marking. For use with heavy foot traffic and light vehicle traffic.

KEY FEATURES

- Polycarbonate Textured Surface: the textured surface provides an anti-slip surface.
- Flexible Construction: this floor tape is suited for uneven surfaces.
- Heavy Duty: resistant to water and most chemicals.
- Easy to Install: our easy-to-peel liners and quick curing adhesive make installation a snap.
- Removes Cleanly: the rubber based adhesive removes easily and cleanly with minimal to no residue.

SPECIFICATIONS

- Thickness: 21 mil
- Min. Application Temperature: 40°F
- Service Temperature Range: 40°F to 200°F
- Shelf Life (Unused): 1 Year
- Warranty: 1 Year Limited Warranty



	2" X 100'	3" X 100'	4" X 100'
WHITE	PFHD2-2001	PFHD2-3001	PFHD2-4001
BLACK	PFHD2-2002	PFHD2-3002	PFHD2-4002
BLUE	PFHD2-2006	PFHD2-3006	PFHD2-4006
GREEN	PFHD2-2007	PFHD2-3007	PFHD2-4007
YELLOW	PFHD2-2008	PFHD2-3008	PFHD2-4008
ORANGE	PFHD2-2009	PFHD2-3009	PFHD2-4009
RED	PFHD2-2010	PFHD2-3010	PFHD2-4010

	2" X 100'	3" X 100'	4" X 100'
BLACK/YELLOW	PFHD2-2040	PFHD2-3040	PFHD2-4040
BLACK/WHITE	PFHD2-2042	PFHD2-3042	PFHD2-4042
RED/WHITE	PFHD2-2043	PFHD2-3043	PFHD2-4043
GREEN/WHITE	PFHD2-2044	PFHD2-3044	PFHD2-4044

Print Boundaries & Print PPE

Instantly communicate hazards to personnel before they enter an area with eye-catching visual cues. This synthetic material and clear over-laminate provides extra strength for long term durability and service life. Improve safety and meet standards for adequate slip resistance for floor graphics.

KEY FEATURES

- UL 410 Compliant: meets Coefficient of Friction (CoF) for floor graphics slip resistance requirements.
- Durable: the synthetic construction provides a strong, textured tape with anti-slip properties.
- Easy to Install: simply peel and apply to the desired surface for quick and easy installation with no clean up or dry time necessary.
- Removes Cleanly: the rubber based adhesive removes easily and cleanly with minimal to no residue.
- Lifetime Support: receive free support for the life of your product.

SPECIFICATIONS

- Thickness: Film: 10 mil, Adhesive: 1 mil
- Min. Application Temperature: 50°F
- Service Temperature Range: -14°F to 140°F
- Shelf Life (Unused): 1 Year
- Warranty: 1 Year

		
SLIPPERY WHEN WET PFPR2-000	FIRE AISLE - KEEP CLEAR PFPR2-005	EMERGENCY EXIT PFPR2-006
		
SAFETY GLASSES PFPR2-001	FORK LIFT TRAFFIC PFPR2-003	ARC FLASH BOUNDARY PFPR2-007
		
SAFETY FOOTWEAR PFPR2-002	HEARING PROTECTION PFPR2-004	HARD HAT AREA PFPR2-008



5S Tape

LITE™ 5S Tape

A general purpose tape, Lite is versatile enough for floor marking, wall marking or as banding tapes. Offered in 12 solid colours and 4 hazard stripe options this conformable tape offers the benefit of a cross linked rubber adhesive and flexible pigmented PVC film. For use with light foot traffic.

KEY FEATURES

- **Multi Use:** this floor tape can be applied to walls, pipes, floors and more.
- **Self Wound:** this floor tape does not need a release liner, making installation easy with no waste.
- **Flexibility:** will adhere to a variety of surfaces including uneven surfaces where more rigid tapes would have difficulty.
- **Heavy Duty:** resistant to water and most chemicals.
- **Removes Cleanly:** the rubber based adhesive removes easily and cleanly with minimal to no residue making this tape optimal for temporary applications like trade shows.
- **Pigmented Vinyl:** the colour will not abrade or scratch off.

SPECIFICATIONS

- Thickness: 6 mil
- Min. Application Temperature: 50°F
- Service Temperature Range: -14°F to 140°F
- Shelf Life (Unused): 1 Year



	0.5" X 108'	1" X 108'	2" X 108'	3" X 108'	4" X 108'	6" X 108'
WHITE	PFLT1-0501	PFLT1-1001	PFLT1-2001	PFLT1-3001	PFLT1-4001	PFLT1-6001
BLACK	PFLT1-0502	PFLT1-1002	PFLT1-2002	PFLT1-3002	PFLT1-4002	PFLT1-6002
GRAY	PFLT1-0504	PFLT1-1004	PFLT1-2004	PFLT1-3004	PFLT1-4004	PFLT1-6004
YELLOW	PFLT1-0508	PFLT1-1008	PFLT1-2008	PFLT1-3008	PFLT1-4008	PFLT1-6008
ORANGE	PFLT1-0509	PFLT1-1009	PFLT1-2009	PFLT1-3009	PFLT1-4009	PFLT1-6009
RED	PFLT1-0510	PFLT1-1010	PFLT1-2010	PFLT1-3010	PFLT1-4010	PFLT1-6010
PURPLE	PFLT1-0511	PFLT1-1011	PFLT1-2011	PFLT1-3011	PFLT1-4011	PFLT1-6011
BROWN	PFLT1-0512	PFLT1-1012	PFLT1-2012	PFLT1-3012	PFLT1-4012	PFLT1-6012
KELLY GREEN	PFLT1-0522	PFLT1-1022	PFLT1-2022	PFLT1-3022	PFLT1-4022	PFLT1-6022
LIGHT BLUE	PFLT1-0561	PFLT1-1061	PFLT1-2061	PFLT1-3061	PFLT1-4061	PFLT1-6061
SAFETY BLUE	PFLT1-0565	PFLT1-1065	PFLT1-2065	PFLT1-3065	PFLT1-4065	PFLT1-6065
EMERALD GREEN	PFLT1-0598	PFLT1-1098	PFLT1-2098	PFLT1-3098	PFLT1-4098	PFLT1-6098

	1" X 108'	2" X 108'	3" X 108'	4" X 108'	6" X 108'
BLACK/YELLOW HAZ	PFLT4-1040	PFLT4-2040	PFLT4-3040	PFLT4-4040	PFLT4-6040
BLACK/WHITE HAZ	PFLT4-1042	PFLT4-2042	PFLT4-3042	PFLT4-4042	PFLT4-6042
RED/WHITE HAZ	PFLT4-1043	PFLT4-2043	PFLT4-3043	PFLT4-4043	PFLT4-6043
GREEN/WHITE HAZ	PFLT4-1044	PFLT4-2044	PFLT4-3044	PFLT4-4044	PFLT4-6044

LITE™ Laminated 5S Tape

Improve awareness to dangerous areas in the workplace such as heavy machinery and ledges. This multicolored hazard stripe and checker design create eye-catching visual cues to help make hazards stand out. This supply is constructed from a single layer of PVC for flexible and quick installation, perfect for temporary floor marking applications in areas with low to medium traffic. The laminated top layer provides extra protection from everyday wear-and-tear for optimal service life.

KEY FEATURES

- **Low Profile:** this tape provides smooth application to prevent equipment and other items from snagging and catching.
- **Easy to Apply:** no liner allows for quick and easy installation including less waste. Simply clean the surface and apply.
- **Conformable:** apply to curved surfaces and beyond while providing a reliable hold.
- **Heavy Duty:** lamination protects the pattern and provides a heavier feel for extra durability.
- **Removes Cleanly:** the rubber based adhesive removes easily and cleanly with minimal to no residue.
- **Lifetime Support:** receive free support for the life of your product.

SPECIFICATIONS

- Thickness: Film: 8.0 mil, Adhesive: 0.8 mil
- Min. Application Temperature: 50 °F
- Service Temperature Range: -14 °F to 140 °F
- Shelf Life (Unused): 1 Year
- Warranty: 1 Year



	1" X 108'	2" X 108'	3" X 108'	4" X 108'	6" X 108'
BLACK/YELLOW HAZ	PFLT3-1040	PFLT3-2040	PFLT3-3040	PFLT3-4040	PFLT3-6040
BLACK/WHITE HAZ	PFLT3-1042	PFLT3-2042	PFLT3-3042	PFLT3-4042	PFLT3-6042
RED/WHITE HAZ	PFLT3-1043	PFLT3-2043	PFLT3-3043	PFLT3-4043	PFLT3-6043
GREEN/WHITE HAZ	PFLT3-1044	PFLT3-2044	PFLT3-3044	PFLT3-4044	PFLT3-6044
YELLOW/MAG HAZ	PFLT3-1045	PFLT3-2045	PFLT3-3045	PFLT3-4045	PFLT3-6045

	2" X 108'	3" X 108'	4" X 108'	6" X 108'
BLACK/YELLOW CHK	PFLT2-2040	PFLT2-3040	PFLT2-4040	PFLT2-6040
BLACK/WHITE CHK	PFLT2-2042	PFLT2-3042	PFLT2-4042	PFLT2-6042
RED/WHITE CHK	PFLT2-2043	PFLT2-3043	PFLT2-4043	PFLT2-6043
GREEN/WHITE CHK	PFLT2-2044	PFLT2-3044	PFLT2-4044	PFLT2-6044
YELLOW/MAG CHK	PFLT2-2045	PFLT2-3045	PFLT2-4045	PFLT2-6045

LITE™ 5S Clean Room Tape

Outline safe pathways and cordon off hazardous areas in clean room environments with Pathfinder Lite Clean Room tape. This supply is constructed from a single layer of PVC for flexible and quick installation, perfect for temporary floor marking applications in manufacturing facilities, laboratories, and other clean room controlled environments. Ideal for marking areas for 5S, storage containers, walls, shelving, and more in areas with low to medium traffic.

KEY FEATURES

- **Extremely Low Profile:** the lowest profile tape offered in the Pathfinder line. Provides smooth application to prevent equipment and items from snagging and catching.
- **Easy to Apply:** no liner allows for quick and easy installation including less waste. Simply clean the surface and apply.
- **Conformable:** apply to curved surfaces and beyond while providing a reliable hold.
- **Durable:** rubber adhesive provides a strong hold for reliable service.
- **ISO-compliant:** material is rated for ISO 4 and below clean room environments
- **Removes Cleanly:** the rubber based adhesive removes easily and cleanly with minimal to no residue.
- **Lifetime Support:** receive free support for the life of your product.

SPECIFICATIONS

- Thickness: Film: 6.0 mil, Adhesive: 0.8 mil
- Min. Application Temperature: 50 °F
- Service Temperature Range: -14 °F to 140 °F
- Shelf Life (Unused): 1 Year
- Warranty: 1 Year



	1" X 108'	2" X 108'	3" X 108'	4" X 108'
WHITE	PFLT1-1001CLR	PFLT1-2001CLR	PFLT1-3001CLR	PFLT1-4001CLR
BLACK	PFLT1-1002CLR	PFLT1-2002CLR	PFLT1-3002CLR	PFLT1-4002CLR
BLUE	PFLT1-1006CLR	PFLT1-2006CLR	PFLT1-3006CLR	PFLT1-4006CLR
GREEN	PFLT1-1007CLR	PFLT1-2007CLR	PFLT1-3007CLR	PFLT1-4007CLR
YELLOW	PFLT1-1008CLR	PFLT1-2008CLR	PFLT1-3008CLR	PFLT1-4008CLR
ORANGE	PFLT1-1009CLR	PFLT1-2009CLR	PFLT1-3009CLR	PFLT1-4009CLR
RED	PFLT1-1010CLR	PFLT1-2010CLR	PFLT1-3010CLR	PFLT1-4010CLR
PURPLE	PFLT1-1011CLR	PFLT1-2011CLR	PFLT1-3011CLR	PFLT1-4011CLR

	2" X 54'
YELLOW/BLACK	PFLT4-2040CLR
BLACK/WHITE	PFLT4-2042CLR
RED/WHITE	PFLT4-2043CLR




Glow-in-the-Dark Tape

GLOW™ Floor Safety Tape

Designed similarly to our Lite Laminated tapes, Glow tape offers durability and flexibility while being DIN / IMO A.752 (18) "photo luminescent properties" compliant. Features 6 hours of glow this tape does not show significant degradation to UV light when used outdoors. Offered in solid glow and black or red hazard striped. For use with light to moderate foot traffic.

KEY FEATURES

- Permanent Adhesive: the permanent synthetic acrylic adhesive will ensure optimal adhesion to a variety of surfaces.
- Glow Features: glows 6 hours when fully charged.
- Easy to Install: the poly coated release liner makes installation a snap.
- UV Resistant: when applied to a clean surface will not degrade with UV exposure.



SPECIFICATIONS

- Thickness: 13 mil
- Min. Application Temperature: 50°F
- Shelf Life (Unused): 1 Year

	1" X 30'	2" X 30'	3" X 30'	4" X 30'
SOLID GLOW	PFGL1-1086	PFGL1-2086	PFGL1-3086	PFGL1-4086

	1" X 30'	2" X 30'	3" X 30'	4" X 30'
GLOW/BLACK HAZ	PFGL1-1038	PFGL1-2038	PFGL1-3038	PFGL1-4038
GLOW/RED HAZ	PFGL1-1039	PFGL1-2039	PFGL1-3039	PFGL1-4039

GLOW™ Floor Exit Markers

Clearly guide personnel to the direction of the nearest exit in an emergency or other situation when the lights go out with glow in the dark directional emergency exit tape. This tape is designed to glow for 6+ hours, perfect for egress directional wayfinding in any facility. Apply on doorways, handrails, fire alarms, and more for use with light to moderate foot traffic.

KEY FEATURES

- Compliant: meets or exceeds PSPA Standard 002 Part 2 1993, Class A+B Rev 2, IMO Resolution A. 752 (18), ISO 15370, ASTM/E 162/E 648/E 662, ASTM E 2072-00 / E 2073-00, DIN 67510 Parts 1-4.
- Heavy Duty: smooth gloss finish provides extra durability, eases maintenance, and resists fading from UV light exposure.
- Easy to Install: simply peel and apply to the desired surface for quick and easy installation.
- High Visibility: offers 6+ hours of luminescence when fully charged.
- Lifetime Support: receive free support for the life of your product.



	1" X 30'
Exit Left	PFGL1-1086L
Exit Right	PFGL1-1086R


SPECIFICATIONS

- Thickness: Film: 8 mil, Adhesive: 1.5 mil
- Min. Application Temperature: 40°F
- Service Temperature Range: 40°F to 130°F
- Shelf Life (Unused): 1 Year
- Warranty: 1 Year



Marking with Glow Tape

Use Pathfinder Glow tapes with DuraLabel BoldGlo Phosphorescent tapes for a complete facility egress solution.



BoldGlo Phosphorescent Tape

PAGE 17

GLOW™ Anti-Slip Floor Tape

Improve visibility and highlight critical areas in the workplace day or night. This glow in the dark anti-slip tape is made to improve traction, highlight hazardous areas, and safely guide personnel when the lights go out. It's ideal for wayfinding, doorways, stairs, and more.

KEY FEATURES

- Easy to Install: simply peel and apply for quick and easy installation with no clean up or dry time necessary.
- Durable: endures steady foot traffic and is resistant to water and chemicals.
- High Visibility: glows for 6+ hours when fully charged (charge time is about 2 hrs).
- Robust Design: the tread material and photoluminescent coating instantly provide extra traction and visibility to a variety of surfaces both indoors and outdoors.
- Compliant: meets requirements for the PSPA Standard 002 Part 2 1993, Class A+B Rev 2, IMO Resolution A. 752 (18), ISO 15370, ASTM/E 162/E 648/E 662, ASTM E 2072-00 / E 2073-00, DIN 67510 Parts 1-4.
- Lifetime Support: receive free support for the life of your product.

SPECIFICATIONS

- Thickness: Film: 8 mil, Adhesive: 1.5 mil
- Min. Application Temperature: 40°F
- Service Temperature Range: 40°F to 130°F
- Shelf Life (Unused): 1 Year
- Warranty: 1 Year



	1" X 60'	2" X 60'	4" X 60'	6" X 60'
SOLID GLOW	PFTR9-1086	PFTR9-2086	PFTR9-4086	PFTR9-6086
GLOW/BLACK HAZ	PFTR9-1038	PFTR9-2038	PFTR9-4038	PFTR9-6038

	2" X 60'
BLACK W/GLOW LINE	PFTR9-2002LINE

Reflective Tape

REFLECT™ Engineer-Grade Reflective Tape

Increase visibility around machinery, pathways, and other important work areas. The reflective properties of this tape help to improve safety awareness with bright visuals that can be seen from greater distances.

KEY FEATURES

- High Visibility: reflective material increases visibility in any environment and is especially noticeable during the daytime.
- Outdoor Durability: lasts 7+ years outdoors.
- Easy to Install: simply peel and apply for quick and easy installation with no clean up or dry time necessary.
- Lifetime Support: receive free support for the life of your product.

SPECIFICATIONS

- Thickness: Film: 4.5 mil, Adhesive: 1 mil
- Min. Application Temperature: 65 °F
- Service Temperature Range: -10 °F to 150 °F
- Shelf Life (Unused): 1 Year
- Warranty: 1 Year



	1" X 30'	1" X 150'	2" X 30'	2" X 150'	3" X 30'	3" X 150'	4" X 30'	4" X 150'
WHITE	PFRE1-1001	PFRE1-1001X	PFRE1-2001	PFRE1-2001X	PFRE1-3001	PFRE1-3001X	PFRE1-4001	PFRE1-4001X
BLUE	PFRE1-1006	PFRE1-1006X	PFRE1-2006	PFRE1-2006X	PFRE1-3006	PFRE1-3006X	PFRE1-4006	PFRE1-4006X
GREEN	PFRE1-1007	PFRE1-1007X	PFRE1-2007	PFRE1-2007X	PFRE1-3007	PFRE1-3007X	PFRE1-4007	PFRE1-4007X
YELLOW	PFRE1-1008	PFRE1-1008X	PFRE1-2008	PFRE1-2008X	PFRE1-3008	PFRE1-3008X	PFRE1-4008	PFRE1-4008X
ORANGE	PFRE1-1009	PFRE1-1009X	PFRE1-2009	PFRE1-2009X	PFRE1-3009	PFRE1-3009X	PFRE1-4009	PFRE1-4009X
RED	PFRE1-1010	PFRE1-1010X	PFRE1-2010	PFRE1-2010X	PFRE1-3010	PFRE1-3010X	PFRE1-4010	PFRE1-4010X

	1" X 30'	1" X 150'	2" X 30'	2" X 150'	3" X 30'	3" X 150'	4" X 30'	4" X 150'
BLACK/ORANGE HAZ	PFRE1-1037	PFRE1-1037X	PFRE1-2037	PFRE1-2037X	PFRE1-3037	PFRE1-3037X	PFRE1-4037	PFRE1-4037X
BLACK/YELLOW HAZ	PFRE1-1040	PFRE1-1040X	PFRE1-2040	PFRE1-2040X	PFRE1-3040	PFRE1-3040X	PFRE1-4040	PFRE1-4040X
ORANGE/WHT HAZ	PFRE1-1041	PFRE1-1041X	PFRE1-2041	PFRE1-2041X	PFRE1-3041	PFRE1-3041X	PFRE1-4041	PFRE1-4041X
BLACK/WHITE HAZ	PFRE1-1042	PFRE1-1042X	PFRE1-2042	PFRE1-2042X	PFRE1-3042	PFRE1-3042X	PFRE1-4042	PFRE1-4042X
RED/WHITE HAZ	PFRE1-1043	PFRE1-1043X	PFRE1-2043	PFRE1-2043X	PFRE1-3043	PFRE1-3043X	PFRE1-4043	PFRE1-4043X

REFLECT™ Conspicuity Tape


Increase visibility day and night with DOT-certified red and white conspicuity reflective tape. The highly reflective properties of this tape are made to increase visibility for other drivers and vehicles from long distances, ideal for work trucks, trailers, and other vehicles that require visibility from afar.

KEY FEATURES

- High Visibility: highly reflective material increases daytime and nighttime visibility.
- Outdoor Durability: lasts 5 - 10 years outdoors.
- Compliant: meets DOT-C2 and NHTSA conspicuity requirements.
- Easy to Install: simply peel and apply for quick and easy installation with no clean up or dry time necessary.
- Lifetime Support: receive free support for the life of your product.

SPECIFICATIONS

- Thickness: 6.5 mil
- Min. Application Temperature: 65 °F
- Service Temperature Range: -40 °F to 180 °F
- Shelf Life (Unused): 1 Year
- Warranty: 1 Year



5 YEAR TAPE	2" X 30'	2" X 150'
WHT(6")/RD(6")	PFRE3-0566	PFRE3-0566X
WHT(7")/RD(11")	PFRE3-05711	PFRE3-05711X

10 YEAR TAPE	2" X 30'	2" X 150'
WHT(6")/RD(6")	PFRE3-1066	PFRE3-1066X
WHT(7")/RD(11")	PFRE3-10711	PFRE3-10711X



REFLECT™ High-Intensity Reflective Tape

Increase visibility around machinery, pathways, and other important work areas. The highly reflective properties of this tape help to improve safety awareness with bright visuals that can be seen from long distances both day and night. Perfect for traffic signs and personal protective equipment.

KEY FEATURES

- **Extreme High Visibility:** highly reflective material increases daytime and nighttime visibility.
- **Outdoor Durability:** lasts 10+ years outdoors.
- **Compliant:** meets or exceeds requirements of ASTM D 4956 for types I, III, IV and V including shrinkage, flexibility, liner removal, adhesion, impact resistance, specular gloss and outdoor weathering.
- **Easy to Install:** simply peel and apply for quick and easy installation with no clean up or dry time necessary.
- **Lifetime Support:** receive free support for the life of your product.

SPECIFICATIONS


- Thickness: Film: 14 mil, Adhesive: 1 mil
- Min. Application Temperature: 68 °F
- Service Temperature Range: -40 °F to 180 °F
- Shelf Life (Unused): 1 Year
- Warranty: 1 Year



	2" X 30'	2" X 150'	3" X 30'	3" X 150'	4" X 30'	4" X 150'
WHITE	PFRE2-2001	PFRE2-2001X	PFRE2-3001	PFRE2-3001X	PFRE2-4001	PFRE2-4001X
BLUE	PFRE2-2006	PFRE2-2006X	PFRE2-3006	PFRE2-3006X	PFRE2-4006	PFRE2-4006X
GREEN	PFRE2-2007	PFRE2-2007X	PFRE2-3007	PFRE2-3007X	PFRE2-4007	PFRE2-4007X
YELLOW	PFRE2-2008	PFRE2-2008X	PFRE2-3008	PFRE2-3008X	PFRE2-4008	PFRE2-4008X
ORANGE	PFRE2-2009	PFRE2-2009X	PFRE2-3009	PFRE2-3009X	PFRE2-4009	PFRE2-4009X
RED	PFRE2-2010	PFRE2-2010X	PFRE2-3010	PFRE2-3010X	PFRE2-4010	PFRE2-4010X

	2" X 30'	2" X 150'	3" X 30'	3" X 150'	4" X 30'	4" X 150'
NEON	PFRE2-2052	PFRE2-2052X	PFRE2-3052	PFRE2-3052X	PFRE2-4052	PFRE2-4052X

	2" X 30'	2" X 150'
BLACK/YELLOW	PFRE2-2040	PFRE2-2040X
RED/WHITE	PFRE2-2043	PFRE2-2043X



REFLECT™ DOT-Certified Reflective Stick-ons

Increase visibility with DOT-certified reflective shapes to apply wherever additional reflection is needed. The highly reflective properties of the tape are made to improve safety awareness and visibility to equipment and smaller items in low-light situations such as personal protective gear like hard hats and semi-truck fenders.

KEY FEATURES

- **High Visibility:** highly reflective material increases daytime and nighttime visibility.
- **Outdoor Durability:** lasts 10+ years outdoors.
- **Compliant:** meets DOT-C2 and NHTSA conspicuity requirements.
- **Easy to Install:** simply peel and apply to nearly any application for quick and easy installation with no clean up or dry time necessary.
- **Lifetime Support:** receive free support for the life of your product.

SPECIFICATIONS

- Thickness: 16 mil
- Min. Application Temperature: 50 °F
- Service Temperature Range: -40 °F to 180 °F
- Shelf Life (Unused): 1 Year
- Warranty: 1 Year

	2" X 3.5"	3" CIRCLE
AMBER	PFRE5-23509-50	N/A
RED	PFRE5-23510-50	PFRE5-3010-50



Anti-Slip Tape

TREAD™ Standard Anti-Slip Floor Tape

Improve traction and reduce slips, trips, and falls on almost any surface. This all-purpose tread tape stands strong to a variety of environments and substances, perfect for areas with light to medium traffic. Apply anywhere that could use extra traction such as ramps, stairways, walkways, and more.

KEY FEATURES

- Durable: endures steady foot and equipment traffic and is resistant to water and chemicals.
- Compliant: meets requirements for OSHA 29 CFR 1910.23, CoF Standards for Americans with Disabilities Act 2008, NFSI (National Flooring Safety Institute) 101-A.
- Easy to Install: simply peel and apply for quick and easy installation with no clean up or dry time necessary.
- colour Code: have the ability to colour code areas to enhance safety awareness with bright visual cues for ramp grades, appropriate step areas, or to draw attention to hazards.
- Lifetime Support: receive free support for the life of your product.

SPECIFICATIONS

- Thickness: 25 mil
- Grit: 60 aluminum oxide grit
- Min. Application Temperature: 50 °F
- Service Temperature Range: -22 °F to 158 °F
- Shelf Life (Unused): 1 Year
- Warranty: 1 Year



	1" X 60'	2" X 60'	3" X 60'	4" X 60'	6" X 60'
WHITE	PFTR1-1001	PFTR1-2001	PFTR1-3001	PFTR1-4001	PFTR1-6001
BLACK	PFTR1-1002	PFTR1-2002	PFTR1-3002	PFTR1-4002	PFTR1-6002
TRANSPARENT	PFTR1-1003	PFTR1-2003	PFTR1-3003	PFTR1-4003	PFTR1-6003
GRAY	PFTR1-1004	PFTR1-2004	PFTR1-3004	PFTR1-4004	PFTR1-6004
BLUE	PFTR1-1006	PFTR1-2006	PFTR1-3006	PFTR1-4006	PFTR1-6006
GREEN	PFTR1-1007	PFTR1-2007	PFTR1-3007	PFTR1-4007	PFTR1-6007
YELLOW	PFTR1-1008	PFTR1-2008	PFTR1-3008	PFTR1-4008	PFTR1-6008
ORANGE	PFTR1-1009	PFTR1-2009	PFTR1-3009	PFTR1-4009	PFTR1-6009
RED	PFTR1-1010	PFTR1-2010	PFTR1-3010	PFTR1-4010	PFTR1-6010
BROWN	PFTR1-1012	PFTR1-2012	PFTR1-3012	PFTR1-4012	PFTR1-6012
FLUORESCENT	PFTR1-1052	PFTR1-2052	PFTR1-3052	PFTR1-4052	PFTR1-6052

	1" X 60'	2" X 60'	3" X 60'	4" X 60'	6" X 60'
BLACK/YELLOW HAZ	PFTR1-1042	PFTR1-2042	PFTR1-3042	PFTR1-4042	PFTR1-6042
RED/WHITE HAZ	PFTR1-1043	PFTR1-2043	PFTR1-3043	PFTR1-4043	PFTR1-6043



TREAD™ Coarse Anti-Slip Safety Tape

Improve traction to reduce slips, trips, and falls on almost any surface. This tape is designed with large coarse particles that provide superior traction to prevent slips and falls on extra slippery surfaces and areas where dirt and debris accumulate. This coarse tread tape is less likely to wear down compared to the standard tread and stands strong in a variety of applications including ramps, vehicles, equipment, and more.

KEY FEATURES

- Durable: endures steady foot and equipment traffic and is resistant to water and chemicals.
- Robust Design: tape consists of large coarse particles that protect from damage of dirt and debris.
- Easy to Install: simply peel and apply for quick and easy installation with no clean up or dry time necessary.
- Lifetime Support: receive free support for the life of your product.

SPECIFICATIONS

- Thickness: 28 mil
- Grit: 36 aluminum oxide grit
- Min. Application Temperature: 50 °F
- Service Temperature Range: -22 °F to 158 °F
- Shelf Life (Unused): 1 Year
- Warranty: 1 Year



	1" X 60'	2" X 60'	3" X 60'	4" X 60'	6" X 60'
BLACK	PFTR2-1002	PFTR2-2002	PFTR2-3002	PFTR2-4002	PFTR2-6002
YELLOW	PFTR2-1008	PFTR2-2008	PFTR2-3008	PFTR2-4008	PFTR2-6008

TREAD™ Extra Coarse Anti-Slip Safety Tape

Provide heavy-duty traction to reduce slips, trips, and falls on almost any surface. This rugged tape is designed with extra-coarse tread to remain intact in high traffic areas. The aggressive adhesive holds strong in a variety of industrial applications like ramps, construction and agriculture vehicles and equipment, and more.

KEY FEATURES

- Durable: endures steady foot and equipment traffic and is resistant to water and chemicals.
- Robust Design: prevents damage from debris for lasting service.
- Easy to Install: simply peel and apply for quick and easy installation with no clean up or dry time necessary.
- Lifetime Support: receive free support for the life of your product.

SPECIFICATIONS

- Thickness: 30 mil
- Grit: 30 aluminum oxide grit
- Min. Application Temperature: 50 °F
- Service Temperature Range: -22 °F to 158 °F
- Shelf Life (Unused): 1 Year
- Warranty: 1 Year



	1" X 60'	2" X 60'	3" X 60'	4" X 60'	6" X 60'
BLACK	PFTR3-1002	PFTR3-2002	PFTR3-3002	PFTR3-4002	PFTR3-6002

TREAD™ Waterproof Anti-Slip Floor Tape

Provide safe traction to reduce slips, trips, and falls on almost any surface. This anti-slip tape is designed with a non-abrasive tread material to provide a comfortable non-slip surface for application in any area people congregate. It's perfect to apply in areas that get wet including maritime equipment, boats, step stools, and more.

KEY FEATURES

- Durable: endures steady foot traffic and is resistant to water and chemicals.
- Waterproof Design: non-abrasive tread material is waterproof for a wider variety of applications and safe contact with bare skin.
- Easy to Install: simply peel and apply for quick and easy installation with no clean up or dry time necessary.
- Lifetime Support: receive free support for the life of your product.

SPECIFICATIONS

- Thickness: 25 mil
- Min. Application Temperature: 50°F
- Service Temperature Range: -22°F to 158°F
- Shelf Life (Unused): 1 Year
- Warranty: 1 Year



	1" X 60'	2" X 60'	3" X 60'	4" X 60'	6" X 60'
WHITE	PFTR4-1001	PFTR4-2001	PFTR4-3001	PFTR4-4001	PFTR4-6001
BLACK	PFTR4-1002	PFTR4-2002	PFTR4-3002	PFTR4-4002	PFTR4-6002
TRANSPARENT	PFTR4-1003	PFTR4-2003	PFTR4-3003	PFTR4-4003	PFTR4-6003
GRAY	PFTR4-1004	PFTR4-2004	PFTR4-3004	PFTR4-4004	PFTR4-6004



TREAD™ Non-Abrasive Coarse Resilient

Provide safe and heavy-duty traction to reduce slips, trips, and falls on almost any surface. This anti-slip tape is designed with a thick, non-abrasive tread material to provide a comfortable non-slip surface for application in any area people congregate. It's perfect for areas that get wet including maritime equipment, boats, step stools, and more.

KEY FEATURES

- Durable: endures steady foot traffic and is resistant to water and chemicals.
- Robust Design: thick non-abrasive tread material is waterproof for a wider variety of applications and safe contact with bare skin.
- Easy to Install: simply peel and apply for quick and easy installation with no clean up or dry time necessary.
- Lifetime Support: receive free support for the life of your product.

SPECIFICATIONS

- Thickness: 50 mil
- Min. Application Temperature: 50°F
- Service Temperature Range: 14°F to 176°F
- Shelf Life (Unused): 1 Year
- Warranty: 1 Year



	1" X 60'	2" X 60'	3" X 60'	4" X 60'	6" X 60'
WHITE	PFTR6-1001	PFTR6-2001	PFTR6-3001	PFTR6-4001	PFTR6-6001
BLACK	PFTR6-1002	PFTR6-2002	PFTR6-3002	PFTR6-4002	PFTR6-6002
CLEAR	PFTR6-1003	PFTR6-2003	PFTR6-3003	PFTR6-4003	PFTR6-6003
GRAY	PFTR6-1004	PFTR6-2004	PFTR6-3004	PFTR6-4004	PFTR6-6004

TREAD™ Conformable Anti-Slip Floor Tape

Prevent slips, trips, and falls on a variety of simple and complex surfaces. This anti-slip tape has a sandpaper-like surface designed to conform to a variety of textured, flat or curved surfaces to improve safety. It's ideal for areas and equipment that could use better traction including ladders, construction sites, ramps, and more.

KEY FEATURES

- Foil Backed: aluminum foil base ensures a reliable hold to the surface.
- Easy to Install: simply peel and apply for quick and easy installation with no clean up or dry time necessary.
- Durable: endures steady foot traffic and is resistant to water and chemicals.
- Robust Design: the textured tread and strong base provides a reliable grip to a variety of surfaces.
- Compliant: meets or exceeds the Coefficient of Friction (CoF) level for any State or Federal requirement; MIL SPECS MIL-17951, MIL-5044 and MIL-PRF-24667, OSHA and Americans with Disabilities Act 2008.
- Lifetime Support: receive free support for the life of your product.

SPECIFICATIONS

- Thickness: Film: 30 mil, Adhesive: 2 mil
- Grit: 60 aluminum oxide grit
- Min. Application Temperature: 60°F
- Service Temperature Range: -22°F to 176°F
- Shelf Life (Unused): 2 Years
- Warranty: 1 Year



	1" X 60'	2" X 60'	3" X 60'	4" X 60'	6" X 60'
BLACK	PFTR7-1002	PFTR7-2002	PFTR7-3002	PFTR7-4002	PFTR7-6002
YELLOW	PFTR7-1008	PFTR7-2008	PFTR7-3008	PFTR7-4008	PFTR7-6008
BLACK/YELLOW HAZ	PFTR7-1040	PFTR7-2040	PFTR7-3040	PFTR7-4040	PFTR7-6040

Bolt-Down Anti-Slip Stair Plates

Minimize slips, trips, and falls on difficult surfaces with anti-slip stair plates. The stair plates consist of PathFinder standard tread tape on a weatherproof aluminum panel that provides reliable traction in any environment. For areas where pressure sensitive anti-slip tapes cannot stick, bolt down stair plates for a stable surface ideal for old stairs, ramps, docks, machinery, and more.

KEY FEATURES

- Easy to Install: includes 6 predrilled holes to easily and quickly install with screws or nails.
- Adaptable Design: apply to wet, uneven, oil-stained, contaminated or worn surfaces.
- Safe and Secure: strong tread to keep personnel stable and reduce chances of injury.
- Aluminum Base: bolt-down plate consists of an aluminum weatherproof panel that stands strong in different environments.
- Compliant: meets requirements for OSHA 29 CFR 1910.23, CoF Standards for Americans with Disabilities Act 2008, NFSI (National Flooring Safety Institute) 101-A.
- Lifetime Support: receive free support for the life of your product.

SPECIFICATIONS

- Thickness: Aluminum: 62.5 mil, Non-slip film: 25 mil
- Grit: 60 aluminum oxide grit
- Service Temperature Range: -14° F to 140° F
- Warranty: 1 Year

	4.5" X 25"	4.7" X 1.7" X 25"
BLACK	PFTR0-4525	PFTR0-4702L



TREAD™ Anti-Slip Die-Cut Steps

Instantly communicate hazards to workers and visitors who are navigating the workplace. This hazard-striped yellow and black tread tape is made to improve traction, communicate areas of safe foot placement, and provide caution to areas prone to causing slips and trips. It's ideal for ledges, stairs, entryways, and more. Choose the pre-printed label text that best suits your facility: "CAUTION" or "WATCH YOUR STEP."

KEY FEATURES

- Easy to Install: pre-printed die-cut design lets you simply peel and apply for quick and easy installation with no clean up or dry time necessary.
- Durable: endures steady foot traffic and is resistant to water and chemicals.
- Rounded Corners: rounded corners provide a more reliable hold to reduce the chances of peeling.
- Robust Design: pre-printed hazard striped tread material instantly provides durable traction and large pre-printed text to instantly communicate caution on a variety of surfaces.
- Compliant: meets requirements for OSHA 29 CFR 1910.23, CoF Standards for Americans with Disabilities Act 2008, NFSI (National Flooring Safety Institute) 101-A.
- Lifetime Support: receive free support for the life of your product.

SPECIFICATIONS

- Thickness: 25 mil
- Grit: 60 aluminum oxide grit
- Min. Application Temperature: 50° F
- Service Temperature Range: -22° F to 158° F
- Shelf Life (Unused): 1 Year
- Warranty: 1 Year


	6" X 24"
CAUTION	PFTR8-6024CAT
WATCH YOUR STEP	PFTR8-6024WAT




Floor Marking Shapes

FLEX™ Floor Marking Shapes

Easily organize your workspace with Flex Shapes. These versatile, easy-to-apply floor markers are perfect for marking off inventory and storage spaces for a clean and efficient workplace. Flex Shapes are available in a variety of colors matching our popular Flex Tape. Our outside corners (L-shaped) establish the boundary of an area, while our T-shaped outlines separate one space from another. Flex Shapes offer long-lasting performance in heavy-traffic areas thanks to their strong 20-mil construction and impact-resistant surface. The marker's die-cut construction ensures fast and easy installation without clean-up or dry-time. A flexible under-layer allows for everyday use on a range of floor types, including uneven surfaces.




FLEX™ Floor Marking Ts	6" x 6"
WHITE	PFHD2-66201T
BLACK	PFHD2-66202T
BLUE	PFHD2-66206T
GREEN	PFHD2-66207T
YELLOW	PFHD2-66208T
ORANGE	PFHD2-66209T
RED	PFHD2-66210T
QTY	40




FLEX™ Floor Marking Corners	6" x 6"
WHITE	PFHD2-66201L
BLACK	PFHD2-66202L
BLUE	PFHD2-66206L
GREEN	PFHD2-66207L
YELLOW	PFHD2-66208L
ORANGE	PFHD2-66209L
RED	PFHD2-66210L
QTY	50

RIGID™ Floor Marking Shapes


Organizing traffic flow or implementing 5S is easier to do with Rigid Shapes. Made from the same heavy-duty material as our PathFinder Rigid floor tape, these shapes can withstand heavy warehouse abuse including mild to heavy forklift and foot traffic. Use Ts to clearly mark locations of items and create bold outlines to separate one space from another. Apply Corners for marking off inventory, pallet storage, and warehousing spaces. Circles are ideal for directing traffic, colour-coding, and marking product locations. Circles also provide an alternative to solid lines in the presence of heavy vehicle traffic. Use the highly visible and durable Footprints to guide personnel through work areas and steer them away from hazardous zones. Rigid Shape's die-cut construction and easy-to-peel liners make for fast and easy installation without clean-up or dry time. The ultra-rigid material has a long lasting adhesive so you can apply them all to a variety of floor types.




RIGID™ Circles	3.5" Circle	3.5" Circle
WHITE	PFHD1-35CIRC01-10	PFHD1-35CIRC01
BLACK	PFHD1-35CIRC02-10	PFHD1-35CIRC02
BLUE	PFHD1-35CIRC06-10	PFHD1-35CIRC06
GREEN	PFHD1-35CIRC07-10	PFHD1-35CIRC07
YELLOW	PFHD1-35CIRC08-10	PFHD1-35CIRC08
ORANGE	PFHD1-35CIRC09-10	PFHD1-35CIRC09
RED	PFHD1-35CIRC10-10	PFHD1-35CIRC10
QTY	45	45




RIGID™ Corners	6" x 6"	8" x 8"
WHITE	PFHD1-66201L	-
BLACK	PFHD1-66202L	-
BLUE	PFHD1-66206L	PFHD1-88406L
GREEN	PFHD1-66207L	PFHD1-88407L
YELLOW	PFHD1-66208L	PFHD1-88408L
ORANGE	PFHD1-66209L	PFHD1-88409L
RED	PFHD1-66210L	PFHD1-88410L
QTY	50	10



RIGID™ Ts	6" x 6"	8" x 8"
WHITE	PFHD1-66201T	-
BLACK	PFHD1-66202T	-
BLUE	PFHD1-66206T	PFHD1-88406T
GREEN	PFHD1-66207T	PFHD1-88407T
YELLOW	PFHD1-66208T	PFHD1-88408T
ORANGE	PFHD1-66209T	PFHD1-88409T
RED	PFHD1-66210T	PFHD1-88410T
QTY	40	10



RIGID™ Floor Marking Footprints	3.5" x 9.5"
WHITE	PFHD1-35STEP01
BLACK	PFHD1-35STEP02
BLUE	PFHD1-35STEP06
GREEN	PFHD1-35STEP07
YELLOW	PFHD1-35STEP08
ORANGE	PFHD1-35STEP09
RED	PFHD1-35STEP10
QTY	35



RIGID™ Xs	6" x 6"
WHITE	PFHD1-66201X-10
BLACK	PFHD1-66202X-10
BLUE	PFHD1-66206X-10
GREEN	PFHD1-66207X-10
YELLOW	PFHD1-66208X-10
ORANGE	PFHD1-66209X-10
RED	PFHD1-66210X-10
QTY	40

Floor Marking Accessories

Light-Duty Floor Tape Applicator

Ensure easy and professional floor marking with the Lite Floor Marking Tape Applicator. Thanks to a solid steel construction, the applicator is ideal for large floor marking projects; it installs 1,600 feet per hour, offers consistent unrolling and application, and requires little or no training. The applicator is compatible only with PathFinder Lite Floor Marking tape. Maximum 4-inch wide rolls.



SKU	PRICE
PFFTA-000	

Heavy-Duty Floor Tape Applicator

Create effective forklift lanes and pathways, and improve facility wayfinding by applying PathFinder floor tape (2" to 4" widths) with the new PathFinder Floor Tape Applicator.



The applicator saves time by removing your tape's backing as it unrolls, and the heavy-duty roller system presses tape into place to ensure an effective, long-lasting bond in warehouses, stockrooms, and anywhere wayfinding is needed.

The applicator is compatible with the following PathFinder tapes: Rigid, Flex, Lite, Lite Laminated, Standard Non-Abrasive Tread, Extra Coarse Tread, Non-Abrasive Coarse Resilient Tread, Coarse Tread, Conformable Tread, Standard Tread, Tread Glow, and Glow Tape. (2" to 4" widths only)

SKU	PRICE
PFTA-001	

Floor Marking Overlaminates

Place this supply over Printable Floor Marking Tape or DuraPav Floor Marking Tape to increase their lifespan. Use 2" overlaminates for 1/2" - 1" tape, 3" overlaminates for 2" tape, 4" overlaminates for 3" tape, or 5" overlaminates for 4" tape.



	2" X 140'	3" X 140'	4" X 140'	5" X 140'
CLEAR	L320140	L330140	L340140	L350140

Heavy-Duty Floor Marking Overlaminates

Protect floor graphics from wear-and-tear with a durable, clear laminate

- Protect floor graphics from wear-and-tear, fading, forklifts, heavy foot traffic, and more
- Get your messages across with a smooth gloss finish
- Use on various indoor industrial surfaces



	2" X 100'	3" X 100'	4" X 100'	5" X 100'	6" X 100'
CLEAR	PFHD1-2003	PFHD1-3003	PFHD1-4003	PFHD1-5003	PFHD1-6003



Widely Used Floor Marking Colors and Patterns

While there are no specific floor marking colour requirements, the following is a colour-coding guide popular in many facilities.

YELLOW

When used for safety purposes, indicates caution. For organizational purposes, used for pedestrian paths, vehicle paths, aisles, work areas, and storage areas.



RED

For safety purposes, used as a hazard indicator. For organizational purposes, used to mark the boundaries of a defect product area or scrap material area.



ORANGE

For safety purposes, used to indicate a level of caution more serious than yellow. For organizational purposes, used to indicate materials or product held for inspection.



WHITE

Often used for general purposes, such as outlines around equipment or storage racks.



BLACK / GREEN / BLUE / PURPLE

Various colors can be used for organizational purposes, such as indicating raw materials, work-in-progress materials, or finished goods.



BLACK/YELLOW STRIPE

When used for safety purposes, indicates caution. For organizational purposes, used for pedestrian paths, vehicle paths, aisles, work areas, and storage areas.



RED/WHITE STRIPE

Often used to indicate areas that must be kept clear for safety reasons (like around exit points, electrical panels, or hazardous equipment.)



BLACK/WHITE STRIPE

Often used for general purposes, such as outlines around equipment or storage racks.



Floor Signs

Create a safer and more efficient workplace with our easy-to-read floor signs. Our lineup of more than 50 ready-made signs enhances safety and productivity through simple, eye-catching cues for your facility floor. The peel-and-stick signs allow for immediate installation (which means no dry time, fumes, or messy clean-up) and stand up to pedestrian, hand-truck, and even forklift traffic. PathFinder floor signs and wayfinding products are the solution to your facility's safety, wayfinding, and organizational flooring needs.

Blank



- 12" x 9" PFFS1-1209001
- 24" x 18" PFFS1-2418001
- 30" x 21" PFFS1-3021001
- 36" x 27" PFFS1-3627001
- 50" x 32" PFFS1-5032001



- 7" x 12" PFFS3-0712001
- 14" x 24" PFFS3-1424001
- 17" x 30" PFFS3-1730001
- 32" x 60" PFFS3-3260001



- 12" PFFS6-1212001
- 16" PFFS6-1616001
- 20" PFFS6-2020001
- 24" PFFS6-2424001
- 30" PFFS6-3030001
- 32" PFFS6-3232001



- 12" PFFS4-1212001
- 16" PFFS4-1616001
- 20" PFFS4-2020001
- 24" PFFS4-2424001
- 30" PFFS4-3030001
- 32" PFFS4-3232001

Exit



- 12"x9" PFFS1-1209002
- 24"x18" PFFS1-2418002
- 30"x21" PFFS1-3021002
- 36"x27" PFFS1-3627002
- 50"x32" PFFS1-5032002



- 12"x9" PFFS1-1209003
- 24"x18" PFFS1-2418003
- 30"x21" PFFS1-3021003
- 36"x27" PFFS1-3627003
- 50"x32" PFFS1-5032003



- 12" PFFS2-1212026
- 16" PFFS2-1616026
- 20" PFFS2-2020026
- 24" PFFS2-2424026
- 30" PFFS2-3030026
- 32" PFFS2-3232026



- 12"x4" PFFS7-1204002
- 24"x12" PFFS7-2412002
- 34"x12" PFFS7-3412002



- 12"x4" PFFS7-1204003
- 24"x12" PFFS7-2412003
- 34"x12" PFFS7-3412003

Fire Safety



- 12" PFFS2-1212020
- 16" PFFS2-1616020
- 20" PFFS2-2020020
- 24" PFFS2-2424020
- 30" PFFS2-3030020
- 32" PFFS2-3232020



- 12" PFFS2-1212021
- 16" PFFS2-1616021
- 20" PFFS2-2020021
- 24" PFFS2-2424021
- 30" PFFS2-3030021
- 32" PFFS2-3232021



- 12"x9" PFFS1-1209004
- 24"x18" PFFS1-2418004
- 30"x21" PFFS1-3021004
- 36"x27" PFFS1-3627004
- 50"x32" PFFS1-5032004



- 12"x9" PFFS1-1209005
- 24"x18" PFFS1-2418005
- 30"x21" PFFS1-3021005
- 36"x27" PFFS1-3627005
- 50"x32" PFFS1-5032005



- 12"x9" PFFS1-1209019
- 24"x18" PFFS1-2418019
- 30"x21" PFFS1-3021019
- 36"x27" PFFS1-3627019
- 50"x32" PFFS1-5032019



- 12"x4" PFFS7-1204005
- 24"x12" PFFS7-2412005
- 34"x12" PFFS7-3412005



Forklift



- 12" PFFS4-1212005
- 16" PFFS4-1616005
- 20" PFFS4-2020005
- 24" PFFS4-2424005
- 30" PFFS4-3030005
- 32" PFFS4-3232005



- 12" PFFS6-1212003
- 16" PFFS6-1616003
- 20" PFFS6-2020003
- 24" PFFS6-2424003
- 30" PFFS6-3030003
- 32" PFFS6-3232003



- 12" PFFS2-1212013
- 16" PFFS2-1616013
- 20" PFFS2-2020013
- 24" PFFS2-2424013
- 30" PFFS2-3030013
- 32" PFFS2-3232013



- 12" PFFS2-1212019
- 16" PFFS2-1616019
- 20" PFFS2-2020019
- 24" PFFS2-2424019
- 30" PFFS2-3030019
- 32" PFFS2-3232019



- 24"x16" PFFS7-2416008
- 34"x26" PFFS7-3426008



- 12" PFFS2-1212031
- 16" PFFS2-1616033
- 20" PFFS2-2020033
- 32" PFFS2-3232033



- 7"x12" PFFS3-0712002
- 14"x24" PFFS3-1424002
- 17"x30" PFFS3-1730002
- 32"x60" PFFS3-3260002



- 12"x9" PFFS1-1209021
- 24"x18" PFFS1-2418021
- 30"x21" PFFS1-3021021
- 36"x27" PFFS1-3627021
- 50"x32" PFFS1-5032021



- 12"x9" PFFS1-1209027
- 24"x18" PFFS1-2418027
- 30"x21" PFFS1-3021027
- 36"x27" PFFS1-3627027
- 50"x32" PFFS1-5032027



Stop



- 12"x9" PFFS1-1209006
- 24"x18" PFFS1-2418006
- 30"x21" PFFS1-3021006
- 36"x27" PFFS1-3627006
- 50"x32" PFFS1-5032006



- 12"x9" PFFS1-1209016
- 24"x18" PFFS1-2418016
- 30"x21" PFFS1-3021016
- 36"x27" PFFS1-3627016
- 50"x32" PFFS1-5032016



- 12" PFFS2-1212014
- 16" PFFS2-1616014
- 20" PFFS2-2020014
- 24" PFFS2-2424014
- 30" PFFS2-3030014
- 32" PFFS2-3232014



- 12" PFFS4-1212008
- 16" PFFS4-1616008
- 20" PFFS4-2020008
- 24" PFFS4-2424008
- 30" PFFS4-3030008
- 32" PFFS4-3232008



- 12" PFFS4-1212004
- 16" PFFS4-1616004
- 20" PFFS4-2020004
- 24" PFFS4-2424004
- 30" PFFS4-3030004
- 32" PFFS4-3232004



- 7"x12" PFFS5-0712001
- 14"x24" PFFS5-1424001
- 17"x30" PFFS5-1730001
- 34"x60" PFFS5-3460001



- 7"x12" PFFS5-0712004
- 14"x24" PFFS5-1424004
- 17"x30" PFFS5-1730004
- 34"x60" PFFS5-3460004



- 7"x12" PFFS5-0712003
- 14"x24" PFFS5-1424003
- 17"x30" PFFS5-1730003
- 34"x60" PFFS5-3460003



- 7"x12" PFFS5-0712002
- 14"x24" PFFS5-1424002
- 17"x30" PFFS5-1730002
- 34"x60" PFFS5-3460002

We're here to help!



Call us at
(03) 9013 7291

First Aid



- 12" PFFS2-1212023
- 16" PFFS2-1616023
- 20" PFFS2-2020023
- 24" PFFS2-2424023
- 30" PFFS2-3030023
- 32" PFFS2-3232023



- 12" PFFS2-1212022
- 16" PFFS2-1616022
- 20" PFFS2-2020022
- 24" PFFS2-2424022
- 30" PFFS2-3030022
- 32" PFFS2-3232022



- 12" PFFS2-1212024
- 16" PFFS2-1616024
- 20" PFFS2-2020024
- 24" PFFS2-2424024
- 30" PFFS2-3030024
- 32" PFFS2-3232024

Pedestrian



12" PFFS2-1212017
 16" PFFS2-1616017
 20" PFFS2-2020017
 24" PFFS2-2424017
 30" PFFS2-3030017
 32" PFFS2-3232017



12" PFFS2-1212018
 16" PFFS2-1616018
 20" PFFS2-2020018
 24" PFFS2-2424018
 30" PFFS2-3030018
 32" PFFS2-3232018



12" PFFS4-1212006
 16" PFFS4-1616006
 20" PFFS4-2020006
 24" PFFS4-2424006
 30" PFFS4-3030006
 32" PFFS4-3232006



12" PFFS2-1212012
 16" PFFS2-1616012
 20" PFFS2-2020012
 24" PFFS2-2424012
 30" PFFS2-3030012
 32" PFFS2-3232012



12" PFFS6-1212002
 16" PFFS6-1616002
 20" PFFS6-2020002
 24" PFFS6-2424002
 30" PFFS6-3030002
 32" PFFS6-3232002



7"x12" PFFS3-0712004
 14"x24" PFFS3-1424004
 17"x30" PFFS3-1730004
 32"x60" PFFS3-3260004



7"x12" PFFS3-0712005
 14"x24" PFFS3-1424005
 17"x30" PFFS3-1730005
 32"x60" PFFS3-3260005



12"x9" PFFS1-1209020
 24"x18" PFFS1-2418020
 30"x21" PFFS1-3021020
 36"x27" PFFS1-3627020
 50"x32" PFFS1-5032020



12"x9" PFFS1-1209028
 24"x18" PFFS1-2418028
 30"x21" PFFS1-3021028
 36"x27" PFFS1-3627028
 50"x32" PFFS1-5032028



12" PFFS6-1212012
 16" PFFS6-1616012
 20" PFFS6-2020012
 24" PFFS6-2424012
 30" PFFS6-3030012
 32" PFFS6-3232012

Lockout/Tagout



6" x 9" PFFS1-0609030
 9" x 12" PFFS1-0912030



6" x 9" PFFS1-0609031
 9" x 12" PFFS1-0912031



6" x 9" PFFS1-0609032
 9" x 12" PFFS1-0912032



24"x16" PFFS7-2416009
 34"x26" PFFS7-3426009

Personal Protective Equipment



12" PFFS2-1212007
 16" PFFS2-1616007
 20" PFFS2-2020007
 24" PFFS2-2424007
 30" PFFS2-3030007
 32" PFFS2-3232007



12" PFFS2-1212008
 16" PFFS2-1616008
 20" PFFS2-2020008
 24" PFFS2-2424008
 30" PFFS2-3030008
 32" PFFS2-3232008



12" PFFS2-1212006
 16" PFFS2-1616006
 20" PFFS2-2020006
 24" PFFS2-2424006
 30" PFFS2-3030006
 32" PFFS2-3232006



12" PFFS2-1212003
 16" PFFS2-1616003
 20" PFFS2-2020003
 24" PFFS2-2424003
 30" PFFS2-3030003
 32" PFFS2-3232003



12" PFFS2-1212005
 16" PFFS2-1616005
 20" PFFS2-2020005
 24" PFFS2-2424005
 30" PFFS2-3030005
 32" PFFS2-3232005



12" PFFS2-1212009
 16" PFFS2-1616009
 20" PFFS2-2020009
 24" PFFS2-2424009
 30" PFFS2-3030009
 32" PFFS2-3232009



12" PFFS2-1212010
 16" PFFS2-1616010
 20" PFFS2-2020010
 24" PFFS2-2424010
 30" PFFS2-3030010
 32" PFFS2-3232010



12" PFFS2-1212011
 16" PFFS2-1616011
 20" PFFS2-2020011
 24" PFFS2-2424011
 30" PFFS2-3030011
 32" PFFS2-3232011



12" PFFS2-1212004
 16" PFFS2-1616004
 20" PFFS2-2020004
 24" PFFS2-2424004
 30" PFFS2-3030004
 32" PFFS2-3232004



12" PFFS2-1212002
 16" PFFS2-1616002
 20" PFFS2-2020002
 24" PFFS2-2424002
 30" PFFS2-3030002
 32" PFFS2-3232002

Safety Message



- 12"x9" PFFS1-1209018
- 24"x18" PFFS1-2418018
- 30"x21" PFFS1-3021018
- 36"x27" PFFS1-3627018
- 50"x32" PFFS1-5032018



- 12"x9" PFFS1-1209017
- 24"x18" PFFS1-2418017
- 30"x21" PFFS1-3021017
- 36"x27" PFFS1-3627017
- 50"x32" PFFS1-5032017



- 12" PFFS6-1212005
- 16" PFFS6-1616005
- 20" PFFS6-2020005
- 24" PFFS6-2424005
- 30" PFFS6-3030005
- 32" PFFS6-3232005



- 12" PFFS6-1212007
- 16" PFFS6-1616007
- 20" PFFS6-2020007
- 24" PFFS6-2424007
- 30" PFFS6-3030007
- 32" PFFS6-3232007



- 12" PFFS6-1212006
- 16" PFFS6-1616006
- 20" PFFS6-2020006
- 24" PFFS6-2424006
- 30" PFFS6-3030006
- 32" PFFS6-3232006

Trash and Recycling



- 12" PFFS2-1212033
- 16" PFFS2-1616035
- 20" PFFS2-2020035
- 24" PFFS2-2424035
- 30" PFFS2-3030035
- 32" PFFS2-3232035



- 12" PFFS2-1212025
- 16" PFFS2-1616025
- 20" PFFS2-2020025
- 24" PFFS2-2424025
- 30" PFFS2-3030025
- 32" PFFS2-3232025



- 12" PFFS2-1212034
- 16" PFFS2-1616034
- 20" PFFS2-2020034
- 24" PFFS2-2424032
- 30" PFFS2-3030034
- 32" PFFS2-3232034



- 16" PFFS2-1616001
- 20" PFFS2-2020001

Restricted Access



- 12"x9" PFFS1-1209015
- 24"x18" PFFS1-2418013
- 30"x21" PFFS1-3021013
- 36"x27" PFFS1-3627013
- 50"x32" PFFS1-5032013



- 12"x9" PFFS1-1209026
- 24"x18" PFFS1-2418026
- 30"x21" PFFS1-3021026
- 36"x27" PFFS1-3627026
- 50"x32" PFFS1-5032026



- 7"x12" PFFS3-0712003
- 14"x24" PFFS3-1412003
- 17"x30" PFFS3-1730003
- 32"x60" PFFS3-3260003

Multilingual



- 12"x9" PFFS1-1209025
- 24"x18" PFFS1-2418025
- 30"x21" PFFS1-3021025
- 36"x27" PFFS1-3627025
- 50"x32" PFFS1-5032025



- 12" PFFS4-1212002
- 16" PFFS4-1616002
- 20" PFFS4-2020002
- 24" PFFS4-2424002
- 30" PFFS4-3030002
- 32" PFFS4-3232002

Restricted Area



- 12"x9" PFFS1-1209010
- 24"x18" PFFS1-2418010
- 30"x21" PFFS1-3021010
- 36"x27" PFFS1-3627010
- 50"x32" PFFS1-5032010



- 12"x9" PFFS1-1209029
- 24"x18" PFFS1-2418029
- 30"x21" PFFS1-3021029
- 36"x27" PFFS1-3627029
- 50"x32" PFFS1-5032029



- 12" PFFS4-1212007
- 16" PFFS4-1616007
- 20" PFFS4-2020007
- 24" PFFS4-2424007
- 30" PFFS4-3030007
- 32" PFFS4-3232007



- 12"x9" PFFS1-1209012
- 24"x18" PFFS1-2418012
- 30"x21" PFFS1-3021012
- 36"x27" PFFS1-3627012
- 50"x32" PFFS1-5032012



- 12" PFFS2-1212015
- 16" PFFS2-1616015
- 20" PFFS2-2020015
- 24" PFFS2-2424015
- 30" PFFS2-3030015
- 32" PFFS2-3232015



- 12" PFFS2-1212016
- 16" PFFS2-1616016
- 20" PFFS2-2020016
- 24" PFFS2-2424016
- 30" PFFS2-3030016
- 32" PFFS2-3232016



Traffic



- 12" PFFS2-1212027
- 16" PFFS2-1616027
- 20" PFFS2-2020027
- 24" PFFS2-2424027
- 30" PFFS2-3030027
- 32" PFFS2-3232027



- 12" PFFS2-1212028
- 16" PFFS2-1616028
- 20" PFFS2-2020028
- 24" PFFS2-2424028
- 30" PFFS2-3030028
- 32" PFFS2-3232028



- 12" PFFS2-1212029
- 16" PFFS2-1616029
- 20" PFFS2-2020029
- 24" PFFS2-2424029
- 30" PFFS2-3030029
- 32" PFFS2-3232029



- 12" PFFS2-1212030
- 16" PFFS2-1616030
- 20" PFFS2-2020030
- 24" PFFS2-2424030
- 30" PFFS2-3030030
- 32" PFFS2-3232030



- 12" PFFS2-1212032
- 16" PFFS2-1616032
- 20" PFFS2-2020032
- 24" PFFS2-2424032
- 30" PFFS2-3030032
- 32" PFFS2-3232032



- 12" PFFS6-1212008
- 16" PFFS6-1616008
- 20" PFFS6-2020008
- 24" PFFS6-2424008
- 30" PFFS6-3030008
- 32" PFFS6-3232008



- 12" PFFS6-1212009
- 16" PFFS6-1616009
- 20" PFFS6-2020009
- 24" PFFS6-2424009
- 30" PFFS6-3030009
- 32" PFFS6-3232009



- 12" PFFS6-1212004
- 16" PFFS6-1616004
- 20" PFFS6-2020004
- 24" PFFS6-2424004
- 30" PFFS6-3030004
- 32" PFFS6-3232004



- 12" PFFS6-1212011
- 16" PFFS6-1616011
- 20" PFFS6-2020011
- 24" PFFS6-2424011
- 30" PFFS6-3030011
- 32" PFFS6-3232011



- 12" PFFS6-1212010
- 16" PFFS6-1616010
- 20" PFFS6-2020010
- 24" PFFS6-2424010
- 30" PFFS6-3030010
- 32" PFFS6-3232010



- 24"x24" PFFS7-2424012
- 34"x43" PFFS7-3434012



- 12"x4" PFFS7-1204007
- 24"x12" PFFS7-2412007
- 34"x12" PFFS7-3412007



- 24"x14" PFFS7-2414010
- 34"x20" PFFS7-3420010



- 12"x4" PFFS7-1204001
- 24"x12" PFFS7-2412001
- 34"x12" PFFS7-3412001



- 24"x24" PFFS7-2424011
- 34"x43" PFFS7-3434011



- 12"x9" PFFS1-1209007
- 24"x18" PFFS1-2418007
- 30"x21" PFFS1-3021007
- 36"x27" PFFS1-3627007
- 50"x32" PFFS1-5032007



- 12"x9" PFFS1-1209024
- 24"x18" PFFS1-2418024
- 30"x21" PFFS1-3021024
- 36"x27" PFFS1-3627024
- 50"x32" PFFS1-5032024



- 12"x9" PFFS1-1209023
- 24"x18" PFFS1-2418023
- 30"x21" PFFS1-3021023
- 36"x27" PFFS1-3627023
- 50"x32" PFFS1-5032023



- 12"x9" PFFS1-1209022
- 24"x18" PFFS1-2418022
- 30"x21" PFFS1-3021022
- 36"x27" PFFS1-3627022
- 50"x32" PFFS1-5032022

Storage Area



- 12"x9" PFFS1-1209009
- 24"x18" PFFS1-2418009
- 30"x21" PFFS1-3021009
- 36"x27" PFFS1-3627009
- 50"x32" PFFS1-5032009



- 12" x 9" PFFS1-1209008
- 24"x18" PFFS1-2418008
- 30"x21" PFFS1-3021008
- 36"x27" PFFS1-3627008
- 50"x32" PFFS1-5032008



- 12"x9" PFFS1-1209013
- 24"x18" PFFS1-2418013
- 30"x21" PFFS1-3021013
- 36"x27" PFFS1-3627013
- 50"x32" PFFS1-5032013



- 12"x9" PFFS1-1209011
- 24"x18" PFFS1-2418011
- 30"x21" PFFS1-3021011
- 36"x27" PFFS1-3627011
- 50"x32" PFFS1-5032011



Need custom floor signs?
Call us at (03) 9013 7291



Floor Sign Bundles

Enhance and complete your floor marking plan with easy to apply floor shapes. Mark corners, direct foot-traffic, and more with almost no effort.

AED Floor Marking Bundle

Improve the response time in an emergency by making the location of an AED in your facility easy to find. There are no national requirements for AEDs although all 50 states in the U.S. have laws or regulations for AEDs.

KIT DETAILS

- One 18" diameter circular laminated floor sign
- Two 2.5" x 36" lines
- One 2.5" x 24" line with rounded corners
- One optional 2 way (4" x 18") or 3 way (7.5" x 12") wall sign



	SKU
KIT ONLY	PFHD3-AED
KIT WITH 2 WAY SIGN	PFHD3-AED2
KIT WITH 3 WAY SIGN	PFHD3-AED3

Electrical Panel Clearance Bundle

Supports compliance with NFPA 70 Article 110.26 for allowing 3' of clearance around electrical equipment that has been operating at 600 1000 volts or less and OSHA 1910.303(g)(1) for 36" of clear and accessible space in areas in front of electrical panels and at least 30" wide.

KIT DETAILS

- One 18" diameter laminated floor sign
- One 5" x 7" electrical panel clearance label (option to add more for each panel)
- One 2" x 50' or 2" x 100' roll of PathFinder Flex Hazard tape



	SKU
KIT WITH 50' ROLL	PFHD3-EPC-50
KIT WITH 100' ROLL	PFHD3-EPC-100

Eye Wash Station Bundle

Supports ANSI/ISEA Z358.1 and OSHA regulations for the installation, operation, and maintenance of eye wash stations and showers and 29 CFR 1910.151(c) for work areas in need of immediate emergency use of flushing of the eyes and body.

KIT DETAILS

- One 18" diameter circular laminated floor sign
- Two 2.5" x 36" lines
- One 2.5" x 24" line with rounded corners
- One optional 2 way (4" x 18") or 3 way (7.5" x 12") wall sign



	SKU
KIT ONLY	PFHD3-EWS
KIT WITH 2 WAY SIGN	PFHD3-EWS2
KIT WITH 3 WAY SIGN	PFHD3-EWS3

First Aid Kit Floor Sign Bundle

Highly visible floor marking supports compliance with 29 CFR 1910.151 & ANSI/ISEA Z308.1-2015 regulations for mandatory ready availability of first aid supplies and kits.

KIT DETAILS

- One 18" diameter circular laminated floor sign
- Two 2.5" x 36" lines
- One 2.5" x 24" line with rounded corners
- One optional 2 way (4" x 18") or 3 way (7.5" x 12") wall sign



	SKU
KIT ONLY	PFHD3-FAK
KIT WITH 2 WAY SIGN	PFHD3-FAK2
KIT WITH 3 WAY SIGN	PFHD3-FAK3

Fire Exit Floor Sign Bundle

This kit includes a variety of durable products designed to enhance existing exit sign and egress marking to serve for an additional safety measure. Compliant with OSHA requirements 29 CFR 1910.34(c) for defining an "exit route." and 29 CFR 1910.37(b) for lighting and marking exit routes.

KIT DETAILS

- One 18" diameter laminated circular floor sign
- Two 2.5" x 36" lines
- One 2.5" x 24" line with rounded corners
- One optional 2 way (4" x 18") or 3 way (7.5" x 12") wall sign



	SKU
KIT ONLY	PFHD3-FEX
KIT WITH 2 WAY SIGN	PFHD3-FEX2
KIT WITH 3 WAY SIGN	PFHD3-FEX3

Glow-in-the-Dark Fire Exit Bundle

This kit includes a variety of durable products to enhance existing exit sign and egress marking. Compliant with OSHA requirements 29 CFR 1910.34(c) for defining an "exit route" and 29 CFR 1910.37(b) for lighting and marking exit routes.

KIT DETAILS

- One 18" diameter glow-in-the-dark circular laminated floor sign
- Two 2.5" x 36" glow-in-the-dark lines
- One 2.5" x 24" glow-in-the-dark line with rounded corners
- One optional 2 way (4" x 18") or 3 way (7.5" x 12") glow-in-the-dark wall sign



	SKU
KIT ONLY	PFHD3-FEX-GLO
KIT WITH 2 WAY SIGN	PFHD3-FEX2-GLO
KIT WITH 3 WAY SIGN	PFHD3-FEX3-GLO

Fire Extinguisher Floor Sign Bundle

This kit includes a variety of durable products to provide a highly visible border around equipment. Supports compliance with OSHA 1910.157(c)(1) for access to portable fire extinguishers for employees without subjecting them to possible injury.

KIT DETAILS

- One 18" diameter laminated floor sign
- Two 2.5" x 36" lines
- One 2.5" x 24" line with rounded corners
- One optional 2 way (4" x 18") or 3 way (7.5" x 12") wall sign




	SKU
KIT ONLY	PFHD3-FE
KIT WITH 2 WAY SIGN	PFHD3-FE2
KIT WITH 3 WAY SIGN	PFHD3-FE3

SDS Binder Floor Sign Bundle

Make it easy for personnel to conveniently locate all needed Safety Data Sheets (SDSs) in your facility and exceed compliance with OSHA's Hazard Communication Standard, 29 CFR 1910.1200, paragraph(g)(8) for readily accessible safety data sheets in work areas.

KIT DETAILS

- One 18" diameter circular laminated floor sign
- Two 2.5" x 36" lines
- One 2.5" x 24" line with rounded corners
- One optional 2 way (4" x 18") or 3 way (7.5" x 12") wall sign



	SKU
KIT ONLY	PFHD3-SDS
KIT WITH 2 WAY SIGN	PFHD3-SDS2
KIT WITH 3 WAY SIGN	PFHD3-SDS3

Spill Kit Floor Sign Bundle

Depending on the type of chemicals contained in your facility, a spill kit may be required under OSHA's Hazardous Waste Operations and Emergency Response standards. This kit includes a variety of durable products to support compliance with OSHA.

KIT DETAILS

- One 18" diameter circular laminated floor sign
- Two 2.5" x 36" lines
- One 2.5" x 24" line with rounded corners
- One optional 2 way (4" x 18") or 3 way (7.5" x 12") wall sign



	SKU
KIT ONLY	PFHD3-SK
KIT WITH 2 WAY SIGN	PFHD3-SK2
KIT WITH 3 WAY SIGN	PFHD3-SK3

Pallet Jack Parking Kit

Compliant with OSHA 29 CFR 1910.178(m)(14) that requires forklifts to park a safe distance away from fire aisles, stairways, or fire equipment.

KIT DETAILS

- One 18" diameter circular laminated floor sign
- One 2" x 50' roll of PathFinder Rigid Yellow tape



	SKU
PALLET JACK PARKING KIT	PFHD3-PJP

Forklift Parking Kit

Compliant with OSHA 29 CFR 1910.178(m)(14) that requires forklifts to park a safe distance away from fire aisles, stairways, or fire equipment.

KIT DETAILS

- One 18" diameter circular laminated floor sign
- One 2" x 50' roll of PathFinder Rigid Yellow tape



	SKU
FORKLIFT PARKING KIT	PFHD3-FP


Crosswalk Kits

Crosswalk Kits are a simple way to identify pedestrian walkways which cross through vehicle or forklift traffic areas.

Basic Crosswalk Kit

KIT DETAILS

- "Proceed With Caution" boundary tape
- Individual 36" yellow adhesive crosswalk marking strips



	4" X 36"
4 STRIPES	PFHD4-BK404
6 STRIPES	PFHD4-BK406
8 STRIPES	PFHD4-BK408
10 STRIPES	PFHD4-BK410
12 STRIPES	PFHD4-BK412
14 STRIPES	PFHD4-BK414

	6" X 36"
4 STRIPES	PFHD4-BK604
6 STRIPES	PFHD4-BK606
8 STRIPES	PFHD4-BK608
10 STRIPES	PFHD4-BK610
12 STRIPES	PFHD4-BK612
14 STRIPES	PFHD4-BK614

Premium Crosswalk Kit

KIT DETAILS

- Everything from Basic Crosswalk Kit, PLUS 2 "Caution Forklift Traffic" floor signs




	4" X 36"
4 STRIPES	PFHD4-PK404
6 STRIPES	PFHD4-PK406
8 STRIPES	PFHD4-PK408
10 STRIPES	PFHD4-PK410
12 STRIPES	PFHD4-PK412
14 STRIPES	PFHD4-PK414

	6" X 36"
4 STRIPES	PFHD4-PK604
6 STRIPES	PFHD4-PK606
8 STRIPES	PFHD4-PK608
10 STRIPES	PFHD4-PK610
12 STRIPES	PFHD4-PK612
14 STRIPES	PFHD4-PK614

Deluxe Crosswalk Kit

KIT DETAILS

- Everything from Basic Crosswalk and Premium Crosswalk Kits, PLUS packs of red floor tape dashes, and 2 "Stop" floor signs



	4" X 36"
4 STRIPES	PFHD4-DK404
6 STRIPES	PFHD4-DK406
8 STRIPES	PFHD4-DK408
10 STRIPES	PFHD4-DK410
12 STRIPES	PFHD4-DK412
14 STRIPES	PFHD4-DK414

	6" X 36"
4 STRIPES	PFHD4-DK604
6 STRIPES	PFHD4-DK606
8 STRIPES	PFHD4-DK608
10 STRIPES	PFHD4-DK610
12 STRIPES	PFHD4-DK612
14 STRIPES	PFHD4-DK614

ARCHFORD

KEEP YOUR WORKPLACE SAFE, SECURE, & COMPLIANT



archford.com.au | (03) 9013 7291