**KCA Laboratories** 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

1 of 1

## **Cereal Milk**

Sample ID: SA-220913-11928

Batch:

Type: Finished Products Matrix: Concentrate - Vape

Unit Mass (g):

Received: 09/16/2022 Completed: 09/26/2022 Client

ERTH Wellness, Inc 17905 Sky Park Cir. Ste. J Irvine, CA 92614

USA



Summary

Test Cannabinoids **Date Tested** 09/26/2022

Status Tested

1.06 %

Total ∆9-THC

45.7 % Δ8-ΤΗС

77.5 % **Total Cannabinoids**  **Not Tested** 

**Moisture Content** 

**Not Tested** 

Foreign Matter

Yes

Internal Standard Normalization

## Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

| Analyte           | LOD<br>(%) | LOQ<br>(%) | Result<br>(%) | Result<br>(mg/g) |
|-------------------|------------|------------|---------------|------------------|
| CBC               | 0.0095     | 0.0284     | ND ND         | ND               |
| CBCA              | 0.0181     | 0.0543     | ND            | ND               |
| CBCV              | 0.006      | 0.018      | ND            | ND               |
| CBD               | 0.0081     | 0.0242     | ND            | ND               |
| CBDA              | 0.0043     | 0.013      | ND            | ND               |
| CBDV              | 0.0061     | 0.0182     | ND            | ND               |
| CBDVA             | 0.0021     | 0.0063     | ND            | ND               |
| CBG               | 0.0057     | 0.0172     | ND            | ND               |
| CBGA              | 0.0049     | 0.0147     | ND            | ND               |
| CBL               | 0.0112     | 0.0335     | ND            | ND               |
| CBLA              | 0.0124     | 0.0371     | ND            | ND               |
| CBN               | 0.0056     | 0.0169     | 2.92          | 29.2             |
| CBNA              | 0.006      | 0.0181     | ND            | ND               |
| CBT               | 0,018      | 0.054      | 0.195         | 1.95             |
| Δ6a,10a-THC       | 0.0067     | 0.02       | 10.8          | 108              |
| Δ8-ΤΗС            | 0.0104     | 0.0312     | 45.7          | 457              |
| Δ8-THC acetate    | 0.0067     | 0.02       | 15.5          | 155              |
| Δ9-ΤΗС            | 0.0076     | 0.0227     | 1.06          | 10.6             |
| Δ9-THC acetate    | 0.0067     | 0.02       | 0.430         | 4.30             |
| Δ9-ΤΗCΑ           | 0.0084     | 0.0251     | ND            | ND               |
| Δ9-ΤΗCV           | 0.0069     | 0.0206     | ND            | ND               |
| Δ9-THCVA          | 0.0062     | 0.0186     | ND            | ND               |
| (6a R,9R)-∆10-THC | 0.0067     | 0.02       | 0.534         | 5.34             |
| (6a R,9S)-∆10-THC | 0.0067     | 0.02       | 0.317         | 3.17             |
| Total Δ9-THC      |            |            | 1.06          | 10.6             |
| Total CBD         |            |            | ND            | ND               |
| Total             |            |            | 77.5          | 775              |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;

Generated By: Ryan Bellone CCO Date: 09/26/2022

Tested By: Scott Caudill Senior Scientist Date: 09/26/2022









This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories and provide measurement uncertainty upon request.