

KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

1 of 2

## **Unicorn** Piss Client Sample ID: SA-220913-11929 ERTH Wellness, Inc Received: 09/16/2022 Batch: Type: Finished Products 17905 Sky Park Cir. Ste. J Completed: 09/26/2022 Matrix: Concentrate - Vape Irvine, CA 92614 Unit Mass (g): USA Summary Test Date Tested Status 09/26/2022 Cannabinoids Tested 2 GRAMS 1.02 % 76.1% Not Tested Not Tested 44.8 % Yes Total ∆9-THC **∆8-THC Total Cannabinoids Moisture Content** Foreign Matter Internal Standard Normalization Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS LOD LOO Result Result Analyte (%) (%) (%) (mg/g)CBC 0.0095 0.0284 ND ND CBCA 0.0181 0.0543 ND ND CBCV 0.006 0.018 ND ND CBD 0.0081 ND ND CBDA 0.0043 0.013 ND ND CBDV 0.0061 0.0182 ND ND CBDVA 0.0021 0.0063 ND ND CBG 0.0057 0.0172 ND ND CBGA 0.0147 ND ND CBL 0.0112 0.0335 ND ND CBLA 0.0124 0.0371 ND ND CBN 0.0056 0.0169 2.75 27.5 CBN acetate 0.0067 0.02 0.0302 0.302 CBNA 0.0181 0.006 ND ND CBT 0.054 1.94 0.018 0.194 ∆6a,10a-THC 0.0067 10.4 104 ∆8-THC 0.0104 0.0312 44.8 448 ∆8-THC acetate 0.0067 0.02 15.8 158 ∆9-THC 0.0076 0.0227 1.02 10.2 ∆9-THC acetate 0.0067 0.02 0.421 4.21 0 0 2 5 1 **A9-THCA** 0.0084 ND ND ∆9-THCV 0.0206 ND 0.0069 ND ∆9-THCVA 0.0062 0.0186 ND ND (6aR,9R)-∆10-THC 0.0067 0.333 3.33 (6a R,9S)-∆10-THC 0.0067 0.326 3.26 Total ∆9-THC 1.02 10.2 Total CBD ND ND Total 76.1 761 ND = Not Detected; NT = Npt Tg\$ted; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA DA \* 0.877 + CBD; Iac-MR Luco Tested By: Scott Caudill Generated By: Ryan Bellone CCO ISO/IEC 17025:2017 Accredited Senior Scientist Accreditation #108651 Date: 09/26/2022 Date: 09/26/2022


This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

2 of 2



Generated By: Ryan Bellone CCO Date: 09/26/2022



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025/2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.