



FED-X Compact Workbench Fridge - XGNS1300B

Quick Overview

- Stainless steel interior and exterior with rounded corners for easy cleaning
- GN1/1 shelf or GN1/1 drawer
- Replaceable magnetic door seals
- Industry leading Fullerer Heavy duty drawer runners
- User friendly Digital controls
- Heavy duty castors
- Unit can be placed against the wall
- Weight loading per shelf: 40kg
- Refrigerant: R290
- Dimensions (Internal): 1295mm W x 595mm D x 455mm H

Description

FED-X Compact Workbench Fridge - XGNS1300B

The ideal choice for small and medium businesses that need performance, professional-grade commercial refrigeration. With 3 solid Stainless steel doors, it's compact in size so you can make the most of your workspace and kitchen.

Let this performer function as a worktop bench fridge or let it settle under the bar. Either way, it will let you work with ease. With its compact size and generous compartments, it is ideal for restaurants, cafes, clubs, pubs, bars, and offices.

The heavy duty magnetic door seals are designed to ensure optimal cooling. Constructed using stainless steel inside and out. The internal area features rounded corners, making it super easy to clean this compact unit. This unit is GN pan compatible, comes with a single shelf but you can opt for additional slides so you Gn pans just slide in and out.

This worktop bench fridges' build quality, specifications and functionality meet food, health, and safety standards.

*Unit can be placed against the wall.

- Net Capacity: 368L
- Temperature range: -2 ~ +8 ° C & Ambient Temperature: 32 ° C & RH: 60%
- Cooling System: Static cooling
- Compressor: Embraco/Secop

- Controller: Dixell
- Weight loading per shelf: 40kg
- Refrigerant: R290
- Dimensions (Internal): 1295mm W x 595mm D x 455mm H

MAIN FEATURES

- Stainless steel interior and exterior with rounded corners for easy cleaning
- GN1/1 shelf or GN1/1 drawer
- Replaceable magnetic door seals
- Industry leading Fulterer Heavy duty drawer runners
- User friendly Digital controls
- Heavy duty castors
- Unit can be placed against the wall

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

Your Shipping Specifications

| | |
|---------------------|---|
| Net Weight (Kg) | 104 |
| Width (mm) | 1368 |
| Depth (mm) | 700 |
| Height (mm) | 897 |
| Packing Width (mm) | 1390 |
| Packing Depth (mm) | 730 |
| Packing Height (mm) | 1050 |
| Power | 240V; 240W/1.6W |
| Warranty | 2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice |