



RGT-24ELPG Two burner griddle LPG

Quick Overview

- LPG Gas
- Two Heavy Duty 29.52Mj Burners
- Quick Heating/Recovery
- Steel Grilling Surface
- Auto Ignition & Flame Failure Shut-Off
- S/S Drip Tray
- Sturdy Adjustable Feet, Adjustable Height 45mm
- 60.4 Mj/H Total; 3/4-inch Gas Inlet
- Matching stand: QR-24-S
- Consumption: 54 MJ/h
- 20mm heavy duty mild steel plate

Description

RGT-24LPG Two Burner Griddle LPG

Two Burner Heavy Duty Griddle Top With Removable Plate

Stainless Steel Construction

- LPG Gas
- Two Heavy Duty 29.52Mj Burners
- Quick Heating/Recovery
- Steel Grilling Surface
- Auto Ignition & Flame Failure Shut-Off
- S/S Drip Tray
- Sturdy Adjustable Feet, Adjustable Height 45mm
- 60.4 Mj/H Total; 3/4-inch Gas Inlet
- Matching stand: QR-24-S
- Consumption: 54 MJ/h
- 20mm heavy duty mild steel plate

* LPG Model Or Option Kit Not Available In New Zealand

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	90
Width (mm)	610
Depth (mm)	850
Height (mm)	420
Packing Width (mm)	710
Packing Depth (mm)	940
Packing Height (mm)	540
Power	54MJ/h
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice