

# SPROCKET & CHAIN CATALOG

QUALITY. DURABILITY. PRICE. SINCE 1946.



2 0 1 2

[sunstar-mc.com](http://sunstar-mc.com)



**SUNSTAR**  
SPROCKETS & CHAINS





## MXR1 Series

Sunstar's Works MX/SX race chain (MXR = Motocross Xtreme Racing) is a premium quality, highly durable non-sealed chain perfect for any MX bike up to 500cc. Features include over-sized, TripleStar treated ultra hard pins for unbeatable strength and durability and 100% heat treated components. Superlight design - the 520MXR1 120 link versions weighs less than 3.6 lbs, yet is super strong with an 8,970 lb tensile strength rating. 520MXR1 comes in gold color option (gold outer and inner plates) in 116 and 120 link pre-cut lengths, using a clip type connecting link. Also available in 420 and 428 pitch for Mini MX applications.

## 520SSR

The Sunstar 520SSR o-ring chain (SSR = Standard Sealed Ring) is a heavy duty, long lasting sealed chain that uses only the highest quality rubber o-rings that maintain lubricity, resulting in less friction and the smoothest transfer of power. It is constructed with special heat treated alloy steel for added strength and life. The SSR chain is available only in 520 chain pitch for any motorcycle up to 400cc in the natural color option (non-gold) and in pre-cut lengths of 100 and 120 links (uses clip type connecting link).

## 520HDN

For a quality non-sealed OEM replacement level chain, Sunstar offers the 520HDN (HDN = Heavy Duty Non-sealed). This cost effective replacement chain offers great performance and durability at a great price point. This chain is recommended for any motorcycles up to 250cc and is available in 114 and 120 pre cut lengths. It uses a clip type master link and provides great strength with a 7,850 lb rating.



## 520XTG

Sunstar's premier sealed Works level chain is the 520XTG (XTG = Xtreme Triple Guard) which features our TripleGuard sealed ring technology meaning there are 3 sealing lips and lubrication pools per side of the ring versus a single sided lip that is typical of standard o-rings. This ensures that the critical areas of the chain are protected at all times from the harsh conditions encountered in off road racing (hence the name Xtreme for extreme conditions) and that the chain stays well lubricated for a long duration of use. The XTG is perfect for all ATV's and Off Road Motorcycles 750cc or less. All components are 100% heat treated and its tensile strength is rated at 8,460lbs. It's offered in 100 and 120 link pre-cut lengths and uses a press fit, clip type connecting link in the gold color option (gold outer plates / natural inners).

## RDG Series

The heavy duty street line of sealed chains is our RDG series (RDG = Road Dual Guard) for 520, 525 and 530 applications. Sunstar's DualGuard sealed ring is similar in 'X-shaped' rings as it utilizes 2 sealing lips and lubrication pools per side of the ring versus the one sided, single lip design of a standard o-ring. This dramatically improves lubricity in high heat conditions while also helping achieve less friction. The RDG is a great all around use road chain available for just about every application on the street. It comes in the natural color option and uses a strong rivet type connecting link.

## RTG1 Series

For a top of the line, premium level road racing chain, Sunstar offers the RTG1 series for 520 & 530 street applications (RTG1 = Road Triple Guard). This Works level chain features our TripleGuard sealed ring technology where there are 3 sealing lips and lubrication pools per side of the ring which is recommended for high heat, extreme conditions as the TripleGuard ring type is the best for lubrication and protection. Both the 520 and 530 are available in 116 and 120 link pre-cut lengths and come in the gold color option (gold outer and inner plates). While the 520 is great for any bike 1000cc or less using a 520 pitch, the 530RTG1 is suitable for the high performance, larger cc machines like the Suzuki Hayabusa, Kawasaki ZX-14R Ninja and others in the same class that use 530 pitch. Both options use the rivet type connecting link and are well suited to handle the demands of the toughest racing conditions encountered on the street.



# APPLICATION GUIDE

A close-up photograph of a silver metal sprocket with a chain. The sprocket has several circular holes and the Sunstar logo is visible on its surface. The chain is wrapped around the sprocket. The background is a dark, textured surface, possibly a motorcycle tire.

QUALITY. DURABILITY. PRICE.  
SINCE **1946**

HONDA | HUSABERG | KAWASAKI | KTM | SUZUKI | YAMAHA | POLARIS

CHAINS	.....	pages 1 - 1
BETA	.....	pages 2 - 2
GAS GAS	.....	pages 2 - 2
HONDA	.....	pages 2 - 8
HUSABERG	.....	pages 9 - 9
HUSQVARNA	.....	pages 10 - 10
KAWASAKI	.....	pages 11 - 16
KTM	.....	pages 17 - 19
SUZUKI	.....	pages 20 - 25
TRIUMPH	.....	pages 25 - 25
YAMAHA	.....	pages 26 - 32
POLARIS	.....	pages 33 - 35

**HOW TO READ YOUR SUNSTAR APPLICATION CHART:**

1. Find your model in the catalog by referring to the MAKE, MODEL, CC and YEARS columns in the chart.
2. Refer to the OEM Gearing Info columns to find the stock size sprockets and stock gear ratio.
3. To complete the Sunstar part number, take the application code of the desired product type and add the desired number of teeth (example: appl code 2-3559 in 51 tooth would be 2-355951)

**OEM SPECIFICATIONS:**

All OEM specs listed are extracted from the manufacturer's published records and listed for your information and convenience only. Sunstar does not accept responsibility for the accuracy contained in those records and presented in this catalog.

**NEW APPLICATIONS:**


Applications constantly are being added and/or updated. For the most current information, please visit our website - [www.sunstar-mc.com](http://www.sunstar-mc.com)

**PROPER CLEARANCE:**


Anytime you use a different sprocket size other than the OEM size, please check for proper clearance.

**HOW TO READ A PART NUMBER:**

Sunstar Power Drive Countershaft Sprockets:



Sunstar Rear Sprockets:



# CHAINS

For the complete Sunstar part numbers:

## CHAINS

Chain Model	Description	Length Options	Ring Type	Color Option	Link Type	Max CC Street / Off Road	Tensile Strength (lbs)	Weight / 100L (lbs)	Pin Length (mm)	Inner Plate Thickness	Outer Plate Thickness	Recommended Application Examples
520HDN	520 Heavy Duty Non-sealed Motorcycle Chain	114 & 120	None	NonGold	Clip	NA / 250	7,850	3.15	18.15	2.00	2.00	CRF150F, KDX200, RM125, TTR230
520SSR	520 Standard Sealed Ring Motorcycle Chain	100 & 120	O-ring	NonGold	Clip (press fit)	400 / 400	7,670	4.08	19.90	2.00	2.00	WR250F, KLX300R, XR400R
520XTG	520 Works Xtreme TripleGuard Sealed Ring Motorcycle & ATV Chain	100 & 120	TG	Gold *	Clip (press fit)	400 / 750	8,460	3.36	20.80	2.00	2.00	CRF450X, TRX450R, YZ450F, KLX450R
520MXR1	520 Works Motocross / Supercross Non-sealed Motorcycle Chain	116 & 120	None	Gold **	Clip	NA / 500	8,970	2.99	17.70	1.80	2.00	CRF250R, RM-Z450, KX450F, 125SX, YZ250F
520RDG	520 Road DualGuard Sealed Ring Motorcycle Chain	114 & 120	DG	NonGold	Rivet	750 / 750	8,490	3.36	19.90	2.00	2.00	CBR600RR, KLR650, XV250
525RDG	525 Road DualGuard Sealed Ring Motorcycle Chain	112 & 120	DG	NonGold	Rivet	900 / 750	8,820	4.30	22.85	2.40	2.30	VT750, ZZR600, DL650, YZF-R6
530RDG	530 Road DualGuard Sealed Ring Motorcycle Chain	110 & 120	DG	NonGold	Rivet	1000 / 750	9,480	4.48	24.90	2.40	2.30	CBR600F2, KZ650, GSF600S, FZ-6
520RTG1	520 Works Road TripleGuard Sealed Ring Motorcycle Chain	116 & 120	TG	Gold **	Rivet	1000 / 750	9,270	3.75	22.85	2.40	2.30	CBR600RR, ZX-6R, GSX-R750, YZF-R6
530RTG1	530 Works Road TripleGuard Sealed Ring Motorcycle Chain	116 & 120	TG	Gold **	Rivet	1400 / 900	9,900	4.63	24.90	2.40	2.40	ZX-14R, GSX1300-R, YZF-R1
420MXR	420 Works Motocross / Supercross Non-sealed Motorcycle Chain	126	None	Gold **	Clip	150 / 150	4,980	1.76	15.70	1.80	1.45	CRF80F, KX80/85, DR-Z110, PW80
428MXR	428 Works Motocross / Supercross Non-sealed Motorcycle Chain	134	None	Gold **	Clip	50 / 150	5,780	2.13	17.60	1.80	1.80	CRF100F, KLX140/L, RM85, YZ85

\* indicates gold outer, non-gold inner plates

\*\* indicates gold outer & inner plates

Recommended applications not full list, but just a small sample of suggested model types per chain.

Sealed Ring Types:

DG = DualGuard (2 sealing lips & lubrication pools per side)

TG = TripleGuard (3 sealing lips & lubrication pools per side)

### Sunstar Manufacturer Recommendations

- \* All chains should be installed by a certified mechanic, using the proper installation tools. Chain adjustment should be done per the bike maker's owner's manual instruction.
- \* Always check sprocket alignment when installing new drive components & during routine maintenance & adjustment; mis-aligned sprockets are detrimental to the life of the drive system.
- \* It is always recommended to replace your chain with the same size (pitch) and type of chain (sealed or non-sealed) that originally came on the motorcycle from the factory.
- \* Avoid using volatile solvents such as gasoline, thinners and/or benzine; it is best to consult with your local dealer before using any cleaners and/or lubricants.
- \* For best results and the longest life possible replace all drive components (sprockets & chains) at the same time (preferably using both Sunstar chain & sprockets).



BETA/GAS GAS/HONDA

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

EXAMPLE: APPL CODE | TEETH # 2-355943

**BETA**

MODEL	OE GEARING INFO						REAR						FRONT		Comments / Notes
	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth	CS Appl Code	# Teeth	
RR250	250	2005-09	52	14	3.71	520	2-3631	42,43,45,47,52					357	12-15	
RR400	400	2005-09	50	14	3.57	520-114	2-3631	42,43,45,47,52					357	12-15	
RR400	400	2010-11	50	13	3.85	520-114	2-3631	42,43,45,47,52					357	12-15	
RR450	450	2005-09	50	14	3.57	520-114	2-3631	42,43,45,47,52					357	12-15	
RR450	450	2010-11	48	13	3.69	520-112	2-3631	42,43,45,47,52					357	12-15	
RR520	520	2010-11	48	13	3.69	520-112	2-3631	42,43,45,47,52					357	12-15	
RR525	525	2005-09	50	14	3.57	520	2-3631	42,43,45,47,52					357	12-15	

**GAS GAS**

MODEL	OE GEARING INFO						REAR						FRONT		Comments / Notes
	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth	CS Appl Code	# Teeth	
EC125	125	2003-11	48	13	3.69	520-112	2-3631	42,43,45,47,52							
Enduro 125	125	2000-02	52	13	4.00	520-118	2-3631	42,43,45,47,52							
EC200	200	2000-02	51	13	3.92	520-116	2-3631	42,43,45,47,52							
EC200	200	2003-11	48	13	3.69	520-114	2-3631	42,43,45,47,52							
EC250	250	2000	47	13	3.62	520-114	2-3631	42,43,45,47,52							
EC250	250	2001-11	48	13	3.69	520-112	2-3631	42,43,45,47,52							
EC300	300	2000	47	13	3.62	520-114	2-3631	42,43,45,47,52							
EC300	300	2001-11	48	13	3.69	520-114	2-3631	42,43,45,47,52							
EC400 FSE	400	2000	48	13	3.69	520-116	2-3631	42,43,45,47,52							
SM400 FSE	400	2003-04	42	13	3.23	520-112	2-3631	42,43,45,47,52							
EC450 FSE	450	2003-10	48	13	3.69	520-116	2-3631	42,43,45,47,52							
SM450 FSE	450	2003-05	42	13	3.23	520-112	2-3631	42,43,45,47,52							

**HONDA**

MODEL	OE GEARING INFO						REAR						FRONT		Comments / Notes
	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth	CS Appl Code	# Teeth	
CRF50F	50	2004-11	37	14	2.64	420-78	2-1060	37	5-1060	35,39			107	14,15	
CRF50F	50	2012	37	14	2.64	420-	2-1060	37	5-1060	35,39			107	14,15	
MB5	50	1982	43	13	3.31	420-106							103	13-15	
MR50	50	1974-75	43	12	3.58	420-92							106	12	
NS50F	50	1990	43	14	3.07	420-118							103	13-15	
NSR50R	50	2004	42	14	3.00	420-76	2-1008	37					102	13-15	
XR50R	50	2000-03	37	14	2.64	420-76	2-1060	37	5-1060	35,39			107	14,15	
Z50A Mini Trail	50	1969-70	37	12	2.92	420-74	2-1003	37					106	12	
Z50A Mini Trail	50	1971-78	37	12	2.92	420-76	2-1003	37					106	12	
Z50R	50	1979-81	37	12	3.08	420-76	2-1003	37					106	12	
Z50R	50	1982-87	37	13	2.85	420-76	2-1003	37					102	13-15	
Z50R	50	1988-89	37	14	2.64	420-78	2-1008	37					102	13-15	
Z50R	50	1991-99	37	14	2.64	420-78	2-1008	37					102	13-15	
Z50RD	50	1986	37	13	2.85	420-76	2-1003	37					102	13-15	
ZB50	50	1988	37	15	2.47	420-100	2-1022	35,36,38,44,46					103	13-15	
CR60R	60	1983-84	45	14	3.21	420-104	2-1308	36,45,46,49					103	13-15	
ATC70	70	1973-74	35	14	2.50	420-72	2-1022	35,36,38,44,46					103	13-15	
ATC70	70	1978-81	35	14	2.50	420-72	2-1022	35,36,38,44,46					103	13-15	
ATC70	70	1982-85	36	13	2.77	420-72	2-1022	35,36,38,44,46					102	13-15	
C70 Passport	70	1970	36	14	2.57	420-96							102	13-15	

# HONDA

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

**EXAMPLE:** APPL CODE | TEETH # 2-355943

## HONDA

MODEL	OE GEARING INFO						REAR					FRONT		Comments / Notes		
	HONDA	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth		CS Appl Code	# Teeth
C70 Passport	70	1980-81	36	14	2.57	420-96								103	13-15	
C70 Passport	70	1982-83	36	14	2.57	420-96								102	13-15	
C70M	70	1970-73	39	14	2.79	420-98								103	13-15	
CL70	70	1969-70	47	13	3.62	420-102	2-1022	35,36,38,44,46						103	13-15	
CL70	70	1971-72	49	13	3.77	420-102	2-1022	35,36,38,44,46						103	13-15	
CRF70F	70	2004-11	36	15	2.40	420-86	2-1308	36,45,46,49						107	14,15	
CRF70F	70	2012	36	15	2.40	420-	2-1308	36,45,46,49						107	14,15	
CT70	70	1971	38	15	2.53	420-88	2-1022	35,36,38,44,46						103	13-15	
CT70	70	1972-82	35	15	2.33	420-86	2-1022	35,36,38,44,46						103	13-15	
CT70	70	1991-94	35	15	2.33	420-86	2-1022	35,36,38,44,46						103	13-15	
CT70H	70	1970	45	14	3.21	420-92	2-1022	35,36,38,44,46						103	13-15	
CT70H	70	1972	45	14	3.21	420-92	2-1022	35,36,38,44,46						103	13-15	
SL70	70	1971-72	44	13	3.38	420-96	2-1022	35,36,38,44,46						103	13-15	
TRX70 Fourtrax	70	1986-87	36	13	2.77	420-72	2-1022	35,36,38,44,46						102	13-15	
XL70	70	1974-76	44	13	3.38	420-96	2-1022	35,36,38,44,46						103	13-15	
XR70R	70	1997-99	36	15	2.40	420-86	2-1308	36,45,46,49						103	13-15	
XR70R	70	2000-03	36	15	2.40	420-86	2-1308	36,45,46,49						107	14,15	
XL75	75	1977-79	36	14	2.57	420-94	2-1022	35,36,38,44,46						103	13-15	
XR75	75	1973-76	44	14	3.14	420-100	2-1022	35,36,38,44,46						103	13-15	
XR75	75	1977-78	46	14	3.29	420-104	2-1022	35,36,38,44,46						103	13-15	
CR80R Elsinore	80	1980-81	47	14	3.36	420-108								103	13-15	
CR80R	80	1982-83	45	14	3.21	420-112	2-1308	36,45,46,49						103	13-15	
CR80R	80	1984	49	14	3.50	420-114	2-1308	36,45,46,49						103	13-15	
CR80R	80	1985	49	15	3.27	420-114	2-1456	47,49,51,55,56	5-1456	47-51,54-56				103	13-15	
CR80R	80	1986-95	49	15	3.27	420-114	2-1456	47,49,51,55,56	5-1456	47-51,54-56				107	14,15	
CR80R	80	1996-02	49	15	3.27	420-116	2-1456	47,49,51,55,56	5-1456	47-51,54-56				107	14,15	
CR80RB Expert	80	1996-02	55	15	3.67	420-126	2-1456	47,49,51,55,56	5-1456	47-51,54-56				107	14,15	
CRF80F	80	2004-12	46	14	3.29	420-110	2-1308	36,45,46,49						102	13-15	
XL80S	80	1980-85	37	15	2.47	420-96	2-1022	35,36,38,44,46						103	13-15	
XR80	80	1979-84	46	14	3.29	420-100	2-1022	35,36,38,44,46						102	13-15	
XR80R	80	1985-03	46	14	3.29	420-110	2-1308	36,45,46,49						102	13-15	
CR85R	85	2003-04	50	15	3.33	420-116	2-1456	47,49,51,55,56	5-1456	47-51,54-56				107	14,15	
CR85R	85	2005-07	49	15	3.27	420-116	2-1456	47,49,51,55,56	5-1456	47-51,54-56				107	14,15	
CR85RB Expert	85	2003-04	56	15	3.73	420-124	2-1456	47,49,51,55,56	5-1456	47-51,54-56				107	14,15	
CR85RB Expert	85	2005-07	55	15	3.67	420-124	2-1456	47,49,51,55,56	5-1456	47-51,54-56				107	14,15	
CL90	90	1969	45	14	3.21	428-100								207	13-15	
CM91	90	1968	40	14	2.86	428-100								207	13-15	
CT90 Trail 90	90	1969-72	45	15	3.00	428-104	2-2126	45								
CT90 Trail 90	90	1974-79	45	15	3.00	428-104	2-2126	45								
CT90 Trail 90	90	1968	45	15	3.00	428-100	2-2126	45								
EZ90 Cub	90	1991-92	35	14	2.50	428-100								207	13-15	
SL90	90	1969	46	14	3.29	428-102								207	13-15	
TRX90EX/X	90	1993-09	50	13	3.85	428-98	2-2462	48,50						223	13	
CB100	100	1970-72	40	14	2.86	428-102								207	13-15	
CL100	100	1970-72	40	14	2.86	428-104								207	13-15	
CL100S	100	1971-73	40	14	2.86	428-104								207	13-15	
CRF100F	100	2004-11	50	14	3.57	428-118	2-2311	46,50						202	13-15	
SL100	100	1969-70	44	14	3.14	428-108								207	13-15	
SL100	100	1971-72	49	14	3.50	428-110								207	13-15	
XL100	100	1974-76	49	14	3.50	428-110								207	13-15	
XL100	100	1977-78	49	14	3.50	428-112	2-2064	35						207	13-15	
XL100S	100	1979-80	45	15	3.00	428-118	2-2064	35						202	13-15	
XL100S	100	1981-85	42	15	2.80	428-108	2-2025	42						202	13-15	
XR100	100	1981-84	50	14	3.57	428-112	2-2025	42						202	13-15	
XR100R	100	1985-03	50	14	3.57	428-118	2-2311	46,50						202	13-15	
CT110 Trail 110	110	1980	45	15	3.00	428-104	2-2028	45						206	13-15	



# HONDA

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

**EXAMPLE:** APPL CODE | TEETH # 2-355943

## HONDA

MODEL	OE GEARING INFO						REAR						FRONT		Comments / Notes	
	HONDA	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth	CS Appl Code		# Teeth
CT110 Trail 110	110	1981-84	45	15	3.00	428-104	2-2028	45								
CT110 Trail 110	110	1986	45	15	3.00	428-104	2-2028	45								
CB125S	125	1973-75	40	15	2.67	428-102								207	13-15	
CB125S	125	1976	35	15	2.33	428-100								207	13-15	
CB125S	125	1978-82	35	15	2.33	428-100								207	13-15	
CB125S	125	1984	43	14	3.07	428-110	2-2064	35						207	13-15	
CB125TT	125	1990	43	14	3.07	428-122	2-2064	35						207	13-15	
CL125S	125	1973-74	43	15	2.87	428-103								207	13-15	
CR125R Elsinore	125	1979-81	51	13	3.92	520-110								303	12,13	
CR125R	125	1982	51	13	3.92	520-112								303	12,13	
CR125R	125	1983-85	51	13	3.92	520-114	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E				Black Alum RS Avail. In 48-53t
CR125R	125	1986	51	13	3.92	520-114	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E				Black Alum RS Avail. In 48-53t
CR125R	125	1987-96	51	13	3.92	520-114	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	344	12-14		Black Alum RS Avail. In 48-53t
CR125R	125	1997	49	12	4.08	520-112	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	344	12-14		Black Alum RS Avail. In 48-53t
CR125R	125	1998-99	51	13	3.92	520-114	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	344	12-14		Black Alum RS Avail. In 48-53t
CR125R	125	2000-01	52	13	4.00	520-116	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	344	12-14		Black Alum RS Avail. In 48-53t
CR125R	125	2002	51	13	3.92	520-114	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	344	12-14		Black Alum RS Avail. In 48-53t
CR125R	125	2003	52	13	4.00	520-116	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	344	12-14		Black Alum RS Avail. In 48-53t
CR125R	125	2004	53	13	4.08	520-116	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	312	12-14		Black Alum RS Avail. In 48-53t
CR125R	125	2005-07	52	13	4.00	520-116	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	312	12-14		Black Alum RS Avail. In 48-53t
CT125	125	1977	52	14	3.71	428-102	2-2064	35						207	13-15	
NX125	125	1988	56	15	3.73	428-130								207	13-15	
NX125	125	1989-90	48	15	3.20	428-126								207	13-15	
SL125	125	1971-73	49	15	3.27	428-110								207	13-15	
TL125	125	1973-75	60	15	4.00	428-120								207	13-15	
TL125S	125	1976	60	15	4.00	428-120	2-2064	35						207	13-15	
TRX125	125	1987-88	48	12	4.00	428-94	2-2462	48,50								
XL125	125	1974-75	52	15	3.47	428-118								207	13-15	
XL125	125	1976-78	52	15	3.47	428-118	2-2064	35						207	13-15	
XL125S	125	1979-82	56	14	4.00	428-124	2-2064	35						207	13-15	
XL125S	125	1984	56	14	4.00	428-124	2-2064	35						207	13-15	
CRF150F	150	2003-05	48	13	3.69	520-112	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	348	12-14		Black Alum RS Avail. In 48-53t
CRF150F	150	2006-09	47	13	3.62	520-112	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	348	12-14		Black Alum RS Avail. In 48-53t
CRF150F	150	2012	47	13	3.62	520-	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	348	12-14		Black Alum RS Avail. In 48-53t
CRF150R	150	2007-09	50	15	3.33	420-112	2-1456	47,49,51,55-56	5-1456	47-51,54-56			111	14,15		
CRF150R	150	2012	50	15	3.33	420-	2-1456	47,49,51,55-56	5-1456	47-51,54-56			111	14,15		
CRF150RB Expert	150	2007-09	56	15	3.73	420-116	2-1456	47,49,51,55-56	5-1456	47-51,54-56			111	14,15		
CRF150RB Expert	150	2012	56	15	3.73	420-	2-1456	47,49,51,55-56	5-1456	47-51,54-56			111	14,15		
ATC185	185	1980	47	11	4.27	520-90	2-3658	47						305	11,12	Use OE Dampers w/ Rear Sprocket
ATC185S	185	1981-82	41	11	3.73	520-82								305	11,12	DIRECT BOLT ON ONLY
ATC185S	185	1981-82	41	11	3.73	520-82	2-3417	41						305	11,12	Use OE Dampers w/ Rear Sprocket
ATC185S	185	1983	41	11	3.73	520-82								305	11,12	
CM185T Twinstar	185	1978-79	35	15	2.33	428-112	2-2064	35						207	13-15	
XL185S	185	1979-83	50	14	3.57	428-120	2-2064	35						207	13-15	
XR185	185	1979	58	15	3.87	428-126	2-2064	35						207	13-15	
ATC200	200	1981-82	47	11	4.27	520-90	2-3658	47						305	11,12	Use OE Dampers w/ Rear Sprocket
ATC200	200	1983	47	11	4.27	520-90								305	11,12	
ATC200M	200	1984-85	47	11	4.27	520-92								305	11,12	
ATC200S	200	1984-86	43	11	3.91	520-84								305	11,12	
ATC200X	200	1983-85	40	12	3.33	520-88	2-3017	40						303	12,13	
ATC200X	200	1986-87	38	13	2.92	520-86	2-3392	38						338	12-14	
CM200T Twinstar	200	1980-82	35	15	2.33	428-112	2-2064	35						207	13-15	
TLR200 Reflex	200	1986-87	44	13	3.38	520-96								306	12-14	
TR200 Fatcat	200	1986-87	39	13	3.00	520-100								338	12-14	
TRX200 Fourtrax	200	1990-91	42	12	3.50	520-88	2-3462	42						339	12	
TRX200D Fourtrax Type II	200	1991-97	42	12	3.50	520-88	2-3462	42						339	12	



# HONDA

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

EXAMPLE: APPL CODE | TEETH # 2-35943

## HONDA

MODEL	OE GEARING INFO						REAR					FRONT		Comments / Notes	
	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth	CS Appl Code		# Teeth
TRX200SX	200	1986-88	42	12	3.50	520-80							339	12	
XL200R	200	1983-84	45	13	3.46	520-104							306	12-14	
XR200	200	1980-84	50	13	3.85	520-102	2-3079	50					306	12-14	
XR200R	200	1981-83	50	13	3.85	520-106							306	12-14	
XR200R	200	1984	50	13	3.85	520-108	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	306	12-14	Black Alum RS Avail. In 48-52t
XR200R	200	1985	50	13	3.85	520-108	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	303	12,13	Black Alum RS Avail. In 48-52t
XR200R	200	1986-03	47	13	3.62	520-108	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	306	12-14	Black Alum RS Avail. In 48-52t
CRF230F	230	2003-09	50	13	3.85	520-110	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	348	12-14	Black Alum RS Avail. In 48-53t
CRF230F	230	2012	50	13	3.85	520-	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	348	12-14	Black Alum RS Avail. In 48-53t
CRF230L	230	2008-09	39	13	3.00	520-100	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	348	12-14	Black Alum RS Avail. In 48-53t
CRF230M	230	2009-10	39	13	3.00	520-100	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	348	12-14	Black Alum RS Avail. In 48-53t
ATC250R	250	1983-84	42	13	3.23	520-90							309	13-15	
ATC250R	250	1985	39	13	3.00	520-96	2-3459	39					309	13-15	
ATC250R	250	1986	39	13	3.00	520-96	2-3465	36-40	5-3465	36-40			309	13-15	
CB250 Nighthawk	250	1991-08	33	14	2.36	520-106	2-3082	33					307	14,15	
CM250C	250	1982	32	14	2.29	520-104	2-3082	33					307	14,15	
CMX250 Rebel	250	1985-87	33	14	2.36	520-106	2-3079	33					307	14,15	
CMX250/C Rebel	250	1996-09	33	14	2.36	520-106	2-3079	33					307	14,15	
CMX250C	250	2012	33	14	2.36	520-108	2-3079	33					307	14,15	
CR250R Elisimore	250	1981	54	14	3.86	520-114							309	13-15	
CR250R	250	1982-83	54	14	3.86	520-114							309	13-15	
CR250R	250	1984-85	51	14	3.64	520-114	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	309	13-15	Black Alum RS Avail. In 48-53t
CR250R	250	1986	51	14	3.64	520-114	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	340	14	Black Alum RS Avail. In 48-53t
CR250R	250	1987	53	14	3.79	520-114	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	340	14	Black Alum RS Avail. In 48-53t
CR250R	250	1988-91	51	14	3.64	520-116	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	347	12-15	Black Alum RS Avail. In 48-53t
CR250R	250	1992-93	49	13	3.77	520-112	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	347	12-15	Black Alum RS Avail. In 48-53t
CR250R	250	1994-95	49	13	3.77	520-114	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	347	12-15	Black Alum RS Avail. In 48-53t
CR250R	250	1996-01	50	13	3.85	520-114	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	347	12-15	Black Alum RS Avail. In 48-53t
CR250R	250	2002-03	48	13	3.69	520-114	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	347	12-15	Black Alum RS Avail. In 48-53t
CR250R	250	2004	50	13	3.85	520-114	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	347	12-15	Black Alum RS Avail. In 48-53t
CR250R	250	2005-07	49	13	3.77	520-114	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	347	12-15	Black Alum RS Avail. In 48-53t
CRF250R	250	2004-09	51	13	3.92	520-114	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	312	12-14	Black Alum RS Avail. In 48-53t
CRF250R	250	2010	48	13	3.69	520-116	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	312	12-14	Black Alum RS Avail. In 48-53t
CRF250R	250	2011-12	49	13	3.77	520-116	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	312	12-14	Black Alum RS Avail. In 48-53t
CRF250X	250	2006-09	53	14	3.77	520-114	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	312	12-14	Black Alum RS Avail. In 48-53t
CRF250X	250	2012	53	14	3.77	520-	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	312	12-14	Black Alum RS Avail. In 48-53t
NX250	250	1988-90	41	13	3.15	520-102	2-3589	41,48,53							
TRX250R Fourtrax	250	1986-87	39	13	3.00	520-96	2-3465	36-40	5-3465	36-40			309	13-15	
TRX250R Fourtrax	250	1988-89	38	13	2.92	520-92	2-3465	36-40	5-3465	36-40			309	13-15	
TRX250X Fourtrax	250	1987-88	38	13	2.92	520-86	2-3465	36-40	5-3465	36-40			338	12-14	
TRX250X Fourtrax	250	1991-92	38	13	2.92	520-86	2-3465	36-40	5-3465	36-40			338	12-14	
VTR250 Interceptor	250	1988	45	14	3.21	520-104	2-3589	41,48,53							
XL250	250	1972	48	15	3.20	520-102							319	14	
XL250	250	1974-76	48	15	3.20	520-102							319	14	
XL250R	250	1982-83	47	14	3.36	520-102	2-3589	41,48,53					320	13-15	
XL250R	250	1984-87	40	13	3.08	520-102							303	12,13	
XL250S	250	1978-81	53	14	3.79	520-102	2-3589	41,48,53					319	14	
XR250	250	1979-80	53	13	4.08	520-102	2-3589	41,48,53							
XR250L	250	1991-96	40	13	3.08	520-104							348	12-14	
XR250R	250	1981-82	53	13	4.08	520-106	2-3589	41,48,53							
XR250R	250	1984-85	50	13	3.85	520-108	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	303	12,13	Black Alum RS Avail. In 48-52t
XR250R	250	1986-87	48	13	3.69	520-108	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	303	12,13	Black Alum RS Avail. In 48-52t
XR250R	250	1988-89	48	13	3.69	520-108	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	348	12-14	Black Alum RS Avail. In 48-52t
XR250R	250	1990-95	48	13	3.69	520-108	2-3565	45,48,49	5-3565	48			348	12-14	
XR250R	250	1996-04	48	13	3.69	520-108	2-3559	39,43,45,47-53	5-3559	43-55	8-3559	48E-52E	361	13	Black Alum RS Avail. In 48-53t
TRX300EX Fourtrax	300	1993-08	38	13	2.92	520-86	2-3465	36-40	5-3465	36-40			338	12-14	



# HONDA

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

**EXAMPLE:** APPL CODE | TEETH # 2-355943

## HONDA

MODEL	OE GEARING INFO						REAR				FRONT		Comments / Notes			
	HONDA	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code		# Teeth	CS Appl Code	# Teeth
TRX300X	300	2009	38	13	2.92	520-86		2-3465	36-40	5-3465	36-40			338	12-14	
ATC350X	350	1985	40	13	3.08	520-90		2-3368	40					336	13,14	
ATC350X	350	1986	40	13	3.08	520-90								336	13,14	
CB350	350	1969-72	36	16	2.25	530-94								508	16,17	
CB350F	350	1972	38	17	2.24	530-96								508	16,17	
CB350F	350	1974	38	17	2.24	530-96								508	16,17	
CB350G	350	1973	36	16	2.25	530-94								508	16,17	
CL350	350	1968-73	38	16	2.38	530-96								508	16,17	
SL350	350	1970	40	16	2.50	530-98								508	16,17	
SL350	350	1971	40	16	2.50	520-100								319	14	
SL350	350	1972-73	42	16	2.63	520-100								319	14	
XL350	350	1974-78	45	15	3.00	530-100								508	16,17	
XL350R	350	1984-85	40	14	2.86	520-102	2-3592	40,42-45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	302	14	Black Alum RS Avail. In 48-52t	
XR350R	350	1983-84	42	14	3.00	520-104	2-3592	40,42-45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	302	14	Black Alum RS Avail. In 48-52t	
XR350R	350	1985	42	14	3.00	520-106	2-3592	40,42-45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	336	13,14	Black Alum RS Avail. In 48-52t	
CB360	360	1973	34	16	2.13	530-94								508	16,17	
CB360G	360	1974	34	16	2.13	530-94								508	16,17	
CB360T	360	1975-76	34	16	2.13	530-94								508	16,17	
CJ360T	360	1976-77	33	16	2.06	530-98								508	16,17	
CL360	360	1974-75	34	16	2.13	530-94								508	16,17	
CB400A Automatic	400	1978	37	16	2.31	530-100	2-5178	35						508	16,17	
CB400F	400	1975-77	38	17	2.24	530-96								508	16,17	
CB400F CB-1	400	1989-90	41	15	2.73	525-104	2-4329	44								
CB400T Hawk	400	1980-81	37	16	2.31	530-100	2-5178	35						508	16,17	
CB400T Hawk I	400	1978-79	37	16	2.31	530-100	2-5178	35						508	16,17	
CB400T Hawk II	400	1978-79	37	16	2.31	530-100	2-5178	35						508	16,17	
CM400A	400	1979-81	35	16	2.19	530-102	2-5178	35						508	16,17	
CM400C	400	1981	35	16	2.19	530-102	2-5178	35						508	16,17	
CM400E	400	1980-81	35	16	2.19	530-102	2-5178	35						508	16,17	
CM400T	400	1979-81	35	16	2.19	530-102	2-5178	35						508	16,17	
NS400R	400	1986	40	16	2.50	530-108								515	15	
TRX400EX	400	1999-04	38	15	2.53	520-92	2-3465	36-40	5-3465	36-40				362	13-16	
TRX400EX	400	2005-08	39	14	2.79	520-92	2-3465	36-40	5-3465	36-40				356	13-15	
TRX400X	400	2009	39	14	2.79	520-92	2-3465	36-40	5-3465	36-40				356	13-15	
TRX400X	400	2012	39	14	2.79	520-94	2-3465	36-40	5-3465	36-40				356	13-15	
XR400R	400	1996-04	45	15	3.00	520-108	2-3559	39,43-45,47-53	5-3559	43-55	8-3559	48E-52E	362	13-16	Black Alum RS Avail. In 48-53t	
CB450	450	1968-74	35	15	2.20	530-92								504	15	
CB450SC	450	1982-83	36	17	2.12	530-106	2-5332	36,44						508	16,17	
CB450SC	450	1985-86	36	17	2.12	530-106	2-5332	36,44						508	16,17	
CB450T Hawk	450	1982	36	16	2.25	530-100	2-5178	35						508	16,17	
CL450	450	1969-72	35	17	2.06	530-92								504	15	
CL450	450	1973-74	35	16	2.19	530-92								504	15	
CM450A Automatic	450	1982	34	17	2.00	530-102	2-5178	35						508	16,17	
CM450A	450	1983	34	17	2.00	530-102	2-5332	36,44						508	16,17	
CM450C	450	1982	34	17	2.00	530-102	2-5178	35						508	16,17	
CM450E	450	1973-74	34	17	2.00	530-102	2-5178	35						508	16,17	
CM450E	450	1982-83	34	17	2.00	530-102	2-5178	35						508	16,17	
CMX450C	450	1986-87	37	17	2.18	525-112								405	17	
CR450R	450	1981	54	14	3.86	520-116								309	13-15	
CRF450R	450	2002-03	50	13	3.85	520-114	2-3559	39,43-45,47-53	5-3559	43-55	8-3559	48E-52E	347	12-15	Black Alum RS Avail. In 48-53t	
CRF450R	450	2004-12	48	13	3.69	520-114	2-3559	39,43-45,47-53	5-3559	43-55	8-3559	48E-52E	347	12-15	Black Alum RS Avail. In 48-53t	
CRF450X	450	2005-09	51	13	3.92	520-114	2-3559	39,43-45,47-53	5-3559	43-55	8-3559	48E-52E	347	12-15	Black Alum RS Avail. In 48-53t	
CRF450X	450	2012	51	13	3.92	520-	2-3559	39,43-45,47-53	5-3559	43-55	8-3559	48E-52E	347	12-15	Black Alum RS Avail. In 48-53t	
TRX450R	450	2004-05	38	14	2.71	520-94	2-3465	36-40	5-3465	36-40				347	12-15	
TRX450R	450	2006-12	38	13	2.92	520-96	2-3465	36-40	5-3465	36-40				347	12-15	
CR480	480	1982-83	54	14	3.86	520-118								309	13-15	

# HONDA

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

**EXAMPLE:** APPL CODE | TEETH # 2-355943

## HONDA

MODEL	OF GEARING INFO						REAR				FRONT		Comments / Notes		
	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth		CS Appl Code	# Teeth
CR500	500	1984-85	51	14	3.64	520-116	2-3559	39,43-45,47-53	3-3559	43-55	8-3559	48E-52E	309	13-15	Black Alum RS Avail. In 48-53t
CR500R	500	1986-87	51	14	3.64	520-116	2-3559	39,43-45,47-53	3-3559	43-55	8-3559	48E-52E	340	14	Black Alum RS Avail. In 48-53t
CR500R	500	1988-91	51	14	3.64	520-116	2-3559	39,43-45,47-53	3-3559	43-55	8-3559	48E-52E	347	12-15	Black Alum RS Avail. In 48-53t
CR500R	500	1992-01	49	14	3.50	520-114	2-3559	39,43-45,47-53	3-3559	43-55	8-3559	48E-52E	347	12-15	Black Alum RS Avail. In 48-53t
VF500C V30 Magna	500	1984-85	44	15	2.93	530-108	2-5332	36,44					515	15	
VF500F Interceptor	500	1984-85	44	15	2.93	530-108	2-5332	36,44					515	15	
VF500F Interceptor	500	1986	43	15	2.87	530-108	2-5332	36,44					515	15	
XL500R	500	1982	43	15	2.87	520-100	2-3589	41,48,53					320	13-15	
XL500S	500	1979-81	41	14	2.93	520-96	2-3589	41,48,53					320	13-15	
XR500	500	1979-80	48	14	3.43	520-100	2-3589	41,48,53					320	13-15	
XR500R	500	1981-82	48	14	3.43	520-104	2-3589	41,48,53					320	13-15	
XR500R	500	1983-84	48	14	3.43	520-104	2-3592	40,42-45,47-52	3-3592	43-45,47-54	8-3592	48E-52E	320	13-15	Black Alum RS Avail. In 48-52t
CB550	550	1974-78	37	17	2.18	530-100	2-5407	37					507	17,18	
CB550F	550	1975-77	37	17	2.18	530-110	2-5407	37					507	17,18	
CB600F CB 599	600	2004-06	42	15	2.80	525-112	2-4483	39,41-45					412	14,15	
CBR600F Hurricane	600	1987-90	44	15	2.93	530-110	2-5332	36,44					520	14,15	
CBR600F2	600	1991-94	43	15	2.87	530-108	2-5486	41,43-45					520	14,15	
CBR600F3	600	1995-96	43	15	2.87	530-108	2-5486	41,43-45					520	14,15	
CBR600 SJR	600	1996	43	15	2.87	530-108	2-5486	41,43-45					520	14,15	
CBR600F3	600	1997-98	43	15	2.87	525-108	2-4483	39,41-45					412	14,15	
CBR600F4	600	1999-00	45	16	2.81	525-108	2-4483	39,41-45					411	15,16	
CBR600F4I	600	2001-06	46	16	2.88	525-108	2-4633	41-44,46					411	15,16	
CBR600F4I	600	2001-06	46	16	2.88	525-108			3-3626	40-49			392	14-16	525>520 Conv.
CBR600RR	600	2003-06	43	16	2.88	525-112	2-4633	41-44,46					411	15,16	
CBR600RR	600	2003-06	43	16	2.88	525-112			3-3626	40-49			392	14-16	525>520 Conv.
CBR600RR	600	2007-11	42	16	2.63	525-112	2-4633	41-44,46					411	15,16	
CBR600RR	600	2007-11	42	16	2.63	525-112			3-3626	40-49			392	14-16	525>520 Conv.
CBR600SE	600	1997-98	43	15	2.87	525-108	2-4483	39,41-45					412	14,15	
VT600C Shadow VLX	600	1988	44	16	2.75	525-120	2-4329	44					407	15,16	
VT600C Shadow VLX	600	1989-07	44	16	2.75	525-120	2-4329	44					407	15,16	
VT600CD Shadow Deluxe	600	1989-07	44	16	2.75	525-120	2-4329	44					407	15,16	
XL600R	600	1983-87	43	15	2.87	520-104	2-3589	41,48,53					320	13-15	
XL600V Transalp	600	1988-90	47	15	3.13	525-118							407	15,16	
XR600R	600	1985-87	48	14	3.43	520-110	2-3592	40,42-45,47-52	3-3592	43-45,47-54	8-3592	48E-52E	320	13-15	Black Alum RS Avail. In 48-52t
XR600R	600	1988-90	50	14	3.57	520-112							320	13-15	
XR600R	600	1991-00	48	14	3.43	520-110	2-3565	45,48,49	3-3565	48			356	13-15	
CB650	650	1979	40	16	2.50	530-102	2-5323	38,40,43,45,48					505	17	
CB650	650	1980-81	40	16	2.50	530-104	2-5323	38,40,43,45,48					505	17	
CB650	650	1982	39	17	2.29	530-102	2-5323	38,40,43,45,48					505	17	
CB650C Custom	650	1980-81	39	16	2.44	530-104	2-5323	38,40,43,45,48					505	17	
CB650SC Nighthawk	650	1982	38	17	2.24	530-88	2-5323	38,40,43,45,48					505	17	
NT650 Hawk GT	650	1988-91	44	16	2.75	525-112							407	15,16	
NX650	650	1988	45	15	3.00	520-108							320	13-15	
XR650L	650	1993-09	45	15	3.00	520-110	2-3565	45,48,49	3-3565	48			356	13-15	
XR650L	650	2012	45	15	3.00	520-120	2-3565	45,48,49	3-3565	48			356	13-15	
XR650R	650	2000-07	48	14	3.43	520-110	2-3559	39,43-45,47-53	3-3559	43-55	8-3559	48E-52E	379	14,15	Black Alum RS Avail. In 48-53t
TRX700XX	700	2008-09	37	14	2.64	520-							347	12-15	
VF700F Interceptor	700	1984-85	44	16	2.75	530-110	2-5338	40,42,44					512	16-18	
VFR700F Interceptor	700	1986-87	45	16	2.81	530-110	2-5338	40,42,44					512	16-18	
CB750	750	1969	45	17	2.65	530-100	2-5323	38,40,43,45,48					507	17,18	
CB750	750	1970	48	17	2.82	530-100	2-5323	38,40,43,45,48					507	17,18	
CB750	750	1972-76	48	18	2.67	530-100	2-5323	38,40,43,45,48					507	17,18	
CB750 Nighthawk	750	1991-03	38	15	2.53	525-110	2-4335	38					410	15	
CB750A	750	1976	48	17	2.82	530-104	2-5323	38,40,43,45,48					507	17,18	
CB750A	750	1977-78	42	15	2.80	630-88	2-5323	38,40,43,45,48					507	17,18	630>530 Conv.
CB750C Custom	750	1980-82	43	18	2.39	530-106	2-5323	38,40,43,45,48					512	16-18	





# HONDA

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

**EXAMPLE:** APPL CODE | TEETH # 2-355943

## HONDA

MODEL	OE GEARING INFO						REAR				FRONT		Comments / Notes		
	HONDA	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code		# Teeth	CS Appl Code
CB750F	750	1975-76	48	17	2.82	530-102	2-5323	38,40,43,45,48					507	17,18	
CB750F Supersport	750	1977-78	43	14	3.07	630-88	2-5323	38,40,43,45,48							630>530 Conv.
CB750F Supersport	750	1979	38	15	2.53	630-90	2-5338	40,42,44					512	16-18	630>530 Conv.
CB750F Supersport	750	1980-82	46	18	2.56	530-108	2-5338	40,42,44					512	16-18	
CB750K	750	1977-78	41	15	2.73	630-88	2-5323	38,40,43,45,48							630>530 Conv.
CB750K	750	1979	38	15	2.53	630-90	2-5323	38,40,43,45,48					512	16-18	630>530 Conv.
CB750K	750	1980-82	46	18	2.56	530-108	2-5323	38,40,43,45,48					512	16-18	
CB750L Limited	750	1979	38	15	2.53	630-90	2-5323	38,40,43,45,48					512	16-18	630>530 Conv.
CB750SC Nighthawk	750	1982-83	43	18	2.39	530-98	2-5338	40,42,44					512	16-18	
VF750C Magna	750	1994-03	40	16	2.50	530-118	2-5338	40,42,44					522	15,16	
VF750CD Magna Deluxe	750	1995-00	40	16	2.50	530-118	2-5338	40,42,44					522	15,16	
VF750F Interceptor	750	1983-84	44	17	2.59	530-110	2-5338	40,42,44					512	16-18	
VFR750F Interceptor	750	1986	45	16	2.81	530-110	2-5338	40,42,44					512	16-18	
VFR750F Interceptor	750	1990-97	43	16	2.69	530-112	2-5694	43					522	15,16	
VT750 Shadow (all)	750	1998-07	41	17	2.41	525-122	2-4483	39,41,45					418	17	
VT750RS Shadow	750	2010-11	38	17	2.24	525-112	2-4483	39,41,45					418	17	
VFR800FI	800	1998-01	43	17	2.53	530-120	2-5694	43					512	16-18	
VFR800FI/ABS	800	2002-09	43	16	2.69	530-120	2-5695	43					512	16-18	
CB900F CB919	900	2002-07	43	16	2.69	530-114	2-5486	41,43,45					522	15,16	
CB900F	900	1981-82	44	17	2.59	530-106	2-5338	40,42,44					512	16-18	
CBR900RR	900	1993-95	43	16	2.69	530-108	2-5486	41,43,45					522	15,16	
CBR900RR	900	1996-99	43	16	2.69	525-108	2-4483	39,41,45					411	15,16	
CBR929RR	929	2000-01	43	16	2.69	530-116	2-5635	40-43					522	15,16	
CBR929RR	929	2000-01	43	16	2.69	530-116			5-3626	40-49			393	15,16	530>520 Conv.
CBR954RR	954	2002-03	43	16	2.69	530-116	2-5635	40-43					522	15,16	
CBR954RR	954	2002-03	43	16	2.69	530-116			5-3626	40-49			393	15,16	530>520 Conv.
CB1000	1000	1994-95	42	17	2.47	530-120	2-5338	40,42,44					512	16-18	
CBR1000F Hurricane	1000	1987-88	43	17	2.53	530-114	2-5338	40,42,44					512	16-18	
CBR1000F Hurricane	1000	1990-91	42	17	2.47	530-114	2-5338	40,42,44					512	16-18	
CBR1000F	1000	1993-96	42	17	2.47	530-120	2-5338	40,42,44					512	16-18	
CBR1000RR	1000	2004-05	41	16	2.56	530-114	2-5635	40-43					522	15,16	
CBR1000RR	1000	2004-05	41	16	2.56	530-114			5-3626	40-49			393	15,16	530>520 Conv.
CBR1000RR	1000	2006-07	42	16	2.63	530-114	2-5635	40-43					522	15,16	
CBR1000RR	1000	2006-07	42	16	2.63	530-114			5-3626	40-49			393	15,16	530>520 Conv.
CBR1000RR	1000	2008-11	42	16	2.63	530-116	2-5635	40-43					522	15,16	
CBR1000RR	1000	2008-11	42	16	2.63	530-116			5-3626	40-49			393	15,16	530>520 Conv.
RVT1000 RC51	1000	2000-06	40	16	2.50	530-104	2-5635	40-43					522	15,16	
RVT1000 RC51	1000	2000-06	40	16	2.50	530-104			5-3626	40-49			393	15,16	530>520 Conv.
VF1000F Interceptor	1000	1984	43	17	2.53	530-110	2-5338	40,42,44					512	16-18	
VF1000R	1000	1985-86	44	17	2.59	530-110	2-5338	40,42,44					512	16-18	
VTR1000F Super Hawk	1000	1998-05	41	16	2.56	530-120	2-5486	41,43,45					522	15,16	
CB1100F	1100	1983	42	17	2.47	530-104	2-5338	40,42,44					512	16-18	
CBR1100XX	1100	1997-98	45	17	2.65	530-110	2-5486	41,43,45					529	17	
CBR1100XX	1100	1999-04	45	17	2.65	530-110	2-5486	41,43,45					529	17	
CBX 1100	1100	1979-80	42	18	2.33	530-102	2-5338	40,42,44							
CBX 1100	1100	1981-82	42	18	2.33	530-108	2-5338	40,42,44							

# HUSABERG

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

**EXAMPLE:** APPL CODE | TEETH # 2-355943

## HUSABERG

MODEL	OE GEARING INFO						REAR					FRONT		Comments / Notes	
	HUSABERG	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth		CS Appl Code
TE250	250	2011-12	50	13	3.85	520-118	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
TE300	300	2011-12	50	13	3.85	520-118	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
FC350 4-Speed	350	2000-01	44	15	2.93	520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FC350 6-Speed	350	2000-01	48	15	3.20	520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FE350	350	1996-01	48	14	3.43	520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FE390	390	2010-12	52	13	4.00	520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
FC400 4-Speed	400	2000-01	44	15	2.93	520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FC400 6-Speed	400	2000-03	48	15	3.20	520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FE400	400	2000-03	48	14	3.43	520-114	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FC450	450	2004-06	48	13	3.69	520-116	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FE450	450	2004-08	48	14	3.43	520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FE450	450	2009-12	52	13	4.00	520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
FX450	450	2010-12	52	13	4.00	520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
FC470	470	2002	48			520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FC470 6-Speed	470	2002	48			520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FX470	470	2002	48			520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FC501 4-Speed	501	2000-01	44	15	2.93	520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FC501 6-Speed	501	2000-01	48	15	3.20	520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FE501	501	2000-02	48	14	3.43	520-114	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FE501E	501	2003-04	48	15	3.20	520-116	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FC550 4-Speed	550	2003-04	42	15	2.80	520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FC550	550	2005-06	48	14	3.43	520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FE550	550	2004-08	48	15	3.20	520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FE570	570	2009-12	52	13	4.00	520-118	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
FS570 Supermoto	570	2010	38	14	2.71	520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
FC600 4-Speed	600	2000-01	44	15	2.93	520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FC600 6-Speed	600	2000-01	48	15	3.20	520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FE600	600	2000-03	48	14	3.43	520-114	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FE650	650	2003-08	45	15	3.00	520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FS650C	650	2005-08	40	15	2.67	520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FS650E	650	2003-08	40	15	2.67	520	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t
FS650SM	650	2004	40	15	2.67	520-112	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E			Black Alum RS Avail. In 48-53t

# HUSQVARNA

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

**EXAMPLE:** APPL CODE | TEETH # 2-355943

## HUSQVARNA

MODEL	OF GEARING INFO						REAR				FRONT		Comments / Notes		
	HUSQVARNA	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code		# Teeth	CS Appl Code
CR125	125	1990-94	52	12	4.33	520-116	2-3631	42,43,45,47-52							
CR125	125	1995-09	50	13	3.85	520-118	2-3631	42,43,45,47-52							
CR125	125	2010-11	50	13	3.85	520-112	2-3631	42,43,45,47-52							
SM125	125	1999-08	50	13	3.85	520-	2-3631	42,43,45,47-52							
SMS125	125	2001-10	49	14	3.50	520-	2-3631	42,43,45,47-52							
WR125	125	1995-97	52	13	4.00	520-116	2-3631	42,43,45,47-52							
WR125	125	1998-11	50	13	3.85	520-114	2-3631	42,43,45,47-52							
WR125E	125	1999-11	52	13	4.00	520-	2-3631	42,43,45,47-52							
CR250	250	1992-94	48	14	3.43	520-120	2-3631	42,43,45,47-52							
CR250	250	1995-97	48	13	3.69	520-120	2-3631	42,43,45,47-52							
CR250	250	1999	50	15	3.33	520-	2-3631	42,43,45,47-52					383	13-15	
CR250	250	2000-05	48	13	3.69	520-	2-3631	42,43,45,47-52					383	13-15	
TC250	250	2002-03	50	14	3.57	520-	2-3631	42,43,45,47-52					383	13-15	
TC250	250	2004-05	50	13	3.85	520-	2-3631	42,43,45,47-52					383	13-15	
TC250	250	2006-09	50	12	4.17	520-114	2-3631	42,43,45,47-52					383	13-15	
TC250	250	2010-11	50	13	3.85	520-112	2-3631	42,43,45,47-52							
TE250	250	2002-03	50	14	3.57	520-	2-3631	42,43,45,47-52					383	13-15	
TE250	250	2004-11	50	13	3.85	520-	2-3631	42,43,45,47-52					383	13-15	
TXC250	250	2008-11	50	13	3.85	520-	2-3631	42,43,45,47-52					383	13-15	
WR250	250	2006-11	48	13	3.69	520-112	2-3631	42,43,45,47-52					383	13-15	
WR250E	250	1992-98	48	14	3.43	520-112	2-3631	42,43,45,47-52							
WR250E	250	1999-09	48	13	3.69	520-	2-3631	42,43,45,47-52					383	13-15	
WR300	300	2009-10	48	13	3.69	520-112	2-3631	42,43,45,47-52					383	13-15	
TE310	310	2009-11	50	13	3.85	520-	2-3631	42,43,45,47-52					383	13-15	
TE350	350	1990-95	51	15	3.40	520-120	2-3631	42,43,45,47-52					383	13-15	
CR360	360	1992-94	48	13	3.69	520-116	2-3631	42,43,45,47-52							
WR360	360	1992-98	48	13	3.69	520-116	2-3631	42,43,45,47-52							
WR360	360	1999-02	48	15	3.20	520-	2-3631	42,43,45,47-52							
TE400	400	2001-02	50	15	3.33	520-	2-3631	42,43,45,47-52					383	13-15	
TE410	410	1995-00	48	15	3.20	520-	2-3631	42,43,45,47-52					383	13-15	
SM-R 450	450	2003-04	45	15	3.00	520-	2-3631	42,43,45,47-52					383	13-15	
SM-R 450	450	2005	42	15	2.80	520-	2-3631	42,43,45,47-52					383	13-15	
SM-RR 450	450	2008-09	42	13	3.23	520-106	2-3631	42,43,45,47-52					383	13-15	
TC450	450	2002-10	50	14	3.57	520-116	2-3631	42,43,45,47-52					383	13-15	
TE450	450	2002-06	50	15	3.33	520-116	2-3631	42,43,45,47-52					383	13-15	
TE450	450	2007-10	47	13	3.62	520-112	2-3631	42,43,45,47-52					383	13-15	
TXC450	450	2008-11	47	13	3.62	520-	2-3631	42,43,45,47-52					383	13-15	
SM-R 510	510	2005	42	16	2.63	520-	2-3631	42,43,45,47-52					383	13-15	
SM-R 510	510	2006-09	42	15	2.80	520-110	2-3631	42,43,45,47-52					383	13-15	
TC510	510	2005	47	14	3.36	520-114	2-3631	42,43,45,47-52					383	13-15	
TC510	510	2006	50	14	3.57	520-114	2-3631	42,43,45,47-52					383	13-15	
TC510	510	2007-10	47	14	3.36	520-116	2-3631	42,43,45,47-52					383	13-15	
TE510	510	2006-10	47	13	3.62	520-116	2-3631	42,43,45,47-52					383	13-15	
TXC510	510	2009-11	47	13	3.62	520-	2-3631	42,43,45,47-52					383	13-15	
SM-R 570	570	2001-04	48	16	3.00	520-	2-3631	42,43,45,47-52					383	13-15	
TC570	570	2001-03	52	14	3.71	520-	2-3631	42,43,45,47-52					383	13-15	
TE570	570	2001-04	48	17	2.82	520-	2-3631	42,43,45,47-52					383	13-15	
SM610	610	2008-09	43	15	2.87	520-112	2-3631	42,43,45,47-52					383	13-15	
SMS 610	610	2000-08	45	16	2.81	520-114	2-3631	42,43,45,47-52					383	13-15	
TC610	610	1991-97	52	12	4.33	520-120	2-3631	42,43,45,47-52					383	13-15	
TC610	610	1998	52	13	4.00	520-120	2-3631	42,43,45,47-52					383	13-15	
TC610	610	1999-00	52	14	3.71	520-120	2-3631	42,43,45,47-52					383	13-15	
TE610	610	1991-01	48	17	2.82	520-120	2-3631	42,43,45,47-52					383	13-15	
TE610	610	2008-09	45	15	3.00	520-114	2-3631	42,43,45,47-52					383	13-15	
TE610E	610	1999-07	45	15	3.00	520-	2-3631	42,43,45,47-52					383	13-15	
TE630	630	2010-11	38	15	2.53	520-112	2-3631	42,43,45,47-52					383	13-15	



# KAWASAKI

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

**EXAMPLE:** APPL CODE | TEETH # 2-355943

## KAWASAKI

MODEL	OE GEARING INFO						REAR					FRONT		Comments / Notes		
	KAWASAKI	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth		CS Appl Code	# Teeth
KDX50	50	2003-06	28	13	2.15	420-78	2-1006	28						101	11-14	
KX60	60	1983-03	44	13	3.38	420-104	2-1432	44						104	12-15	
KX65	65	2000-01	46	13	3.54	420-108	2-1455	47,48	5-1455	45,46,47,48				104	12-15	
KX65	65	2002-12	47	13	3.38	420-110	2-1455	47,48	5-1455	45,46,47,48				104	12-15	
KV75-A	75	1976-80	33	13	2.54	420-88								101	11-14	
MT1-75	75	1971-72	33	13	2.54	420-88								101	11-14	
MT1-75	75	1974-75	33	13	2.54	420-88								101	11-14	
AR80-A	80	1982	43	15	2.87	420-114								109	13-15	
KD80	80	1975	36	13	2.77	428-86								203	12-16	
KD80	80	1976	39	14	2.79	428-98								203	12-16	
KD80	80	1980-87	39	14	2.79	428-98								203	12-16	
KD80	80	1988-90	34	15	2.27	420-102								109	13-15	
KDX80	80	1980-83	50	14	3.57	420-110								104	12-15	
KDX80	80	1984-88	48	14	3.43	420-118	2-1432	44						104	12-15	
KSF80 KFX80	80	2003-06	22	10	2.20	520-36	2-3014	22						354	10	
KX80	80	1979-80	48	14	3.43	420-112								104	12-15	
KX80	80	1981-82	50	14	3.57	420-120								104	12-15	
KX80	80	1983	49	14	3.50	420-118	2-1432	44						104	12-15	
KX80	80	1984-85	50	14	3.57	420-118	2-1432	44						104	12-15	
KX80	80	1986-87	49	13	3.77	420-120	2-1423	48-54	5-1423	49-53				104	12-15	
KX80	80	1988	48	13	3.69	420-120	2-1423	48-54	5-1423	49-53				104	12-15	
KX80	80	1989-90	49	13	3.77	420-120	2-1423	48-54	5-1423	49-53				104	12-15	
KX80	80	1991-97	49	13	3.77	420-118	2-1423	48-54	5-1423	49-53				104	12-15	
KX80	80	1998-00	50	14	3.57	420-120	2-1423	48-54	5-1423	49-53				104	12-15	
KX85	85	2001-12	50	14	3.57	420-120	2-1423	48-54	5-1423	49-53				104	12-15	
G3SS	90	1969-75	37	14	2.64	428-106								203	12-16	
G3TR	90	1969-71	42	14	3.00	428-110								203	12-16	
MC1	90	1973-75	36	14	2.57	428-96								203	12-16	
MC1M	90	1974-75	36	14	2.57	428-96								203	12-16	
G31M Centurion	100	1970-71	50	14	3.57	428-100								203	12-16	
G5	100	1973-75	42	15	2.80	428-110								203	12-16	
KD100M	100	1976-79	36	14	2.57	428-96								203	12-16	
KE100	100	1976-81	42	15	2.80	428-110								203	12-16	
KE100	100	1982-01	40	15	2.67	428-112								203	12-16	
KH100	100	1976-77	37	14	2.64	428-110								203	12-16	
KM100	100	1976-81	36	14	2.57	428-96								203	12-16	
KX100	100	1995-97	54	13	4.15	420-124	2-1423	48-54	5-1423	49-53				104	12-15	
KX100	100	1998-12	51	13	3.92	420-124	2-1423	48-54	5-1423	49-53				104	12-15	
KLX110	110	2002	37	14	2.64	420-88	2-1037	32-34,35,38						109	13-15	
KLX110	110	2003-09	33	14	2.36	420-88	2-1037	32-34,35,38						109	13-15	
KLX110 / L	110	2010-12	38	13	2.92	420-90	2-1037	32-34,35,38						109	13-15	
C2SS Roadrunner	120	1967	32	14	2.29	428-104								203	12-16	
C2TR	120	1967	32	14	2.29	428-104								203	12-16	
F6	125	1971-73	55	14	3.93	428-118								203	12-16	
KD125	125	1975-79	50	14	3.57	428-118								203	12-16	
KE125	125	1976-86	50	14	3.57	428-118								203	12-16	
KLX125	125	2003-06	51	14	3.64	428-130	2-2449	51,57						220	14,16	
KLX125-L	125	2003-06	57	14	4.07	428-134	2-2449	51,57						220	14,16	
KS125	125	1974-75	50	14	3.57	428-118								203	12-16	
KX125	125	1974-76	60	14	4.29	428-124								203	12-16	
KX125	125	1978	63	14	4.50	428-130								301	11-13	MUST USE 520 CHAIN
KX125	125	1979	60	14	4.29	428-134								301	11-13	MUST USE 520 CHAIN
KX125	125	1980	52	12	4.33	520-118								301	11-13	
KX125	125	1981	53	12	4.42	520-118								301	11-13	
KX125	125	1982	51	13	3.92	520-114	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	301	11-13	Black Alum RS Avail. In 48-52t	
KX125	125	1983	50	12	4.17	520-114	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	301	11-13	Black Alum RS Avail. In 48-52t	

# KAWASAKI

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

EXAMPLE: APPL CODE | TEETH # 2-355943

## KAWASAKI

MODEL	OF GEARING INFO						REAR					FRONT		Comments / Notes		
	KAWASAKI	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth		CS Appl Code	# Teeth
KX125	125	1984	50	12	4.17	520-112								301	11-13	
KX125	125	1985-89	47	12	3.92	520-110	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	301	11-13	Black Alum RS Avail. In 48-52t	
KX125	125	1990-91	48	12	4.00	520-112	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	301	11-13	Black Alum RS Avail. In 48-52t	
KX125	125	1992-93	49	12	4.08	520-112	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	301	11-13	Black Alum RS Avail. In 48-52t	
KX125	125	1994-95	49	12	4.08	520-110	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	332	11-13	Black Alum RS Avail. In 48-52t	
KX125	125	1996-97	50	13	3.85	520-112	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	332	11-13	Black Alum RS Avail. In 48-52t	
KX125	125	1998-99	48	12	4.00	520-112	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	332	11-13	Black Alum RS Avail. In 48-52t	
KX125	125	2000-02	49	12	4.08	520-110	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	332	11-13	Black Alum RS Avail. In 48-52t	
KX125	125	2003-05	51	13	3.92	520-112	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	332	11-13	Black Alum RS Avail. In 48-52t	
KLX140	140	2008-12	50	14	3.57	428-122	2-2423	50,51					237	13,14		
KLX140-L	140	2008-12	51	13	3.92	428-126	2-2423	50,51					237	13,14		
F3 Bushwhacker	175	1968-70	39	16	2.44	428-116							203	12-16		
F7	175	1971-75	50	14	3.57	428-114							203	12-16		
KD175	175	1976-79	48	14	3.43	428-120							203	12-16		
KDX175	175	1980-82	52	12	4.33	520-118							301	11-13		
KE175	175	1976-78	48	14	3.43	428-120							203	12-16		
KE175	175	1980-83	44	14	3.14	428-116							203	12-16		
KDX200	200	1983	48	13	3.69	520-112							301	11-13		
KDX200	200	1984-85	48	13	3.69	520-112							315	10,12,17		
KDX200	200	1986-88	48	13	3.69	520-110	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	315	10,12,17	Black Alum RS Avail. In 48-52t	
KDX200	200	1989-94	47	13	3.62	520-110	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	315	10,12,17	Black Alum RS Avail. In 48-52t	
KDX200	200	1995-06	47	13	3.62	520-108	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	315	10,12,17	Black Alum RS Avail. In 48-52t	
KZ200	200	1978-79	40	15	2.67	520-98							315	10,12,17		
KDX220-R	220	1997-05	47	13	3.62	520-108	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	315	10,12,17	Black Alum RS Avail. In 48-52t	
EL250 Eliminator	250	1988-89	44	14	3.14	520-114	2-3471	41,42,45					341	14,15		
EL250 Eliminator	250	1991-93	44	14	3.14	520-114	2-3471	41,42,45					341	14,15		
EX250 Ninja 250R	250	1986-87	42	14	3.00	520-104	2-3471	41,42,45					341	14,15		
EX250 Ninja 250R	250	1988-12	45	14	3.21	520-106	2-3471	41,42,45					341	14,15		
KDX250	250	1980	50	14	3.57	520-110							317	14		
KDX250	250	1981	50	13	3.85	520-116							317	14		
KDX250	250	1982	52	14	3.71	520-118							317	14		
KDX250	250	1983-84	50	14	3.57	520-116							317	14		
KDX250	250	1991-94	48	14	3.43	520-112	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	315	10,12,17	Black Alum RS Avail. In 48-52t	
KE250	250	1977-79	39	14	2.79	520-98							317	14		
KL250 KLR	250	1978-79	40	14	2.86	520-96							315	10,12,17		
KL250 KLR	250	1980-82	40	14	2.86	520-96	2-3517	44					315	10,12,17		
KL250 KLR	250	1983-84	40	14	2.86	520-96	2-3517	44					315	10,12,17		
KL250 KLR	250	1985-05	44	15	2.93	520-104	2-3517	44					333	14-17		
KLX250	250	1979-80	46	14	3.29	520-108							315	10,12,17		
KLX250 KLX250R	250	1994-96	50	14	3.57	520-110	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	315	10,12,17	Black Alum RS Avail. In 48-52t	
KLX250S	250	2006-07	42	14	3.00	520-106	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	381	13-15	Black Alum RS Avail. In 48-52t	
KLX250S	250	2009-12	42	13	3.23	520-106	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	381	13-15	Black Alum RS Avail. In 48-52t	
KLX250SF	250	2009-10	39	13	3.00	520-106	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	381	13-15	Black Alum RS Avail. In 48-52t	
KSF250 Mojave	250	1987-03	43	12	3.58	520-90	2-3160	43					342	11-13		
KX250	250	1974-76	48	13	3.69	520-104							317	14		
KX250	250	1978	50	14	3.57	520-110							317	14		
KX250	250	1979	50	14	3.57	520-116							317	14		
KX250	250	1980	50	14	3.57	520-114							317	14		
KX250	250	1981	46	14	3.29	520-114							317	14		
KX250	250	1982	48	14	3.43	520-114	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	317	14	Black Alum RS Avail. In 48-52t	
KX250	250	1983-84	50	14	3.57	520-114							317	14		
KX250	250	1985	50	14	3.57	520-112	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	317	14	Black Alum RS Avail. In 48-52t	
KX250	250	1986	48	14	3.43	520-114	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	317	14	Black Alum RS Avail. In 48-52t	
KX250	250	1987-89	47	14	3.36	520-114	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	315	10,12,17	Black Alum RS Avail. In 48-52t	
KX250	250	1990-91	48	14	3.43	520-114	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	315	10,12,17	Black Alum RS Avail. In 48-52t	
KX250	250	1992-96	49	14	3.50	520-112	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	315	10,12,17	Black Alum RS Avail. In 48-52t	

# KAWASAKI

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

**EXAMPLE:** APPL CODE | TEETH # 2-355943

## KAWASAKI

MODEL	OE GEARING INFO						REAR						FRONT		Comments / Notes
	KAWASAKI	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth	CS Appl Code	
KX250	250	1997	49	13	3.77	520-114	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	315	10,12-17	Black Alum RS Avail. In 48-52t
KX250	250	1998	48	13	3.69	520-114	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	315	10,12-17	Black Alum RS Avail. In 48-52t
KX250	250	1999-01	48	13	3.69	520-114	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
KX250	250	2002-04	49	13	3.77	520-114	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
KX250	250	2005-07	51	13	3.92	520-114	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
KX250F	250	2004-05	48	13	3.69	520-114	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	311	12-14	Black Alum RS Avail. In 48-52t
KX250F	250	2006-10	48	13	3.69	520-112	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	380	12-14	Black Alum RS Avail. In 48-52t
KX250F	250	2011-12	50	13	3.85	520-114	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	380	12-14	Black Alum RS Avail. In 48-52t
KXF250-A Tecate 4	250	1987-88	39	13	3.00	520-96							315	10,12-17	
KXT250-A Tecate	250	1984-85	42	13	3.23	520-90	2-3344	38,44					317	14	
KXT250-B Tecate	250	1986	37	13	2.85	520-94							317	14	
KZ250	250	1980-81	37	15	2.47	520-102							315	10,12-17	
KEF300 Lakota	300	1995-03	43	12	3.58	520-100	2-3160	43					342	11-13	
KLX300R	300	1997-02	50	14	3.57	520-110	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	315	10,12-17	Black Alum RS Avail. In 48-52t
KLX300R	300	2003-07	50	14	3.57	520-110	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
KZ305 CSR	305	1981-82	33	15	2.20	530-98	2-5166	45					511	13-18	
KDX400	400	1979	48	15	3.20	520-110							317	14	
KDX400	400	1980	50	15	3.33	520-112							317	14	
KSF400A KFX400	400	2003-06	40	14	2.86	520-112	2-3130	37,38,40,42	5-3130	40			329	13-15	
KZ400	400	1974	45	15	3.00	530-100	2-5166	45					504	15	
KZ400-A Deluxe	400	1977-78	45	15	3.00	530-100	2-5166	45					504	15	
KZ400-B	400	1978-79	45	15	3.00	530-100	2-5166	45					504	15	
KZ400-C	400	1978	45	15	3.00	530-100	2-5166	45					504	15	
KZ400-D	400	1975-77	45	15	3.00	530-100	2-5166	45					504	15	
KZ400-H LTD	400	1979	45	15	3.00	530-104	2-5166	45					504	15	
KZ400-S	400	1975-77	45	15	3.00	530-100	2-5166	45					504	15	
KDX420	420	1981	50	15	3.33	520-120							317	14	
KX420	420	1980	48	14	3.43	520-118							317	14	
KX420	420	1981	48	15	3.20	520-118							317	14	
KZ440 LTD	440	1980-83	45	15	3.00	530-104	2-5166	45					504	15	
KDX450	450	1982	50	15	3.33	520-120							317	14	
KLX450-R	450	2008-09	50	13	3.85	520-114	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
KSF450B KFX450R	450	2008-11	38	14	2.71	520-94	2-3466	38,39					3A6	14,15	
KX450F	450	2006-12	50	13	3.85	520-114	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	3A1	13,14	Black Alum RS Avail. In 48-52t
EN500 Vulcan LTD	500	1996-09	42	16	2.63	520-110							333	14-17	
EX500 Ninja 500R	500	1994-09	41	16	2.56	520-104	2-3471	41,42,45					333	14-17	
EX500-A	500	1987-93	42	16	2.63	520-104	2-3471	41,42,45					333	14-17	
H1	500	1969-72	45	15	3.00	530-102	2-5205	42,45							
H1	500	1973-75	45	15	3.00	530-106	2-5205	42,45							
KH500	500	1976	45	15	3.00	530-106	2-5205	42,45							
KX500	500	1983	43	14	3.07	520-112	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	317	14	Black Alum RS Avail. In 48-52t
KX500	500	1984	46	15	3.07	520-112							317	14	
KX500	500	1985	46	14	3.29	520-112	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	317	14	Black Alum RS Avail. In 48-52t
KX500	500	1986	48	14	3.43	520-114	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	317	14	Black Alum RS Avail. In 48-52t
KX500	500	1987-04	47	14	3.36	520-114	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	315	10,12-17	Black Alum RS Avail. In 48-52t
KZ550	550	1980-83	40	16	2.50	530-100	2-5205	42,45					511	13-18	
KZ550 LTD	550	1980-83	38	16	2.38	530-100	2-5344	38					511	13-18	
KZ550 GPZ	550	1981	38	16	2.38	530-100	2-5344	38					511	13-18	
KZ550 GPZ	550	1982-83	38	16	2.38	530-104	2-5344	38					511	13-18	
ZR550 Zephyr	550	1990-93	41	16	2.56	520-108	2-3471	41,42,45					333	14-17	
ZX550 GPZ	550	1984-86	38	16	2.38	520-104	2-3344	38,44					333	14-17	
KL600 KLR	600	1984-86	43	15	2.87	520-104							333	14-17	
ZX600 Ninja	600	1985-87	39	15	2.60	530-102							511	13-18	
ZX600 Ninja 600R	600	1988-97	39	15	2.60	530-102							511	13-18	
ZX600 ZX-6RR	600	2003-04	40	15	2.67	520-110	2-3356	40,42-46	5-3356	38-45			397	14,15	
ZX600 ZX-6RR	600	2005-06	43	15	2.87	520-110	2-3356	40,42-46	5-3356	38-45			397	14,15	



KAWASAKI

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

EXAMPLE: APPL CODE | TEETH # 2-355943

**KAWASAKI**

MODEL	OE GEARING INFO						REAR						FRONT		Comments / Notes	
	KAWASAKI	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth	CS Appl Code		# Teeth
ZX600-D ZX-6	600	1990-93	45	15	3.00	530-110	2-5501	40,42,45,46,48						511	13-18	
ZX600-E ZX-6	600	1993-01	48	16	3.00	530-112	2-5501	40,42,45,46,48						511	13-18	
ZX600-E ZZR600	600	2003-04	48	16	3.00	530-112	2-5526	39,40						511	13-18	
ZX600-F ZX-6R	600	1995-97	40	15	2.67	525-108	2-4529	38,39						423	15	
ZX600-G ZX-6R	600	1998-99	40	15	2.67	525-108	2-4350	39,43						423	15	
ZX600-G ZX-6R	600	1998-99	40	15	2.67	525-108	2-3356	40,42,46	5-3356	38-45				397	14,15	525>520 Conv.
ZX600-J ZX-6R	600	2000-02	40	15	2.67	525-108	2-4350	39,43						423	15	
ZX600-J ZX-6R	600	2000-02	40	15	2.67	525-108	2-3356	40,42,46	5-3356	38-45				397	14,15	525>520 Conv.
ZX600-J ZZR600	600	2005-08	40	15	2.67	525-108	2-4350	39,43						423	15	
ZX600-J ZZR600	600	2005-08	40	15	2.67	525-108	2-3356	40,42,46	5-3356	38-45				397	14,15	525>520 Conv.
ZX600 Ninja ZX-6R	600	2007-12	43	16	2.69	520-112	2-3356	40,42,46	5-3356	38-45				3A5	15,16	
ZX636 ZX-6R 636	636	2003-04	40	15	2.67	520-110	2-3356	40,42,46	5-3356	38-45				397	14,15	
ZX636 ZX-6R 636	636	2005-06	43	15	2.87	520-110	2-3356	40,42,46	5-3356	38-45				397	14,15	
EJ650A W650	650	2001-02	39	15	2.60	525-104	2-4529	38,39						404	14-17	
ER650 ER-6N Ninja 650R	650	2009	45	15	3.00	520-114	2-3356	40,42,46	5-3356	38-45				325	12-16	
ER650 ER-6N Ninja 650R	650	2010	46	15	3.07	520-114	2-3356	40,42,46	5-3356	38-45				325	12-16	
EX650A Ninja 650R	650	2006-08	46	15	3.07	520-114	2-3356	40,42,46	5-3356	38-45				325	12-16	
EX650C Ninja 650R	650	2009	45	15	3.00	520-114	2-3356	40,42,46	5-3356	38-45				325	12-16	
EX650C Ninja 650R	650	2010-12	46	15	3.07	520-114	2-3356	40,42,46	5-3356	38-45				325	12-16	
KL650 KLR	650	1987-89	43	15	2.87	520-106	2-3532	42,44						333	14-17	
KLR650	650	1990-12	43	15	2.87	520-106	2-3532	42,44						359	14-16	
KL650 Tengai	650	1990-91	43	15	2.87	520-106	2-3532	42,44						359	14-16	
KLE650 Versys	650	2008-12	46	15	3.07	520-114	2-3356	40,42,46	5-3356	38-45				325	12-16	
KLX650 KLX650R	650	1993-96	49	14	3.50	520-110	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	359	14-16	Black Alum RS Avail. In 48-52t	
KLX650-C	650	1993-96	43	15	2.87	520-112	2-3532	42,44						359	14-16	
KZ650-B	650	1977-79	42	16	2.63	530-102	2-5205	42,45						511	13-18	
KZ650-C Custom	650	1977-79	42	16	2.63	530-102	2-5344	38						511	13-18	
KZ650-D SR	650	1978-79	40	16	2.50	530-102	2-5344	38						511	13-18	
KZ650-E LTD	650	1980	41	16	2.56	530-102	2-5344	38						511	13-18	
KZ650-F	650	1980	42	16	2.63	530-102	2-5205	42,45						511	13-18	
KZ650-H CSR	650	1981-83	33	13	2.54	630-84	2-6344	32,33,35,39,41						604	13,15	
KZ650-H CSR	650	1981-83	33	13	2.54	630-84	2-5344	38						511	13-18	630>530 Conv.
KZ700	700	1984	33	13	2.54	630-88	2-6344	32,33,35,39,41						604	13,15	
KZ700	700	1984	33	13	2.54	630-88	2-5344	38						511	13-18	630>530 Conv.
KZ750-B	750	1976-79	38	16	2.38	530-106	2-5344	38						511	13-18	
KZ750-E	750	1980-82	33	13	2.54	630-84	2-6344	32,33,35,39,41						604	13,15	
KZ750-E	750	1980-82	33	13	2.54	630-84	2-5344	38						511	13-18	630>530 Conv.
KZ750-G LTD II	750	1980	38	16	2.38	530-106	2-5344	38						511	13-18	
KZ750-H LTD	750	1980-83	32	13	2.46	630-84	2-6344	32,33,35,39,41						604	13,15	
KZ750-H LTD	750	1980-83	32	13	2.46	630-84	2-5344	38						511	13-18	630>530 Conv.
KZ750-L	750	1983	33	13	2.54	630-88	2-6344	32,33,35,39,41						604	13,15	
KZ750-L	750	1983	33	13	2.54	630-88	2-5344	38						511	13-18	630>530 Conv.
KZ750-M GPZ	750	1982	38	16	2.38	530-106	2-5344	38						511	13-18	
KZ750-R GPZ	750	1982	33	13	2.54	630-88	2-6344	32,33,35,39,41						604	13,15	
KZ750-R GPZ	750	1982	33	13	2.54	630-88	2-5344	38						511	13-18	630>530 Conv.
ZR750 ZR-7S	750	2001-03	38	16	2.38	525-106	2-4529	38,39						404	14-17	
ZR750-C Zephyr	750	1991-93	39	15	2.60	525-106	2-4529	38,39						404	14-17	
ZR750F2 ZR-7	750	2000	38	16	2.38	525-106	2-4529	38,39						404	14-17	
ZR750-K Z750-S	750	2005-06	43	15	2.87	520-112	2-3356	40,42,46	5-3356	38-45				3A2	15	
ZX750A GPZ	750	1983-85	38	15	2.53	630-94	2-6344	32,33,35,39,41								
ZX750-E Turbo	750	1984-85	46	15	3.07	630-98	2-6344	32,33,35,39,41						604	13,15	
ZX750-E Turbo	750	1984-85	46	15	3.07	630-98	2-5344	38						511	13-18	630>530 Conv.
ZX750-F Ninja 750R	750	1987-90	47	16	2.94	530-110	2-5655	45,50						511	13-18	
ZX750-H Ninja 7X-7	750	1989	46	16	2.88	530-112	2-5501	40,42,45,46,48						511	13-18	
ZX750-H Ninja 7X-7	750	1990	46	16	2.88	530-110	2-5353	41-42,44-46						511	13-18	
ZX750-J Ninja ZX-7	750	1991-92	45	16	2.81	530-110	2-5353	41-42,44-46						511	13-18	

# KAWASAKI

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

**EXAMPLE:** APPL CODE | TEETH # 2-355943

## KAWASAKI

MODEL	OE GEARING INFO						REAR					FRONT		Comments / Notes		
	KAWASAKI	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth		CS Appl Code	# Teeth
ZX750-K Ninja ZX-7R	750	1991-92	42	16	2.63	530-108	2-5353	41-42,44-46						511	13-18	
ZX750-L Ninja ZX-7	750	1993-95	44	16	2.75	530-110	2-5353	41-42,44-46						511	13-18	
ZX750-M Ninja ZX-7R	750	1993-94	41	16	2.56	530-108	2-5353	41-42,44-46						511	13-18	
ZX750-N Ninja ZX-7RR	750	1996-97	42	16	2.63	525-108	2-4350	39-43						404	14-17	
ZX750-N Ninja ZX-7RR	750	1996-97	42	16	2.63	525-108	2-3356	40,42-46	5-3356	38-45				396	16,17	525>520 Conv.
ZX750-P Ninja ZX-7R	750	1996-03	43	16	2.69	525-110	2-4350	39-43						404	14-17	
ZX750-P Ninja ZX-7R	750	1996-03	43	16	2.69	525-110	2-3356	40,42-46	5-3356	38-45				396	16,17	525>520 Conv.
VN800A Vulcan	800	1995-96	46	16	2.88	530-114	2-5501	40,42,45,46,48						511	13-18	
VN800A Vulcan	800	1997-05	42	17	2.47	530-114	2-5501	40,42,45,46,48						511	13-18	
VN800B Vulcan Classic	800	1996-04	42	17	2.47	530-112	2-5501	40,42,45,46,48						511	13-18	
VN800E Vulcan Drifter	800	2000-06	40	17	2.35	530-112	2-5501	40,42,45,46,48						511	13-18	
KZ900-A	900	1976-77	35	15	2.33	630-92	2-6413	35						605	15	
KZ900-B	900	1976	35	15	2.33	630-92								605	15	
Z1	900	1973-75	35	15	2.33	630-92	2-6413	35						605	15	
ZX900-A Ninja	900	1984-86	50	17	2.94	530-114	2-5655	45,50						516	16-18	
ZX900-B Ninja ZX-9R	900	1994-97	44	16	2.75	530-112	2-5353	41-42,44-46						511	13-18	
ZX900-C Ninja ZX-9R	900	1998-99	41	16	2.56	530-110	2-5353	41-42,44-46						511	13-18	
ZX900-E Ninja ZX-9R	900	2000-01	41	16	2.56	530-110	2-5353	41-42,44-46						511	13-18	
ZX900-F ZX-9R	900	2002-03	41	16	2.56	525-110	2-4350	39-43						428	16	
KZ1000	1000	1977	33	15	2.20	630-92	2-6344	32,33,35,39,41						605	15	
KZ1000	1000	1977	33	15	2.20	630-92	2-5344	38						519	15-17	630>530 Conv.
KZ1000	1000	1978-80	35	15	2.33	630-92	2-6344	32,33,35,39,41						605	15	
KZ1000	1000	1978-80	35	15	2.33	630-92	2-5344	38						519	15-17	630>530 Conv.
KZ1000-B LTD	1000	1977-80	33	15	2.20	630-92	2-6344	32,33,35,39,41						605	15	
KZ1000-B LTD	1000	1977-80	33	15	2.20	630-92	2-5344	38						519	15-17	630>530 Conv.
KZ1000-C Police	1000	1978-79	37	15	2.47	630-94	2-6344	32,33,35,39,41						605	15	
KZ1000-C Police	1000	1978-79	37	15	2.47	630-94	2-5344	38						519	15-17	630>530 Conv.
KZ1000-C Police	1000	1980-81	35	15	2.33	630-92	2-6344	32,33,35,39,41						605	15	
KZ1000-C Police	1000	1980-81	35	15	2.33	630-92	2-5344	38						519	15-17	630>530 Conv.
KZ1000-D Z1-R	1000	1978	33	15	2.20	630-92	2-6344	32,33,35,39,41						605	15	
KZ1000-D Z1-R	1000	1978	33	15	2.20	630-92	2-5344	38						519	15-17	630>530 Conv.
KZ1000-D Z1-R	1000	1980	35	15	2.33	630-92	2-6344	32,33,35,39,41						605	15	
KZ1000-D Z1-R	1000	1980	35	15	2.33	630-92	2-5344	38						519	15-17	630>530 Conv.
KZ1000-G Classic	1000	1980	33	15	2.20	630-92	2-6344	32,33,35,39,41						605	15	
KZ1000-G Classic	1000	1980	33	15	2.20	630-92	2-5344	38						519	15-17	630>530 Conv.
KZ1000-J	1000	1981-83	41	15	2.73	630-96	2-6344	32,33,35,39,41						606	15	
KZ1000-K LTD	1000	1981-82	39	15	2.60	630-96	2-6344	32,33,35,39,41						606	15	
KZ1000-M LTD	1000	1981-82	39	15	2.60	630-96	2-6344	32,33,35,39,41						606	15	
KZ1000-P Police	1000	1988-90	41	15	2.73	630-96	2-6344	32,33,35,39,41						606	15	
KZ1000-P Police	1000	1992-01	41	15	2.73	630-98	2-6344	32,33,35,39,41						606	15	
KZ1000-P21-24 Police	1000	2002-05	46	15	3.07	530-116	2-5353	41-42,44-46						606	15	
KZ1000-R Replica	1000	1982-83	41	15	2.73	630-98	2-6344	32,33,35,39,41						606	15	
ZR1000-A Z1000	1000	2003-06	42	16	2.63	525-112	2-4350	39-43						428	16	
ZR1000B Z1000	1000	2007-08	40	15	2.67	525-110	2-4350	39-43						431	15	
ZR1000D Z1000	1000	2010-12	42	15	2.80	525-112	2-4350	39-43						431	15	
ZX1000A Ninja 1000R	1000	1986-87	41	15	2.73	632-94								612	15	632>630 Conv.
ZX1000-B Ninja ZX-10	1000	1988-90	45	17	2.65	532-110	2-5655	45,50						521	17	532>530 Conv.
ZX1000C Ninja ZX-10R	1000	2004-05	39	17	2.29	525-110	2-4350	39-43						404	14-17	
ZX1000C Ninja ZX-10R	1000	2004-05	39	17	2.29	525-110	2-3356	40,42-46	5-3356	38-45				396	16,17	525>520 Conv.
ZX1000D Ninja ZX-10R	1000	2006-07	40	17	2.35	525-108	2-4350	39-43						404	14-17	
ZX1000D Ninja ZX-10R	1000	2006-07	40	17	2.35	525-108	2-3356	40,42-46	5-3356	38-45				396	16,17	525>520 Conv.
ZX1000E Ninja ZX-10R	1000	2008-10	41	17	2.41	525-110	2-4350	39-43						404	14-17	
ZX1000G Ninja 1000	1000	2011-12	41	15	2.73	525-112	2-4350	39-43						431	15	
ZX1000J Ninja ZX-10R	1000	2011-12	39	17	2.29	525-112	2-4350	39-43						404	14-17	
ZX1000E Ninja ZX-10R	1000	2008-10	41	17	2.41	525-110	2-3356	40,42-46	5-3356	38-45				396	16,17	525>520 Conv.
ZX1000J Ninja ZX-10R	1000	2011-12	39	17	2.29	525-112	2-3356	40,42-46	5-3356	38-45				396	16,17	525>520 Conv.

# KAWASAKI

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

**EXAMPLE:** APPL CODE | TEETH # 2-355943

## KAWASAKI

MODEL	OE GEARING INFO						REAR						FRONT		Comments / Notes	
	KAWASAKI	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth	CS Appl Code		# Teeth
KZ1100-B GPZ	1100	1981-82	41	15	2.73	630-98	2-6344	32,33,35,39,41						606	15	
ZR1100A Zephyr	1100	1992-95	48	16	3.00	530-116	2-5655	45,50						516	16-18	
ZR1100C ZRX1100	1100	1999-00	45	17	2.65	530-110	2-5655	45,50						556	16,17	
ZX1100-A GPZ	1100	1983-84	41	15	2.73	630-100	2-6344	32,33,35,39,41								
ZX1100-C Ninja ZX-11	1100	1990-93	45	17	2.65	530-110	2-5655	45,50								
ZX1100-D Ninja ZX-11	1100	1993-01	45	17	2.65	530-110	2-5655	45,50						516	16-18	
ZX1100-E GPZ 1100	1100	1995-97	45	17	2.65	530-112	2-5655	45,50						556	16,17	
ZX1100-F GPZ ABS	1100	1996	45	17	2.65	530-112	2-5655	45,50						556	16,17	
ZR1200A ZRX1200R	1200	2001-05	42	17	2.47	530-114	2-5353	41-42,44-46						556	16,17	
ZX1200-A ZX-12R	1200	2000-01	46	18	2.55	530-116	2-5353	41-42,44-46						516	16-18	
ZX1200-B ZX-12R	1200	2002-03	46	18	2.55	530-116	2-5353	41-42,44-46						516	16-18	
ZX1200-B ZX-12R	1200	2004-05	46	18	2.55	530-116	2-5353	41-42,44-46						516	16-18	
ZX1200-C ZZR1200	1200	2002-05	44	17	2.58	530-114	2-5353	41-42,44-46						516	16-18	
ZX1400 Ninja ZX-14	1400	2006-11	41	17	2.41	530-116	2-5405	41,42						516	16-18	
ZX1400 Ninja ZX-14	1400	2012	42	17	2.47	530-118	2-5405	41,42						516	16-18	

Combine the Appl code for your desired product with the number of teeth.

EXAMPLE: APPL CODE | TEETH # 2-355943

**KTM**

MODEL	OE GEARING INFO						REAR					FRONT		Comments / Notes	
	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth	CS Appl Code		# Teeth
65 SX	65	1998-10	50	14	3.57	420-118	2-1390	48-51	5-1390	46,48,50			110	13,14	
65 SX	65	2011-12	48	14	3.43	420-	2-1390	48-51	5-1390	46,48,50			110	13,14	
65 XC	65	2008-09	50	14	3.57	420-118	2-1390	48-51	5-1390	46,48,50			110	13,14	
85 SX (17/14)	85	2003-12	46	14	3.29	428-124	2-2481	47,49,51	5-2481	46-51			233	13,14	
85 SX (19/16)	85	2004-11	49	14	3.50	428-124	2-2481	47,49,51	5-2481	46-51			233	13,14	
85 XC	85	2008-09	51	14	3.64	428-	2-2481	47,49,51	5-2481	46-51			233	13,14	
105 SX	105	2004-11	49	14	3.50	428-124	2-2481	47,49,51	5-2481	46-51			233	13,14	
105 XC	105	2008-09	49	14	3.50	428-	2-2481	47,49,51	5-2481	46-51			233	13,14	
125 DXC	125	1990				520-							357	12-15	
125 DXC	125	1991-92				520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
125 EGS	125	1990				520-							357	12-15	
125 EGS	125	1992-99	45	13	3.46	520-118	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
125 EXC	125	1989-90	48	13	3.69	520-							357	12-15	
125 EXC	125	1991-01	50	13	3.85	520-118	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
125 MX	125	1987-90				520-							357	12-15	
125 MX	125	1991	52	13	4.00	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
125 MX	125	1992	50	13	3.85	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
125 MXC	125	1987-88				520-							357	12-15	
125 SX	125	1993-12	50	13	3.85	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
125 SXS	125	2001-02				520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
144 SX	144	2007-08	50	14	3.57	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
150 SX	150	2009-12	50	14	3.57	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
150 XC	150	2010-11	50	13	3.85	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
200 EXC	200	1999-05	48	14	3.43	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
200 MXC	200	1998-03	50	14	3.57	520-118	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
200 SX	200	2003-04	45	14	3.21	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
200 XC	200	2006-10	48	14	3.43	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
200 XC-W	200	2006-11	48	14	3.43	520-118	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
250 DXC	250	1990-92	50	15	3.33	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
250 EGS	250	1990-99	48	15	3.20	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
250 EXC	250	1990-93	50	14	3.57	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
250 EXC	250	1994	52	14	3.71	520-118	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
250 EXC	250	1995	50	13	3.85	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
250 EXC	250	1996-01	52	14	3.71	520-118	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
250 EXC	250	2002-05	50	13	3.85	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
250 EXC-G	250	2004-05	45	15	3.00	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
250 MX	250	1983-89				520-							357	12-15	
250 MX	250	1990-92	50	14	3.57	520-116	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
250 MXC	250	1983-88				520-							357	12-15	
250 MXC	250	1998-01	52	14	3.57	520-116	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
250 SX	250	1993-12	48	13	3.69	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
250 SX-F	250	2005-12	48	13	3.69	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
250 SXS	250	2003-07				520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
250 SXS-F	250	2006-07				520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
250 XC	250	2006-11	50	14	3.57	520-118	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
250 XCF	250	2007-09	48	13	3.69	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
250 XCF-W	250	2006-11	52	13	4.00	520-118	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
250 XC-W	250	2006-11	50	13	3.85	520-118	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
300 DXC	300	1990-92	50	15	3.33	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
300 EGS	300	1990-98	48	15	3.20	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
300 EXC	300	1995-97	50	14	3.57	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
300 EXC	300	1998	52	14	3.71	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
300 EXC	300	1999	50	14	3.57	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
300 EXC	300	2000-03	52	14	3.71	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
300 EXC	300	2004	42	13	3.23	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
300 EXC	300	2005	50	13	3.85	520-	2-3547	40,42,43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t



KTM

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

EXAMPLE: APPL CODE | TEETH # 2-355943

KTM

MODEL	OE GEARING INFO						REAR					FRONT		Comments / Notes		
	KTM	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth		CS Appl Code	# Teeth
300 MX	300	1990-92	50	14	3.57	520-118	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
300 MXC	300	1993-02	50	14	3.57	520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
300 MXC	300	2003-05	50	13	3.85	520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
300 SX	300	1993-94	52	14	3.71	520-116	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
300 TXC	300	1991-92	50	14	3.57	520-116	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
300 XC	300	2006-11	50	14	3.57	520-118	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
300 XC-W	300	2006-11	50	14	3.57	520-118	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
350 MX	350	1985-90				520-								357	12-15	
350 MXC	350	1985-88				520-								357	12-15	
350 SX-F	350	2011-12	50	14	3.57	520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
360 EGS	360	1996-97	40	15	2.67	520-118	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
360 EXC	360	1996-97				520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
360 MXC	360	1996-97	52	14	3.71	520-118	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
360 SX	360	1996-97	50	14	3.57	520-118	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
380 EXC	380	1998-02	52	14	3.71	520-118	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
380 MXC	380	1998-01	52	14	3.71	520-118	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
380 SX	380	1998-02	50	14	3.57	520-118	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
400 Duke	400	1995	42	16	2.63	520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t	
400 EGS	400	1994-97	50	15	3.33	520-118	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t	
400 EXC	400	2000-03	51	14	3.64	520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
400 EXC-G	400	2004-06	50	14	3.57	520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
400 RXC	400	1994-98	45	16	2.81	520-118	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t	
400 SX	400	1998	50	14	3.57	520-118	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t	
400 SX	400	2000-02	50	14	3.57	520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
400 XC-W	400	2007-10	50	14	3.57	520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
440 EXC	440	1994-95	48	14	3.43	520-118	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
440 MXC	440	1994-95				520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
440 SX	440	1994	50	13	3.85	520-118	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
450 EXC-G	450	2003-06	51	14	3.64	520-118	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
450 EXC-R	450	2008	45	15	3.00	520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
450 EXC	450	2009-11	45	15	3.00	520-118	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
450 MXC-G	450	2003-05	50	14	3.57	520-118	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
450 SMR	450	2004-07	45	14	3.21	520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
450 SMR	450	2008-09	48	14	3.43	520-118	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
450 SX ATV	450	2009	38	14	2.71	520-								357	12-15	
450 SX	450	2003	50	14	3.57	520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
450 SX	450	2004-06	52	14	3.71	520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
450 SX-F	450	2007-12	52	14	3.71	520-116	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
450 SXS	450	2003-06				520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
450 SXS-F	450	2006-07				520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
450 XC	450	2007	50	14	3.57	520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
450 XCR-W	450	2008	50	14	3.57	520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
450 XC-G	450	2006				520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
450 XC-W	450	2007-09	50	14	3.57	520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
450 XC-W Six Days	450	2010-11	52	13	4.00	520-118	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
450 XC ATV	450	2008-09	38	14	2.71	520-								357	12-15	
450 XC-F W	450	2008-10	52	13	4.00	520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
500 EXC	500	1992				520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
500 MX	500	1985-91				520-								357	12-15	
500 MX	500	1992-93	50	14	3.57	520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
500 MXC	500	1985-86				520-								357	12-15	
505 SX ATV	505	2009	38	14	2.71	520-								357	12-15	
505 SX-F	505	2007-08	48	14	3.43	520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
505 XC-F	505	2008-09	48	14	3.43	520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
520 EXC	520	2000-02	48	14	3.43	520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	
520 EXC-G	520	2002	48	14	3.43	520-	2-3547	40,42-43,46-53	5-3547	43,45,46,48-53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t	

Combine the Appl code for your desired product with the number of teeth.

EXAMPLE: APPL CODE | TEETH # 2-355943

**KTM**

MODEL	OE GEARING INFO						REAR						FRONT		Comments / Notes
	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth	CS Appl Code	# Teeth	
520 MXC	520	2001-02	48	14	3.43	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
520 SX	520	2000-02	48	14	3.43	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
525 EXC-G	525	2003-06	50	14	3.57	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
525 MXC-G	525	2003-05	45	15	3.00	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
525 SX	525	2003-06	48	14	3.43	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
525 XC ATV	525	2008-09	38	14	2.71	520-							357	12-15	
525 XC	525	2007	48	14	3.43	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
525 XC-G	525	2006	50	14	3.57	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
525 XC-W	525	2007	48	14	3.43	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
530 EXC-R	530	2008	45	15	3.00	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
530 EXC	530	2009-11	45	15	3.00	520-118	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
530 XC-W	530	2009-11	50	13	3.85	520-118	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
530 XCR-W	530	2008	50	14	3.57	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
540 SXS	540	2001-06				520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
550 DXC	550	1992	48	14	3.43	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
550 IMXC	550	1993-96	48	14	3.43	520-118	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
560 SMR	560	2006-07	45	14	3.21	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	357	12-15	Black Alum RS Avail. In 48-53t
600 DXC	600	1989	50	15	3.33	520-							357	12-15	
600 DXC	600	1990-92	50	15	3.33	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t
600 MX LC4	600	1990-91	52	15	3.47	520-116	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t
620 EGS Adventurer	620	1994-98	50	14	3.57	520-118	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t
620 LC4 Duke	620	1995-98	38	17	2.24	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t
620 LC4 Enduro	620	1995-96	50	14	3.57	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t
620 RXC	620	1994-98				520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t
620 SX	620	1994-98	50	15	3.33	520-118	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t
625 SMC	625	2003-06	40	17	2.35	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t
625 SXC	625	2003-06	40	16	2.50	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t
640 Adventure-R	640	1999-06	40	16	2.50	520-118	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t
640 LC4 Adventure	640	1999-06	42	16	2.63	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t
640 LC4 Duke II	640	2000-03	38	17	2.24	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t
640 LC4 Duke II	640	2004-06	42	17	2.47	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t
640 LC4 Supermoto	640	1999-06	42	17	2.47	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t
660 SMC	660	2003-04	38	16	2.38	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t
660 SMC	660	2005-06	40	17	2.35	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t
690 Duke	690	2008-10	40	16	2.50	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t
690 Enduro / R	690	2008-09	45	15	3.00	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t
690 SMC	690	2008-10	42	16	2.63	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t
690 Supermoto / R	690	2007-09	40	16	2.50	520-	2-3547	40,42,43,46,53	5-3547	43,45,46,48,53	8-3547	48E-52E	360	14,15	Black Alum RS Avail. In 48-53t
950 LC8 Supermoto R	950	2007-08	41	17	2.41	525-	2-4445	37,38,41					427	16,17	
990 Adventure	990	2005-09	42	17	2.47	525-							427	16,17	
990 Supermoto R/T	990	2010	41	17	2.41	525-	2-4445	37,38,41					427	16,17	
990 Supermoto	990	2008-10	41	17	2.41	525-	2-4445	37,38,41					427	16,17	
1190 RC8	1190	2008-09	37	17	2.18	525-108	2-4445	37,38,41					427	16,17	
1190 RC8 R	1190	2010-11	38	17	2.24	525-	2-4445	37,38,41					427	16,17	

SUZUKI

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

<b>EXAMPLE:</b>	APPL CODE		TEETH #	2-355943
-----------------	-----------	--	---------	----------

SUZUKI

SUZUKI	OE GEARING INFO						REAR				FRONT		Comments / Notes		
	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth		CS Appl Code	# Teeth
AC50	50	1970	37	14	2.64	420-106	2-1034	37					101	11-14	
AL150 Trailbuddy	50	1983-84	37	11	3.36	420-64	2-1034	37					101	11-14	
AS50	50	1970	35	12	2.92	420-104	2-1034	37					101	11-14	
F50	50	1970-71	32	13	2.46	420-102	2-1034	37					101	11-14	
JR50	50	1978-82	28	13	2.15	420-78	2-1006	28					101	11-14	
JR50	50	1985-06	28	13	2.15	420-78	2-1006	28					101	11-14	
JR50R	50	1983	28	13	2.15	420-78	2-1006	28					101	11-14	
LT50	50	1984-87	37	11	3.36	420-64	2-1034	37					101	11-14	
MT50	50	1971-72	28	13	2.15	420-92							101	11-14	
MT50	50	1973	32	13	2.46	420-92							101	11-14	
OR50	50	1979-80	43	13	3.31	420-98	2-1034	37					101	11-14	
RB50 GSXR50	50	1987	37	14	2.64	420-100	2-1034	37					101	11-14	
RM50	50	1978-80	42	12	3.50	420-92							101	11-14	
TS50	50	1971-74	42	15	2.80	420-	2-1034	37					101	11-14	
RM60	60	1979	44	12	3.67	420-94							101	11-14	
RM60	60	1980-83	42	12	3.50	420-92							101	11-14	
RM65	65	2003-05	47	13	3.61	420-110	2-1455	47,48	5-1455	45-48			104	12-15	
DR-Z70	70	2008-09	33	13	2.54	428-							201	12	
TM75	75	1974-75	42	15	2.80	420-112	2-1034	37					101	11-14	
TM75	75	1976	39	15	2.60	420-112	2-1034	37					101	11-14	
TS75	75	1975-77	42	15	2.80	420-110	2-1034	37					101	11-14	
DS80	80	1978-79	40	14	2.83	428-98	2-2034	34					201	12	
DS80	80	1980-83	34	12	2.83	428-88	2-2034	34					201	12	
JR80	80	1985-03	34	12	2.83	428-88	2-2034	34					201	12	
LT80 QuadSport	80	1989-06	22	10	2.20	520-36	2-3014	22					354	10	
RM80	80	1977	46	13	3.54	428-130							201	12	
RM80	80	1978	42	14	3.00	428-104							201	12	
RM80	80	1979	48	14	3.43	428-110							201	12	
RM80	80	1980-81	50	14	3.57	428-112							201	12	
RM80	80	1982	52	13	4.00	428-116	2-2429	47-50	5-2429	46-50			203	12-16	Use Tapered Bolts on Rear Sprkt
RM80	80	1983	50	13	3.85	428-118	2-2429	47-50	5-2429	46-50			203	12-16	Use Tapered Bolts on Rear Sprkt
RM80	80	1984-85	44	13	3.38	428-114	2-2429	47-50	5-2429	46-50			203	12-16	Use Tapered Bolts on Rear Sprkt
RM80	80	1989-01	48	14	3.43	428-118	2-2429	47-50	5-2429	46-50			203	12-16	Use Tapered Bolts on Rear Sprkt
RM85	85	2002-11	47	14	3.36	428-118	2-2429	47-50	5-2429	46-50			203	12-16	Use Tapered Bolts on Rear Sprkt
RM85L	85	2003-11	47	13	3.62	428-122	2-2429	47-50	5-2429	46-50			203	12-16	Use Tapered Bolts on Rear Sprkt
DR100	100	1983-90	42	13	3.23	428-112							211	13	
DS100	100	1978-81	44	14	3.14	428-114							203	12-16	
RM100	100	1977	57	14	4.07	428-132							211	13	
RM100	100	1978	57	13	4.38	428-132							211	13	
RM100	100	1979-81	60	13	4.61	428-132							211	13	
SP100	100	1983	45	13	3.46	428-118							211	13	
TS100	100	1978	44	14	3.14	428-114							203	12-16	
TS100	100	1979-81	46	14	3.29	428-114							203	12-16	
DR-Z110	110	2003-07	33	14	2.36	420-88	2-1037	32-35,38					109	13-15	
AL125	125	1983-86	49	13	3.77	428-90	2-2441	49					211	13	Use OE Dampers w/ Rear Sprkt
DR125	125	1983-84	47	14	3.36	428-122							211	13	
DR125	125	1986-88	53	16	3.31	428-134							220	14,16	
DR125SE	125	1994-96	53	16	3.31	428-134							220	14,16	
DR-Z125	125	2003-10	51	14	3.64	428-130	2-2449	51,57					220	14,16	
DR-Z125L	125	2003-10	57	14	4.07	428-134	2-2449	51,57					220	14,16	
DS125	125	1979-81	44	15	2.93	428-114							203	12-16	
GN125	125	1982-83	42	14	3.00	428-114							211	13	
GN125E	125	1991-97	42	14	3.00	428-114							211	13	
LT125	125	1983-87	49	13	3.77	428-90	2-2441	49					211	13	Use OE Dampers w/ Rear Sprkt
RM125	125	1976	57	14	4.07	428-130							211	13	
RM125	125	1977	59	14	4.24	428-132							211	13	

# SUZUKI

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

**EXAMPLE:** APPL CODE | TEETH # 2-355943

## SUZUKI

SUZUKI	OE GEARING INFO						REAR					FRONT		Comments / Notes	
	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth	CS Appl Code		# Teeth
RM125	125	1978	59	14	4.21	428-132							211	13	
RM125	125	1979	59	13	4.54	428-132							211	13	
RM125	125	1980-84	51	12	4.25	520-112	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	322	11-13	Black Alum RS Avail. In 48-52t
RM125	125	1985-86	48	12	4.00	520-114	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	322	11-13	
RM125	125	1987	49	12	4.08	520-116	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	322	11-13	
RM125	125	1988-91	51	13	3.92	520-114	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	322	11-13	
RM125	125	1992-96	49	12	4.08	520-114	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	322	11-13	
RM125	125	1997-99	50	12	4.17	520-112	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	322	11-13	
RM125	125	2000-03	49	12	4.08	520-112	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	322	11-13	
RM125	125	2004-05	50	12	4.17	520-114	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	322	11-13	
RM125	125	2006-08	51	12	4.25	520-114	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	322	11-13	
RV125 Tracker	125	1973-77	40	12	3.33	520-92							315	10,12-17	
SP125	125	1983	47	14	3.36	428-122							211	13	
SP125	125	1986-88	53	16	3.31	428-134							220	14,16	
TC125	125	1971-77	37	12	3.03	520-92	2-3135	45					315	10,12-17	
TS125	125	1978-79	44	15	2.93	428-114							203	12-16	
TS125	125	1980-81	46	15	3.07	428-116							203	12-16	
LT160E Quadrunner	160	1988-91	39	11	3.55	520-84	2-3129	39,41,42					331	11-13	
LT-F160	160	1991-01	39	11	3.55	520-84	2-3129	39,41,42					331	11-13	
PE175	175	1978-79	48	12	4.00	520-106	2-3631	42,43,45,47-52					322	11-13	
PE175	175	1980-81	48	12	4.00	520-106							322	11-13	
PE175	175	1982-84	48	12	4.00	520-110							322	11-13	
RS175	175	1980-82	46	12	3.83	520-106	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	322	11-13	
ALT185	185	1985	38	12	3.17	520-72	2-3441	38					331	11-13	Use OE Dampers w/ Rear Sprkt
DS185	185	1978-80	39	12	3.25	520-102	2-3135	45					301	11-13	
LT185	185	1984-87	38	12	3.17	520-72	2-3441	38					331	11-13	Use OE Dampers w/ Rear Sprkt
TC185	185	1974-77	39	12	3.25	520-94	2-3135	45							
TS185	185	1971-81	39	12	3.25	520-102	2-3135	45					301	11-13	
DR200	200	1986-88	45	15	3.00	520-112	2-3135	45					323	11-16	
DR200SE	200	1996-09	45	15	3.00	520-112	2-3135	45					323	11-16	
SP200	200	1986-88	45	15	3.00	520-110	2-3135	45					323	11-16	
LT230E	230	1987-93	41	11	3.73	520-84	2-3129	39,41,42					331	11-13	
LT230S	230	1985-88	41	12	3.42	520-84	2-3129	39,41,42					331	11-13	
DR250	250	1990-93	49	13	3.77	520-110	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	323	11-16	
DR250S	250	1990-92	49	13	3.77	520-112	2-3631	42,43,45,47-52					323	11-16	
DR250SE	250	1993-95	42	14	3.00	520-108	2-3631	42,43,45,47-52					323	11-16	
DR-Z250	250	2001-07	49	13	3.77	520-112	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	323	11-16	
LT250E	250	1985	38	11	3.45	520-78	2-3211	40					352	11	
LT250EF	250	1985	38	11	3.45	520-78	2-3211	40					352	11	
LT250EF	250	1986	41	11	3.73	520-78	2-3211	40					352	11	
LT250R Quadtracer	250	1985-92	42	12	3.50	520-102	2-3129	39,41,42					323	11-16	
LT250S	250	1989-90	39	12	3.25	520-86	2-3129	39,41,42					331	11-13	
RGV250	250	1992	44	14	3.14	520	2-3631	42,43,45,47-52					325	12-16	
RL250	250	1974-75	54	15	3.60	428-120							213	14,15	
RM250	250	1979-80	50	14	3.57	520-108	2-3631	42,43,45,47-52							
RM250	250	1981	50	14	3.57	520-114	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E			
RM250	250	1982	49	14	3.50	520-114	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	323	11-16	
RM250	250	1983	50	14	3.57	520-116	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	323	11-16	
RM250	250	1984-86	50	14	3.57	520-116	2-3667	42					323	11-16	
RM250	250	1987	50	14	3.57	520-114	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	323	11-16	
RM250	250	1988	50	13	3.85	520-116	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	323	11-16	
RM250	250	1989-96	49	13	3.77	520-114	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	323	11-16	
RM250	250	1997-98	50	13	3.85	520-114	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	323	11-16	
RM250	250	1999-00	48	13	3.69	520-114	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	323	11-16	
RM250	250	2001-03	49	13	3.77	520-114	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	323	11-16	
RM250	250	2004-08	50	13	3.85	520-114	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	323	11-16	



SUZUKI

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

EXAMPLE: APPL CODE | TEETH # 2-355943

SUZUKI

SUZUKI	OE GEARING INFO						REAR						FRONT		Comments / Notes
	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth	CS Appl Code	# Teeth	
RMX250	250	1989-98	50	13	3.85	520-114	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	323	11-16	
RM-Z250	250	2004-06	48	13	3.69	520-114	2-3619	42,43,47-52	5-3619	44-54	8-3619	48E-52E	311	12-14	Black Alum RS Avail. In 48-52t
RM-Z250	250	2007-09	48	12	4.00	520-116	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	322	11-13	
RM-Z250	250	2010-12	49	13	3.77	520-114	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	322	11-13	
RS250	250	1980-81	52	13	4.00	520-110	2-3631	42,43,45,47-52							
LT300E	300	1987-89	41	11	3.73	520-92	2-3211	40					352	11	
DR350	350	1990-93	47	14	3.36	520-110	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	323	11-16	
DR350	350	1994-99	44	15	2.93	520-110	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	323	11-16	
DR350S	350	1990-93	43	14	3.07	520-108	2-3631	42,43,45,47-52					323	11-16	
DR350SE	350	1994-95	41	15	2.73	520-110	2-3631	42,43,45,47-52					323	11-16	
DR350SE	350	1996-99	41	15	2.73	520-108	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	323	11-16	
DR400	400	1980	46	16	2.88	520-108	2-3631	42,43,45,47-52							
DR-Z400	400	2000-03	47	14	3.36	520-112	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	323	11-16	
DR-Z400E	400	2000-07	47	14	3.36	520-112	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	323	11-16	
DR-Z400S	400	2000-11	44	15	2.93	520-112	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	323	11-16	
DR-Z400SM	400	2005-09	41	15	2.73	520-110	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	323	11-16	
GS400	400	1977-78	45	16	2.81	530-104							511	13-18	
GSF400 Bandit	400	1991-92	47	14	3.36	525-114	2-4383	44-47							
GSF400 Bandit	400	1993	46	14	3.29	525-114	2-4383	44-47							
LT-Z400 Quadracer	400	2003-08	40	14	2.86	520-96	2-3130	37,38,40,42	5-3130	40			329	13-15	
LT-Z400 Quadracer	400	2009	40	14	2.86	520-96	2-3487	36,38,40	5-3487	36-38			329	13-15	
RM400	400	1979-80	49	14	3.50	520-110	2-3631	42,43,45,47-52							
GS425 (ALL)	425	1979	45	16	2.81	530-104							511	13-18	
GS450E	450	1980-82	45	16	2.81	530-104							511	13-18	
GS450E	450	1983	45	16	2.81	530-110							511	13-18	
GS450L	450	1980-82	41	16	2.56	530-102							511	13-18	
GS450L	450	1983	42	16	2.63	530-102							511	13-18	
GS450L	450	1985-88	42	16	2.63	530-108							511	13-18	
GS450S	450	1980-81	45	16	2.81	530-104							511	13-18	
GS450T	450	1981-82	43	16	2.69	530-104							511	13-18	
GS450TX	450	1982-83	43	16	2.69	530-108							511	13-18	
LT-R450	450	2006-09	36	14	2.57	520-96	2-3487	36,38,40	5-3487	36-38			329	13-15	
RM-Z450	450	2005-07	49	14	3.50	520-114	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	382	12-15	
RM-Z450	450	2008-12	50	13	3.85	520-114	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	382	12-15	
RMX450Z	450	2010-11	51	13	3.92	520-114	2-3577	38,39,41-52	5-3577	44,46-52	8-3577	48E-51E	382	12-15	
RM465	465	1981	49	14	3.50	520-112	2-3667	42							
RM465	465	1982	47	14	3.36	520-112	2-3667	42					328	12-14	
GS500	500	2001-02	39	16	2.44	520-110	2-3383	39,46					333	14-17	
GS500E	500	1989-93	39	16	2.44	520-110	2-3383	39,46					325	12-16	
GS500E	500	1994-00	39	16	2.44	520-110	2-3383	39,46					333	14-17	
GS500F	500	2004-08	39	16	2.44	520-110	2-3383	39,46					333	14-17	
LT500R Quadzilla	500	1987	42	13	3.23	520-96	2-3211	40					328	12-14	
LT500R Quadzilla	500	1988-90	40	13	3.08	520-98	2-3211	40					328	12-14	
RG500 Gamma	500	1986	40	16	2.50	530-106							511	13-18	
RM500	500	1983	46	14	3.29	520-116	2-3667	42					328	12-14	
RM500	500	1984	46	14	3.29	520-112	2-3667	42					328	12-14	
GS550	550	1977-79	50	15	3.33	530-110							511	13-18	
GS550E	550	1978-80	50	15	3.33	530-110	2-5226	42,43,45,47,50					511	13-18	
GS550E	550	1983-86	48	14	3.43	530-112	2-5226	42,43,45,47,50					511	13-18	
GS550ES	550	1983-86	48	14	3.43	530-112	2-5226	42,43,45,47,50					511	13-18	
GS550ESE	550	1983-86	48	14	3.43	530-112	2-5226	42,43,45,47,50					511	13-18	
GS550L	550	1979	50	15	3.33	530-110	2-5226	42,43,45,47,50					511	13-18	
GS550L	550	1980	51	15	3.40	530-112	2-5226	42,43,45,47,50					511	13-18	
GS550L	550	1981	49	15	3.27	530-108	2-5226	42,43,45,47,50					511	13-18	
GS550L	550	1982	49	15	3.27	530-108							511	13-18	
GS550L	550	1983	47	14	3.36	530-112	2-5226	42,43,45,47,50					511	13-18	

# SUZUKI

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

EXAMPLE: APPL CODE | TEETH # 2-355943

## SUZUKI

SUZUKI	OE GEARING INFO						REAR					FRONT		Comments / Notes	
	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth	CS Appl Code		# Teeth
GS550L	550	1985-86	47	14	3.36	530-112	2-5226	42,43,45,47,50					511	13-18	
GS550M	550	1982	50	15	3.33	530-112	2-5226	42,43,45,47,50					511	13-18	
GS550T	550	1981	50	15	3.33	530-110	2-5226	42,43,45,47,50					511	13-18	
GSF600S Bandit	600	1996-99	48	15	3.20	530-112	2-5389	43,45-48					511	13-18	
GSF600S Bandit	600	2000-03	47	15	3.13	530-110	2-5389	43,45-48					511	13-18	
GSX600F Katana	600	1988	46	14	3.29	530-112							511	13-18	
GSX600F Katana	600	1989-91	46	14	3.29	530-112	2-5389	43,45-48					511	13-18	
GSX600F Katana	600	1989-91	46	14	3.29	530-112	2-3383	39,46					333	14-17	530>520 Conv.
GSX600F Katana	600	1992-97	45	14	3.21	530-112	2-5389	43,45-48					511	13-18	
GSX600F Katana	600	1992-97	45	14	3.21	530-112	2-3383	39,46					333	14-17	530>520 Conv.
GSX600F Katana	600	1998-06	47	15	3.13	530-118	2-5389	43,45-48					511	13-18	
GSX600F Katana	600	1998-06	47	15	3.13	530-118	2-3383	39,46					333	14-17	530>520 Conv.
GSX-R600	600	1997	45	16	2.81	525-108	2-4523	44,46					404	14-17	
GSX-R600	600	1998-00	46	16	2.88	525-108	2-4523	44,46					404	14-17	
GSX-R600	600	2001-05	45	16	2.81	525-108	2-4499	40-47					404	14-17	
GSX-R600	600	2001-05	45	16	2.81	525-108			5-3497	40-48			333	14-17	525>520 Conv.
GSX-R600	600	2006-09	43	16	2.69	525-114	2-4499	40-47					404	14-17	
GSX-R600	600	2006-09	43	16	2.69	525-114			5-3497	40-48			333	14-17	525>520 Conv.
GSX-R600	600	2011	43	16	2.69	525-114	2-4472	43-46					404	14-17	
GSX-R600	600	2011	43	16	2.69	525-114							333	14-17	525>520 Conv.
GSX-R600W	600	1992-93	44	14	3.14	530-108	2-5389	43,45-48					511	13-18	
GSX-R600W	600	1992-93	44	14	3.14	530-108	2-3383	39,46					333	14-17	530>520 Conv.
RF600R	600	1994-96	43	14	3.07	530-108	2-5389	43,45-48					511	13-18	
SP600	600	1985	42	16	2.63	520-108	2-3667	42					335	15	
DL650 V-Strom	650	2004-09	47	15	3.13	525-116	2-4499	40-47					404	14-17	
DL650 V-Strom	650	2004-09	47	15	3.13	525-116			5-3497	40-48			333	14-17	525>520 Conv.
DL650 V-Strom	650	2011	47	15	3.13	525-118	2-4499	40-47					404	14-17	
DL650 V-Strom	650	2011	47	15	3.13	525-118			5-3497	40-48			333	14-17	525>520 Conv.
DR650S	650	1990-93	42	16	2.63	520-114	2-3667	42					335	15	
DR650SE	650	1994-95	42	16	2.63	520-114	2-3667	42					335	15	
DR650SE	650	1996-07	42	15	2.80	525-110	2-3631	42,43,45,47,52					335	15	525>520 Conv.
DR650SE	650	2008-11	41	15	2.73	525-110	2-3631	42,43,45,47,52					335	15	525>520 Conv.
GR650 Tempter	650	1983	38	15	2.53	530-104	2-5226	42,43,45,47,50							
GSX650F	650	2008-09	48	15	3.20	525-118	2-4386	48					404	14-17	
GS650E	650	1981-82	45	15	3.00	530-106	2-5226	42,43,45,47,50					511	13-18	
SV650	650	1999-09	45	15	3.00	525-110	2-4383	44-47					404	14-17	
SV650 A	650	2003-09	45	15	3.00	525-114	2-4383	44-47					404	14-17	
SV650 S	650	1999-09	44	15	2.93	525-108	2-4383	44-47					404	14-17	
SFV650 Gladius	650	2009	46	15	3.07	520-112	2-3383	39,46					325	12-16	
GS700E	700	1985	45	14	3.21	530-114	2-5226	42,43,45,47,50					511	13-18	
GS700ES	700	1985	45	14	3.21	530-114	2-5226	42,43,45,47,50					511	13-18	
GS750	750	1977-79	41	15	2.73	630-96	2-6223	41,42					604	13,15	
GS750	750	1977-79	41	15	2.73	630-96	2-5226	42,43,45,47,50					511	13-18	630>530 Conv.
GS750E	750	1978-79	41	15	2.73	630-96	2-6223	41,42					604	13,15	
GS750E	750	1978-79	41	15	2.73	630-96	2-5226	42,43,45,47,50					511	13-18	630>530 Conv.
GS750E	750	1980-82	41	15	2.73	630-96	2-6223	41,42					609	15	
GS750E	750	1980-82	41	15	2.73	630-96	2-5226	42,43,45,47,50					511	13-18	630>530 Conv.; must use 6mm washer on CS
GS750E	750	1983	43	14	3.07	530-112	2-5226	42,43,45,47,50					511	13-18	
GS750ES	750	1983	43	14	3.07	530-112	2-5226	42,43,45,47,50					511	13-18	
GS750L	750	1979	41	15	2.73	630-96	2-6223	41,42					604	13,15	
GS750L	750	1979	41	15	2.73	630-96	2-5226	42,43,45,47,50					511	13-18	630>530 Conv.; must use 6mm washer on CS
GS750L	750	1980-81	40	15	2.67	630-96	2-6223	41,42					609	15	
GS750L	750	1980-81	40	15	2.67	630-96	2-5226	42,43,45,47,50					511	13-18	630>530 Conv.; must use 6mm washer on CS
GS750S	750	1983	41	15	2.73	630-96	2-6223	41,42					609	15	
GS750S	750	1983	41	15	2.73	630-96	2-5226	42,43,45,47,50					511	13-18	630>530 Conv.; must use 6mm washer on CS
GS750T	750	1982-83	41	15	2.73	630-96	2-6223	41,42					609	15	

SUZUKI

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

<b>EXAMPLE:</b>	APPL CODE		TEETH #	2-355943
-----------------	-----------	--	---------	----------

**SUZUKI**

SUZUKI	OE GEARING INFO						REAR				FRONT		Comments / Notes		
	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth		CS Appl Code	# Teeth
GS750T	750	1982-83	41	15	2.73	630-96	2-5226	42,43,45,47,50					511	13-18	630>530 Conv.; must use 6mm washer on CS
GSX750F Katana	750	1989-97	47	15	3.13	530-118	2-5389	43,45-48					511	13-18	
GSX750F Katana	750	1998-06	45	15	3.00	530-116	2-5389	43,45-48					511	13-18	
GSX-R750	750	1986-87	42	14	3.00	530-106	2-5389	43,45-48					511	13-18	
GSX-R750	750	1988-89	45	15	3.00	530-108	2-5389	43,45-48					511	13-18	
GSX-R750	750	1990-92	43	15	2.87	530-108	2-5226	42,43,45,47,50					511	13-18	
GSX-R750	750	1993-95	43	15	2.87	530-108	2-5226	42,43,45,47,50					511	13-18	
GSX-R750	750	1996-97	43	16	2.69	530-108	2-5501	40,42,45,46,48					511	13-18	
GSX-R750	750	1998-99	44	16	2.75	525-108	2-4523	44,46					404	14-17	
GSX-R750	750	2000-03	42	17	2.47	525-108	2-4499	40-47					404	14-17	
GSX-R750	750	2000-03	42	17	2.47	525-108			5-3497	40-48			333	14-17	525>520 Conv.
GSX-R750	750	2004-05	43	17	2.53	525-108	2-4499	40-47					404	14-17	
GSX-R750	750	2004-05	43	17	2.53	525-108			5-3497	40-48			333	14-17	525>520 Conv.
GSX-R750	750	2006-09	45	17	2.65	525-116	2-4499	40-47					404	14-17	
GSX-R750	750	2006-09	45	17	2.65	525-116			5-3497	40-48			333	14-17	525>520 Conv.
GSX-R750	750	2011	45	17	2.65	525-	2-4472	43-46					404	14-17	
GSX-R750	750	2011	45	17	2.65	525-							333	14-17	525>520 Conv.
GSX-R750W	750	1993-95	42	15	2.80	530-108	2-5226	42,43,45,47,50					511	13-18	
GI750	750	1972-74	47	15	3.13	530-108	2-5226	42,43,45,47,50							
GI750	750	1975-76	43	16	2.69	530-106	2-5226	42,43,45,47,50							
GI750	750	1977	40	15	2.67	530-104	2-5226	42,43,45,47,50							
VZ800 Marauder	800	1997-04	48	15	3.20	530-116	2-5389	43,45-48					511	13-18	
RF900R	900	1994-97	43	15	2.87	532-110	2-5226	42,43,45,47,50					511	13-18	532>530 Conv.
RF900RZ	900	1995	43	15	2.87	532-110	2-5226	42,43,45,47,50					511	13-18	532>530 Conv.
DL1000 V-Strom	1000	2002-09	41	17	2.41	525-112	2-4499	40-47					404	14-17	
DL1000 V-Strom	1000	2002-09	41	17	2.41	525-112			5-3497	40-48			333	14-17	525>520 Conv.
GS1000	1000	1978-79	42	15	2.80	630-96	2-6223	41,42					609	15	
GS1000	1000	1978-79	42	15	2.80	630-96	2-5226	42,43,45,47,50					511	13-18	630>530 Conv.; must use 6mm washer on CS
GS1000E	1000	1978-80	42	15	2.80	630-96	2-6223	41,42					609	15	
GS1000E	1000	1978-80	42	15	2.80	630-96	2-5226	42,43,45,47,50					511	13-18	630>530 Conv.; must use 6mm washer on CS
GS1000L	1000	1979	42	15	2.80	630-96	2-6223	41,42					609	15	
GS1000L	1000	1979	42	15	2.80	630-96	2-5226	42,43,45,47,50					511	13-18	630>530 Conv.; must use 6mm washer on CS
GS1000S	1000	1979-82	42	15	2.80	630-96	2-6223	41,42					609	15	
GS1000S	1000	1979-82	42	15	2.80	630-96	2-5226	42,43,45,47,50					511	13-18	630>530 Conv.; must use 6mm washer on CS
GSX-R1000	1000	2001-06	42	17	2.47	530-110	2-5499	40,42,43					511	13-18	
GSX-R1000	1000	2001-06	42	17	2.47	530-110			5-3497	40-48			333	14-17	530>520 Conv.
GSX-R1000	1000	2007-08	43	17	2.53	530-112	2-5499	40,42,43					511	13-18	
GSX-R1000	1000	2007-08	43	17	2.53	530-112			5-3497	40-48			333	14-17	530>520 Conv.
GSX-R1000	1000	2009-11	42	17	2.47	530-114	2-5474	42-49					560	17,18	
GSX-R1000	1000	2009-11	42	17	2.47	530-114			5-3477	39-49					530>520 Conv.
SV1000	1000	2003-07	40	17	2.35	530-108	2-5499	40,42,43					511	13-18	
SV1000	1000	2003-07	40	17	2.35	530-108			5-3497	40-48			333	14-17	530>520 Conv.
SV1000-S	1000	2003-07	40	17	2.35	530-108	2-5499	40,42,43					511	13-18	
SV1000-S	1000	2003-07	40	17	2.35	530-108			5-3497	40-48			333	14-17	530>520 Conv.
TL1000R	1000	1998-03	39	17	2.29	530-106	2-5526	39,40					511	13-18	
TL1000S	1000	1997-01	38	17	2.24	530-104	2-5526	39,40					511	13-18	
GS1100E	1100	1980-83	42	15	2.80	630-96	2-6223	41,42					609	15	
GS1100E	1100	1980-83	42	15	2.80	630-96	2-5226	42,43,45,47,50					511	13-18	630>530 Conv.; must use 6mm washer on CS
GS1100ES	1100	1983	42	15	2.80	630-98	2-6223	41,42					609	15	
GS1100ES	1100	1983	42	15	2.80	630-98	2-5226	42,43,45,47,50					511	13-18	630>530 Conv.; must use 6mm washer on CS
GS1100L	1100	1980	40	15	2.67	630-96	2-6223	41,42					609	15	
GS1100L	1100	1980	40	15	2.67	630-96	2-5226	42,43,45,47,50					511	13-18	630>530 Conv.; must use 6mm washer on CS
GS1100S	1100	1983	42	15	2.80	630-96	2-6223	41,42					609	15	
GS1100S	1100	1983	42	15	2.80	630-96	2-5226	42,43,45,47,50					511	13-18	630>530 Conv.; must use 6mm washer on CS
GSX1100F Katana	1100	1988-93	52	15	3.47	532-118	2-5226	42,43,45,47,50					511	13-18	532>530 Conv.
GSX-R1100	1100	1986-87	47	14	3.36	532-114	2-5389	43,45-48					511	13-18	532>530 Conv.

# SUZUKI/TRIUMPH

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

**EXAMPLE:** APPL CODE | TEETH # 2-355943

## SUZUKI

SUZUKI	OE GEARING INFO						REAR						FRONT		Comments / Notes
	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth	CS Appl Code	# Teeth	
GSX-R1100	1100	1988	46	14	3.29	532-114	2-5389	43,45-48					511	13-18	532>530 Conv.
GSX-R1100	1100	1989-92	48	15	3.20	532-114	2-5226	42,43,45,47,50					511	13-18	532>530 Conv.
GSX-R1100W	1100	1993-94	42	15	2.80	532-114	2-5226	42,43,45,47,50					511	13-18	532>530 Conv.
GSX-R1100W	1100	1995-98	44	16	2.75	532-116	2-5226	42,43,45,47,50					511	13-18	532>530 Conv.
GS1150E	1150	1985-86	42	15	2.80	630-102	2-6223	41,42					609	15	
GS1150ES	1150	1984-86	42	15	2.80	630-102	2-6223	41,42					609	15	
GS1150ES3 Bandit	1150	1984	42	15	2.80	630-102	2-6223	41,42					609	15	
GSF1200S Bandit	1200	1997-05	45	15	3.00	530-110	2-5226	42,43,45,47,50					511	13-18	
GSF1250S / ABS Bandit	1250	2007-09	43	18	2.39	530-120	2-5499	40,42,43					511	13-18	
GSX1250 FA	1250	2011	43	18	2.39	530-118	2-5499	40,42,43					511	13-18	
GSX1300-R Hayabusa	1300	1999-07	40	17	2.35	530-112	2-5526	39,40					511	13-18	
GSX1300-R Hayabusa	1300	2008-11	43	18	2.39	530-118	2-5499	40,42,43					560	17,18	
GSX1300BK B-King	1300	2008-09	43	18	2.39	530-118	2-5499	40,42,43					560	17,18	

## TRIUMPH

TRIUMPH	OE GEARING INFO						REAR						FRONT		Comments / Notes
	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth	CS Appl Code	# Teeth	
600 Daytona USA	600	2003-04	45	14	3.21	525-108	2-4499	40-47							
600 Speed Four	600	2003-05	42	14	3.00	525-106	2-4499	40-47							
600TT	600	2000-03	42	14	3.00	525-106	2-4499	40-47							
650 Daytona	650	2005	45	14	3.21	525-108	2-4499	40-47							
675 Daytona	675	2006-10	47	16	2.94	525-116							404	14-17	
675 Speed Triple	675	2008-10	47	16	2.94	525-116							404	14-17	
675 Speed Triple R	675	2010	47	16	2.94	525-116							404	14-17	
800 Bonneville T100	800	2003-05	43	17	2.53	525-104	2-4499	40-47							
800 Bonneville USA	800	2002-06	43	17	2.53	525-104	2-4499	40-47							
865 Bonneville	865	2007-10	43	18	2.39	525-104	2-4499	40-47							
865 Bonneville Black	865	2007	43	18	2.39	525-104	2-4499	40-47							
865 Bonneville T100	865	2006-10	43	18	2.39	525-104	2-4499	40-47							
865 Scrambler	865	2006-10	43	18	2.39	525-106	2-4499	40-47							
865 Thruxton	865	2007-10	43	18	2.39	525-104	2-4499	40-47							



YAMAHA

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

EXAMPLE: APPL CODE | TEETH # 2-355943

YAMAHA

MODEL	OE GEARING INFO						REAR				FRONT		Comments / Notes		
	YAMAHA	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code		# Teeth	CS Appl Code
DT50	50	1988-90	48	13	3.69	420-110							104	12-15	
JT1	50	1971	41	13	3.15	420-90							101	11-14	
JT2	50	1972	41	13	3.15	420-90							101	11-14	
LB50P Chappy	50	1978-82	32	13	2.46	420-92							104	12-15	
RX50 Special	50	1983-84	47	12	3.92	420-110							101	11-14	
RX50M Midnight Special	50	1983-84	47	12	3.92	420-110							101	11-14	
TTR50	50	2006-12	37	13	2.85	420-	2-1117	32,35,37,45,48					104	12-15	
YJ1	50	1964-65	39	15	2.60	420-100							104	12-15	
YJ2	50	1964-65	39	15	2.60	420-100							104	12-15	
YSR50	50	1987-92	44	12	3.67	420-100							101	11-14	
YZ50	50	1980	45	12	3.75	420-90							101	11-14	
RD60	60	1973-75	42	13	3.23	420-106	2-1117	32,35,37,45,48					101	11-14	
YZ60	60	1981	42	12	3.50	420-98							104	12-15	
YZ60	60	1982-83	42	13	3.23	420-98							104	12-15	
BW80 Big Wheel	80	1986-88	32	15	2.13	420-90	2-1117	32,35,37,45,48					104	12-15	
BW80 Big Wheel	80	1990	32	15	2.13	420-90	2-1117	32,35,37,45,48					104	12-15	
DT80	80	1974-83	41	14	2.93	420-106							101	11-14	
G6S	80	1970-71	37	14	2.64	420-96	2-1117	32,35,37,45,48					104	12-15	
G7S	80	1972	37	14	2.64	420-96	2-1117	32,35,37,45,48					104	12-15	
GT1	80	1973	41	14	2.93	420-106							101	11-14	
GT80	80	1974-76	41	14	2.93	420-106							101	11-14	
GT80	80	1978-80	41	14	2.93	420-106							101	11-14	
GT-MX	80	1973-79	41	14	2.93	420-106							101	11-14	
LB80-2A	80	1976	28	14	2.00	428-88							104	12-15	
LB80-2A Chappy	80	1977-78	31	15	2.07	420-88	2-1117	32,35,37,45,48					104	12-15	
LB80-2H	80	1976	31	14	2.21	420-88							101	11-14	
LB80-3	80	1977	36	14	2.57	420-92	2-1117	32,35,37,45,48					104	12-15	
MX80	80	1980-82	41	14	2.93	420-92							101	11-14	
PW80	80	1983	32	15	2.13	420-84	2-1117	32,35,37,45,48					104	12-15	
PW80	80	1985	32	15	2.13	420-84	2-1117	32,35,37,45,48					104	12-15	
PW80	80	1991-06	32	15	2.13	420-84	2-1117	32,35,37,45,48					104	12-15	
TY80	80	1974-75	41	12	3.42	420-106							101	11-14	
U7E	80	1969	35	15	2.33	420-100	2-1117	32,35,37,45,48					104	12-15	
YG5S	80	1969	39	15	2.60	420-96	2-1117	32,35,37,45,48					104	12-15	
YZ80	80	1974	43	13	3.31	420-102							101	11-14	
YZ80	80	1975	48	13	3.69	420-104							101	11-14	
YZ80	80	1976	48	14	3.43	420-106							101	11-14	
YZ80	80	1977	48	13	3.69	420-104							101	11-14	
YZ80	80	1978-79	51	14	3.64	428-106							201	12	
YZ80	80	1980	51	14	3.64	428-108	2-2103	42,47,50,52,55					201	12	
YZ80	80	1981-82	44	13	3.38	428-108	2-2103	42,47,50,52,55					203	12-16	
YZ80	80	1983	42	12	3.50	428-110	2-2103	42,47,50,52,55					203	12-16	
YZ80	80	1984	46	15	3.07	428-114	2-2492	48					203	12-16	
YZ80	80	1985	48	14	3.43	428-112	2-2492	48					203	12-16	
YZ80	80	1986-92	46	14	3.29	428-112	2-2492	48					203	12-16	
YZ80	80	1993-01	47	14	3.36	428-118	2-2429	47-50	5-2429	46-50			203	12-16	
YZ85	85	2002-12	47	14	3.36	428-118	2-2429	47-50	5-2429	46-50			226	13-15	
HS1	90	1970-71	40	13	3.08	420-104	2-1117	32,35,37,45,48					104	12-15	
HT1	90	1970-71	49	15	3.27	428-106							203	12-16	
HT1-MX	90	1971	52	15	3.47	428-108							203	12-16	
TTR90	90	2000-07	35	14	2.50	420-100	2-1117	32,35,37,45,48					104	12-15	
YG5T	90	1968	41	15	2.73	420-100							104	12-15	
DT100	100	1974-76	49	14	3.50	428-112							203	12-16	
DT100	100	1977-83	45	14	3.21	420-102	2-1117	32,35,37,45,48					104	12-15	
LS2	100	1972	42	14	3.00	420-106	2-1117	32,35,37,45,48					104	12-15	
LT2	100	1972	49	14	3.50	428-106							203	12-16	

Combine the Appl code for your desired product with the number of teeth.

EXAMPLE: APPL CODE | TEETH # 2-355943

## YAMAHA

MODEL	OE GEARING INFO						REAR					FRONT		Comments / Notes		
	YAMAHA	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth		CS Appl Code	# Teeth
LT2M	100	1972	49	14	3.50	428-112								203	12-16	
LT3	100	1973	49	14	3.50	428-106								203	12-16	
LT-MX	100	1973	49	14	3.50	428-112								203	12-16	
MX100	100	1974-75	52	14	3.71	428-110								203	12-16	
MX100	100	1979-83	48	14	3.43	420-104	2-1117	32,35,37,45,48						104	12-15	
RS100	100	1975-76	36	15	2.40	428-102								203	12-16	
RT100	100	1990	48	14	3.43	420-104	2-1117	32,35,37,45,48						104	12-15	
RT100	100	1992-00	48	14	3.43	420-104	2-1117	32,35,37,45,48						104	12-15	
YG1	100	1963	37	15	2.47	420-100								104	12-15	
YG1K	100	1964	37	15	2.47	420-100								104	12-15	
YG1T	100	1963	51	15	3.40	420-106								104	12-15	
YG1TK	100	1964	51	15	3.40	420-106								104	12-15	
YL1	100	1966	35	15	2.33	420-100	2-1117	32,35,37,45,48						104	12-15	
YL1E	100	1967	35	15	2.33	420-100	2-1117	32,35,37,45,48						104	12-15	
YL2	100	1967	37	16	2.31	420-100								104	12-15	
YZ100	100	1976-77	40	12	3.33	520-90								301	11-13	
YZ100	100	1978-79	43	12	3.58	520-98								301	11-13	
YZ100	100	1980-81	45	12	3.75	520-100								301	11-13	
YZ100	100	1982-83	50	12	4.17	520-106	2-3685	44,48-52						301	11-13	
TR110 / E	110	2008-12	35	14	2.50	420-90	2-1117	32,35,37,45,48						104	12-15	
AS2C	125	1969	39	15	2.60	428-116								203	12-16	
AT1	125	1970-71	45	14	3.21	428-112								203	12-16	
AT1-E	125	1969-70	45	15	3.00	428-112								203	12-16	
AT1-MX	125	1971	45	14	3.21	428-112								203	12-16	
AT2	125	1972	45	14	3.21	428-112								203	12-16	
AT3	125	1973	45	14	3.21	428-112								203	12-16	
DT125	125	1974-75	45	14	3.21	428-112								203	12-16	
DT125	125	1976	45	15	3.00	428-114								203	12-16	
DT125	125	1978	49	15	3.27	428-118	2-2113	49						203	12-16	
DT125	125	1979-81	49	14	3.50	428-118	2-2113	49						203	12-16	
IT125	125	1980-81	46	12	3.83	520-100								301	11-13	
MX125	125	1974-75	47	15	3.13	428-116								203	12-16	
MX125	125	1976	45	14	3.21	428-114								203	12-16	
RD125	125	1974-76	39	14	2.79	428-110								203	12-16	
TA125	125	1974	36	17	2.12	428-110								203	12-16	
TTR125-L/LE	125	2002-12	54	13	4.15	428-122	2-2098	49,54						206	13-15	
TTR125-E	125	2002-09	49	13	3.77	428-118	2-2098	49,54						206	13-15	
TZ125	125	1980	35	16	2.19	428-108	2-2103	42,47,50,52,55						203	12-16	
XT125	125	1982-83	54	14	3.86	428-120	2-2103	42,47,50,52,55						206	13-15	
XT125C	125	1983	54	14	3.86	428-120	2-2103	42,47,50,52,55						206	13-15	
YA6	125	1966	39	15	2.60	428-116								203	12-16	
YASIC	125	1968	39	15	2.60	428-104								203	12-16	
YFM125 Breeze	125	1989-04	32	12	2.67	520-74	2-3123	32						315	10,12-17	
YFM125G Grizzly	125	2004-12	32	12	2.67	520-74	2-3123	32						315	10,12-17	
YT125 Tri Moto	125	1980-81	49	13	3.77	428-60								203	12-16	
YT125 Tri Moto	125	1982-85	39	11	3.55	520-48								301	11-13	
YZ125	125	1974-75	47	14	3.36	428-112								203	12-16	
YZ125	125	1976	45	14	3.21	428-110								203	12-16	
YZ125X	125	1976	46	12	3.83	520-98								301	11-13	
YZ125	125	1977-79	51	12	4.25	520-104								301	11-13	
YZ125	125	1980	48	12	4.00	520-102	2-3685	44,48-52						301	11-13	
YZ125	125	1981-82	46	12	3.83	520-104	2-3685	44,48-52						301	11-13	
YZ125	125	1983	48	12	4.00	520-106	2-3685	44,48-52						301	11-13	
YZ125	125	1984	48	12	4.00	520-110	2-3685	44,48-52						301	11-13	
YZ125	125	1985	52	12	4.33	520-114	2-3685	44,48-52						301	11-13	
YZ125	125	1986	50	13	3.85	520-112	2-3685	44,48-52						301	11-13	

YAMAHA

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

<b>EXAMPLE:</b>	APPL CODE		TEETH #	2-355943
-----------------	-----------	--	---------	----------

YAMAHA

MODEL	OF GEARING INFO						REAR					FRONT		Comments / Notes		
	YAMAHA	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth		CS Appl Code	# Teeth
YZ125	125	1987	50	13	3.85	520-112	2-3685	44,48-52						345	12-14	
YZ125	125	1988	49	13	3.77	520-112	2-3685	44,48-52						345	12-14	
YZ125	125	1989-92	51	13	3.92	520-116	2-3685	44,48-52						345	12-14	
YZ125	125	1993-95	50	13	3.85	520-116	2-3685	44,48-52						345	12-14	
YZ125	125	1996	50	13	3.85	520-112	2-3685	44,48-52						345	12-14	
YZ125	125	1997-98	48	13	3.69	520-112	2-3685	44,48-52						345	12-14	
YZ125	125	1999-01	48	13	3.69	520-112	2-3592	40,42-45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	345	12-14	Black Alum RS Avail. In 48-52t	
YZ125	125	2002-04	49	13	3.77	520-112	2-3592	40,42-45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	345	12-14	Black Alum RS Avail. In 48-52t	
YZ125	125	2005-08	48	13	3.69	520-112	2-3592	40,42-45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	388	12-14	Black Alum RS Avail. In 48-52t	
YZ125	125	2009-11	48	13	3.69	520-114	2-3592	40,42-45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	388	12-14	Black Alum RS Avail. In 48-52t	
YZ125	125	2012	48	13	3.69	520-112	2-3592	40,42-45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	388	12-14	Black Alum RS Avail. In 48-52t	
CT1	175	1969	45	15	3.00	428-114								203	12-16	
CT1	175	1970-72	45	15	3.00	428-112								203	12-16	
CT2	175	1970-72	45	15	3.00	428-112								203	12-16	
CT3	175	1970-72	45	15	3.00	428-112								203	12-16	
DT175	175	1974-76	45	16	2.81	428-112								203	12-16	
DT175	175	1978-81	49	16	3.06	428-118	2-2113	49						203	12-16	
IT175	175	1977-79	41	12	3.42	520-96								301	11-13	
IT175	175	1980-82	44	12	3.67	520-100	2-3685	44,48-52						301	11-13	
IT175	175	1983	44	12	3.67	520-104	2-3685	44,48-52						301	11-13	
MX175	175	1974	47	14	3.36	428-112								203	12-16	
MX175	175	1975	49	14	3.50	428-118	2-2113	49						203	12-16	
MX175	175	1979-81	49	15	3.27	428-118	2-2113	49						203	12-16	
TY175	175	1975	51	12	4.25	428-114	2-2103	42,47,50,52,55						203	12-16	
TY175	175	1976	51	13	3.92	428-114	2-2103	42,47,50,52,55						203	12-16	
YT175 Tri Moto	175	1982-83	39	11	3.55	520-48								301	11-13	
YZ175	175	1976	44	12	3.67	520-96								301	11-13	
RT180	180	1990-92	51	14	3.64	428-122	2-2113	49						203	12-16	
RT180	180	1993	51	14	3.64	428-120								203	12-16	
RT180	180	1995-98	51	14	3.64	428-120								203	12-16	
YCS1	180	1968	37	15	2.47	428-106								203	12-16	
SR185 Exciter	185	1981-82	44	15	2.93	428-118								206	13-15	
BW200 Big Wheel	200	1985-86	37	14	2.64	520-74								301	11-13	
BW200E Big Wheel	200	1986-88	37	14	2.64	520-74								301	11-13	
CS3	200	1970-71	40	14	2.86	428-106								203	12-16	
CS5	200	1972	39	14	2.79	428-106								203	12-16	
IT200	200	1984-86	44	12	3.67	520-106	2-3685	44,48-52						301	11-13	
RD200	200	1974-76	36	14	2.57	428-108								203	12-16	
TW200 Trailway	200	1987-94	50	14	3.57	428-126	2-2103	42,47,50,52,55						213	14,15	
TW200 Trailway	200	1995-12	50	14	3.57	428-122	2-2103	42,47,50,52,55						213	14,15	
WR200R	200	1992	52	13	4.00	520-116								345	12-14	
XT200	200	1982-83	47	15	3.13	428-118	2-2103	42,47,50,52,55						206	13-15	
XT200C	200	1983	47	15	3.13	428-118	2-2103	42,47,50,52,55						206	13-15	
YFS200 Blaster	200	1988-06	40	13	3.08	520-92	2-3679	40-44,46,48	5-3679	40				349	12-14	
YTM200 Tri Moto	200	1983-85	42	11	3.82	520-60								330	11	
IT225	225	1986-87	50	14	3.57	428-124	2-2104	45,50						206	13-15	
TTR225-R	225	1999-04	58	15	3.87	428-128								206	13-15	
XT225 Serow	225	1992-07	45	15	3.00	428-120	2-2104	45,50						206	13-15	
TTR230	230	2005-12	49	13	3.77	520-105	2-3592	40,42-45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	349	12-14	Black Alum RS Avail. In 48-52t; use tapered bolts on rr sprkt	
DS6B	250	1970	40	15	2.67	525-92								511	13-18	525>530 Conv.
DS6C	250	1969	40	14	2.86	525-92								511	13-18	525>530 Conv.
DS7	250	1972	40	15	2.67	525-92								511	13-18	525>530 Conv.
DT1	250	1968	44	15	2.93	520-110								325	12-16	
DT1	250	1970	44	14	3.14	520-102								325	12-16	
DT1-B	250	1969	44	15	2.93	520-100								325	12-16	
DT1-E	250	1971	39	14	2.79	520-100								325	12-16	

Combine the Appl code for your desired product with the number of teeth.

**EXAMPLE:** APPL CODE | TEETH # 2-35943

## YAMAHA

YAMAHA	OE GEARING INFO						REAR						FRONT		Comments / Notes
	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth	CS Appl Code	# Teeth	
DT1-MX	250	1970	44	14	3.14	520-102							325	12-16	
DT1-MX	250	1971	39	14	2.79	520-100							325	12-16	
DT1-S	250	1969	44	15	2.93	520-100							325	12-16	
DI2	250	1972	44	14	3.14	520-102							325	12-16	
DI250	250	1974-76	47	14	3.36	520-104							325	12-16	
DI250	250	1977-79	47	14	3.36	520-104							315	10,12-17	
DI2-MX	250	1972	51	15	3.40	520-106							325	12-16	
DI3	250	1973	44	14	3.14	520-102							325	12-16	
IT250	250	1977	46	13	3.54	520-104	2-3679	40,44,46,48	5-3679	40			315	10,12-17	
IT250	250	1978	46	14	3.29	520-104	2-3679	40,44,46,48	5-3679	40			315	10,12-17	
IT250	250	1979-80	48	13	3.69	520-102	2-3679	40,44,46,48	5-3679	40			315	10,12-17	
IT250	250	1981-82	50	13	3.85	520-108	2-3685	44,48-52					315	10,12-17	
IT250	250	1983	48	13	3.69	520-110	2-3685	44,48-52					315	10,12-17	
MX250	250	1973-74	51	15	3.40	520-106							325	12-16	
MX250	250	1975	50	13	3.85	520-106	2-3679	40,44,46,48	5-3679	40			325	12-16	
RD250	250	1973-75	40	15	2.67	530-92							511	13-18	
SR250 Exciter I	250	1980-82	46	16	2.88	520-103	2-3103	46					315	10,12-17	
SR250T Exciter II	250	1981	46	16	2.88	520-103	2-3103	46					315	10,12-17	
SRX250	250	1987	43	14	3.07	520-106	2-3103	46					315	10,12-17	
TI250	250	1980	51	15	3.40	520-100	2-3103	46					315	10,12-17	
TI250	250	1981-82	49	14	3.50	520-100	2-3103	46					315	10,12-17	
TIR250-R	250	1999-06	52	13	3.69	520-110	2-3685	44,48-52					3A0	12,13	
TY250	250	1974	53	14	3.79	428-114	2-2104	45,50					203	12-16	
TY250	250	1976-77	53	14	3.79	428-114	2-2104	45,50					203	12-16	
WR250F	250	2001-06	52	13	4.00	520-114	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	388	12-14	Black Alum RS Avail. In 48-52t
WR250F	250	2007-12	50	13	3.85	520-114	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	388	12-14	Black Alum RS Avail. In 48-52t
WR250R	250	2008-12	43	13	3.31	520-108	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	388	12-14	Black Alum RS Avail. In 48-52t; use tapered bolts on rr sprkt
WR250X	250	2008-11	42	13	3.23	520-108	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	388	12-14	Black Alum RS Avail. In 48-52t; use tapered bolts on rr sprkt
WR250Z	250	1991-97	52	14	3.71	520-116	2-3685	44,48-52					315	10,12-17	
XT250	250	1980-83	47	15	3.13	520-98	2-3103	46					315	10,12-17	
XT250	250	1984	48	15	3.20	520-106	2-3103	46					315	10,12-17	
XT250C	250	1983	47	15	3.13	520-98	2-3103	46					315	10,12-17	
XT250C	250	1984	48	15	3.20	520-106	2-3103	46					315	10,12-17	
XV250 RT 66	250	1988-90	45	16	2.81	520-113	2-3538	38,40,42,45					315	10,12-17	
XV250 Virago	250	1995-08	45	16	2.81	520-113	2-3538	38,40,42,45					315	10,12-17	
XV250 V-Star	250	2009-12	45	16	2.81	520-114	2-3538	38,40,42,45					315	10,12-17	
YDS5	250	1967	41	15	2.73	525-92							511	13-18	525>530 Conv.
YFM250 Raptor	250	2008-12	38	14	2.71	520-92	2-3540	38-40	5-3540	37-40			315	10,12-17	
YZ250 Tri Moto	250	1985-86	44	13	3.38	520-98	2-3679	40,44,46,48	5-3679	40			315	10,12-17	
YZ250	250	1974	50	13	3.85	520-106	2-3679	40,44,46,48	5-3679	40			325	12-16	
YZ250	250	1975	52	13	4.00	520-106	2-3679	40,44,46,48	5-3679	40			325	12-16	
YZ250	250	1976	50	13	3.85	520-106	2-3679	40,44,46,48	5-3679	40			325	12-16	
YZ250	250	1977	54	13	4.15	520-108	2-3679	40,44,46,48	5-3679	40			325	12-16	
YZ250	250	1978-79	48	13	3.69	520-108	2-3679	40,44,46,48	5-3679	40			325	12-16	
YZ250	250	1980	48	13	3.69	520-106	2-3685	44,48-52					315	10,12-17	
YZ250	250	1981	48	14	3.43	520-110	2-3685	44,48-52					315	10,12-17	
YZ250	250	1982	45	13	3.46	520-110	2-3685	44,48-52					315	10,12-17	
YZ250	250	1983-84	48	13	3.69	520-112	2-3685	44,48-52					315	10,12-17	
YZ250	250	1985-86	50	14	3.57	520-114	2-3685	44,48-52					315	10,12-17	
YZ250	250	1987-90	49	14	3.50	520-114	2-3685	44,48-52					315	10,12-17	
YZ250 WR	250	1989	49	14	3.50	520-114	2-3685	44,48-52					315	10,12-17	
YZ250 WR	250	1990	51	14	3.64	520-116	2-3685	44,48-52					315	10,12-17	
YZ250	250	1991-93	49	14	3.50	520-116	2-3685	44,48-52					315	10,12-17	
YZ250	250	1994-97	49	13	3.77	520-114	2-3685	44,48-52					315	10,12-17	
YZ250	250	1999-12	50	14	3.85	520-114	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
YZ250F	250	2001-06	48	13	3.69	520-112	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	388	12-14	Black Alum RS Avail. In 48-52t



YAMAHA

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

EXAMPLE: APPL CODE | TEETH # 2-355943

YAMAHA

MODEL	OE GEARING INFO						REAR					FRONT		Comments / Notes	
	YAMAHA	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth		CS Appl Code
YZ250F	250	2007-08	49	13	3.77	520-112	2-3592	40,42,45,47,52	5-3592	43,45,47,54	8-3592	48E-52E	388	12-14	Black Alum RS Avail. In 48-52t
YZ250F	250	2009-11	49	13	3.77	520-114	2-3592	40,42,45,47,52	5-3592	43,45,47,54	8-3592	48E-52E	388	12-14	Black Alum RS Avail. In 48-52t
YZ250F	250	2012	50	13	3.85	520-114	2-3592	40,42,45,47,52	5-3592	43,45,47,54	8-3592	48E-52E	388	12-14	Black Alum RS Avail. In 48-52t
BW350 Big Wheel	350	1987-88	37	14	2.64	520-76							301	11-13	
R3	350	1969	39	15	2.60	530-98							511	13-18	
R5	350	1970-72	40	15	2.67	525-92							511	13-18	525>530 Conv.
RD350	350	1973-75	40	15	2.67	530-92							511	13-18	525>530 Conv.
RZ350	350	1984-85	40	17	2.35	520-106							315	10,12-17	
RZ350C	350	1985	40	17	2.35	520-106							315	10,12-17	
TT350	350	1986-87	50	14	3.57	520-108	2-3685	44,48-52					316	14,15	
TY350	350	1985	42	12	3.50	520-96							315	10,12-17	
TY350	350	1986	35	10	3.50	520-92							315	10,12-17	
XT350	350	1985-00	55	19	2.89	428-130	2-2103	42,47,50,52,55					218	19	
YFM350 Raptor	350	2004-12	38	13	2.92	520-98	2-3540	38-40	5-3540	37-40			315	10,12-17	
YFM350X Warrior	350	1987-88	40	13	3.08	520-100	2-3538	38,40,42,45					315	10,12-17	
YFM350X Warrior	350	1989-04	40	13	3.08	520-98	2-3679	40-44,46,48	5-3679	40			315	10,12-17	
YZ350 Banshee	350	1987-88	40	13	3.08	520-100	2-3538	38,40,42,45					315	10,12-17	
YZ350 Banshee	350	1989-06	41	14	2.93	520-104	2-3679	40-44,46,48	5-3679	40			315	10,12-17	
YM2C	350	1967	41	15	2.73	525-98							511	13-18	525>530 Conv.
DT360	360	1974	44	15	2.93	520-104							325	12-16	
MX360	360	1973-74	51	15	3.40	520-106							325	12-16	
RT1	360	1970-71	39	14	2.79	520-102							325	12-16	
RT1-M	360	1970	44	14	3.14	520-110							325	12-16	
RT1-MX	360	1971	44	14	3.14	520-110							325	12-16	
RT2	360	1972	39	15	2.60	520-102							325	12-16	
RT2-MX	360	1972	51	15	3.40	520-106							325	12-16	
RT3	360	1973	39	15	2.60	520-102							325	12-16	
YZ360	360	1974-75	48	15	3.20	520-104	2-3679	40-44,46,48	5-3679	40			325	12-16	
DT400	400	1975-76	47	14	3.36	520-114							325	12-16	
DT400	400	1977	40	16	2.50	520-102	2-3679	40-44,46,48	5-3679	40			325	12-16	
DT400	400	1978	43	16	2.69	520-102	2-3679	40-44,46,48	5-3679	40			325	12-16	
IT400	400	1976-78	46	15	3.07	520-104	2-3679	40-44,46,48	5-3679	40			325	12-16	
IT400	400	1979	46	14	3.29	520-102	2-3679	40-44,46,48	5-3679	40			325	12-16	
MX400	400	1975	50	14	3.57	520-106	2-3679	40-44,46,48	5-3679	40			325	12-16	
WR400F	400	1998	50	14	3.57	520-114	2-3685	44,48-52					325	12-16	
WR400F	400	1999-00	50	14	3.57	520-114	2-3592	40,42,45,47,52	5-3592	43,45,47,54	8-3592	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
XS400 Maxim	400	1982-83	35	16	2.19	530-100							502	16	
XS400R Seca	400	1982-83	38	16	2.38	530-102							502	16	
YZ400	400	1976-77	50	14	3.57	520-106	2-3679	40-44,46,48	5-3679	40			325	12-16	
YZ400	400	1978-79	50	14	3.57	520-108	2-3679	40-44,46,48	5-3679	40			325	12-16	
YZ400F	400	1998	49	14	3.50	520-114	2-3685	44,48-52					325	12-16	
YZ400F	400	1999	49	14	3.50	520-114	2-3592	40,42,45,47,52	5-3592	43,45,47,54	8-3592	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
IT425	425	1980	46	14	3.29	520-102	2-3679	40-44,46,48	5-3679	40			315	10,12-17	
WR426F	426	2001-02	50	14	3.57	520-114	2-3592	40,42,45,47,52	5-3592	43,45,47,54	8-3592	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
YZ426F	426	1999-02	49	14	3.50	520-114	2-3592	40,42,45,47,52	5-3592	43,45,47,54	8-3592	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
WR450F	450	2003-06	50	14	3.57	520-114	2-3592	40,42,45,47,52	5-3592	43,45,47,54	8-3592	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
WR450F	450	2007-11	50	13	3.85	520-114	2-3592	40,42,45,47,52	5-3592	43,45,47,54	8-3592	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
YZ450	450	2004-09	38	14	2.71	520-98	2-3540	38-40	5-3540	37-40			325	12-16	
YZ450R / SE	450	2009-12	38	14	2.71	520-98	2-3540	38-40	5-3540	37-40			386	13-15	
YZ450X	450	2010-11	38	14	2.71	520-98	2-3540	38-40	5-3540	37-40			386	13-15	
YZ450F	450	2003-04	48	14	3.43	520-114	2-3592	40,42,45,47,52	5-3592	43,45,47,54	8-3592	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
YZ450F	450	2005	51	14	3.64	520-114	2-3592	40,42,45,47,52	5-3592	43,45,47,54	8-3592	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
YZ450F	450	2006-09	49	13	3.77	520-114	2-3592	40,42,45,47,52	5-3592	43,45,47,54	8-3592	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
YZ450F	450	2010-12	48	13	3.69	520-114	2-3592	40,42,45,47,52	5-3592	43,45,47,54	8-3592	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
IT465	465	1981-82	44	14	3.14	520-108	2-3685	44,48-52					315	10,12-17	
YZ465	465	1980	46	14	3.29	520-108	2-3679	40-44,46,48	5-3679	40			315	10,12-17	

Combine the Appl code for your desired product with the number of teeth.

**EXAMPLE:** APPL CODE | TEETH # 2-355943

## YAMAHA

YAMAHA	OE GEARING INFO						REAR					FRONT		Comments / Notes	
	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code	# Teeth	CS Appl Code		# Teeth
YZ250F	250	2007-08	49	13	3.77	520-112	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	388	12-14	Black Alum RS Avail. In 48-52t
YZ250F	250	2009-11	49	13	3.77	520-114	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	388	12-14	Black Alum RS Avail. In 48-52t
YZ250F	250	2012	50	13	3.85	520-114	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	388	12-14	Black Alum RS Avail. In 48-52t
BW350 Big Wheel	350	1987-88	37	14	2.64	520-76							301	11-13	
R3	350	1969	39	15	2.60	530-98							511	13-18	
R5	350	1970-72	40	15	2.67	525-92							511	13-18	525->530 Conv.
RD350	350	1973-75	40	15	2.67	530-92							511	13-18	525->530 Conv.
RZ350	350	1984-85	40	17	2.35	520-106							315	10,12-17	
RZ350C	350	1985	40	17	2.35	520-106							315	10,12-17	
TT350	350	1986-87	50	14	3.57	520-108	2-3685	44,48-52					316	14,15	
TY350	350	1985	42	12	3.50	520-96							315	10,12-17	
TY350	350	1986	35	10	3.50	520-92							315	10,12-17	
XT350	350	1985-00	55	19	2.89	428-130	2-2103	42,47,50,52,55					218	19	
YFM350 Raptor	350	2004-12	38	13	2.92	520-98	2-3540	38-40	5-3540	37-40			315	10,12-17	
YFM350X Warrior	350	1987-88	40	13	3.08	520-100	2-3538	38,40,42,45					315	10,12-17	
YFM350X Warrior	350	1989-04	40	13	3.08	520-98	2-3679	40-44,46,48	5-3679	40			315	10,12-17	
YFZ350 Banshee	350	1987-88	40	13	3.08	520-100	2-3538	38,40,42,45					315	10,12-17	
YFZ350 Banshee	350	1989-06	41	14	2.93	520-104	2-3679	40-44,46,48	5-3679	40			315	10,12-17	
YM2C	350	1967	41	15	2.73	525-98							511	13-18	525->530 Conv.
DT360	360	1974	44	15	2.93	520-104							325	12-16	
MX360	360	1973-74	51	15	3.40	520-106							325	12-16	
RT1	360	1970-71	39	14	2.79	520-102							325	12-16	
RT1-M	360	1970	44	14	3.14	520-110							325	12-16	
RT1-MX	360	1971	44	14	3.14	520-110							325	12-16	
RT2	360	1972	39	15	2.60	520-102							325	12-16	
RT2-MX	360	1972	51	15	3.40	520-106							325	12-16	
RT3	360	1973	39	15	2.60	520-102							325	12-16	
YZ360	360	1974-75	48	15	3.20	520-104	2-3679	40-44,46,48	5-3679	40			325	12-16	
DT400	400	1975-76	47	14	3.36	520-114							325	12-16	
DT400	400	1977	40	16	2.50	520-102	2-3679	40-44,46,48	5-3679	40			325	12-16	
DT400	400	1978	43	16	2.69	520-102	2-3679	40-44,46,48	5-3679	40			325	12-16	
IT400	400	1976-78	46	15	3.07	520-104	2-3679	40-44,46,48	5-3679	40			325	12-16	
IT400	400	1979	46	14	3.29	520-102	2-3679	40-44,46,48	5-3679	40			325	12-16	
MX400	400	1975	50	14	3.57	520-106	2-3679	40-44,46,48	5-3679	40			325	12-16	
WR400F	400	1998	50	14	3.57	520-114	2-3685	44,48-52					325	12-16	
WR400F	400	1999-00	50	14	3.57	520-114	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
XS400 Maxim	400	1982-83	35	16	2.19	530-100							502	16	
XS400R Seca	400	1982-83	38	16	2.38	530-102							502	16	
YZ400	400	1976-77	50	14	3.57	520-106	2-3679	40-44,46,48	5-3679	40			325	12-16	
YZ400	400	1978-79	50	14	3.57	520-108	2-3679	40-44,46,48	5-3679	40			325	12-16	
YZ400F	400	1998	49	14	3.50	520-114	2-3685	44,48-52					325	12-16	
YZ400F	400	1999	49	14	3.50	520-114	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
IT425	425	1980	46	14	3.29	520-102	2-3679	40-44,46,48	5-3679	40			315	10,12-17	
WR426F	426	2001-02	50	14	3.57	520-114	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
YZ426F	426	1999-02	49	14	3.50	520-114	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
WR450F	450	2003-06	50	14	3.57	520-114	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
WR450F	450	2007-11	50	13	3.85	520-114	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
YFZ450	450	2004-09	38	14	2.71	520-98	2-3540	38-40	5-3540	37-40			325	12-16	
YFZ450R / SE	450	2009-12	38	14	2.71	520-98	2-3540	38-40	5-3540	37-40			386	13-15	
YFZ450X	450	2010-11	38	14	2.71	520-98	2-3540	38-40	5-3540	37-40			386	13-15	
YZ450F	450	2003-04	48	14	3.43	520-114	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
YZ450F	450	2005	51	14	3.64	520-114	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
YZ450F	450	2006-09	49	13	3.77	520-114	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
YZ450F	450	2010-12	48	13	3.69	520-114	2-3592	40,42,45,47-52	5-3592	43-45,47-54	8-3592	48E-52E	325	12-16	Black Alum RS Avail. In 48-52t
IT465	465	1981-82	44	14	3.14	520-108	2-3685	44,48-52					315	10,12-17	
YZ465	465	1980	46	14	3.29	520-108	2-3679	40-44,46,48	5-3679	40			315	10,12-17	

YAMAHA

For the complete Sunstar part numbers:

Combine the Appl code for your desired product with the number of teeth.

EXAMPLE: APPL CODE | TEETH # 2-355943

YAMAHA

MODEL	OE GEARING INFO						REAR				FRONT		Comments / Notes		
	YAMAHA	CC	Years	Rear	CS	Ratio	Chain Links	Steel Appl Code	# Teeth	Alum Appl Code	# Teeth	Works Z Appl Code		# Teeth	CS Appl Code
TX750	750	1973-74	40	17	2.35	530-105	2-5401	34					510	17	
YZF750R	750	1994	43	16	2.69	532-106	2-5601	47-49					519	15-17	532>530 Conv.
YZF750R	750	1995-98	43	16	2.69	532-106	2-5601	47-49					519	15-17	532>530 Conv.
FZ-8	800	2011-12	46	16	2.88	525-							421	16	
TDM850	850	1992-93	44	16	2.75	525-114							325	12-16	525>520 Conv.
FZR1000	1000	1987-88	47	16	2.94	532-110	2-5601	47-49					519	15-17	532>530 Conv.
FZR1000	1000	1989-95	47	17	2.76	532-110	2-5601	47-49					519	15-17	532>530 Conv.
FZS1000 FZ-1	1000	2001-03	44	16	2.75	530-114	2-5474	42-49					517	16,17	
FZS1000 FZ-1	1000	2001-03	44	16	2.75	530-114			5-3477	39-49			395	15-17	530>520 Conv.
FZS1000 FZ-1	1000	2004-05	44	16	2.75	530-116	2-5474	42-49					517	16,17	
FZS1000 FZ-1	1000	2004-05	44	16	2.75	530-116			5-3477	39-49			395	15-17	530>520 Conv.
FZS1000 FZ-1	1000	2006-10	45	17	2.65	530-122	2-5474	42-49					517	16,17	
FZS1000 FZ-1	1000	2006-10	45	17	2.65	530-122			5-3477	39-49			395	15-17	530>520 Conv.
GTS1000	1000	1993-94	47	17	2.76	532-118	2-5601	47-49					519	15-17	532>530 Conv.
YZF-R1	1000	1998-03	43	16	2.69	530-114	2-5474	42-49					517	16,17	
YZF-R1	1000	1998-03	43	16	2.69	530-114			5-3477	39-49			395	15-17	530>520 Conv.
YZF-R1	1000	2004-05	45	17	2.65	530-116	2-5474	42-49					517	16,17	
YZF-R1	1000	2004-05	45	17	2.65	530-116			5-3477	39-49			395	15-17	530>520 Conv.
YZF-R1	1000	2006-08	45	17	2.65	530-118	2-5474	42-49					517	16,17	
YZF-R1	1000	2006-08	45	17	2.65	530-118			5-3477	39-49			395	15-17	530>520 Conv.
YZF-R1 /LE	1000	2009-11	47	17	2.76	530-120	2-5474	42-49					517	16,17	
YZF-R1 /LE	1000	2009-11	47	17	2.76	530-120			5-3477	39-49			395	15-17	530>520 Conv.
YZF-R1 SP	1000	2006	45	17	2.65	530-116	2-5474	42-49					517	16,17	
YZF-R1 SP	1000	2006	45	17	2.65	530-116			5-3477	39-49			395	15-17	530>520 Conv.
FJ1100	1100	1984-85	42	17	2.47	530-110	2-5601	47-49					517	16,17	
FJ1200	1200	1986-87	41	17	2.41	530-110	2-5601	47-49					517	16,17	
FJ1200	1200	1989-92	40	17	2.35	530-110	2-5601	47-49					517	16,17	
FJ1200A	1200	1992-93	40	17	2.35	530-110	2-5601	47-49					517	16,17	

**POLARIS 2x4**

POLARIS 2X4			OEM GEARING				REAR SPROCKETS		CS SPROCKETS		Comments / Notes	
CC	Model	Years	Rear	CS	Ratio	Chain	# Teeth	Steel	# Teeth	Front PN		
250	250	1993	38	13	2.92	520-86	30	2-334130	13	36313		
	Cyclone 250	1987	42	13	3.23	520-74	34	2-334134				
	Scrambler 250	85-86	42	13	3.23	520-74	36	2-334136				
	Trail Blazer 250	1990	42	13	3.23	520-88	38	2-334138				
	Trail Blazer 250	1991	34	13	2.62	520-84	40	2-334140				
	Trail Blazer 250	1992	34	11	3.09	520-84	42	2-334142	11	36411		
	Trail Blazer 250	1993	38	11	3.45	520-86			12	36412		
	Trail Blazer 250	1994	40	11	3.64	520-86						
	Trail Blazer 250	95-98	42	12	3.50	520-88						
	Trail Blazer 250	1999	38	11	3.45	520-86						
	Trail Blazer 250	00-06	36	11	3.27	520-						
	Trail Boss 250	85-89	42	13	3.23	520-88	30	2-334130	13	36313		
	Trail Boss 250	1990	38	13	2.92	520-86	34	2-334134				
	Trail Boss 250	91-93	34	13	2.62	520-84	36	2-334136				
	Trail Boss 250	1994	40	11	3.64	520-86	38	2-334138				
	Trail Boss 250	95-99	42	12	3.50	520-88	40	2-334140	42	2-334142		
	300	300 2x4	95-96	38	12	3.17	520-86	30	2-334130	11	36411	
Xpress 300		96-99	38	12	3.17	520-86	34	2-334134	12	36412		
Trail Boss 325		2000	42	11	3.82	520-86	36	2-334136				
Trail Boss 325		2001	40	11	3.64	520-86	38	2-334138				
Trail Boss 325		2002	42	12	3.50	520-88	40	2-334140				
Trail Boss 330		03-12	40	11	3.64	520-86	42	2-334142				
Trail Blazer 330		08-12	40	11	3.64	520-86						
350L		90-93	34	13	2.62	520-84			13	36313		
400		400L	94-95	34	13	2.62	520-84					
		Sport 400L	96-99	34	13	2.62	520-84					
	Xpress 400	1996	34	13	2.62	520-84						
	Trail Blazer 400	2003	36	13	2.77	520-						
	Scrambler 400	2001	36	12	3.00	520-86	30	2-334130	11	36411		
	Sport 400L	94-95	34	12	2.83	520-84	34	2-334134	12	36412		
	Magnum 425		95-98	38	12	3.17	520-86	36	2-334136			
								38	2-334138			
40								2-334140				
42								2-334142				
450	Outlaw 450	2008	38	14	2.71	520-			12	35712		
	Outlaw 450 MXR	2009	38	14	2.71	520-			13	35713		
	Outlaw 525	07-11	38	14	2.71	520-			14	35714		
									15	35715		
500	Scrambler 500	97-01	36	13	2.77	520-86	30	2-334130	13	36313		
	Scrambler 500	2002	36	12	3.00	520-86	34	2-334134	11	36411		
	Scrambler 500 Intl	07-09	36	12	3.00	520-86	36	2-334136	12	36412		
							38	2-334138				
							40	2-334140				
						42	2-334142					

POLARIS


For the complete Sunstar part numbers:

**POLARIS 4X4, 4X6 & 6X6 ATV SPROCKETS**


CC	Model	Year	C / S	Front	Center Inner	Center Outer	C / S Outer	C / S Inner	Rear Driven	Axle To Axle	Comments / Notes
250	250 4x4	1993		36622	36411	36622	36511	36412	2-334142		
	Trail Boss 4x4	87-92									
	250 6x6	1993		36622	36411		36511	36412	2-334142	2-334130	
	Big Boss 4x6	1989	36313						2-334142	2-334130	
	Big Boss 4x6	90-92	36412						2-334142	2-334130	
300	Big Boss 6x6	91-92		36622	36411			36412	2-334142	2-334130	
	300 4x4	94-95		36622	36412	36622	36511	36313	2-334140		
	Xplorer 300	96-99		36622	36412	36622	36511	36313	2-334140		
	300 6x6	1994		36622	36411		36511	36313	2-334142	2-334130	
350	350L 4x4	90-91		36622	36412	36622		36412	2-334134		
	350L 4x4	1992		36622	36412	36622	36511	36412	2-334134		
	350L 4x4	1993		36622	36411	36622	36511	36412	2-334134		
	350L 6x6	1993		36622	36412	36622		36313	2-334142	2-334130	
	Sportsman 350 4x4	1993		36622	36412	36622	36511	36412	2-334134		
400	400L 4x4	1994		36622	36313	36622	36511	36313	2-334134		
	400L 6x6	94-98		36622	36412	36622	36511	36313	2-334142	2-334130	
	Scrambler 4x4	1995		36622	36412	36622	36511	36511	2-334138		
	Scrambler 4x4	96-02		36622	36412	36622	36511	36313	2-334138		
	Sportsman 400 4x4	94-96		36622	36313	36622	36511	36313	2-334134		
	Xplorer 400 4x4	1995		36622	36313	36622	36511	36313	2-334134		
	Xplorer 400L	96-02		36622	36313	36622	36511	36313	2-334134		
425	Magnum 425 4x4	95-98		36622	36411	36622	36511	36412	2-334138		
	Magnum 425 6x6	1996		36622	36411		36511	36412	2-334142	2-334130	
500	Big Boss 500 6x6	98-99		36622	36411	36622	36511	36412	2-334142	2-334130	
	Scrambler 500 4x4	00-12		36622	36411	36622	36511	36313	2-334138		




**4x6**  
ALL MODELS



**4x4**  
ALL MODELS



**6x6**  
ALL MODELS







## CATALOG CONTENTS AND WARRANTY

We believe the contents and specifications given in this catalog to be accurate. We assume no liability for any errors in listings, specs, part numbers, and/or model applications. Sunstar reserves the right to change specs, product descriptions, product quality and/or applications at any time without notice and without further obligation. The reproduction of any material contained in this catalog is forbidden without Sunstar Engineering Americas' written approval.

All products manufactured by Sunstar are guaranteed against defects in material and workmanship. If any defects are found, credit will be given or replacement will be made at Sunstar's discretion. Such credit or replacement shall be the sole remedy of the purchaser. Sunstar makes no other warranty of any kind, expressed or implied. Sunstar will not be liable for any loss damages, incidental, direct or consequential, arising out of the use of, or inability to use Sunstar products. This warranty does not cover any damage or defect due to accident, misuse, or neglect. Because we cannot control the application of our products, the buyer assumes risks for any and all damage caused to himself or third party, by virtue of failure of these parts. Final suitability of any information or application is the sole responsibility of the user.



## WORKS-Z

Constructed of the highest quality stainless steel and 100% heat treated, Sunstar's Works Z sprocket now features a new finish for 2012 called Electro-less nickel plating (no longer chromed/polished). The Z sprockets unique off set tooth design is one of a kind and is a self cleaning mechanism, keeping the chain free of mud/dirt buildup, increasing the life of both sprockets and chain. Weighing up to 40% lighter than standard steel (weight difference depends on application, # of teeth, etc), not only does this sprocket reduce weight, but it lasts 2-3 times longer than standard steel and up to 10 times longer than aluminum. It comes with a new hardware kit and is available for nearly all 125cc and up off road motorcycles - this is simply the longest lasting fully steel sprocket on the market.



## ALUMINUM SPROCKETS

Constructed of the highest quality, aerospace grade 7075-T6 aluminum material, Sunstar's Works Triplestar aluminum rear sprocket line is designed with lightness, durability and stability in mind. The computer designed weight reduction holes, exclusive tooth-valley design and other unique features all lead to the longest life possible and an overall superior quality aluminum sprocket. Available in our standard Hard Anodized version (only option for Street, ATV and Mini MX) or also the black anodized color (125cc+ MX/Off Rd only), Sunstar's aluminum sprockets have proven to provide the best combination of durability, performance and appeal.



## STEEL SPROCKETS

Sunstar's standard steel sprocket lineup includes the Powerdrive Countershaft sprockets and 1045 Standard Steel rear sprockets - for those looking for the best quality vs. price ratio, these OEM replacement sprockets have been a standard in the sprocket industry since 1946. Chosen by nearly every Japanese maker for over 60 years, Sunstar has fine tuned and developed the longest lasting, highest quality steel sprockets on today's market. The rear sprockets are constructed of 1045 carbon steel while the countershaft sprockets are case hardened, chromoly steel.





[sunstar-mc.com](http://sunstar-mc.com)

## QUALITY. DURABILITY. PRICE. SINCE 1946.

Sunstar is the largest OEM and aftermarket supplier of motorcycle and ATV sprocket and disk rotors in the world - manufacturing sprockets for every major Japanese motorcycle builder since 1946.

With a full drive system product line that includes high quality chains, standard steel rear sprockets, aluminum rear sprockets and steel countershaft sprockets, Sunstar is able to satisfy each and every customer's needs for drive system components.

Sunstar prides itself on providing the highest quality, best performing products possible focusing on durability, yet maintaining an affordable price. Our products are available from just about every motorcycle dealer in the U.S. and Canada through our distribution network.

**Address:** 700 Watkins Glen Drive, Franklin, Oh 45005

**Tel:** (937) 743.9049 [ X1334 ] | **Fax:** (937) 743.9069

**E.mail:** [sales@sunstar-mc.com](mailto:sales@sunstar-mc.com)

DISTRIBUTION: UNITED STATES



DISTRIBUTION: CANADA

