

Page 1 of 11

SECTION 1 : IDENTIFICATION

1.1	Product identifier					
	Product name	Aqua Clear Plus				
	Recommended use and r	estrictions on use				
	Recommended use	For use in Phrozen 3D-printers				
	Restrictions on use	Do not use in the situation that easily generate aerosol, steam.				
1.2 Name, address and phone of manufacturer , importers or supplier						
	Manufacturer	Phrozen Tech Co., Ltd.287 Niupu Rd, Xiangshan Dist,				
		Hsinchu City 30091, TAIWAN(R.O.C)				
	Phone -	+886-3621-0505				
	Emergency phone / Fax +886-3621-0505 / +886-3539-6591					

SECTION 2 : HAZARD IDENTIFICATION

2.1 Hazard classification

Acute toxicity - Oral Category 4 ,Skin corrosion/irritation Category 2 , Serious eye damage/eye irritation Category 1 , Skin sensitization Category 1 , Reproductive toxicity Category 1B Specific target organ toxicity (single exposure) Category 3, Specific target organ toxicity (repeated exposure) Category 2,

2.2 Signal statement

Exclamation mark, Health hazard , Corrosion



2.3 Pictograms

2.4 Signal word Danger

2.5 Hazard statements

Harmful if swallowed

Causes skin irritation

Causes serious eye damage

May cause an allergic skin reaction

May cause damage to organs through prolonged or repeated exposure



Page 2 of 11

May cause respiratory irritation

2.6 Precautionary statements

Wear eye protection/ face protection Keep out of reach of children. Do not breathe dust/fume/gas/mist/vapours/spray. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, If present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label) Get medical advice/attention if you feel unwell Dispose of contents/container to hazardous or special waste collection point.

2.7 Other hazard

None

SECTION 3 : COMPOSITION / INFORMATION ON INGREDIENTS

3.1. Substances

Not relevant (mixture)

3.2. Mixtures

Components	CAS number	Weight %	Classification acc. to GHS
Urethane acrylate	73324-00-2	40 – 55%	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 /H335
4-(1-oxo-2-propenyl)-morpholine	5117-12-4	10 - 30%	Acute Tox. 4 / H302 Skin Sens. 1 / H317 Eye Dam. 1 / H318 STOT RE 2 / H373
1,6-Hexanediol diacrylate	13048-33-4	10-20%	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Aquatic Acute 1/H400 Aquatic Chronic 2 / H411



Page 3 of 11

Additives1	Trade Secret	1-2%	Repr. 1B / H360FD

SECTION 4 : FIRST AID MEASURES

4.1. First-aid advice and recommendations for different routes of exposure

4.1.1 Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur.

4.1.2 Skin Contact

May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Wash off immediately with soap and plenty of water for at least 15 minutes. Remove immediately all contaminated clothing, including footwear.

4.1.3 Eyes Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.

4.1.4 Ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

4.2. Most important symptoms and hazardous effecects

May cause allergic skin reaction. Irritating to skin.

May cause redness and tearing of the eyes.

4.3. Protection of First-aid personnel

None

4.4. Note for physician

May cause sensitization in susceptible persons. Treat symptomatically.

SECTION 5 : FIRE-FIGHTING MEASURES

5.1 Applicable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

5.2 Specific hazards confronted during fire fighting



Page 4 of 11

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Specific fire-fighting procedure None

5.4 Specific protecttive equipments for fire-fighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precations

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition, heat, flames and sparks.

6.2. Environmental precations

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3. Cleaning methods

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur(dia tomite), sand, universal binder. Covering of drains.

Place in appropriate containers for disposal. Ventilate affected area.

SECTION 7 : SAFETY HANDLING AND STORAGE

7.1. Handling

Use local and general ventilation. Use only in well-ventilated areas.

Do not eat, drink and smoke in work areas.

Remove contaminated clothing and protective equipment before entering eating areas. Wash hands after use.

Never keep food or drink in the vicinity of chemicals.

Never place chemicals in containers that are normally used for food or drink.



Page 5 of 11

7.2. Storage

Storage at the area of cool,dry. Keep away from heat ,direct sunlight, rainy and rapid temperature . Storage temperature between 15°C/ 59°C to 35°C / 95°F. Close the lid tightly when not in use.

SECTION 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Engineering controls

Provide adequate ventilation to the areas where the product is stored and/or handled.

8.2. Control Parameters

None

8.3. Personal protective equipment

8.3.1 Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

8.3.2 Hand protection

Wear suitable gloves. Impervious gloves.

8.3.3 Eye protection

Wear safety glasses with side shields (or goggles). If splashes are likely to occur, wear safety glasses with side-shields.

8.3.4 Skin protection

Wear suitable protective clothing. Long sleeved clothing.

8.4. Hygiene measures

Do not eat, drink and smoke in work areas.

Wash thoroughly after handling.

Keep clean of operation area.

Take off polluted clothing as soon as possible after work. The clothing can be re-wear only after washed in clean or discard.



Page 6 of 11

Apperance and color	Clear viscous liquid	Odor	Typical acrylate
Odor threshold	N/A	Melting point	N/A
pH value	6.8 -7.2	Boiling point	>200°C
Flammable	N/A	Flash point	>110°C
Decomposition Temp	N/A	Testing method	N/A
Natural Temp	240°C	Explosive limit	N/A
Vapor pressure	<0.01mmHg(20°C)	Vapor density	N/A
Density	1.12 g /cm³ at 20 °C	Solubility	Soluble in esters and ketones
Octanol/water distrib ution coefficient (log Kow)	N/A	Evaporaion rate	N/A

SECTION 10: STABILITY AND REACTIVITY

10.1. Stability

Stable under normal condition.

10.2. Possible hazardous reation under specific conditions

None

10.3. Must avoid condition

UV-radiation/sunlight/ heat / radiation / flames and sparks

10.4. Must avoid substances

Oxidisers, Reducing agents

10.5. Hazardous decomposted product

None

SECTION 11: TOXICOLOGICAL INFORMATION



Page 7 of 11

Information on toxicological effects

Test data are not available for the complete mixture.

11.1. Exposure paths

None

11.2. Symptoms

None

11.3. Acute toxicity

Components	route	Species	End point	Value
4-(1-oxo-2-propenyl)-m	Oral	Rat	LC50	588 mg/kg
orpholine	Dermal	Rat	LD50	> 2,000 mg/kg
1,6-Hexanediol diacrylate	Oral	Rat	LC50	> 5,000 mg/kg
	Dermal	Rabbit	LD50	3650 mg/kg
Diphenyl(2,4,6-trimethyl	Oral	Rat	LD50	> 5,000 mg/kg
benzoyl)	Dermal	Rat	LD50	> 2,000 mg/kg
phosphine oxide				

11.4. Chronic toxicity

None

11.5. Reproductive and/or Developmental Effects

Components	route	Species	End point	Value
Diphenyl(2,4,6-trim	Ingestion	Rat	NOAEL	200 mg/kg/day
ethyl benzoyl)			premating into	
phosphine oxide			lactation for female	

SECTION 12: ECOLOGICAL INFORMATION

The product has not been tested. The statement has been derived from the properties of the individual components.

12.1. Ecological toxicity



Page 8 of 11

Aquatic toxicity (acute) of components of the mixture				
Components	Components End point Value Species Exposure		Exposure time	
1,6-Hexanediol	LC50	4.6 - 10	fish	96 h
diacrylate		mg/l		
	EC50	2.6 mg/l	aquatic invertebrates	48 h
	EC50	1.5 mg/l	algae	72h
diphenyl(2,4,6- trimeth	LC50	1.4mg/l	fish	96 h
ylbenzoyl)	EC50	3.53mg/l	aquatic invertebrates	48 h
phosphine oxid	ErC50	>2.01mg/l	algae	72h
Aquati	c toxicity (ch	ronic) of comp	onents of the mixture	
Components	Components End point Value Species Exposure t		Exposure time	
Diphenyl(2,4,6-trimeth	EC50	>1,000 mg/l	microorganisms	180 min
yl benzoyl)				
phosphine oxide				

12.2. Per sistence and degradability

Degradability of components of the mixture				
Components	Process	Degradation rate	Time	Source
1,6-Hexanediol	aerobic	60 - 70 %	28 d	OECD
diacrylate				
Diphenyl(2,4,6-trimet	oxygen	0 -10%	28 d	ECHA
hyl benzoyl)	deple-tion			
phosphine oxide				

12.3. Bio-accumulative potential

Components	BCF	Log kow	BOD/COD
Diphenyl(2,4,6-trimet	47 – 55	3.1 (pH value: 6.4, 23 °C)	-
hyl benzoyl)			
phosphine oxide			

12.4. Mobility in soil

None

12.5. Other adverse effects

None

SECTION 13: DISPOSAL CONSIDERATIONS



Page 9 of 11

13.1. Waste disposal methods

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

13.2. Sewage disposal method

Do not empty into drains. Avoid release to the environment.

13.3. Contaminated Packaging disposal method

Handle contaminated packages in the same way as the substance itself.

SECTION 14: TRANSPORT INFORMATION

Land transport USDOT	Not classified as dangerous goods under transport regulations.
Sea transport IMDG	Not classified as dangerous goods under transport regulations.
Air transport IATA/ICAO	Not classified as dangerous goods under transport regulations.
Further information	N/A
Other requirements	N/A

Additional information for IMDG CODE 3.4.1 :

According to the general provisions 2.10.2.7, if the volume of the product is less than 5L or the mass is less than 5kg when transported, and the packaging complies with the general provisions in 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8, the product is not regarded as dangerous goods transportation.



Page 10 of 11

- **15.1. List of substances subject to authorisation (REACH, Annex XIV) / SVHC- candidate list** None of the ingredients are listed
- 15.2. Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

None of the ingredients are listed

15.3. Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed

15.4. Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

15.5. National inventories

Country	Inventory	Status
AU	AU AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CA	NDSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
NZ	NZIOC	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
DSL	Domestic Substances List (DSL)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
EU	EC Substance Inventory (EINECS, ELINCS, NLP)
EU	REACH registered substances
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)



Page 11 of 11

NZIOC	New Zealand Inventory of Chemicals
CICR	Chemical Inventory and Control Regulation
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

SECTION 16: OTHER INFORMATION

Reference	US OSHA HCS 29 CFR 1910.1200 / ECHA / OECD
Table formulation	Name : Phrozen Tech. Co. Ltd
unit	Address / Phone : 287 Niupu Rd, Xiangshan Dist, Hsinchu City 30091,
	TAIWAN(R.O.C) /+ 886-3-6210505
Table formulator	Job title : Occupational Safety & Health manager
	Name : Chun-Yao, Kuo
Table formulation	2023.12.07
Date	
Remarks	In the above described information, the symbol "N/A" means no
	relevant information currently.

To the best of our knowledge the information contained herein is accurate. However, Phrozen Tech. Co. Ltd. makes no warranty, expressed or implied, regarding the accuracy of these results to be obtained from the use thereof. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Phrozen Tech. Co. Ltd. assumes no responsibility for injury from the use of the product described herein.

END OF SAFETY DATASHEET