

MATERIAL SAFETY DATA SHEET

Product Name : Omega Green -1

SECTION 1 – GENERAL INFORMATION

Trade Name : Korea Cospack., Ltd.

Company : 14B-6L, 316-70, Namdongseo-ro, Namdong-gu, Incheon, Korea

Service Number : Tel (82)32-677-6364 Fax(82) 32-677-6365

Emergency Phone Number : Tel (82)32-677-6364

Use of the Substance/Preparation : Cosmetics

SECTION 2 – PRODUCT IDENTIFICATION

Hazard Rating : 1

Health : 0

4 = Extreme

Flammability : 1

3 = High

Reactivity : 0

2 = Moderate

1 = Slight

SECTION 3 – HAZARDS IDENTIFICATION

Health Hazards(Acute and Chronic) : This product is considered to be non-toxic

Ingestion : Blockage of the gastrointestinal tract may occur if swallowed.

Eye Contact : N/A

Skin : N/A

Inhalation : N/A

Signs and Symptoms of Exposure :

Ingestion : May cause irritation and/or blockage of the gastrointestinal track.

Eye Contact : Dust from foam may cause mechanical irritation.

Skin : Dust from foam may cause mechanical irritation.

Inhalation : Dust from foam may cause irritation of the respiratory track.

SECTION 4 – FIRST AID INFORMATION

Emergency and First Aid Procedures :

Ingestion : If the sponge is ingested, contact a physician or veterinarian immediately.
Intestinal blockage may be life threatening to some household pets.

Eye Contact : In case of eye irritation, flush thoroughly with water for 15 minutes.
If irritation persists, seek medical advice.

Skin : In case of skin irritation, flush affected area thoroughly with water and
apply a cold compress. If irritation persists, seek medical advice.

Inhalation : If respiratory irritation occurs, move from the site of exposure to an area
with fresh air. If irritation persists, seek medical advice.

Other : Consumer product packages have a caution statement : keep out of reach of children
and to avoid accidental ingestion.

SECTION 5 – FIRE FIGHTING INFORMATION

Flash Point : 410°C/770°F

Explosive Limits : LEL : UEL :

Method Used :

Extinguishing Media : Regular dry chemical, carbodioxide, water, regular foam.

Large fires : Use regular foam of flood with fine water spray

Special Fire Fighting Procedures :

Unusual Fire Hazards : Dust/air mixture may explode

Stability *Unstable* : *Conditions to Avoid* :
Stable :

Incompatibility(Materials to Avoid) :

Hazardous Decomposition/By Product : Oxides of carbon, oxides of nitrogen, oxides of sulfur, aromatic compounds, formaldehyde, hydrogen cyanide.

Hazardous Polymerization : *May Occur* : *Conditions to Avoid* :
Will Not Occur :

SECTION 6 – ACCEDENTAL RELEASE MEASURES

Personal Precautions :

Environmental Precaution : DISPOSAL IS TO BE PERFORMED IN COMPLIANCE WIYH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Step To Be Taken in Case Material is Released or Spilled : Collect spilled material in appropriate container for disposal. Keep out of water supplies and sewers. Keep unnecessary people away, isolate hazard are deny entry.

SECTION 7 – HANDLING AND STORAGE

Precaution To Be Taken in Handling and Storing : store and handle in accordance with all current regulations and standards. Store in a cool , dry place. Store in a well-ventillated area. Store with bases. Keep form incompatible substances. Use methods to minimize dust.

Other Precautions :

SECTION 8 – EXPOSURE CONTROLS, PERSONAL PROTECTION

oduct When Used In An Industrial Setting.

Respiratory Protection(Specify Type) : Under conditions of frequent use or heavy exposure, respiratory protection may be needed. (Any chemical cartridge respirator with organic vapour cartridge(s) and dust and mist filter(s))

Ventilation : *Local Exhaust* : Provide local ventilation system.
Special :
Mechanical(General) :
Other :

Eye Protection : Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Protective Gloves :

Other Protecive Equipment :

