

#### **SAFETY DATA SHEET**

#### **SECTION 1: IDENTIFICATION**

**Product Identifier** 

Product Name GOLD BRANDING INK

Chemical Name Not Available Identifying Code 2417

me

Recommended Use marking meat carcasses

**Details of Manufacturer** 

Company Name PSC Trading Pty Ltd

Address 2/33 Henry Wilson Drive, Rosebud, VIC 3939

**Telephone** 03 9005 6488 **Website** Not Available

Email info@psctrading.com.au

**Emergency Telephone number** 

Poisons Information 13 11 26
Other emergency numbers 0403 040 174

**SECTION 2: HAZARD IDENTIFICATION** 

Classification of the FLAMMABLE LIQUIDS - Category 3

substance or mixture SKIN CORROSION/IRRITATION - Category 2

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1

SPECIFIC TARGET ORGAN TOXICITY(SINGLE EXPOSURE) (Narcotic effects) - Category 3

**GOLD BRANDING INK** 

#### **ETHANOL SOLUTION**

#### **Label Elements**

GHS label elements
Hazard pictograms



SIGNAL WORD DANGER

Hazard statements Flammable liquid and vapour

Harmful by inhalation and if swallowed

Causes eye and skin irritation

May cause drowsiness or dizziness

Other hazards P102 Keep out of reach of children, P103 Read label before use

Precautionary statements Wear protective gloves. Wear eye or face protection: Recommended:Safety glasses

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Prevention

Use explosion proof electrical, ventilating, lighting and all material handling equipment. Use non sparking tools

Take precautionary measures against static discharge. Keep container tightly closed, use in well ventilated

area. Avoid breathing vapour. Wash hands thoroughly after handling.

Response IF INHALED: Remove victim to fresh air, call POISON CENTRE or doctor

IF ON SKIN(or hair) take off contaminated clothing. Rinse skin with water/shower

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses carefully.

Storage Store locked up. Store in well ventilated place. Keep cool

**Disposal** Dispose of contents and container in accordance with all local, regional, national and international regulations.

#### **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**



## Substances Mixture

CAS No	% (weight)	Chemical	
2783-94-0	<2	Sunset yellow Cl15985	
64-17-5	15-20	ethanol	
	40-60	water	
	20-25	sugar	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8

#### **SECTION 4: FIRST AID MEASURES**

Description of first aid measures	
	If this product comes in contact with eyes:
Eye Contact	➤ Wash out immediately with water
Lye contact	▶ If irritation continues, seek medical advice
	► Removing contact lenses after an eye injury should only be undertaken by skilled personnel
	If skin or hair contact occurs:
Skin Contact	► Flush skin and hair with running water (and soap if available)
OKIII OOIItaat	► Seek medical attention in event of irritation
	➤ Wash contaminated clothing before re-use
	► Move to fresh air
Inhalation	► Provide artificial respiration if not breathing or irregular
	▶ If breathing difficulties seek medical attention
Ingestion	► Rinse mouth with water
ingestion	▶ Do not induce vomiting, if in doubt contact Poisons Information Centre or doctor

### Most important symptoms and effects, both acute and delayed:

Information found under Description of first aid measures and Indication of immediate medical attention and special treatment needed.

### Indication of any immediate medical attention and special treatment needed:

Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient

Contact poison treatment specialist immediately if large quantity injested or inhaled

<b>SECTION 5: FIRE FIGH</b>	TING MEASURES		
Suitable extinguishing media	dia ► Use Dry Chemical, CO2(Carbon Dioxide) waterspray(fog) or foam		
Unsuitable extinguishing	▶ Do not use water jet		
media			
	► Highly flammable liquid and vapour.		
Specific hazards	Specific hazards In a fire or if heated, a pressure increase will occur and container may burst, with risk of subsequent explosion.		
	► Runoff to sewer may create fire or explosion hazard.		
Hazardous thermal	▶ Decomposition products may include the following materials:		
decomposition products	carbon dioxide, carbon monoxide, dense black smoke		

**Special protective actions** ► Isolate scene, removing all non essential personnel.

for fire fighters ► No action shall be taken involving any personal risk or without suitable training.



	► Move containers from fire area if this can be done without risk
	► Cool fire exposed containers with water spray
	▶ Prevent run off from fire fighting to enter drains or water courses
Special protective equipment	➤ Wear appropriate protective equipment and gloves
for fire fighters	➤ Wear self contained breathing apparatus with full face-piece operated in positive pressure mode.
Hazchem Code	2YE

SECTION 6: ACCIDENT	AL RELEASE MEASURES	
Personal precautions, protective e	quipment and emergency procedures	
For non-emergency	► No action shall be taken involving any personal risk or without suitable training	
personnel ► Evacuate surrounding areas.Keep unnecessary and unprotected personnel from entering		
	▶ Do not touch or walk through spilled material	
	► Shut off all ignition sources.No flares, smoking or flames in hazard area	
	▶ Do not breathe vapour or mist. Provide adequate ventilation	
For emergency responders	▶ If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and	
	unsuitable materials. See also information in "For non-emergency personnel"	
Environmental precautions	▶ Avoid dispersal of spilled material and runoff and contact with soil,waterways,drains and sewers.	
	▶ Inform the relevent authorities if product has caused environmental pollution(sewers, waterways, soil or air)	
Methods and materials for containing	nent and cleaning up	
	► Clean up all spills immediately	
Minor Spills	► Stop leak if without risk, move containers from spill area, absorb with inert dry material eg sand,sawdust,earth	
иштог орша	▶ Use spark proof tools and explosion proof equipment.	
	▶ Place spillage and cleaning media in a container for disposal with licensed waste disposal contractor	
	► Stop leak if without risk. Move containers from spill area	
	Evacuate personnel to safe area. Ventilate.Approach spill from upwind direction.	
	▶ Use spark proof tools and explosion proof equipment.	
Major Spills	▶ Prevent spillage from entering drains, sewers, water course, basements or confined areas.	
	Contain and collect spill with non-combustible absorbent material eg sand,sawdust,earth	

ons for safe hand	ling
	► Wear protective clothing when risk of exposure occurs. Avoid contact with eyes and skin
	► Use in a well-ventilated area, do not breathe vapour or mist
	➤ Wash thoroughly after handling
	► When handling do not eat,drink or smoke
	► Keep containers securely sealed when not in use
Safe	Handling ► Do not store in unlabelled containers
	► Store and use away from heat, sparks open flame or other ignition source
	► Use explosion proof electrical (ventilating, lighting and material handling) equipment
	► Use only non sparking tools
	► Take precautionary measures against electrostatic discharges
	► Empty containers retain product residue and can be hazardous. Do not reuse container.

Contaminated absobent material may pose the same hazard as spilled product. ▶ Pick up and transfer to properly labelled containers. For disposal see Section 13

#### Conditions for safe storage

► Store in accordance with local regulations



- ► Store in segregated and approved area
- ► Store in original container protected from direct sunlight,in a cool, dry, well-ventilated area.

- **Conditions for safe storage** ► Store away from incompatible materials and foodstuff containers. Store locked up
  - ► Eliminate all ignition sources, separate from oxidizing materials
  - ► Keep containers securely sealed when not in use, opened containers must be resealed and stored upright
  - ▶ Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination

#### **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### Control parameters Component **Exposure limits** ethanol Safe work Australia (Australia,1/2014) TWA:1880 mg/m<sup>3</sup> 8 hours TWA:1000 ppm 8 hours

### **Exposure controls**

	▶ Use only in area provided with adequate ventilation	
Engineering Controls	▶ Use process enclosures, local exhaust ventilation sufficient to control worker exposure to airborne contaminants	
Linginicering Controls	► Engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits	
	► Use explosion proof ventilation equipment	
Personal Protective equipment		
Eye Protection	▶ Wear Safety glasses with side shields complying with an approved standard	
Lye Protection	► Chemical goggles	
Hand Protection	► Wear gloves with chemical resistance. Neoprene,PVC,Butyl rubber	
nand Protection		

► Gloves should be examined for wear and degredation constantly ▶ Lightweight protective clothing when handling small quantities OTHERWISE wear suitable Skin Protection protective clothing eg. Overalls, appropriate footwear, barrier cream ► For protection from static discharges clothing should include anti static overalls, boots and gloves ► Select Respirator based on potential hazard that meets appropriate standard or certification Respiratory Protection ► Respirators must be used according to respiratory protection program, ensure fitting and training in use

## Hygiene measures

► Wash hands before breaks and immediately after handling the product ► Wash before eating, smoking, and using the toilet and at the end of the working day Hygiene measures ► Wash contaminated clothing before re-use ► Ensure eyewash station and safety showers are close to work area

<b>SECTION 9: PHYSICAL</b>	AND CHEMIC	CAL PROPERTIES
Appearance	unit of measure	
Physical state		liquid
Colour		dark orange
Odour		ethanol odour
Odour Threshold		Not Available
рН		Not Available
Melting point/range	(°C)	Not Available
Freezing point	(°C)	0
Boiling point/range	(°C)	78 to 102°C
Flash point	(°C)	36°C
Evaporation rate	Butyl acetate=1	Not Available
Flammability(solid,gas)		Not Available
Lower explosion limit	(%)	Not Available



Upper explosion limit	(%)	Not Available
Vapour Pressure	kPa	Not Available
Relative Vapour Density	air = 1	Not Available
Relative Density	water = 1	Not Available
Water solubility		Soluble
Partition coefficient	n-octanol/water	Not Available
Auto-ignition temperature	(°C)	Not Available
Decomposition temp	(°C)	Not Available
Viscosity		Not Available

<b>SECTION 10: STABILIT</b>	Y AND REACTIVITY
Reactivity	► No data available
Chemical stability	➤ Stable under recommended storage conditions
Possibility of hazardous reactions	▶ Under normal storage conditions and use, hazardous reactions will not occur
Conditions to avoid	➤ Avoid all sources of ignition(spark or flame). Do not pressurize,cut,weld,braze,solder,drill,grind or expose to heat
Incompatible Materials	➤ Reactive or incompatible with oxidizing materials
Hazardous decomposition	► Under normal conditions of storage and use, hazardous decompostion products should not be produced
nroducte	

# **SECTION 11: TOXICOLOGICAL INFORMATION**

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
ethanol	LD 50 Inhalation Vapour	Rat	38mg/l	10 hours
	LD50 Oral	Rat	7060mg/kg	-

Sensitization

Not available

Mutagenicity

Not available

Carcinogenicity

Not available

Reproductive toxicity

Not available

Teratogenicity

Not available

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
Not available			

Specific target organ toxicity (repeated exposure)

Not available

Aspiration hazard

Not available

Information on the likely routes : Not available

of exposure



#### Potential acute health effects

Eye contact : Causes serious eye damage

Inhalation : Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness

Skin contact : Causes skin irritation

Ingestion : Can cause central nervous system (CNS) depression

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following

pain

watering

redness

Inhalation : Adverse symptoms may include the following

nausea or vomiting

headache

drowsiness/fatigue dizzines/vertigo unconsciousness

Skin contact : Adverse symptoms may include the following

pain or irritation

redness

Ingestion : Adverse symptoms may include the following

stomach pains

### Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure:

Potential immediate effects: Not available

Potential delayed effects: Not available

Long Term exposure:

Potential immediate effects: Not available
Potential delayed effects: Not available

Potential chronic health effects : Not available

 General
 : No known significant effects or critical hazards

 Carcinogenicity
 : No known significant effects or critical hazards

 Mutagenicity
 : No known significant effects or critical hazards

 Teratogenicity
 : No known significant effects or critical hazards

 Developmental effects
 : No known significant effects or critical hazards

 Fertility effects
 : No known significant effects or critical hazards

# **SECTION 12: ECOLOGICAL INFORMATION**

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
ethanol	Acute EC50 1000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1000 µg/l Fresh water	Fish - Golden ide	48 hours

#### Persistence and degradability

Biodegradable

Product/ingredient name	LogPow	BCF	Potential
ethanol		-	low



Mobility in soil

Soil/water partition cefficient (Koc) : Not available

Other adverse effects : No Known significant effects or critical hazards

# **SECTION 13: DISPOSAL CONSIDERATIONS**

▶ In accordance with local council, state environmental authority and national regulations Disposal method

► Discharging waste into drains, sewers and waterways is forbidden

**GOLD BRANDING INK** 

**Contaminated packaging** ► Recycle as first consideration, landfill or incineration when recycling not possible

# **SECTION 14: TRANSPORT INFORMATION**

	ADG Code	Marine Transport	Air Transport	
	Transport by road and rail	(IMO/IMDG)	(ICAO/IATA)	
UN Number	1170	1170	1170	
Proper Shipping Name	ETHANOL SOLUTION	ETHANOL SOLUTION	ETHANOL SOLUTION	
Dangerous Goods Class	3	3	3	
Packing Group	II	II	II	
Environmental Hazards				
Additional information	Hazchem code: 2YE			
Special precautions for user	Transport within user's premises always transport in closed containers that are upright and secure. Ensure that			
	persons transporting know what to do in the event of an accident or spillage			

# **SECTION 15: REGULATORY INFORMATION**

Safety, Health and Environmenta	l regulations/	legislation specific	for the subs	tance or mixture:
---------------------------------	----------------	----------------------	--------------	-------------------

	No known specific national and/or regional regulations applicable to this product (including ingredients)	
Standard Uniform Schedule	Not regulated	
of Medicines and Poisons		
Model Work Health and Safety		
Regulations- Scheduled	No listed substance	
Substances		
National Inventory (AICS)	All of the components are listed or exempted	
New Zealand inventory	All of the components are listed or exempted	
of chemicals (NZIoC)		
HSNO Group Standard	Solvents	
	3.1 - FLAMMABLE LIQUIDS - Category B	
HSNO Classification	6.1 - ACUTE TOXICITY (oral) - Category E	
TIONO Olassilication	6.3 - SKIN IRRITATION - Category B	
	6.4 - EYE IRRITATION - Category A (Irritant)	
International Regulations: Chemical Weapon Convention List Schedules I, II & III Chemicals - not listed		
Montreal Protocol	Not listed	

# **PSC**TRADÎNG

# **GOLD BRANDING INK**

Stockholm Convention on POP	Not listed	
Rotterdam Convention on PIC	Not listed	
<b>UNECE Aarhus Protcol on POP</b>	Not listed	
International Lists - National In	ventory	
Canada	All components are listed or exempted	
China	All components are listed or exempted	
Europe	All components are listed or exempted	
Japan	Japan Inventory (ENCS) All components are listed or exempted	
	Japan Inventory (ISHL) Not determined	
Malaysia	All components are listed or exempted	
New Zealand	All components are listed or exempted	
Philippines	All components are listed or exempted	
Republic of Korea	All components are listed or exempted	
Taiwan	All components are listed or exempted	
Turkey	All components are listed or exempted	
United States	All components are listed or exempted	

# **SECTION 16: OTHER INFORMATION**

	Abbreviations and acronyms:	
Issue date 13/04/2017	ADG	Australian Dangerous Goods Code
Revision date 23/10/2019	GHS	Globally Harmonised System
Version 2.2	IATA	International Air Transport Association
Reason for revision revise classification to category 3	IMDG	International Maritime Dangerous Goods
	UN	United Nations
	AICS	Australian Inventory of Chemical Substances
	ICAO	International Civil Aviation Organization
	IMO	Australian Inventory of Chemical Substances
	POP	Persistant Organic Pollutants
	PIC	Prior Informed Consent

Information provided in this Safety Data Sheet is correct to the best of our knowledge, data and belief at the date of publication.

The information is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.