

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

oduct Identifie Pr

Product Identifier	
Product Name	GREEN CONDEMNED INK
Chemical Name	Not Available
Identifying Code	2411
me	
Recommended Use	marking meat carcasses
Details of Manufacturer	
Company Name	PSC Trading Pty Ltd
Address	2/33 Henry Wilson Drive, Rosebud, VIC 3939
Telephone	03 9005 6488
Website	Not Available
Email	info@psctrading.com.au
Emergency Telephone number	
Poisons Information	13 11 26
Other emergency numbers	0403 040 174

SECTION 2: HAZARD IDENTIFICATION

FLAMMABLE LIQUIDS - Category 3
SKIN CORROSION/IRRITATION - Category 2
SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
SPECIFIC TARGET ORGAN TOXICITY(SINGLE EXPOSURE) (Narcotic effects) - Category 3

ETHANOL SOLUTION

Label Elements

GHS label elements	
Hazard pictograms	
SIGNAL WORD	DANGER
Hazard statements	Flammable liquid and vapour
	Harmful by inhalation and if swallowed
	Causes eye and skin irritation
	May cause drowsiness or dizziness
Other hazards	P102 Keep out of reach of children, P103 Read label before use
Precautionary statements	Wear protective gloves. Wear eye or face protection: Recommended:Safety glasses
	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
Prevention	Use explosion proof electrical, ventilating, lighting and all material handling equipment. Use non sparking tools
	Take precautionary measures against static discharge. Keep container tightly closed, use in well ventilated
	area. Avoid breathing vapour. Wash hands thoroughly after handling.
Response	IF INHALED: Remove victim to fresh air, call POISON CENTRE or doctor
	IF ON SKIN(or hair) take off contaminated clothing. Rinse skin with water/shower
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses carefully.
Storage	Store locked up. Store in well ventilated place. Keep cool
Disposal	Dispose of contents and container in accordance with all local, regional, national and international regulations.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Substances Mixture

CAS N	o % (weight)	Chemical
3844-45-9	<1	Brilliant Blue CI42090
2783-94-0	<2	Sunset yellow CI15985
64-17-5	5-10	ethanol
	70-90	water

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8

SECTION 4: FIRST AID MEASURES

Description of first aid measures	
Eve Contact	If this product comes in contact with eyes:
	► Wash out immediately with water
Lye oonadt	► If irritation continues, seek medical advice
	Removing contact lenses after an eye injury should only be undertaken by skilled personnel
Skin Contact	If skin or hair contact occurs:
	Flush skin and hair with running water (and soap if available)
	Seek medical attention in event of irritation
	Wash contaminated clothing before re-use
	► Move to fresh air
	Provide artificial respiration if not breathing or irregular
	► If breathing difficulties seek medical attention
Ingestion	► Rinse mouth with water
	Do not induce vomiting, if in doubt contact Poisons Information Centre or doctor

Most important symptoms and effects, both acute and delayed:

Information found under Description of first aid measures and Indication of immediate medical attention

and special treatment needed.

Indication of any immediate medical attention and special treatment needed:

Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient

Contact poison treatment specialist immediately if large quantity injested or inhaled

SECTION 5: FIRE FIGHTING MEASURES

Suitable extinguishing media	Use Dry Chemical, CO2(Carbon Dioxide) waterspray(fog) or foam
Unsuitable extinguishing	► Do not use water jet
media	
	► Highly flammable liquid and vapour.
Specific hazards	In a fire or if heated, a pressure increase will occur and container may burst, with risk of subsequent explosion.
	Runoff to sewer may create fire or explosion hazard.
Hazardous thermal	Decomposition products may include the following materials:
decomposition products	carbon dioxide, carbon monoxide, dense black smoke

Special protective actions Isolate scene, removing all non essential personnel.

for fire fighters > No action shall be taken involving any personal risk or without suitable training.

	Move containers from fire area if this can be done without risk
	► Cool fire exposed containers with water spray
	Prevent run off from fire fighting to enter drains or water courses
Special protective equipment	Wear appropriate protective equipment and gloves
for fire fighters	Wear self contained breathing apparatus with full face-piece operated in positive pressure mode.

Hazchem Code 2YE

SECTION 6: ACCIDENTAL RELEASE MEASURES

ersonal precautions, protective ed	quipment and emergency procedures	
For non-emergency	No action shall be taken involving any personal risk or without suitable training	
personnel	Evacuate surrounding areas.Keep unnecessary and unprotected personnel from entering	
	► Do not touch or walk through spilled material	
	Shut off all ignition sources.No flares, smoking or flames in hazard area	
	► Do not breathe vapour or mist. Provide adequate ventilation	
For emergency responders	► If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and	
	unsuitable materials. See also information in "For non-emergency personnel"	
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil,waterways,drains and sewers.	
	► Inform the relevent authorities if product has caused environmental pollution(sewers, waterways, soil or air)	
ethods and materials for containr	nent and cleaning up	
	► Clean up all spills immediately	
Minor Spills	Stop leak if without risk, move containers from spill area, absorb with inert dry material eg sand, sawdust, earth	
	Use spark proof tools and explosion proof equipment.	
	Place spillage and cleaning media in a container for disposal with licensed waste disposal contractor	
	► Stop leak if without risk. Move containers from spill area	
	Evacuate personnel to safe area. Ventilate.Approach spill from upwind direction.	
	Use spark proof tools and explosion proof equipment.	
Major Spills	Prevent spillage from entering drains, sewers, water course, basements or confined areas.	
	Contain and collect spill with non-combustible absorbent material eg sand,sawdust,earth	
	Contaminated absobent material may pose the same hazard as spilled product.	
	Pick up and transfer to properly labelled containers. For disposal see Section 13	

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling	
	Wear protective clothing when risk of exposure occurs. Avoid contact with eyes and skin
	Use in a well-ventilated area, do not breathe vapour or mist
	Wash thoroughly after handling
	When handling do not eat, drink or smoke
	► Keep containers securely sealed when not in use
Safe Handling	Do not store in unlabelled containers
	Store and use away from heat, sparks open flame or other ignition source
	Use explosion proof electrical (ventilating, lighting and material handling) equipment
	► Use only non sparking tools
	Take precautionary measures against electrostatic discharges
	Empty containers retain product residue and can be hazardous. Do not reuse container.

	Store in accordance with local regulations
	Store in segregated and approved area
	Store in original container protected from direct sunlight, in a cool, dry, well-ventilated area.
Conditions for safe storage	Store away from incompatible materials and foodstuff containers. Store locked up
	 Eliminate all ignition sources, separate from oxidizing materials
	► Keep containers securely sealed when not in use, opened containers must be resealed and stored upright
	> Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters	
Component	Exposure limits
ethanol	Safe work Australia (Australia,1/2014)
	TWA :1880 mg/m ³ 8 hours
	TWA :1000 ppm 8 hours

Exposure controls	
Engineering Controls	Use only in area provided with adequate ventilation
	Use process enclosures, local exhaust ventilation sufficient to control worker exposure to airborne contaminants
Engineering controls	Engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits
	Use explosion proof ventilation equipment
Personal Protective equipment	
Eye Protection	 Wear Safety glasses with side shields complying with an approved standard
Lyeriotection	► Chemical goggles
Hand Protection	 Wear gloves with chemical resistance. Neoprene, PVC, Butyl rubber
nana i rotection	Gloves should be examined for wear and degredation constantly
	 Lightweight protective clothing when handling small quantities OTHERWISE wear suitable
Skin Protection	protective clothing eg. Overalls, appropriate footwear, barrier cream
	For protection from static discharges clothing should include anti static overalls, boots and gloves
Respiratory Protection	 Select Respirator based on potential hazard that meets appropriate standard or certification
Respiratory Protection	Respirators must be used according to respiratory protection program, ensure fitting and training in use
Hygiene measures	
Hygiene measures	 Wash hands before breaks and immediately after handling the product
	Wash before eating, smoking, and using the toilet and at the end of the working day
	Wash contaminated clothing before re-use
	Ensure eyewash station and safety showers are close to work area

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	unit of measure	
Physical state		liquid
Colour		green
Odour		ethanol odour
Odour Threshold		Not Available
рН		Not Available
Melting point/range	(°C)	Not Available
Freezing point	(°C)	0
Boiling point/range	(°C)	78 to 102°C
Flash point	(°C)	49°C
Evaporation rate	Butyl acetate=1	Not Available
Flammability(solid,gas)		Not Available

Lower explosion limit	(%)	Not Available
Upper explosion limit	(%)	Not Available
Vapour Pressure	kPa	Not Available
Relative Vapour Density	air = 1	Not Available
Relative Density	water = 1	Not Available
Water solubility		Soluble
Partition coefficient	n-octanol/water	Not Available
Auto-ignition temperature	(°C)	Not Available
Decomposition temp	(°C)	Not Available
Viscosity		Not Available

SECTION 10: STABILITY AND REACTIVITY

Reactivity	► No data available
Chemical stability	Stable under recommended storage conditions
Possibility of hazardous reactions	Under normal storage conditions and use, hazardous reactions will not occur
Conditions to avoid	Avoid all sources of ignition(spark or flame). Do not pressurize,cut,weld,braze,solder,drill,grind or expose to heat
Incompatible Materials	Reactive or incompatible with oxidizing materials
Hazardous decomposition	Under normal conditions of storage and use, hazardous decompostion products should not be produced
products	

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
ethanol	LD 50 Inhalation Vapour	Rat	38mg/l	10 hours
	LD50 Oral	Rat	7060mg/kg	-

Sensitization

Not available

Mutagenicity

Not available

Carcinogenicity

Not available

Reproductive toxicity

Not available

Teratogenicity

Not available

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
Not available			

Specific target organ toxicity (repeated exposure)

Not available

Aspiration hazard

Not available

Information on the likely routes : Not available

of exposure

Potential acute health effects	
Eye contact	: Causes serious eye damage
Inhalation	: Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness
Skin contact	: Causes skin irritation
Ingestion	: Can cause central nervous system (CNS) depression
Symptoms related to the physical,	chemical and toxicological characteristics
Eye contact	: Adverse symptoms may include the following
	pain
	watering
	redness
Inhalation	: Adverse symptoms may include the following
	nausea or vomiting
	headache
	drowsiness/fatigue
	dizzines/vertigo
	unconsciousness
Skin contact	: Adverse symptoms may include the following
	pain or irritation
	redness
Ingestion	: Adverse symptoms may include the following
	stomach pains
Delayed and immediate effects and	l also chronic effects from short and long term exposure
Short term exposure:	
Potential immediate effects	: Not available
Potential delayed effects	: Not available
Long Term exposure:	
Potential immediate effects	: Not available

Potential delayed effects : Not available

Potential chronic health effects	: Not available
General	: No known significant effects or critical hazards
Carcinogenicity	: No known significant effects or critical hazards
Mutagenicity	: No known significant effects or critical hazards
Teratogenicity	: No known significant effects or critical hazards
Developmental effects	: No known significant effects or critical hazards
Fertility effects	: No known significant effects or critical hazards

SECTION 12: ECOLOGICAL INFORMATION

Toxicity			
Product/ingredient name	Result	Species	Exposure
ethanol	Acute EC50 1000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1000 µg/l Fresh water	Fish - Golden ide	48 hours

Persistence and degradability

Biodegradable			
Product/ingredient name	LogPow	BCF	Potential
ethanol		-	low

Mobility in soil	
Soil/water partition cefficient (Koc)	: Not available

Other adverse effects

: No Known significant effects or critical hazards

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal method	► In accordance with local council, state environmental authority and national regulations
	 Discharging waste into drains, sewers and waterways is forbidden
Contaminated packaging	Recycle as first consideration, landfill or incineration when recycling not possible

SECTION 14: TRANSPORT INFORMATION

	ADG Code	Marine Transport	Air Transport
	Transport by road and rail	(IMO/IMDG)	(ICAO/IATA)
UN Number	1170	1170	1170
Proper Shipping Name	ETHANOL SOLUTION	ETHANOL SOLUTION	ETHANOL SOLUTION
Dangerous Goods Class	3	3	3
Packing Group	I	II	11
Environmental Hazards			
Additional information	Hazchem code: 2YE		
Special precautions for user	Transport within user's premises always transport in closed containers that are upright and secure. Ensure persons transporting know what to do in the event of an accident or spillage		

SECTION 15: REGULATORY INFORMATION

Safety,Health and Environmental regulations/legislation specific for the substance or mixture:

No known specific nationaland/or regional regulationsapplicable to this product (including ingredients)			
Standard Uniform Schedule	Not regulated		
of Medicines and Poisons			
Model Work Health and Safety			
Regulations- Scheduled	No listed substance		
Substances			
National Inventory (AICS)	All of the components are listed or exempted		
New Zealand inventory	All of the components are listed or exempted		
of chemicals (NZIoC)			
HSNO Group Standard	Solvents		
HSNO Classification	3.1 - FLAMMABLE LIQUIDS - Category B		
	6.1 - ACUTE TOXICITY (oral) - Category E		
	6.3 - SKIN IRRITATION - Category B		
	6.4 - EYE IRRITATION - Category A (Irritant)		
International Regulations: Chemical Weapon Convention List Schedules I, II & III Chemicals - not listed			
Montreal Protocol	Not listed		

Stockholm Convention on POP	Not listed			
Rotterdam Convention on PIC	Not listed			
UNECE Aarhus Protcol on POP	Not listed			
International Lists - National Inventory				
Canada	All components are listed or exempted			
China	All components are listed or exempted			
Europe	All components are listed or exempted			
Japan	Japan Inventory (ENCS) All components are listed or exempted			
	Japan Inventory (ISHL) Not determined			
Malaysia	All components are listed or exempted			
New Zealand	All components are listed or exempted			
Philippines	All components are listed or exempted			
Republic of Korea	All components are listed or exempted			
Taiwan	All components are listed or exempted			
Turkey	All components are listed or exempted			
United States	All components are listed or exempted			
	-			

SECTION 16: OTHER INFORMATION

		Abbreviations and acronyms:		
Issue date	13/04/2017	ADG	Australian Dangerous Goods Code	
Revision date	23/10/2019	GHS	Globally Harmonised System	
Version	2.2	ΙΑΤΑ	International Air Transport Association	
Reason for revision	revise classification to category 3	IMDG	International Maritime Dangerous Goods	
		UN	United Nations	
		AICS	Australian Inventory of Chemical Substances	
		ICAO	International Civil Aviation Organization	
		IMO	Australian Inventory of Chemical Substances	
		POP	Persistant Organic Pollutants	
		PIC	Prior Informed Consent	
Version	2.2	IATA IMDG UN AICS ICAO IMO POP	International Air Transport Association International Maritime Dangerous Goods United Nations Australian Inventory of Chemical Substances International Civil Aviation Organization Australian Inventory of Chemical Substances Persistant Organic Pollutants	

Information provided in this Safety Data Sheet is correct to the best of our knowledge, data and belief at the date of publication. The information is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.