SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

Product Identifier

| Product Name | MEAT BRANDING CONDEMN BLUE | |
|-------------------------|--|--|
| Chemical Name | Not Available | |
| Identifying Code | 2245 | |
| me | | |
| Recommended Use | se marking meat carcasses | |
| Details of Manufacturer | | |
| Company Name | PSC Trading Pty Ltd | |
| Address | s 2/33 Henry Wilson Drive, Rosebud, VIC 3939 | |

| Address | 2/33 Henry Wilson Drive, Rosebud, VIC 3939 | |
|----------------------------|--|--|
| Telephone | 03 9005 6488 | |
| Website | Not Available | |
| Email | info@psctrading.com.au | |
| Emergency Telephone number | | |
| Poisons Information | 13 11 26 | |
| Other emergency numbers | 0403 040 174 | |

SECTION 2: HAZARD IDENTIFICATION

| Classification of the | FLAMMABLE LIQUIDS - Category 3 |
|-----------------------|---|
| substance or mixture | SKIN CORROSION/IRRITATION - Category 2 |
| | SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 |
| | SPECIFIC TARGET ORGAN TOXICITY(SINGLE EXPOSURE) (Narcotic effects) - Category 3 |

ETHANOL SOLUTION

Label Elements

| DANGER | |
|---|--|
| s Flammable liquid and vapour | |
| Harmful by inhalation and if swallowed | |
| Causes eye and skin irritation | |
| May cause drowsiness or dizziness | |
| P102 Keep out of reach of children, P103 Read label before use | |
| Wear protective gloves. Wear eye or face protection: Recommended:Safety glasses | |
| Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking | |
| Use explosion proof electrical, ventilating, lighting and all material handling equipment. Use non sparking tools | |
| Take precautionary measures against static discharge. Keep container tightly closed, use in well ventilated | |
| area. Avoid breathing vapour. Wash hands thoroughly after handling. | |
| IF INHALED: Remove victim to fresh air, call POISON CENTRE or doctor | |
| IF ON SKIN(or hair) take off contaminated clothing. Rinse skin with water/shower | |
| IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses carefully. | |
| Store locked up. Store in well ventilated place. Keep cool | |
| Dispose of contents and container in accordance with all local, regional, national and international regulations. | |
| | |

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Substances Mixture

| CAS No | % (weight) | Chemical |
|-----------|------------|------------------------|
| 3844-45-9 | <1 | Brilliant Blue Cl42090 |
| 64-17-5 | 5-10 | ethanol |
| | 70-90 | water |
| | | |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8

SECTION 4: FIRST AID MEASURES

| Description of first aid measures | |
|-----------------------------------|--|
| | If this product comes in contact with eyes: |
| Eve Contact | Wash out immediately with water |
| Lyconduct | ► If irritation continues, seek medical advice |
| | Removing contact lenses after an eye injury should only be undertaken by skilled personnel |
| | If skin or hair contact occurs: |
| Skin Contact | Flush skin and hair with running water (and soap if available) |
| okiii oontaat | Seek medical attention in event of irritation |
| | Wash contaminated clothing before re-use |
| | ► Move to fresh air |
| Inhalation | Provide artificial respiration if not breathing or irregular |
| | ► If breathing difficulties seek medical attention |
| Ingestion | ► Rinse mouth with water |
| | Do not induce vomiting, if in doubt contact Poisons Information Centre or doctor |

Most important symptoms and effects, both acute and delayed:

Information found under Description of first aid measures and Indication of immediate medical attention

and special treatment needed.

Indication of any immediate medical attention and special treatment needed:

Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient

Contact poison treatment specialist immediately if large quantity injested or inhaled

SECTION 5: FIRE FIGHTING MEASURES

| Suitable extinguishing media | Use Dry Chemical, CO2(Carbon Dioxide) waterspray(fog) or foam | | |
|------------------------------|--|--|--|
| Unsuitable extinguishing | ► Do not use water jet | | |
| media | | | |
| | Highly flammable liquid and vapour. | | |
| Specific hazards | In a fire or if heated, a pressure increase will occur and container may burst, with risk of subsequent explosion. | | |
| | Runoff to sewer may create fire or explosion hazard. | | |
| Hazardous thermal | Hazardous thermal Decomposition products may include the following materials: | | |
| decomposition products | carbon dioxide, carbon monoxide, dense black smoke | | |

Special protective actions Isolate scene, removing all non essential personnel.

for fire fighters ► No action shall be taken involving any personal risk or without suitable training.

► Move containers from fire area if this can be done without risk

► Cool fire exposed containers with water spray

► Prevent run off from fire fighting to enter drains or water courses

Special protective equipment > Wear appropriate protective equipment and gloves

for fire fighters > Wear self contained breathing apparatus with full face-piece operated in positive pressure mode.

Hazchem Code 2YE

SECTION 6: ACCIDENTAL RELEASE MEASURES

| ersonal precautions, protective ed | quipment and emergency procedures | | |
|---|--|--|--|
| For non-emergency | No action shall be taken involving any personal risk or without suitable training | | |
| personnel | Evacuate surrounding areas.Keep unnecessary and unprotected personnel from entering | | |
| | ► Do not touch or walk through spilled material | | |
| | ► Shut off all ignition sources.No flares, smoking or flames in hazard area | | |
| | ► Do not breathe vapour or mist. Provide adequate ventilation | | |
| For emergency responders | ► If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and | | |
| | unsuitable materials. See also information in "For non-emergency personnel" | | |
| Environmental precautions | ► Avoid dispersal of spilled material and runoff and contact with soil,waterways,drains and sewers. | | |
| | ► Inform the relevent authorities if product has caused environmental pollution(sewers, waterways, soil or air) | | |
| Methods and materials for containment and cleaning up | | | |
| Minor Spills | Clean up all spills immediately | | |
| | Stop leak if without risk, move containers from spill area, absorb with inert dry material eg sand, sawdust, earth | | |
| | ► Use spark proof tools and explosion proof equipment. | | |
| | Place spillage and cleaning media in a container for disposal with licensed waste disposal contractor | | |
| | ► Stop leak if without risk. Move containers from spill area | | |
| | ► Evacuate personnel to safe area. Ventilate.Approach spill from upwind direction. | | |
| | ► Use spark proof tools and explosion proof equipment. | | |
| Major Spills | Prevent spillage from entering drains, sewers, water course, basements or confined areas. | | |
| | Contain and collect spill with non-combustible absorbent material eg sand,sawdust,earth | | |
| | Contaminated absobent material may pose the same hazard as spilled product. | | |
| | Pick up and transfer to properly labelled containers. For disposal see Section 13 | | |

SECTION 7: HANDLING AND STORAGE

| Precautions for safe handling | |
|-------------------------------|---|
| | Wear protective clothing when risk of exposure occurs. Avoid contact with eyes and skin |
| | Use in a well-ventilated area, do not breathe vapour or mist |
| | ► Wash thoroughly after handling |
| | When handling do not eat, drink or smoke |
| | Keep containers securely sealed when not in use |
| Safe Handling | Do not store in unlabelled containers |
| | Store and use away from heat, sparks open flame or other ignition source |
| | Use explosion proof electrical (ventilating, lighting and material handling) equipment |
| | ► Use only non sparking tools |
| | Take precautionary measures against electrostatic discharges |
| | Empty containers retain product residue and can be hazardous. Do not reuse container. |

Conditions for safe storage

- ► Store in segregated and approved area
- Store in original container protected from direct sunlight, in a cool, dry, well-ventilated area.

Conditions for safe storage Store away from incompatible materials and foodstuff containers. Store locked up

- Eliminate all ignition sources, separate from oxidizing materials
- Keep containers securely sealed when not in use, opened containers must be resealed and stored upright
- ► Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

| Control parameters | | |
|--------------------|--|--|
| Component | Exposure limits | |
| ethanol | Safe work Australia (Australia,1/2014) | |
| | TWA :1880 mg/m³ 8 hours | |
| | TWA :1000 ppm 8 hours | |

| Exposure controls | | |
|-------------------------------|--|--|
| Engineering Controls | Use only in area provided with adequate ventilation | |
| | Use process enclosures, local exhaust ventilation sufficient to control worker exposure to airborne contaminants | |
| Engineering controls | Engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits | |
| | ► Use explosion proof ventilation equipment | |
| Personal Protective equipment | | |
| Eye Protection | Wear Safety glasses with side shields complying with an approved standard | |
| Lyeriotection | ► Chemical goggles | |
| Hand Protection | Wear gloves with chemical resistance. Neoprene, PVC, Butyl rubber | |
| | Gloves should be examined for wear and degredation constantly | |
| | Lightweight protective clothing when handling small quantities OTHERWISE wear suitable | |
| Skin Protection | protective clothing eg. Overalls, appropriate footwear, barrier cream | |
| | For protection from static discharges clothing should include anti static overalls, boots and gloves | |
| Respiratory Protection | Select Respirator based on potential hazard that meets appropriate standard or certification | |
| | Respirators must be used according to respiratory protection program, ensure fitting and training in use | |
| Hygiene measures | | |
| | Wash hands before breaks and immediately after handling the product | |
| Hygiene measures | Wash before eating, smoking, and using the toilet and at the end of the working day | |
| | Wash contaminated clothing before re-use | |
| | Ensure eyewash station and safety showers are close to work area | |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | unit of measure | |
|-------------------------|-----------------|---------------|
| Physical state | | liquid |
| Colour | | blue |
| Odour | | ethanol odour |
| Odour Threshold | | Not Available |
| рН | | Not Available |
| Melting point/range | (°C) | Not Available |
| Freezing point | (°C) | 0 |
| Boiling point/range | (°C) | 78 to 102°C |
| Flash point | (°C) | 49°C |
| Evaporation rate | Butyl acetate=1 | Not Available |
| Flammability(solid,gas) | | Not Available |
| Lower explosion limit | (%) | Not Available |

| Upper explosion limit | (%) | Not Available |
|---------------------------|-----------------|---------------|
| Vapour Pressure | kPa | Not Available |
| Relative Vapour Density | air = 1 | Not Available |
| Relative Density | water = 1 | Not Available |
| Water solubility | | Soluble |
| Partition coefficient | n-octanol/water | Not Available |
| Auto-ignition temperature | (°C) | Not Available |
| Decomposition temp | (°C) | Not Available |
| Viscosity | | Not Available |

SECTION 10: STABILITY AND REACTIVITY

| Reactivity | ► No data available |
|------------------------------------|--|
| Chemical stability | Stable under recommended storage conditions |
| Possibility of hazardous reactions | Under normal storage conditions and use, hazardous reactions will not occur |
| Conditions to avoid | Avoid all sources of ignition(spark or flame). Do not pressurize,cut,weld,braze,solder,drill,grind or expose to heat |
| Incompatible Materials | Reactive or incompatible with oxidizing materials |
| Hazardous decomposition | Under normal conditions of storage and use, hazardous decompositon products should not be produced |
| products | |

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | | Species | Dose | | Exposure |
|------------------------------------|------------------------|--------|----------------|-----------|---------------|----------|
| ethanol | LD 50 Inhalation Vapou | r | Rat | 38mg/l | | 10 hours |
| | LD50 Oral | | Rat | 7060mg/kg | | - |
| Sensitization | | | | | | |
| Not available | | | | | | |
| Mutagenicity | | | | | | |
| Not available | | | | | | |
| Carcinogenicity | | | | | | |
| Not available | | | | | | |
| Reproductive toxicity | | | | | | |
| Not available | | | | | | |
| Teratogenicity | | | | | | |
| Not available | | | | | | |
| Specific target organ toxicity (si | ngle exposure) | | | | | |
| Name | Ca | tegory | Route of expos | ure | Target organs | |
| Not available | | | | | | |

Specific target organ toxicity (repeated exposure)

Not available

Aspiration hazard

Not available

Information on the likely routes : Not available of exposure

| Potential acute health effects | |
|-----------------------------------|--|
| Eye contact | : Causes serious eye damage |
| Inhalation | : Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness |
| Skin contact | : Causes skin irritation |
| Ingestion | : Can cause central nervous system (CNS) depression |
| Symptoms related to the physical, | chemical and toxicological characteristics |
| Eye contact | : Adverse symptoms may include the following |
| | pain |
| | watering |
| | redness |
| Inhalation | : Adverse symptoms may include the following |
| | nausea or vomiting |
| | headache |
| | drowsiness/fatigue |
| | dizzines/vertigo |
| | unconsciousness |
| Skin contact | : Adverse symptoms may include the following |
| | pain or irritation |
| | redness |
| Ingestion | : Adverse symptoms may include the following |
| | stomach pains |
| Delayed and immediate effects and | also chronic effects from short and long term exposure |
| Short term exposure: | |
| Potential immediate effects | : Not available |
| Potential delayed effects | : Not available |
| Long Term exposure: | |
| Potential immediate effects | |
| Potential delayed effects | : Not available |

| Potential chronic health effects | : Not available |
|----------------------------------|--|
| General | : No known significant effects or critical hazards |
| Carcinogenicity | : No known significant effects or critical hazards |
| Mutagenicity | : No known significant effects or critical hazards |
| Teratogenicity | : No known significant effects or critical hazards |
| Developmental effects | : No known significant effects or critical hazards |
| Fertility effects | : No known significant effects or critical hazards |
| | |

SECTION 12: ECOLOGICAL INFORMATION

| Toxicity | | | | |
|-------------------------|----------------------------------|-------------------------|----------|--|
| Product/ingredient name | Result | Species | Exposure | |
| ethanol | Acute EC50 1000 µg/l Fresh water | Daphnia - Daphnia magna | 48 hours | |
| | Acute LC50 1000 µg/l Fresh water | Fish - Golden ide | 48 hours | |

Persistence and degradability

| Biodegradable | | | | |
|-------------------------|--------|-----|-----------|--|
| Product/ingredient name | LogPow | BCF | Potential | |
| ethanol | | - | low | |

Mobility in soil
Soil/water partition cefficient (Koc) :

: Not available

Other adverse effects

: No Known significant effects or critical hazards

SECTION 13: DISPOSAL CONSIDERATIONS

| Disposal method | In accordance with local council, state environmental authority and national regulations |
|------------------------|--|
| | Discharging waste into drains, sewers and waterways is forbidden |
| Contaminated packaging | Recycle as first consideration, landfill or incineration when recycling not possible |

SECTION 14: TRANSPORT INFORMATION

| | ADG Code | Marine Transport | Air Transport | |
|------------------------------|--|------------------|------------------|--|
| | Transport by road and rail | (IMO/IMDG) | (ICAO/IATA) | |
| UN Number | 1170 | 1170 | 1170 | |
| Proper Shipping Name | ETHANOL SOLUTION | ETHANOL SOLUTION | ETHANOL SOLUTION | |
| Dangerous Goods Class | 3 | 3 | 3 | |
| Packing Group | I | II | 11 | |
| Environmental Hazards | | | | |
| Additional information | Hazchem code: 2YE | | | |
| Special precautions for user | Transport within user's premises always transport in closed containers that are upright and secure. Ensure persons transporting know what to do in the event of an accident or spillage | | | |

SECTION 15: REGULATORY INFORMATION

Safety,Health and Environmental regulations/legislation specific for the substance or mixture:

| | No known specific nationaland/or regional regulationsapplicable to this product (including ingredients) | |
|------------------------------------|---|--|
| Standard Uniform Schedule | Not regulated | |
| of Medicines and Poisons | | |
| Model Work Health and Safety | | |
| Regulations- Scheduled | No listed substance | |
| Substances | | |
| National Inventory (AICS) | All of the components are listed or exempted | |
| New Zealand inventory | All of the components are listed or exempted | |
| of chemicals (NZIoC) | | |
| HSNO Group Standard | Solvents | |
| | 3.1 - FLAMMABLE LIQUIDS - Category B | |
| HSNO Classification | 6.1 - ACUTE TOXICITY (oral) - Category E | |
| | 6.3 - SKIN IRRITATION - Category B | |
| | 6.4 - EYE IRRITATION - Category A (Irritant) | |
| International Regulations: Chemica | I Weapon Convention List Schedules I, II & III Chemicals - not listed | |
| Montreal Protocol | Not listed | |

| Stockholm Convention on POP | Not listed |
|------------------------------------|--|
| Rotterdam Convention on PIC | Not listed |
| UNECE Aarhus Protcol on POP | Not listed |
| International Lists - National In | ventory |
| Canada | All components are listed or exempted |
| China | All components are listed or exempted |
| Europe | All components are listed or exempted |
| Japan | Japan Inventory (ENCS) All components are listed or exempted |
| | Japan Inventory (ISHL) Not determined |
| Malaysia | All components are listed or exempted |
| New Zealand | All components are listed or exempted |
| Philippines | All components are listed or exempted |
| Republic of Korea | All components are listed or exempted |
| Taiwan | All components are listed or exempted |
| Turkey | All components are listed or exempted |
| United States | All components are listed or exempted |
| | - |

SECTION 16: OTHER INFORMATION

| | Abbreviations and acronyms: | |
|---|-----------------------------|---|
| Issue date 13/04/2017 | ADG | Australian Dangerous Goods Code |
| Revision date 23/10/2019 | GHS | Globally Harmonised System |
| Version 2.2 | IATA | International Air Transport Association |
| Reason for revision revise classification to category 3 | IMDG | International Maritime Dangerous Goods |
| | UN | United Nations |
| | AICS | Australian Inventory of Chemical Substances |
| | ICAO | International Civil Aviation Organization |
| | IMO | Australian Inventory of Chemical Substances |
| | POP | Persistant Organic Pollutants |
| | PIC | Prior Informed Consent |
| | | |

Information provided in this Safety Data Sheet is correct to the best of our knowledge, data and belief at the date of publication. The information is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.