#### **CARBOMER 940**

Page 1 of 5

## **SECTION 1: PRODUCTIDENTIFICATION**

Product Name CARBOMER 940

Product Code # 448

**CAS** # 9003-01-4

**Synonym** Carbomer

Chemical Name
Chemical Formula

Trade Secret No

Address 1035 N. Interstate 35E, STE 217, Carrollton, TX 75006

Phone (469) 471-8934

**Emergency Contact** Chemtrec Emergency Hotline: 800-424-9300 (US and Canada)

Recommended Use N/A Restrictions on Use N/A

## SECTION 2: HAZARD(S) IDENTIFICATION

Classifications: Pictograms: Signal Word:

Hazard Statements: Keep container tightly closed.

Do not handle until all safety precautions have been read and understood.

Get medical advice/attention if you feel unwell. Wash contaminated clothing before reuse.

**Precautionary** None

Statements:

Percent of the Not known

mixture consisting of ingredient(s) of unknown toxicity:

### SECTION3: COMPOSITION/ INFORMATION ON INGREDIENTS

Chemical Designation CAS Number (EINECS#) % Composition

Carbomer 9003-01-4, 9007-16-4, 9007-17-4, 9007-17-4

## **SECTION 4: FIRST AID MEASURES**

**Eyes:** Flush eyes with water for at least 15 minutes. If irritation persists, seek medical attention.

#### **CARBOMER 940**

Page **2** of **5** 

Skin: Immediately remove contaminated clothing and shoes. Wash off immediately with plenty of water for at least 15

minutes. Call a physician immediately.

Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration using a

pocket mask type resuscitator. Call a physician immediately.

**Ingestion:** Do not induce vomiting. Get immediate medical attention. Never give anything by mouth to an unconscious

person.

### **SECTION 5: FIRE FIGHTING MEASURES**

Fire Hazard: No Flash Point F(C): N/A

Flammable Limits: The greatest known range is LOWER: 338 UPPER: Extinguishing Media: Water MistSprayed Water JetFoamDry PowderCO2

Special protective Equipment Wear full protective fire gear including SCBA operated in the positive pressure mode when the

and firefighting procedures: potential for exposure to chemicals of combustion exists.

Avoid hose stream or any method which will create dust clouds.

Unusual Fire & Explosion: N/A

### **SECTION 6: ACCIDENTAL RELEASEMEASURES**

**Personal** Respiratory protection is required if potential exposure to airborne product dust is possible.

Precautions:

Spills / Leaks: Product must not penetrate the storm drains, sewers, surface water, ground water or neighboring areas.

Collect material in a suitable container with a closed lid for disposal. Avoid the formation of dust. Dispose of in

accordance with federal, state and local waste management regulations.

### **SECTION 7: HANDLING & STORAGE**

Handling: Avoid contact with skin, eyes and mucous membranes. Keep away from heat, sources of ignition, and static

electricity. Avoid creating dust. Avoid inhalation of product dust. Dispos of packaging and/or containers in accorance

with regulations.

Storage: Store in a clearn, cool, dry, well ventilation area. Keep container closed when not in use.

#### SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure Limits:** 

OSHA Permissible .05 mg/m3

Exposure Limits (PELs):

Threshold Limit Values Not established

(TLVs):

### **Engineering Controls:**

Ensure the proper exhaust ventilation is established in working area, where dust is formed.

#### **Personal Protective Equipment:**

Face:

**Eyes:** Safety Glasses **Skin:** Gloves

Respiratory:

Pictograms:



### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: White powder. Upper Flammability/ Explosive Limit: N/A

#### **CARBOMER 940**

Page 3 of 5

Odor: N/A Lower Flammability/ Explosive Limit: N/A Vapor Pressure: **Odor Threshold:** N/A N/A 2-4 Vapor Density: N/A pH: Melting Point F(C): 482.0° (250.0°) Vapor Temperature: N/A

Freezing Point F(C): N/A Relative Density/ Specific Gravity: 1400.0000000

Boiling Point F(C): N/A Solubility: Not Water Soluble

Boiling Range: N/A Partition Coefficient: N/A

Flash Point F(C): N/A Auto-ignition temperature: 932.0000000

Flash Point Method Decomposition temperature: N/A

used:

Evaporation Rate: N/A Viscosity: N/A
Flammability: Undetermined VOC Content: N/A
VOC Less Water & Exempts: N/A

## **SECTION 10: STABILITY AND REACTIVITY**

Chemical Reactivity: N/A
Chemical Stability: Stable
Conditions to Avoid: N/A
Materials to Avoid: N/A

Hazardous Decomposition: In the event of thermal decomposition or fire, vapors potentially hazardous to health may be

released.

## **SECTION 11: TOXICOLOGICALINFORMATION**

#### Inhalation

Description of effects from short- and long-term exposure:

Avoid inhalation of dust.

**Description of symptoms:** 

Dust or vapors may be slightly irritating to respiratory tract.

Measure of toxicity:

Individuals with sensative airways (e.g. asthmatics) may react to vapors.

Ingestion

Description of effects from short- and long-term exposure:

Not known

Description of symptoms:

Not known

Measure of toxicity:

Not known

Eyes

Description of effects from short- and long-term exposure:

Not known

Description of symptoms:

Mechanical irritant. Contact may cause tearing and redness.

Measure of toxicity:

Not known

Skin

Description of effects from short- and long-term exposure:

Contact dermatitis may occur in sensitive individuals under extreme and unusual conditions of prolonged and repeatd contact.

**Description of symptoms:** 

Not known

Measure of toxicity:

Not known

## Carcinogens listing:

NTP: No IARC: No

#### **CARBOMER 940**

OSHA: No GHS: No

Chronic Toxicity: No

## **SECTION 12: ECOLOGICALINFORMATION**

Aquatic Toxicity: No data available.

**Bioaccumulation:** Less than 20% of htis product shows limited biodegradation based on OECD 301/302 type test data. **Bioaccumulation:** Less than 0.5% of the componenets display potential to bioconcentrate, based on thier log Kow.

### **SECTION 13: DISPOSAL CONSIDERATION**

Treatment, storage, transportation, and disposal must be in accordance with applicable federal, state/provincial, and local regulations. Regulations may vary by location.

### **SECTION 14: TRANSPORTINFORMATION**

UN Number:

Proper Shipping Name: COMPOUNDS, RESIN PLASTIC THICKENING

Pictograms:

### **SECTION 15: REGULATORYINFORMATION**

OSHA Regulated Hazard: No

E C Classification: Non-applicable

TSCA Status: In compliance with TSCA inventory requirements for commercial purposes

SARA312 Regulated Chemical(s): No SARA313 Regulated Chemical(s): No

EPA Registration Number: Non-applicable

California Prop. 65: This product contains residual solvent Benzene (<0.5%) which is known to the State

of California to cause cancer or reproductive toxicity as listed under California

Proposition 65 State Drinking Water and Toxic Enforement Act.

PA Right to know Chemical(s):

None known

NJ Right to know Chemical(s):

Additional State Regulations:

Canada:

Non-applicable

**SECTION 16: OTHER INFORMATION** 

Page **4** of **5** 

#### **CARBOMER 940**

NFPA 1 0

**HMIS** 

CARBOMER 940	
HEALTH	1
FLAMMABILITY	1
REACTIVITY	0
PERSONAL PROTECTION	В

Page 5 of 5

The above Information is based on the present state of our knowledge of the product at the time of publication. No warranty is implied with respect to the quality or the specification of the product and the user must satisfy himself that the product is entirely suitable for his purposes.

**DISCLAIMER** This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by us to be dependable and is accurate to the best of the company's knowledge. The information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. We assume no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

Revision Date: 05/24/2018