37.75" height

FS
OR-G-AH1-E
panel is notched 7/8"
on all 4 corners.
Inward hinged on
left and right side.

FS
OR-G-AH2-E
panel is notched 7/8"
on all 4 corners.
Inward hinged on
left and right side.

FS
OR-G-AH3-E
panel is notched 7/8"
on all 4 corners.
Inward hinged on
left and right side.

FS
OR-G-AH4-E
panel is notched 7/8"
on all 4 corners.
Inward hinged on
left and right side.

no spacing between
panels once mounted,
gray line indicates visual
edge of graphics

no spacing between
panels once mounted,
gray line indicates visual
edge of graphics

no spacing between
panels once mounted,
gray line indicates visual
edge of graphics

no spacing between
panels once mounted,
gray line indicates visual
edge of graphics

129.75" width

93.75" width

129.75" width

93.75" width

FS
OR-G-AH2-A

FS
OR-G-AH2-D
panel is notched 7/8"
on bottom left and right corners

FS
OR-G-AH2-B

FS
OR-G-AH2-C
panel is notched 7/8"
on bottom left and right corners

bleed area
trim line

space between graphic
panels: approx. 4.5"

space between graphic
panels: approx. 4.5"

space between graphic
panels: approx. 4.5"

83.75" height

39.5" width

39.5" width

49" width

49" width

39.5" width

39.5" width

49" width

49" width

Aarhus
20' x 20' Truss System
Dye Sub Printed

TEMPLATE IS @ 1/4 SCALE
Panels AH1-A, AH3-A, AH1-B, AH3-B:
Total Graphic Area: 43.5"w x 87.75"h
Finished Size: 39.5"w x 83.75"h
Visual Size: 39.5"w x 83.75"h

Panel AH2-A and AH2-B:
Total Graphic Area: 133.75"w x 41.75"h
Finished Size: 129.75"w x 37.75"h
Visual Size: 129.75"w x 37.75"h

Panels AH1-C, AH3-C, AH1-D, AH3-D:
Total Graphic Area: 53"w x 87.75"h
Finished Size: 49"w x 83.75"h
Visual Size: 49"w x 83.75"h

Panels AH2-C and AH2-D:
Total Graphic Area: 97.75"w x 41.75"h
Finished Size: 93.75"w x 37.75"h
Visual Size: 93.75"w x 37.75"h

Panels AH1-E and AH3-E:
Total Graphic Area: 133.75"w x 41.75"h
Finished Size: 129.75"w x 37.75"h
Visual Size: 138.875"w x 96.875"h

Panels AH2-E and AH4-E:
Total Graphic Area: 97.75"w x 41.75"h
Finished Size: 93.75"w x 37.75"h
Visual Size: 97.875"w x 36.875"h

Template requires .5" bleed around the graphic. Please scale to perimeter when scaled to 400% and printed.

FS = Graphic is front side mounted
(3/4" w velcro is applied to the back
of the graphic)
BS = Graphic is back side mounted
(3/4" w velcro is applied to the front
of the graphic)
Notching = 3/8" square that is cut into the
appropriate location.
Hinging= 3/4" strip of material that is created
by notching the graphic. Allows two graphics
to share the same extrusion corner.

General Art Guidelines:

– CMYK Color Mode
– All Solid Coated Pantone colors should
be called out in the art as spot colors
– Embed all images and support files.
– Resolution must be 600-480 ppi @
1/4 size, 100-120ppi @ 100% size
– All fonts must be created to outlines
– Do not scale artboard
– Important messages must
bleed to the edge of artboard
– Do not use spot colors from template
in your artwork as they will not print

FS
OR-G-AH1-A

FS
OR-G-AH3-A

FS
OR-G-AH1-D
panel is notched 7/8"
on top right corner

FS
OR-G-AH3-D
panel is notched 7/8"
on top left corner

FS
OR-G-AH1-B

FS
OR-G-AH3-B

FS
OR-G-AH1-C
panel is notched 7/8"
on top right corner

FS
OR-G-AH3-C
panel is notched 7/8"
on top left corner

FS

OR-G-AH1-E

panel is notched 7/8″
on all 4 corners.
Inward hinged on
left and right side.

FS

OR-G-AH2-E

panel is notched 7/8"
on all 4 corners.
Inward hinged on
left and right side.

FS

OR-G-AH3-E

panel is notched 7/8"
on all 4 corners.
Inward hinged on
left and right side.

FS

OR-G-AH4-E

panel is notched 7/8”
on all 4 corners.
Inward hinged on
left and right side.

FS

OR-G-AH2-A

bleed area

trim line

FS

OR-G-AH2-D

panel is notched 7/8”
on bottom left and right corners

FS

OR-G-AH2-B

FS

OR-G-AH2-C

panel is notched 7/8”
on bottom left and right corners

Aarhus
20′ x 20′ Truss System
Dye Sub Printed





TEMPLATE IS @ 1/4 SCALE

Panels AH1-A, AH3-A, AH1-B, AH3-B:
Total Graphic Area: 43.5″w x 87.75″h
Finished Size: 39.5″w x 83.75″h
Visual Size: 39.5″w x 83.75″h

Panel AH2-A and AH2-B:
Total Graphic Area: 133.75″w x 41.75″h
Finished Size: 129.75″w x 37.75″h
Visual Size: 129.75″w x 37.75″h

Panels AH1-C, AH3-C, AH1-D, AH3-D:
Total Graphic Area: 53″w x 87.75″h
Finished Size: 49″w x 83.75″h
Visual Size: 49″w x 83.75″h

Panels AH2-C and AH2-D:
Total Graphic Area: 97.75″w x 41.75″h
Finished Size: 93.75″w x 37.75″h
Visual Size: 93.75″w x 37.75″h

Panels AH1-E and AH3-E:
Total Graphic Area: 133.75″w x 41.75″h
Finished Size: 129.75″w x 37.75″h
Visual Size: 128.875″w X 36.875″h

Panels AH2-E and AH4-E:
Total Graphic Area: 97.75″w x 41.75″h
Finished Size: 93.75″w x 37.75″h
Visual Size: 92.875″w X 36.875″h

Template requires .5″ bleed around the perimeter (2″ around the perimeter when scaled to 400% and printed)

FS = Graphic is front side mounted (3/4″ w velcro is applied to the back of the panel)
BS = Graphic is back side mounted (3/4″w velcro is applied to the front of the panel)
Notching = 7/8″ square that is cut into the appropriate location.
Hinging= 3/4″ strip of material that is created by notching the graphic. Allows two graphics to share the same extrusion corner.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 400-480 ppi @ 1/4 size, 100-120ppi @ 100% size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

FS
OR-G-AH1-A

FS

OR-G-AH3-A

FS

OR-G-AH1-D

panel is notched 7/8”
on top right corner

FS

OR-G-AH3-D

panel is notched 7/8”
on top left corner

FS

OR-G-AH1-B

FS

OR-G-AH3-B

FS

OR-G-AH1-C

panel is notched 7/8”
on top right corner

FS

OR-G-AH3-C

panel is notched 7/8”
on top left corner