



MARQUESS SERIES HANDBOOK

Technical Specifications	
GTLS Rating	T100
Case Material	316 stainless steel
Case Finish	Black PVD, brushed stainless steel, polished stainless steel, brushed rose gold PVD
Strap Type	Leather strap
Crystal	Sapphire with triple anti-reflective coating
Movement Type	Quartz
Movement	Swiss made Ronda 715Li
Crown Type	Push
Dial Diameter	35mm
Case Diameter	40mm
Case Depth	7.7mm
Lug Width	20mm
Fixing Type	2 x 20mm spring bars
Weight	46g Fitted on polymer strap
Water Resistance	50m
Battery Life	4-5 years



SETTING THE DATE & TIME

Pos. I Position of rest (watch running)

Pos. II Quick-change correction for date

Blocking time for the quick-change day correction is from approx. 9.30 pm and midnight.

- Pull the crown out to position II (watch still running).
- Turn the crown until the current date appears.
- Push the crown back into position I.

Pos. III Setting the time

- Pull the crown out to position III (watch stopped).
- Turn the crown, until the current time is displayed (remember the 24-hour cycle).
- Push the crown back into position I.





STRAP/FITTING OPTIONS

The Marquess models can be fitted with a leather, polymer or mesh bracelet strap.

With a 20mm lug width and 20mm spring bar fixing, straps are easily interchangeable using a forked spring bar tool. Many 20mm aftermarket straps are also compatible*

The Marquess straps exclusively available through nitewatches.com can be found [here](#):

If you have any questions about the Hawk series then please email us on theteam@nitewatches.com.

*Nite Watches accept no responsibility with the sizing and fitting of any aftermarket straps.