

FOLDING MICROFILAMENTS

PENDANT


SPECIFICATION SHEET
INTERNATIONAL



FOLDING MICROFILAMENTS

PENDANT

SPECIFICATION SHEET
INTERNATIONAL



ABOUT

Soda water is used to trap air in a super heated glass matrix, which is vertically stretched and folded back onto itself between pegs numerous times. As the glass cools, the folding motion along the grain of the loop turns the entrapped air into microfilaments that give the piece a pearlescent optical quality. A low-voltage xenon or LED light source is introduced at one end of the loop casting light through the microfilaments and registering a gentle gradient.

LEAD TIME

4 - 7 weeks

LIGHT SOURCE

Integrated LED,
Warm White (2700K to 3300K),
Cool White (3300K to 5300K),
Not dimmable

INSTALLATION

Ceiling mount
Supplied with external driver.

FLEX CORD COLOURS

Black Braided Cable,
Length 150cm / 59".

PRODUCT SIZE

Dia 11.5cm x H 50cm

FITTING FINISHES

White

SHADE COLOURS

White

CERTIFICATION

CE/CCC/UL/SAA/KC

WARRANTY

3 years

Materials

Glass, Metal

Voltage

AC 110-240V


WEIGHT

3kg

FOLDING MICROFILAMENTS

PENDANT

SPECIFICATION SHEET
INTERNATIONAL



ABOUT

Soda water is used to trap air in a super heated glass matrix, which is vertically stretched and folded back onto itself between pegs numerous times. As the glass cools, the folding motion along the grain of the loop turns the entrapped air into microfilaments that give the piece a pearlescent optical quality. A low-voltage xenon or LED light source is introduced at one end of the loop casting light through the microfilaments and registering a gentle gradient.

LEAD TIME

4 - 7 weeks

LIGHT SOURCE

Integrated LED,
Warm White (2700K to 3300K),
Cool White (3300K to 5300K),
Not dimmable

INSTALLATION

Ceiling mount
Supplied with external driver.

FLEX CORD COLOURS

Black Braided Cable,
Length 150cm / 59".

PRODUCT SIZE

Dia 15cm x H 150cm

FITTING FINISHES

White

SHADE COLOURS

White

CERTIFICATION

CE/CCC/UL/SAA/KC

WARRANTY

3 years

Materials

Glass, Metal

Voltage

AC 110-240V


WEIGHT

6kg

FOLDING MICROFILAMENTS

PENDANT

SPECIFICATION SHEET
INTERNATIONAL



ABOUT

Soda water is used to trap air in a super heated glass matrix, which is vertically stretched and folded back onto itself between pegs numerous times. As the glass cools, the folding motion along the grain of the loop turns the entrapped air into microfilaments that give the piece a pearlescent optical quality. A low-voltage xenon or LED light source is introduced at one end of the loop casting light through the microfilaments and registering a gentle gradient.

LEAD TIME

4 - 7 weeks

LIGHT SOURCE

Integrated LED,
Warm White (2700K to 3300K),
Cool White (3300K to 5300K),
Not dimmable

INSTALLATION

Ceiling mount
Supplied with external driver.

FLEX CORD COLOURS

Black Braided Cable,
Length 150cm / 59".

PRODUCT SIZE

Dia 50cm x H 200cm

FITTING FINISHES

White

SHADE COLOURS

White

CERTIFICATION

CE/CCC/UL/SAA/KC

WARRANTY

3 years

Materials

Glass, Metal

Voltage

AC 110-240V


WEIGHT

15kg

FOLDING MICROFILAMENTS

PENDANT

SPECIFICATION SHEET
INTERNATIONAL



ABOUT

Soda water is used to trap air in a super heated glass matrix, which is vertically stretched and folded back onto itself between pegs numerous times. As the glass cools, the folding motion along the grain of the loop turns the entrapped air into microfilaments that give the piece a pearlescent optical quality. A low-voltage xenon or LED light source is introduced at one end of the loop casting light through the microfilaments and registering a gentle gradient.

LEAD TIME

4 - 7 weeks

LIGHT SOURCE

Integrated LED,
Warm White (2700K to 3300K),
Cool White (3300K to 5300K),
Not dimmable

INSTALLATION

Ceiling mount
Supplied with external driver.

FLEX CORD COLOURS

Black Braided Cable,
Length 150cm / 59".

PRODUCT SIZE

Dia 60cm x H 350cm

FITTING FINISHES

White

SHADE COLOURS

White

CERTIFICATION

CE/CCC/UL/SAA/KC

WARRANTY

3 years

Materials

Glass, Metal

Voltage

AC 110-240V


WEIGHT

30kg

FOLDING MICROFILAMENTS

SPECIFICATION SHEET

PENDANT



ABOUT

Soda water is used to trap air in a super heated glass matrix, which is vertically stretched and folded back onto itself between pegs numerous times. As the glass cools, the folding motion along the grain of the loop turns the entrapped air into microfilaments that give the piece a pearlescent optical quality. A low-voltage xenon or LED light source is introduced at one end of the loop casting light through the microfilaments and registering a gentle gradient.

LEAD TIME

4 - 7 weeks

LIGHT SOURCE

Integrated LED,
Warm White (2700K to 3300K),
Cool White (3300K to 5300K),
Not dimmable

INSTALLATION

Ceiling mount
Supplied with external driver.

FLEX CORD COLOURS

Black Braided Cable,
Length 150cm / 59".

PRODUCT SIZE

Dia 70cm x H 350cm

FITTING FINISHES

White

SHADE COLOURS

White

CERTIFICATION

CE/CCC/UL/SAA/KC

WARRANTY

3 years

Materials

Glass, Metal

Voltage

AC 110-240V

WEIGHT

45kg