

RU PENDANT LIGHT
PENDANT


SPECIFICATION SHEET
INTERNATIONAL



RU PENDANT LIGHT

PENDANT

SPECIFICATION SHEET
INTERNATIONAL



ABOUT

The RU Pendant Light are characterized by their airy design but also the simplicity and smoothly lines. A rectangular concrete tube widening to obtain an open space perfectly round and sleek. RU Pendant Light derives it' s uniqueness from the simplicity of it' s forms and it' s materials. This material that is usually reserved for construction use, finds here a certain nobility.

LEAD TIME

4 - 7 weeks

LIGHT SOURCE

E14 40W LED
2700K warm white
Not dimmable
Lamp included

INSTALLATION

Ceiling mount
Supplied with external driver.

FLEX CORD COLOURS

Black Braided Cable,
Length 150cm / 59".

PRODUCT SIZE

Dia 20cm x H 24cm

FITTING FINISHES

Cement

SHADE COLOURS

Cement

CERTIFICATION

CE/CCC/UL/SAA/KC

WARRANTY

3 years

Materials

Mconcrete

Voltage

AC 110-240V


WEIGHT

3kg

RU PENDANT LIGHT

PENDANT

SPECIFICATION SHEET
INTERNATIONAL



ABOUT

The RU Pendant Light are characterized by their airy design but also the simplicity and smoothly lines. A rectangular concrete tube widening to obtain an open space perfectly round and sleek. RU Pendant Light derives its uniqueness from the simplicity of its forms and its materials. This material that is usually reserved for construction use, finds here a certain nobility.

LEAD TIME

4 - 7 weeks

LIGHT SOURCE

E14 40W LED
2700K warm white
Not dimmable
Lamp included

INSTALLATION

Ceiling mount
Supplied with external driver.

FLEX CORD COLOURS

Black Braided Cable,
Length 150cm / 59".

PRODUCT SIZE

Dia 20cm x H 34cm

FITTING FINISHES

Cement

SHADE COLOURS

Cement

CERTIFICATION

CE/CCC/UL/SAA/KC

WARRANTY

3 years

Materials

Mconcrete

Voltage

AC 110-240V


WEIGHT

4kg

RU PENDANT LIGHT

PENDANT

SPECIFICATION SHEET
INTERNATIONAL



ABOUT

The RU Pendant Light are characterized by their airy design but also the simplicity and smoothly lines. A rectangular concrete tube widening to obtain an open space perfectly round and sleek. RU Pendant Light derives it' s uniqueness from the simplicity of it' s forms and it' s materials. This material that is usually reserved for construction use, finds here a certain nobility.

LEAD TIME

4 - 7 weeks

LIGHT SOURCE

E14 40W LED
2700K warm white
Not dimmable
Lamp included

INSTALLATION

Ceiling mount
Supplied with external driver.

FLEX CORD COLOURS

Black Braided Cable,
Length 150cm / 59".

PRODUCT SIZE

Dia 22cm x H 30cm

FITTING FINISHES

Cement

SHADE COLOURS

Cement

CERTIFICATION

CE/CCC/UL/SAA/KC

WARRANTY

3 years

Materials

Mconcrete

Voltage

AC 110-240V

WEIGHT

4kg