



TOP WALL LAMP  
WALL SCONCE

SPECIFICATION SHEET  
INTERNATIONAL





ABOUT ICI

The Top wall sconce . Its small central sphere reflects the light towards a larger surrounding ring generating a halo type effect of even and indirect lighting and creating a relaxed ambience. The light appears to be framed within its own diameter, its attractive and minimalist design doubles as a piece of abstract wall art.

LEAD TIME

4 - 7 weeks

LIGHT SOURCE

Integrated LED,  
Warm White (2700K to 3300K),  
Cool White (3300K to 5300K),  
Not dimmable

INSTALLATION

Wall mount,  
Supplied with external driver

FLEX CORD COLOURS

Hardwired

PRODUCT SIZE

Dia 25cm

FITTING FINISHES

White, Red, Green

SHADE COLOURS

White, Red, Green

Materials

Aluminum

CERTIFICATION

CE/CCC/UL/SAA/KC

WARRANTY


3 years

Voltage

AC 110-240V

WEIGHT

2kg



ABOUT ICI

The Top wall sconce . Its small central sphere reflects the light towards a larger surrounding ring generating a halo type effect of even and indirect lighting and creating a relaxed ambience. The light appears to be framed within its own diameter, its attractive and minimalist design doubles as a piece of abstract wall art.

LEAD TIME

4 - 7 weeks

LIGHT SOURCE

Integrated LED,  
Warm White (2700K to 3300K),  
Cool White (3300K to 5300K),  
Not dimmable

INSTALLATION

Wall mount,  
Supplied with external driver

FLEX CORD COLOURS

Hardwired

PRODUCT SIZE

Dia 40cm

FITTING FINISHES

White, Red, Green

SHADE COLOURS

White, Red, Green

Materials

Aluminum

CERTIFICATION

CE/CCC/UL/SAA/KC

WARRANTY


3 years

Voltage

AC 110-240V

WEIGHT

3kg



ABOUT ICI

The Top wall sconce . Its small central sphere reflects the light towards a larger surrounding ring generating a halo type effect of even and indirect lighting and creating a relaxed ambience. The light appears to be framed within its own diameter, its attractive and minimalist design doubles as a piece of abstract wall art.

LEAD TIME

4 - 7 weeks

LIGHT SOURCE

Integrated LED,  
Warm White (2700K to 3300K),  
Cool White (3300K to 5300K),  
Not dimmable

INSTALLATION

Wall mount,  
Supplied with external driver

FLEX CORD COLOURS

Hardwired

PRODUCT SIZE

Dia 60cm

FITTING FINISHES

White, Red, Green

SHADE COLOURS

White, Red, Green

Materials

Aluminum

CERTIFICATION

CE/CCC/UL/SAA/KC

WARRANTY

3 years

Voltage

AC 110-240V

WEIGHT

4kg