# **Locating Pins**• with bore hole similar to DIN 6321 22630.0249



### **Product Description**

Cylindric locating pins for locating workpieces in toleranced holes and also to be used as stops and feet.


Flattened locating pins used to overcome differences in tolerances, between holes or to position an element in one direction only.


Apart from size 6 additional safety by fastening possibilities from up and down (can also be used for dismounting). The outer dimensions are similar to DIN 6321.

#### **Material**

• Case-hardened steel, case-hardened, blackened and ground

# Drawing






### **Order information**

Dimensions											Location hole	<b>1</b>	Art. No.
I1	b	d <sub>2</sub>	l <sub>2</sub>	d <sub>3</sub>	d₄	I4	d <sub>5</sub>	l <sub>5</sub>	d <sub>6</sub>	I.6	H7	-	
			_					-		-			
												[a]	
[1001]											[11111]	[8]	
locating pin, flattened, with bore hole – picture 2													
22	35	8	12	M4	6,5	8	3,3	3,1	M3	13	8	22	22630.0249
F	oin, flatte	pin, flattened, with be	. k6	bin, flattened, with bore hole – picture	$I_1$ b $d_2$ $I_2$ $d_3$ bin, flattened, with bore hole – picture 2	l <sub>1</sub> b d <sub>2</sub> l <sub>2</sub> d <sub>3</sub> d <sub>4</sub> k6 [mm]	I <sub>1</sub> b d <sub>2</sub> I <sub>2</sub> d <sub>3</sub> d <sub>4</sub> I <sub>4</sub> [mm] bin, flattened, with bore hole – picture 2	I <sub>1</sub> b d <sub>2</sub> I <sub>2</sub> d <sub>3</sub> d <sub>4</sub> I <sub>4</sub> d <sub>5</sub> k6 [mm] bin, flattened, with bore hole – picture 2	I1 b d2 I2 d3 d4 I4 d5 I5   [mm]   pin, flattened, with bore hole – picture 2	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	$\begin{array}{c c c c c c c c c c c c c c c c c c c $

# **Application example**



dз