

Steadfast Lab



Sample: 2304STD0916.4856  
**TUX PRO AC-TUXPRO-BIOR**

Concentrates & Extracts, Vape - Oil  
Sample Received: 04/14/2023; Report Created: 04/14/2023  
METRC Manifest: ; METRC Batch: ; METRC Sample:

## Heavy Metals

Pass

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Arsenic	0.05	0.20	ND	Pass
Cadmium	0.05	0.20	ND	Pass
Chromium	0.05	0.60	0.24	Pass
Copper	0.05	3.00	0.11	Pass
Lead	0.05	0.50	<0.05	Pass
Mercury	0.05	0.10	<0.05	Pass
Nickel	0.05	0.50	0.14	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Method: SOP 10

Steadfast Lab  
22018 John R. Rd  
Hazel Park, MI  
(248) 781-4242  
www.steadfastlab.com



*Philip Rose*  
Philip Rose  
Analytical Chemist



Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com

