

Steadfast Lab



Sample: 2304STD0916.4868

UZO Pro AD-UZO-H05

Concentrates & Extracts, Vape - Oil

Sample Received: 04/14/2023; Report Created: 04/14/2023

METRC Manifest: ; METRC Batch: ; METRC Sample:

## Heavy Metals

Pass

| Analyte  | LOQ  | Limit | Mass  | Status |
|----------|------|-------|-------|--------|
|          | PPM  | PPM   | PPM   |        |
| Arsenic  | 0.05 | 0.20  | ND    | Pass   |
| Cadmium  | 0.05 | 0.20  | ND    | Pass   |
| Chromium | 0.05 | 0.60  | 0.28  | Pass   |
| Copper   | 0.05 | 3.00  | <0.05 | Pass   |
| Lead     | 0.05 | 0.50  | <0.05 | Pass   |
| Mercury  | 0.05 | 0.10  | ND    | Pass   |
| Nickel   | 0.05 | 0.50  | 0.49  | Pass   |

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Method: SOP 10

Steadfast Lab  
22018 John R. Rd  
Hazel Park, MI  
(248) 781-4242  
www.steadfastlab.com



*Philip Rose*  
Philip Rose  
Analytical Chemist



Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com

