

Steadfast Lab



Sample: 2304STD0916.4849
UZO Plus AD-UZO PLUS-B20

Concentrates & Extracts, Vape - Oil
Sample Received: 04/14/2023; Report Created: 04/14/2023
METRC Manifest: ; METRC Batch: ; METRC Sample:

Heavy Metals

Pass

| Analyte | LOQ | Limit | Mass | Status |
|----------|------|-------|-------|--------|
| | PPM | PPM | PPM | |
| Arsenic | 0.05 | 0.20 | ND | Pass |
| Cadmium | 0.05 | 0.20 | ND | Pass |
| Chromium | 0.05 | 0.60 | 0.16 | Pass |
| Copper | 0.05 | 3.00 | <0.05 | Pass |
| Lead | 0.05 | 0.50 | ND | Pass |
| Mercury | 0.05 | 0.10 | ND | Pass |
| Nickel | 0.05 | 0.50 | 0.31 | Pass |

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Method: SOP 10

Steadfast Lab
22018 John R. Rd
Hazel Park, MI
(248) 781-4242
www.steadfastlab.com



Philip Rose

Philip Rose
Analytical Chemist



Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

