

Steadfast Lab

Sample: 2304STD0916.4842
XENBAR PRO AD-XENBAR-BIOPRO

 Concentrates & Extracts, Vape - Oil
 Sample Received: 04/14/2023; Report Created: 04/14/2023
 METRC Manifest: ; METRC Batch: ; METRC Sample:


Heavy Metals

Pass

| Analyte | LOQ | Limit | Mass | Status |
|----------|------|-------|-------|--------|
| | PPM | PPM | PPM | |
| Arsenic | 0.05 | 0.20 | ND | Pass |
| Cadmium | 0.05 | 0.20 | ND | Pass |
| Chromium | 0.05 | 0.60 | 0.26 | Pass |
| Copper | 0.05 | 3.00 | <0.05 | Pass |
| Lead | 0.05 | 0.50 | ND | Pass |
| Mercury | 0.05 | 0.10 | ND | Pass |
| Nickel | 0.05 | 0.50 | 0.14 | Pass |

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Method: SOP 10

 Steadfast Lab
 22018 John R. Rd
 Hazel Park, MI
 (248) 781-4242
 www.steadfastlab.com


 Philip Rose
 Analytical Chemist

 Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com
