

Steadfast Lab



Sample: 2304STD0916.4846
Xodos Pro AD-XODOS-BIOPRO

Concentrates & Extracts, Vape - Oil
Sample Received: 04/14/2023; Report Created: 04/14/2023
METRC Manifest: ; METRC Batch: ; METRC Sample:

Heavy Metals

Pass

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Arsenic	0.05	0.20	ND	Pass
Cadmium	0.05	0.20	ND	Pass
Chromium	0.05	0.60	0.24	Pass
Copper	0.05	3.00	<0.05	Pass
Lead	0.05	0.50	ND	Pass
Mercury	0.05	0.10	ND	Pass
Nickel	0.05	0.50	0.16	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Method: SOP 10

Steadfast Lab
22018 John R. Rd
Hazel Park, MI
(248) 781-4242
www.steadfastlab.com




Philip Rose
Analytical Chemist



Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

