

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 23/08/2016 Revision date: 1/02/2024 Supersedes: 31/05/2023 Version: 2.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Rubio WoodCream

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use, Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Muylle Facon B.V.B.A. - Rubio Monocoat

Ambachtenstraat 58

B 8870 Izegem

Belgium

T +32 (0) 51 30 80 54, F +32 (0) 51 30 99 78

info@rubiomonocoat.com, www.rubiomonocoat.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Australia	NSW Poisons Information Centre The Children's Hospital at Westmead	Locked Bag 4001 NSW 2145	13 11 26	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

CLP Signal word

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P273 - Avoid release to the environment.

P501 - Dispose of contents and container to National regulations.

EUH-statements : EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not

breathe spray or mist.

EUH208 - Contains mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1), 3-iodo-2-propynyl butylcarbamate. May produce an allergic reaction.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
3-iodo-2-propynyl butylcarbamate (55406-53-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Glycerine (56-81-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] substance with national workplace exposure limit(s) (BE, DK, FR, GB, SE, NO)	CAS-No.: 13463-67-7 EC-No.: 236-675-5 EC Index-No.: 022-006-00-2 REACH-no: 01-2119489379- 17	0 – 20	Carc. 2, H351
Ethoxylated C16-18 alcohols	CAS-No.: 68439-49-6	< 0,71	Aquatic Acute 1, H400 Aquatic Chronic 3, H412
3-iodo-2-propynyl butylcarbamate	CAS-No.: 55406-53-6 EC-No.: 259-627-5 EC Index-No.: 616-212-00-7 REACH-no: 01-2120762115- 60	< 0,24	Acute Tox. 4 (Oral), H302 (ATE=300 mg/kg bodyweight) Acute Tox. 3 (Inhalation), H331 (ATE=0,67 mg/l/4h) Acute Tox. 3 (Inhalation:dust,mist), H331 (ATE=0,67 mg/l/4h) Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Glycerine substance with national workplace exposure limit(s) (BE, FR, GB)	CAS-No.: 56-81-5 EC-No.: 200-289-5	< 0,11	Not classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ammonia% substance with national workplace exposure limit(s) (DK)	CAS-No.: 1336-21-6 EC-No.: 215-647-6 EC Index-No.: 007-001-01-2	< 0,11	Acute Tox. 4 (Oral), H302 (ATE=350 mg/kg bodyweight) Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 3, H412
mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) substance with national workplace exposure limit(s) (CH)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5 REACH-no: 01-2120764691- 48	< 0,0013	Acute Tox. 2 (Inhalation), H330 (ATE=0,05 mg/l/4h) Acute Tox. 2 (Dermal), H310 (ATE=50 mg/kg bodyweight) Acute Tox. 3 (Oral), H301 (ATE=66 mg/kg bodyweight) Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)

Specific concentration limits:				
Name	Product identifier	Specific concentration limits		
ammonia%	CAS-No.: 1336-21-6 EC-No.: 215-647-6 EC Index-No.: 007-001-01-2	(5 ≤ C ≤ 100) STOT SE 3, H335		
mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5 REACH-no: 01-2120764691- 48	$(0,0015 \le C \le 100)$ Skin Sens. 1A, H317 $(0,06 \le C < 0,6)$ Eye Irrit. 2, H319 $(0,06 \le C < 0,6)$ Skin Irrit. 2, H315 $(0,6 \le C \le 100)$ Eye Dam. 1, H318 $(0,6 \le C \le 100)$ Skin Corr. 1C, H314		

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If medical advice is needed, have product container or label at hand.

First-aid measures after inhalation : under the recommended handling conditions: not required.

First-aid measures after skin contact : If on skin : Wash with plenty of soap and water.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

First-aid measures after ingestion : In all cases of doubt, or when symptoms persist, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Get medical advice/attention if you feel unwell.

Symptoms/effects after inhalation : None under normal conditions. Symptoms/effects after skin contact : None under normal conditions. Symptoms/effects after eye contact : None under normal conditions.

Symptoms/effects after ingestion : May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor or emergency department.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Can't burn. Water mist, carbonic acid, foam or powder against surrounding fire.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Precautionary measures fire : Evacuate area.

Firefighting instructions : Prevent fire fighting water from entering the environment.

Protection during firefighting : Self-contained breathing apparatus.

Other information : Exercise caution when fighting any chemical fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Do not get in eyes, on skin, or on clothing. Use personal protective equipment - see point 8.

Limit spread.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Avoid discharge into the sewer - see point 12. Inform the local environmental authorities in the event of a release to the surroundings.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Liquid is absorbed with granules or similar. Collect in suitable containers. Rinse thoroughly

with water. Further handling of spillage - see point 13.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See above (see point 6.1/6.2/6.3).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Do not eat, drink or smoke while using this product.

Precautions for safe handling : Avoid contact with the eyes and prolonged contact with the skin. After use, wash with plenty

of soap and water.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.

7.3. Specific end use(s)

See application - point 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

1/02/2024 (Revision date) EN (English) 4/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Switzerland - Occupational Exposure Limits 5-Chlor-2-methyl-2,3-dihydro-isothiazol-3-on und 2-Methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-dihydroisothiazol-3-	mixture of 5-chloro-2-methyl-4-isothiazolin-3 (C(M)IT/MIT (3:1) (55965-84-9)	one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1)
VME [mg/m²] 0,2 mg/m² VLE [mg/m²] 0,4 mg/m² Notation Keine Schädigung der Leibesfrucht bei Einhaltung des MAK-Werts Glycerine (56-81-5) Belgium - Occupational Exposure Limits Local name Glycérine (brouillard) # Glycerine (nevel) Limit value [mg/m²] 10 mg/m² Regulatory reference koninklijk besluit/Arrêté royal 11/05/2021 France - Occupational Exposure Limits United Kingdom - Occupational Exposure Limits Occupational Exposure Limits Occupational Exposure Limits Oppm Gransevaerdi (8 limer) (mg/m²) 36 mg/m² Gransevaerdi (8 Tite) (pm/m²) 50 ppm Regulatory preference Notal M	Switzerland - Occupational Exposure Limits	
VLE [mg/m²] 0,4 mg/m² Notation Keine Schädigung der Leibesfrucht bei Einhaltung des MAK-Werts Selgium - Occupational Exposure Limits Limit value [mg/m²] 10 mg/m² Regulatory reference Koninklijk besluit/Arrèté royal 11/05/2021 France - Occupational Exposure Limits VME [mg/m²] 10 mg/m² VME [mg/m²] 10 mg/m² VME [mg/m²] 10 mg/m² Volte (Mig/m²) 10 mg/m² VME [mg/m²] 10 mg/m² VME [mg/m²] 10 mg/m² Regulatory reference EH40/2005 (Fourth edition, 2020). HSE Mammonia (1336-21-6) Denmark - Occupational Exposure Limits Grænseværdi (8 timer) (mg/m²) 14 mg/m² Grænseværdi (8 timer) (mg/m²) 20 ppm Grænseværdi (8 timer) (mg/m²) 36 mg/m² Grænseværdi (STEL) (mg/m²) 50 ppm Remark Ettanlum dioxide; [in powder form containal strosure Limits Selgium - Occupational Exposure Limits Limit value [mg/m²] 10 mg/m² Regulatory reference Titane (dloxyde de) # Titanandioxide Limit value [mg/m²] 10 mg/m² Regulatory reference Koninklijk besluit/Arrèté royal 11/05/2021 Denmark - Occupational Exposure Limits Limit value [mg/m²] 10 mg/m² Regulatory reference Koninklijk besluit/Arrèté royal 11/05/2021 Denmark - Occupational Exposure Limits Limit value [mg/m²] 10 mg/m² Regulatory reference Koninklijk besluit/Arrèté royal 11/05/2021 Denmark - Occupational Exposure Limits Limit value [mg/m²] 10 mg/m² Grænseværdi (8 timer) (mg/m²) 50 mg/m²	Local name	5-Chlor-2-methyl-2,3-dihydro-isothiazol-3-on und 2-Methyl-2,3-dihydroisothiazol-3-on
Notation Keine Schädigung der Leibesfrucht bei Einhaltung des MAK-Werts Glycerine (56-31-5) Belgium - Occupational Exposure Limits Limit value [mg/m²] 10 mg/m³ Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 France - Occupational Exposure Limits VMEI [mg/m²] 10 mg/m³ United Kingdom - Occupational Exposure Limits Limit value [mg/m²) Vecal name Glycerol WEL TWA (mg/m²) 10 mg/m³ Regulatory reference EH40/2005 (Fourth edition, 2020). HSE ammonia% (1336-21-6) E Denmark - Occupational Exposure Limits Fransevazerdi (8 timer) (mg/m²) Grænsevazerdi (8 timer) (mg/m²) 14 mg/m³ Grænsevazerdi (8 timer) (mg/m²) 36 mg/m³ Grænsevazerdi (STEL) (mg/m²) 36 mg/m³ Grænsevazerdi (STEL) (mg/m²) 50 ppm Remark E titanium dioxide; [in powder form containing 1 to mere of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7) Belgium - Occupational Exposure Limits Local name Titlane (dloxyde de) # Titaandioxide Limit value [mg/m²] 1	VME [mg/m³]	0,2 mg/m³
Belgium - Occupational Exposure Limits Local name Gilycérine (brouillard) # Glycerine (nevel) Limit value [mg/m²] 10 mg/m² Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 France - Occupational Exposure Limits VME [mg/m²] 10 mg/m² United Kingdom - Occupational Exposure Limits Local name Gilycerol (Silverol) WEL TWA (mg/m²) 10 mg/m² Regulatory reference EH40/2005 (Fourth edition, 2020). HSE ammonia ** (1336-21-6) Denmark - Occupational Exposure Limits Grænseværdi (8 timer) (mg/m²) 14 mg/m² Grænseværdi (8 timer) (mg/m²) 20 ppm Grænseværdi (STEL) (mg/m²) 36 mg/m² Grænseværdi (STEL) (mg/m²) 50 ppm Remark E titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7) Belgium - Occupational Exposure Limits Limit value [mg/m²] 10 mg/m² Regulatory reference Titane (dioxyde de) # Titanadioxide Limit value [mg/m²] 10 mg/m² Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titane (dioxyde se) # Titanedioxide Limit value [mg/m²] 10 mg/m² Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titanedioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m²) 6 mg/m² Grænseværdi (8 timer) (mg/m²) 6 mg/m²	VLE [mg/m³]	0,4 mg/m³
Belgium - Occupational Exposure Limits Local name Glycérine (brouillard) # Glycerine (nevel) Limit value [mg/m²] 10 mg/m² Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 France - Occupational Exposure Limits VME [mg/m²] 10 mg/m² United Kingdom - Occupational Exposure Limits Local name Glycerol WEL TWA (mg/m²) 10 mg/m² Regulatory reference EH40/2005 (Fourth edition, 2020). HSE ammonia* (1336-21-6) Denmark - Occupational Exposure Limits Grænseværdi (8 timer) (mg/m²) 14 mg/m² Grænseværdi (8 timer) (mg/m²) 20 ppm Grænseværdi (STEL) (mg/m²) 36 mg/m² Grænseværdi (STEL) (mg/m²) 50 ppm Remark Elimin dloxide; [in powder form containing 1 * or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7) Belgium - Occupational Exposure Limits Local name Titane (dioxyde de) # Titanedioxide Limit value [mg/m²] 10 mg/m² Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titandioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m²) 6 mg/m² Grænseværdi (8 timer) (mg/m²) 12 mg/m²	Notation	Keine Schädigung der Leibesfrucht bei Einhaltung des MAK-Werts
Local name Glycérine (brouillard) # Glycerine (nevel) Limit value [mg/m²] 10 mg/m² Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 France - Occupational Exposure Limits VME [mg/m²] 10 mg/m² United Kingdom - Occupational Exposure Limits Local name Glycerol WEL TWA (mg/m²) 10 mg/m² Regulatory reference EH40/2005 (Fourth edition, 2020). HSE ammonia% (1336-21-6) Denmark - Occupational Exposure Limits Grænseværdi (8 timer) (mg/m²) 14 mg/m² Grænseværdi (8 timer) (ppm) 20 ppm Grænseværdi (STEL) (mg/m²) 36 mg/m² Grænseværdi (STEL) (ppm) 50 ppm Regium - Occupational Exposure Limits Local name Titan (dloxyde de) # Titaandioxide Limit value [mg/m²] Koninklijk besluit/Arrêté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Koninklijk besluit/Arrêté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titandioxid, be	Glycerine (56-81-5)	
Limit value [mg/m²] 10 mg/m² Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 France - Occupational Exposure Limits VME [mg/m²] 10 mg/m² United Kingdom - Occupational Exposure Limits Local name Glycerol WEL TWA (mg/m²) 10 mg/m² Regulatory reference ammonia% (1336-21-6) Denmark - Occupational Exposure Limits Grænseværdi (8 timer) (mg/m²) 14 mg/m² Grænseværdi (8 timer) (ppm) 20 ppm Grænseværdi (STEL) (mg/m²) 36 mg/m² Grænseværdi (STEL) (ppm) 50 ppm Remark E titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7) Belgium - Occupational Exposure Limits Local name Titane (dioxyde de) # Titaandioxide Limit value [mg/m²] 10 mg/m² Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 Demark - Occupational Exposure Limits Local name Titandioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m²)	Belgium - Occupational Exposure Limits	
Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 France - Occupational Exposure Limits VME [mg/m²] 10 mg/m² United Kingdom - Occupational Exposure Limits Local name Gilycerol WEL TWA (mg/m³) 10 mg/m³ Regulatory reference EH40/2005 (Fourth edition, 2020). HSE ammonia% (1336-21-6) Denmark - Occupational Exposure Limits Grænseværdi (8 timer) (mg/m³) 14 mg/m³ Grænseværdi (8 timer) (pmg/m³) 20 pm Grænseværdi (STEL) (mg/m²) 36 mg/m³ Grænseværdi (STEL) (mg/m²) 50 ppm Remark E titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7) Belgium - Occupational Exposure Limits Local name Titane (dioxyde de) # Titandioxide Limit value [mg/m²] 10 mg/m³ Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titandioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m³) 6 mg/m³ Grænseværdi (8 timer) (mg/m³) 6 mg/m³ Grænseværdi (8 timer) (mg/m³) 6 fmg/m³	Local name	Glycérine (brouillard) # Glycerine (nevel)
France - Occupational Exposure Limits VME [mg/m²] 10 mg/m² United Kingdom - Occupational Exposure Limits Local name Glycerol WEL TWA (mg/m²) 10 mg/m² Regulatory reference EH40/2005 (Fourth edition, 2020). HSE ammonia% (1336-21-6) Denmark - Occupational Exposure Limits Grænseværdi (8 timer) (mg/m²) 14 mg/m² Grænseværdi (8 timer) (ppm) 20 ppm Grænseværdi (STEL) (mg/m²) 36 mg/m² Grænseværdi (STEL) (ppm) 50 ppm Remark E titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7) Belgium - Occupational Exposure Limits Local name Titane (dioxyde de) # Titanadioxide Limit value [mg/m²] 10 mg/m² Regulatory reference Koninklijk besluit/Arrèté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titandioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m²) 6 mg/m² Grænseværdi (8 timer) (mg/m²) 6 mg/m²	Limit value [mg/m³]	10 mg/m³
VME [mg/m³] 10 mg/m³ United Kingdom - Occupational Exposure Limits Local name Glycerol WEL TWA (mg/m³) 10 mg/m³ Regulatory reference EH40/2005 (Fourth edition, 2020). HSE Denmark - Occupational Exposure Limits Grænseværdi (8 timer) (mg/m³) 14 mg/m³ Grænseværdi (8 timer) (ppm) 20 ppm Grænseværdi (STEL) (mg/m³) 36 mg/m³ Grænseværdi (STEL) (ppm) 50 ppm Remark E titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7) Belgium - Occupational Exposure Limits Local name Titane (dioxyde de) # Titaandioxide Limit value [mg/m³] 10 mg/m³ Koninklijk besluit/Arrêté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titandioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m³) 6 mg/m³ Grænseværdi (8 timer) (mg/m³) 6 mg/m³	Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021
United Kingdom - Occupational Exposure Limits Local name Clycerol WEL TWA (mg/m³) Regulatory reference BH40/2005 (Fourth edition, 2020). HSE ammonia% (1336-21-6) Denmark - Occupational Exposure Limits Grænseværdi (8 timer) (mg/m³) 14 mg/m³ Grænseværdi (8 timer) (ppm) 20 ppm Grænseværdi (STEL) (mg/m³) 36 mg/m³ Grænseværdi (STEL) (ppm) 50 ppm Remark E titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7) Belgium - Occupational Exposure Limits Local name Titane (dioxyde de) # Titaandioxide Limit value [mg/m³] Regulatory reference Moninklijk besluit/Arrêté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titandioxid, beregnet som Ti Grænseværdi (6 timer) (mg/m³) 6 mg/m³ Grænseværdi (6 timer) (mg/m³) 6 mg/m³ Grænseværdi (STEL) (mg/m³) 12 mg/m³	France - Occupational Exposure Limits	
Local name Glycerol WEL TWA (mg/m³) 10 mg/m³ Regulatory reference EH40/2005 (Fourth edition, 2020). HSE ammonia% (1336-21-6) Denmark - Occupational Exposure Limits Grænseværdi (8 timer) (mg/m³) 14 mg/m³ Grænseværdi (8 timer) (ppm) 20 ppm Grænseværdi (STEL) (mg/m³) 36 mg/m³ Grænseværdi (STEL) (ppm) 50 ppm Remark E titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7) Belgium - Occupational Exposure Limits Local name Titane (dioxyde de) # Titaandioxide Limit value [mg/m³] 10 mg/m³ Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titandioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m³) 6 mg/m³ Grænseværdi (8 timer) (mg/m³) 6 mg/m³ Grænseværdi (8 timer) (mg/m³) 12 mg/m³	VME [mg/m³]	10 mg/m³
WEL TWA (mg/m³) 10 mg/m³ Regulatory reference EH40/2005 (Fourth edition, 2020). HSE ammonia% (1336-21-6) Denmark - Occupational Exposure Limits Grænseværdi (8 timer) (mg/m³) 14 mg/m³ Grænseværdi (8 timer) (ppm) 20 ppm Grænseværdi (STEL) (mg/m³) 36 mg/m³ Grænseværdi (STEL) (ppm) 50 ppm Remark E titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7) Belgium - Occupational Exposure Limits Local name Titane (dioxyde de) # Titaandioxide Limit value [mg/m³] 10 mg/m³ Regulatory reference Koninklijk besluit/Arrété royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titandioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m³) 6 mg/m³ Grænseværdi (8 timer) (mg/m³) 12 mg/m³	United Kingdom - Occupational Exposure Limits	
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE ammonia% (1336-21-6) Denmark - Occupational Exposure Limits Grænseværdi (8 timer) (mg/m³) 14 mg/m³ Grænseværdi (8 timer) (ppm) 20 ppm Grænseværdi (STEL) (mg/m³) 36 mg/m³ Grænseværdi (STEL) (ppm) 50 ppm Remark E titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7) Belgium - Occupational Exposure Limits Local name Titane (dioxyde de) # Titaandioxide Limit value [mg/m³] 10 mg/m³ Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titandioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m³) 6 mg/m³ Grænseværdi (8 timer) (mg/m³) 12 mg/m³	Local name	Glycerol
ammonia% (1336-21-6) Denmark - Occupational Exposure Limits Grænseværdi (8 timer) (mg/m³) 14 mg/m³ Grænseværdi (8 timer) (ppm) 20 ppm Grænseværdi (STEL) (mg/m³) 36 mg/m³ Grænseværdi (STEL) (ppm) 50 ppm Remark E titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7) Belgium - Occupational Exposure Limits Local name Titane (dioxyde de) # Titanadioxide Limit value [mg/m³] 10 mg/m³ Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titandioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m³) 6 mg/m³ Grænseværdi (8 timer) (mg/m³) 12 mg/m³	WEL TWA (mg/m³)	10 mg/m³
Denmark - Occupational Exposure Limits Grænseværdi (8 timer) (mg/m³) 14 mg/m³ Grænseværdi (8 timer) (ppm) 20 ppm Grænseværdi (STEL) (mg/m³) 36 mg/m³ Grænseværdi (STEL) (ppm) 50 ppm Remark E titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7) Belgium - Occupational Exposure Limits Local name Titane (dioxyde de) # Titaandioxide Limit value [mg/m³] 10 mg/m³ Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titandioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m³) 6 mg/m³ Grænseværdi (8 timer) (mg/m³) 12 mg/m³	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Grænseværdi (8 timer) (mg/m³) 14 mg/m³ Grænseværdi (8 timer) (ppm) 20 ppm Grænseværdi (STEL) (mg/m³) 36 mg/m³ Grænseværdi (STEL) (ppm) 50 ppm titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7) Belgium - Occupational Exposure Limits Local name Titane (dioxyde de) # Titaandioxide Limit value [mg/m³] 10 mg/m³ Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titandioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m³) 6 mg/m³ Grænseværdi (8 timer) (mg/m³) 12 mg/m³	ammonia% (1336-21-6)	
Grænseværdi (8 timer) (ppm) Grænseværdi (STEL) (mg/m³) Grænseværdi (STEL) (ppm) Remark E titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7) Belgium - Occupational Exposure Limits Local name Titane (dioxyde de) # Titaandioxide Limit value [mg/m³] Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titandioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m³) Grænseværdi (STEL) (mg/m³) 12 mg/m³	Denmark - Occupational Exposure Limits	
Grænseværdi (STEL) (mg/m³) 36 mg/m³ Grænseværdi (STEL) (ppm) 50 ppm Remark E titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7) Belgium - Occupational Exposure Limits Local name Titane (dioxyde de) # Titaandioxide Limit value [mg/m³] 10 mg/m³ Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titandioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m³) 6 mg/m³ Grænseværdi (STEL) (mg/m³) 12 mg/m³	Grænseværdi (8 timer) (mg/m³)	14 mg/m³
Grænseværdi (STEL) (ppm) 50 ppm Remark E titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7) Belgium - Occupational Exposure Limits Local name Titane (dioxyde de) # Titaandioxide Limit value [mg/m³] 10 mg/m³ Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titandioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m³) 6 mg/m³ Grænseværdi (STEL) (mg/m³) 12 mg/m³	Grænseværdi (8 timer) (ppm)	20 ppm
Remark E titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7) Belgium - Occupational Exposure Limits Local name Titane (dioxyde de) # Titaandioxide Limit value [mg/m³] 10 mg/m³ Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titandioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m³) 6 mg/m³ Grænseværdi (STEL) (mg/m³) 12 mg/m³	Grænseværdi (STEL) (mg/m³)	36 mg/m³
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7) Belgium - Occupational Exposure Limits Local name Titane (dioxyde de) # Titaandioxide Limit value [mg/m³] 10 mg/m³ Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titandioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m³) 6 mg/m³ Grænseværdi (STEL) (mg/m³) 12 mg/m³	Grænseværdi (STEL) (ppm)	50 ppm
Belgium - Occupational Exposure Limits Local name Titane (dioxyde de) # Titaandioxide Limit value [mg/m³] 10 mg/m³ Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titandioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m³) 6 mg/m³ Grænseværdi (STEL) (mg/m³) 12 mg/m³	Remark	E
Local name Titane (dioxyde de) # Titaandioxide Limit value [mg/m³] 10 mg/m³ Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titandioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m³) 6 mg/m³ Grænseværdi (STEL) (mg/m³) 12 mg/m³	titanium dioxide; [in powder form containing	1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7)
Limit value [mg/m³] 10 mg/m³ Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titandioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m³) 6 mg/m³ Grænseværdi (STEL) (mg/m³) 12 mg/m³	Belgium - Occupational Exposure Limits	
Regulatory reference Koninklijk besluit/Arrêté royal 11/05/2021 Denmark - Occupational Exposure Limits Local name Titandioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m³) 6 mg/m³ Grænseværdi (STEL) (mg/m³) 12 mg/m³	Local name	Titane (dioxyde de) # Titaandioxide
Denmark - Occupational Exposure Limits Local name Titandioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m³) 6 mg/m³ Grænseværdi (STEL) (mg/m³) 12 mg/m³	Limit value [mg/m³]	10 mg/m³
Local name Titandioxid, beregnet som Ti Grænseværdi (8 timer) (mg/m³) 6 mg/m³ Grænseværdi (STEL) (mg/m³) 12 mg/m³	Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021
Grænseværdi (8 timer) (mg/m³) Grænseværdi (STEL) (mg/m³) 12 mg/m³	Denmark - Occupational Exposure Limits	
Grænseværdi (STEL) (mg/m³) 12 mg/m³	Local name	Titandioxid, beregnet som Ti
	Grænseværdi (8 timer) (mg/m³)	6 mg/m³
Remark K	Grænseværdi (STEL) (mg/m³)	12 mg/m³
	Remark	К
France - Occupational Exposure Limits	France - Occupational Exposure Limits	
VME [mg/m³] 10 mg/m³	VME [mg/m³]	10 mg/m³
Sweden - Occupational Exposure Limits	Sweden - Occupational Exposure Limits	
Local name Titandioxid	Local name	Titandioxid
Nivågränsvärde (NVG) (mg/m³) 5 mg/m³	Nivågränsvärde (NVG) (mg/m³)	5 mg/m³

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

titanium dioxide; [in powder form containing	1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7)			
United Kingdom - Occupational Exposure Limits				
Local name	Titanium dioxide			
WEL TWA (mg/m³)	10 mg/m³ 4 mg/m³			
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE			
Norway - Occupational Exposure Limits				
Local name	Titandioksid			
Grenseverdier (AN) (mg/m³)	5 mg/m³			
USA - ACGIH - Occupational Exposure Limits				
Local name	Titanium dioxide			
ACGIH TWA (mg/m³)	0,2 mg/m³ 2,5 mg/m³			
Remark (ACGIH)	TLV® Basis: LRT irr; pneumoconiosis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)			
Regulatory reference	ACGIH 2023			

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

6.1.4. DNEL alid PNEC				
mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9)				
DNEL/DMEL (Workers)				
Acute - local effects, inhalation	0,04 mg/m³			
Long-term - local effects, inhalation	0,02 mg/m³			
DNEL/DMEL (General population)				
Acute - systemic effects, oral	0,11 mg/kg bw/day			
Acute - local effects, inhalation	0,04 mg/m³			
Long-term - systemic effects,oral	0,09 mg/kg bw/day			
Long-term - local effects, inhalation	0,02 mg/m³			
PNEC (Water)				
PNEC aqua (freshwater)	3,39 µg/l			
PNEC aqua (marine water)	3,39 µg/l			
PNEC (Sediment)				
PNEC sediment (freshwater)	0,027 mg/kg dwt			
PNEC sediment (marine water)	0,027 mg/kg dwt			
PNEC (Soil)				
PNEC soil	0,01 mg/kg dwt			
PNEC (STP)				
PNEC sewage treatment plant	0,23 mg/l			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

3-iodo-2-propynyl butylcarbamate (55406-53-6)					
DNEL/DMEL (additional information)					
Additional information	No data available				
PNEC (additional information)	PNEC (additional information)				
Additional information No data available					
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7)					
DNEL/DMEL (Workers)					
Long-term - local effects, inhalation	1,25 mg/m³				
DNEL/DMEL (General population)					
Long-term - local effects, inhalation	210 μg/m³				

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

During spraying wear suitable respiratory equipment.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection					
Type Use Characteristics Standard					
Safety glasses	Droplet	With side shields	EN 166		

8.2.2.2. Skin protection

Hand protection						
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard	
protective gloves	Nitrile rubber (NBR)	5 (> 240 minutes)	>0,3		EN 374-2	

8.2.2.3. Respiratory protection

Respiratory protection:

Usually not necessary. In case of insufficient ventilation or spraying: Use approved mask with particle filter P2 (EN149). The filters have a limited service life (must be changed). Read the manufacturer's instructions.

Respiratory protection					
Device	Filter type	Condition	Standard		
approved mask with particle filter P2	Type P2		EN 149		

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

: Various colours. Colour

Appearance Liquid. Odour characteristic. Odour threshold Not available

Melting point : 0 °C

Freezing point : Not available : ≈ 100 °C Boiling point Flammability : Not available **Explosive limits** : Not available Lower explosive limit (LEL) Not available : Not available Upper explosive limit (UEL) Flash point : > 100 °C Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : Not available Solubility : Not available Log Kow : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : > 1 kg/l Relative density : Not available Relative vapour density at 20°C : Not available

: Not applicable

9.2. Other information

Particle characteristics

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 0 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Avoid oxidizing agents as well as strong acids and bases.

10.6. Hazardous decomposition products

Under fire conditions, hazardous fumes will be present.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1)
(C(M)IT/MIT (3:1) (55965-84-9)

(5(11)) (11) (5(1)) (5(1))	
LD50 oral rat	66 mg/kg bodyweight
LD50 oral	59 mg/kg bodyweight
LD50 dermal rat	> 141 mg/kg bodyweight
LD50 dermal	> 75 mg/kg bodyweight
LC50 Inhalation - Rat	0,17 mg/l air

3-iodo-2-propynyl butylcarbamate (55406-53-6)

LD50 oral rat	300 – 500 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	0,67 mg/l

Glycerine (56-81-5)

LD50 oral rat	27200 mg/kg
LD50 dermal	56750 mg/kg
LC50 Inhalation - Rat	> 5,85 mg/l

ammonia% (1336-21-6)

LD50 oral rat	350 mg/kg
---------------	-----------

|--|

LD50 oral rat	> 2000 mg/kg bodyweight
LC50 Inhalation - Rat	> 5,09 mg/l
Skin corrosion/irritation	: Not classified

Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

3-iodo-2-propynyl butylcarbamate (55406-53-6)

STOT-repeated exposure	(Causes damage to organs (larynx) through prolonged or repeated exposur	e.

Aspiration hazard : Not classified

11.2. Information on other hazards

No additional information available

1/02/2024 (Revision date) EN (English) 9/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Not applicable. Hazardous to the aquatic environment, short–term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

(chronic)				
nixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) C(M)IT/MIT (3:1) (55965-84-9)				
LC50 fish 1	0,28 mg/l (96 h; Lepomis macrochirus)			
EC50 Daphnia 1	0,007 mg/l			
EC50 other aquatic organisms 1	0,126 mg/l waterflea			
EC50 other aquatic organisms 2	0,003 mg/l			
ErC50 (algae)	19,9 µg/l			
Threshold limit algae 1	0,018 mg/l (72 h; Pseudokirchneriella subcapitata)			
3-iodo-2-propynyl butylcarbamate (55406-53-6	do-2-propynyl butylcarbamate (55406-53-6)			
LC50 fish 1	0,2 mg/l			
LC50 fish 2	85 mg/l			
EC50 Daphnia 1	0,16 mg/l			
EC50 Daphnia 2	60 mg/l			
ErC50 (algae)	> 41,3 mg/l			
Threshold limit algae 1	0,022 mg/l (72 h; Scenedesmus subspicatus)			
Glycerine (56-81-5)	ycerine (56-81-5)			
LC50 fish 1	54000 mg/l			
EC50 Daphnia 1	> 10000 mg/l			
ammonia% (1336-21-6)				
LC50 fish 1	0,068 mg/l			
EC50 Daphnia 1	101 mg/l			
NOEC chronic crustacea	0,79 mg/l			
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (1				
LC50 fish 1	> 1000 mg/l			
EC50 Daphnia 1	> 1000 mg/l			
EC50 72h - Algae [1]	> 100 mg/l			
	•			

12.2. Persistence and degradability

Ethoxylated C16-18 alcohols (68439-49-6)	
Chemical oxygen demand (COD)	1,78 g O ₂ /g substance
3-iodo-2-propynyl butylcarbamate (55406-53-6	5)
Chemical oxygen demand (COD)	1,15 g O ₂ /g substance

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential

nixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) C(M)IT/MIT (3:1) (55965-84-9)	
BCF fish 1	41 – 54
Log Pow	-0,32 - 0,7
Ethoxylated C16-18 alcohols (68439-49-6)	
Bioaccumulative potential	No bioaccumulation data available.
3-iodo-2-propynyl butylcarbamate (55406-53-6	5)
BCF fish 1	3,3 – 4,5
Log Pow	2,81

-1,75

12.4. Mobility in soil

Glycerine (56-81-5)

Log Pow

mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9)	
Log Koc	0,81 – 1
Ecology - soil	Very mobile in the soils.
3-iodo-2-propynyl butylcarbamate (55406-53-6)	
Surface tension	69,1 mN/m
Log Koc	2,1
Glycerine (56-81-5)	
Surface tension	63 mN/m
Log Koc	0
Ecology - soil	Very mobile in the soils.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations Waste disposal recommendations

- : Waste disposal according to Directive 2008/98/EC, covering waste and dangerous waste.
- : Discharging into rivers and drains is forbidden. Dispose of in accordance with relevant local regulations.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Additional information : Clean up even minor leaks or spills if possible without unnecessary risk.

Ecology - waste materials : Avoid release to the environment.

European List of Waste (LoW, EC 2000/532) 16 10 01-H code : Z

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard	class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information	n available			

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(b)	mixture of 5-chloro-2- methyl-4-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2Hisothiazol-3- one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	Rubio WoodCream; mixture of 5-chloro-2- methyl-4-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2Hisothiazol-3- one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Please see https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-usedhome-made-explosives_en

VOC content : 0 g/l

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany	/
---------	---

Germany	
Employment restrictions	: Observe restrictions according Act on the Protection of Working Mothers (MuSchG) Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)
Water hazard class (WGK)	: WGK 2, significant hazard to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
ABM category	: A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-list of carcinogenic substances	: None of the components are listed
SZW-list of mutagenic substances	: None of the components are listed
NON-exhaustive list of reprotoxic substances -	: None of the components are listed
Breastfeeding	
SZW-lijst van reprotoxische stoffen –	: None of the components are listed
Vruchtbaarheid	
NON-exhaustive list of reprotoxic substances -	: None of the components are listed
Development	
Denmark	

Danish National Regulations The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information

Full text of H- and EUH	I-statements:	
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2	
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Carc. 2	Carcinogenicity, Category 2	
EUH208	Contains mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1), 3-iodo-2-propynyl butylcarbamate. May produce an allergic reaction.	
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H310	Fatal in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H331	Toxic if inhaled.	
H335	May cause respiratory irritation.	
H351	Suspected of causing cancer.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

The classification complies with : ATP 18

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.