


## Specifications

	3-Port	5-Port
Networking Interfaces	10/100/1000 Mbps Ethernet RJ45	
Network medium	100 Meter (328ft)	
Ethernet Standard	IEEE 802.at/IEEE 802.af	
Dimensions	125 x 150 x 36 mm (4.92 x 5.90 x 1.42")	
Weight	232g	242g
Enclosure	White Polycarbonate	
Operating Temperature	-30 to 70°C (-20 to 158°F)	
Operating Humidity	5 to 95% Non condensing	
PoE pin assignment	V+(RJ45 Pin 3,6) V-(RJ45 Pin 1,2)	
Switching capacity	6Gbps	10Gbps
Typical Power Consumption	1.5W	
Max. power Consumption	30W	60W

## Connection diagram



# Outdoor PoE Passthrough Switch



User's manual

## Package Contents



PoE Passthrough Switch




Metal strap X 2




User's manual

## Hardware Overview

### 3-Port



### 5-Port



## RJ45 LEDs

LED	State	Status
PoE	Orange	PoE out
Link	Green	Link Established Flashing Indicates Activity

## Ports

Port	Description
PoE	RJ45 port supports 10/100/1000 Ethernet connections and Comply with IEEE 802.3at/af Power over. Supports passive PoE to power the switch. We recommend supplying power with 30W/60W PoE adapters(not included).
PoE Out 1-2	RJ45 port supports 10/100/1000 Ethernet connections and Comply with IEEE 802.3at/af Power over. 2-pair PoE passthrough for up to 30W/60W PoE output.
PoE Out 1-4	RJ45 port supports 10/100/1000 Ethernet connections and Comply with IEEE 802.3at/af Power over. 4-pair PoE passthrough for up to 60W PoE output.

A5版面对折