



WORK STATION ELECTRIC HYDRAULIC SCISSOR TABLE, EHLT-WS-2436-1.5-31



Remote Power Unit
32 1/2" x 12" x 12 1/2" (L x W x H)
with 8' hose & cable

Deck tolerances +/- 1/2"
Table height tolerances +/- 1/2"
Deck Flatness ± 1/4"

STANDARD FEATURES

- SCISSOR TABLE MODEL NUMBER IS EHLT-WS-2436-1.5-31
- PLATFORM WIDTH IS 24 INCHES
- PLATFORM LENGTH IS 36 INCHES
- PLATFORM RAISED HEIGHT IS 31 INCHES
- PLATFORM LOWERED HEIGHT IS 8 5/8 INCHES
- TABLE CAPACITY (EVENLY DISTRIBUTED LOAD) IS 1,500 LBS.
- STANDARD CONTROL IS 24 VOLT WEATHERTIGHT HAND PENDANT ON 8' CORD
- SAFETY MAINTENANCE PROPS, DISPLACEMENT STYLE CYLINDERS INSTALLED ROD DOWN
- EMERGENCY SAFETY STOP HYDRAULIC FUSES IN ALL CYLINDERS
- STANDARD EXTERNAL POWER UNIT

POWER SPECIFICATIONS:

POWER	AC	DC	3 PH	120V	115	208	230	460
MOTOR VOLTAGE								
DEDICATED CIRCUIT REQUIRED								
MOTOR PHASE	SINGLE							THREE
CONTROL	HAND							*ELECT
BATTERY CHRG.	REMOTE							ON-BOARD
CHRG. INDICATOR	YES							NO

SPECIAL FEATURES

NONE

Any additions, deletions or omissions must be corrected on this drawing, as this drawing will be considered all inclusive.

All graphics provided are for reference only. If certain dimensions are critical please verify those dimensions with your salesperson.

A I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED
P SATISFIES DESIGN & DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE
P MY DUTY TO CONFIRM PRODUCT & INSTALLATION COMPLIANCE WITH ALL
R APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS & STANDARDS.
O ANY MODIFIED UNITS ARE NON-RETURNABLE
V () As drawn () As marked
A Signed: _____ Date: _____
I Printed Name: _____

FOR INTERNAL USE ONLY
PROJECT SIGN OFF

DISTRIBUTOR'S NAME: **VESTIL MANUFACTURING**

SALES: _____ DATE: _____
 ENG: _____
 FAB: _____
 POWER: _____

SCALE: _____
 DRAWING FILE NAME: _____
 QUOTE #.: _____

P.O.#: _____
 W.O.#: _____
 SALES: _____
 DATE: _____
 SCALE: _____
 DRAWING FILE NAME: _____
 QUOTE #.: _____

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING.

EHLT-WS-2436-1.5-31