

Safety Data Sheet METALLO_FUSO BRONZO



Safety Data Sheet dated 8/2/2018, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: METALLO_FUSO BRONZO

Trade code: N357910

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Additive

1.3. Details of the supplier of the safety data sheet

Company:

NOVACOLOR S.R.L

Via U. Aldrovandi, 10

47122 Forlì (FC) - Italy -

Tel. +39 0543 401840

Fax. +39 0543 414585

Competent person responsible for the safety data sheet:

reach@novacolor.biz

1.4. Emergency telephone number

Technical information: NOVACOLOR SRL +39 0543 401840 (Monday – Friday 8.00-12.00 ; 13.30-17.30)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

⚠ Warning, Acute Tox. 4, Harmful if swallowed.

⚠ Warning, Aquatic Acute 1, Very toxic to aquatic life.

⚠ Aquatic Chronic 2, Toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H302 Harmful if swallowed.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

P273 Avoid release to the environment.

P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor/... if you feel unwell.

P501 Dispose of contents / container in accordance with national regulations.

Special Provisions:

None

Contains

Copper

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

Safety Data Sheet

METALLO_FUSO BRONZO

- 2.3. Other hazards
vPvB Substances: None - PBT Substances: None
Other Hazards:
No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
N.A.
3.2. Mixtures
Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 90%	Copper	CAS: 7440-50-8 EC: 231-159-6 REACH No.: 01-2119480154-42-XXXX	⚠ 3.1/4/Oral Acute Tox. 4 H302 ⚠ 4.1/A1 Aquatic Acute 1 H400 M=10. ⚠ 4.1/C2 Aquatic Chronic 2 H411 M=10.
>= 5% - < 7%	Stagno	CAS: 7440-31-5 EC: 231-141-8 REACH No.: 01-2119486474-28-XXXX	Substance with a Union workplace exposure limit.

SECTION 4: First aid measures

- 4.1. Description of first aid measures
In case of skin contact:
Immediately take off all contaminated clothing.
Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.
Wash thoroughly the body (shower or bath).
Remove contaminated clothing immediately and dispose off safely.
After contact with skin, wash immediately with soap and plenty of water.
In case of eyes contact:
In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
In case of Ingestion:
Give nothing to eat or drink.
Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.
In case of Inhalation:
Remove casualty to fresh air and keep warm and at rest.
4.2. Most important symptoms and effects, both acute and delayed
None
4.3. Indication of any immediate medical attention and special treatment needed
In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
Treatment:
None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
Suitable extinguishing media:

Safety Data Sheet

METALLO_FUSO BRONZO

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Copper - CAS: 7440-50-8

- OEL Type: ACGIH - TWA(8h): 0.2 mg/m³ - Notes: Fume, as Cu. Irr, GI, metal fume fever

- OEL Type: ACGIH - TWA(8h): 1 mg/m³ - Notes: Dusts and mists, as Cu. Irr, GI, metal fume fever

Stagno - CAS: 7440-31-5

- OEL Type: EU - TWA(8h): 2 mg/m³

Safety Data Sheet

METALLO_FUSO BRONZO

- OEL Type: ACGIH - TWA(8h): 2 mg/m³ - Notes: Metal - Pneumoconiosis (or Stannosis)
- OEL Type: ACGIH - TWA(8h): 2 mg/m³ - Notes: Oxide and inorganic compounds - Pneumoconiosis (or Stannosis)
- OEL Type: ACGIH - TWA(8h): 0.1 mg/m³ - STEL: 0.2 mg/m³ - Notes: Organic compounds. Skin, A4 - Eye and URT irr, headache, nausea, CNS and immune eff

DNEL Exposure Limit Values

Copper - CAS: 7440-50-8

Worker Professional: 273 mg/kg - Consumer: 273 mg/kg - Exposure: Human Dermal - Frequency: Short Term, systemic effects

Worker Professional: 20 mg/m³ - Consumer: 20 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

Worker Professional: 137 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

Copper - CAS: 7440-50-8

Target: Soil (agricultural) - Value: 65.5 mg/kg

Target: Fresh Water - Value: 0.0078 mg/l

Target: Freshwater sediments - Value: 87 mg/kg

Target: Marine water - Value: 0.0052 mg/l

Target: Marine water sediments - Value: 676 mg/kg

8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:	powder
Colour:	bronze
Odour:	odourless
Odour threshold:	N.A.
pH:	N.A.
Melting point / freezing point:	Cu 1083 °C; Sn 232 °C
Initial boiling point and boiling range:	N.A.
Solid/gas flammability:	N.A.
Upper/lower flammability or explosive limits:	N.A.
Vapour density:	N.A.
Flash point:	N.A.
Evaporation rate:	N.A.
Vapour pressure:	N.A.
Relative density:	8.1 - 8.9 g/cm ³ 20°C
Solubility in oil:	N.A.
Partition coefficient (n-octanol/water):	N.A.
Auto-ignition temperature:	N.A.
Decomposition temperature:	N.A.
Viscosity:	N.A.

Safety Data Sheet

METALLO_FUSO BRONZO

Explosive properties:	N.A.
Oxidizing properties:	N.A.
9.2. Other information	
Miscibility:	N.A.
Fat Solubility:	N.A.
Conductivity:	N.A.
Substance Groups relevant properties	N.A.

SECTION 10: Stability and reactivity

- 10.1. Reactivity
Stable under normal conditions
- 10.2. Chemical stability
Stable under normal conditions
- 10.3. Possibility of hazardous reactions
It may generate toxic gases on contact with azo, diazo and hydrazines compounds.
It may catch fire on contact with mineral acids, mercaptans and other organic sulphides, and powerful oxidising agents.
- 10.4. Conditions to avoid
Stable under normal conditions.
- 10.5. Incompatible materials
None in particular.
- 10.6. Hazardous decomposition products
None.

SECTION 11: Toxicological information

- 11.1. Information on toxicological effects
Toxicological information of the product:
METALLO_FUSO BRONZO
 - a) acute toxicity
The product is classified: Acute Tox. 4 H302
 - b) skin corrosion/irritation
Not classified
No data available for the product
 - c) serious eye damage/irritation
Not classified
No data available for the product
 - d) respiratory or skin sensitisation
Not classified
No data available for the product
 - e) germ cell mutagenicity
Not classified
No data available for the product
 - f) carcinogenicity
Not classified
No data available for the product
 - g) reproductive toxicity
Not classified
No data available for the product
 - h) STOT-single exposure
Not classified
No data available for the product
 - i) STOT-repeated exposure
Not classified
No data available for the product
 - j) aspiration hazard
Not classified
No data available for the product

Safety Data Sheet

METALLO_FUSO BRONZO

Toxicological information of the main substances found in the product:

Copper - CAS: 7440-50-8

a) acute toxicity:

Route: Oral - Species: Rat > 2000 mg/kg

Test: LC50 - Route: Inhalation Dust - Species: Rat 5.41 mg/kg - Duration: 4h

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

METALLO_FUSO BRONZO

The product is classified: Aquatic Acute 1 - H400; Aquatic Chronic 2 - H411

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number

ADR-UN number: 3077

IATA-Un number: 3077

IMDG-Un number: 3077

14.2. UN proper shipping name

ADR-Shipping Name: col15

IATA-Technical name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.

IMDG-Technical name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.

14.3. Transport hazard class(es)

ADR-Class: 9

ADR-Label: 9

ADR - Hazard identification number: 90

IATA-Class: 9

IATA-Label: 9

IMDG-Class: 9

14.4. Packing group

ADR-Packing Group: III

IATA-Packing group: III

IMDG-Packing group: III

14.5. Environmental hazards

ADR-Environmental Pollutant: Yes

Marine pollutant: Marine pollutant

Most important toxic component: Copper

14.6. Special precautions for user

ADR-Tunnel Restriction Code: (E)

Safety Data Sheet

METALLO_FUSO BRONZO

IATA-Passenger Aircraft: 956
IATA-Cargo Aircraft: 956
limited quantity:
5 kg
IMDG-EMS: F-A ,S-F

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
N.A.
ADR: Special provision 375
IMDG: Special provision 37-14
IATA: Special provision A197

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) 2015/830
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:
No restriction.

Restrictions related to the substances contained:
No restriction.

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)
Regulation (EC) nr 648/2004 (detergents).
Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):
Seveso III category according to Annex 1, part 1
Product belongs to category: E1, E2

15.2. Chemical safety assessment
No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:
H302 Harmful if swallowed.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4

Safety Data Sheet

METALLO_FUSO BRONZO

Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Acute Tox. 4, H302	Calculation method
Aquatic Acute 1, H400	Calculation method
Aquatic Chronic 2, H411	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.

Safety Data Sheet
METALLO_FUSO BRONZO

TWA: Time-weighted average
WGK: German Water Hazard Class.