
5 PIECE SECTIONAL SHOWER

with Standard Accessory Package

Exterior Dimensions: 60W x 33D x 78H


Door Opening: 57 1/2" × 76 1/8"

Clear Floor Space: 57" x 25 1/4"



COLOR & TRIM OPTIONS

Standard Color	Code
White	WT



- 2-Side walls RBX3272SWST-WH
- 2-back walls RBX6072BWST1-WH

FEATURES

- AcrylX[™] Finish
- Self-Locating interlocking walls
- Beveled Entry No recess required
- Left or Right Drain
- Friction drain included
- Encapsulated wood walls support weight bearing accessories
- Standard Accessory Package as shown shipped loose for field installation
- Limited Lifetime warranty

OPTIONAL ACCESSORIES

(All accessories shipped loose for field installation)

- Collapsible water dam with end caps
- Tape weighted BF shower curtains
- Commercial grade rod and cups
- Flange trim kit

CODES

- CSA B45.5
- IAPMO
- UPC
- NFPA 101 24.2.8
- ANSLZ 124.2
- IPC

Code compliant when fully equipped and installed according to guidelines.

*See terms and conditions for details.





- I-Pan RBX6032BFP L/R-WH








RBX6032BFKTLR.875


5 PIECE SECTIONAL SHOWER


with Standard Accessory Package

Exterior Dimensions: $60W \times 33D \times 78H$ inches









FEATURES Dimensional Tolerance ± 36". Dimensions needed for site preparation should be measured from the unit. American Bath Group assumes no responsibility for preparatory work.

Type and Model #	Material	Wall Finish	Pieces	Pkg.Wt.
Shower #RBX6032BFKTLR.875	$AcrylX^{TM}$	Subway tile	5	366 w/Pallet

DIMENSIONS

inches
60
33
78
19×6

DOOR OPENING DIMENSIONS

Specifications	inches
Width:	57 ½
Height:	76 ½

CLEAR FLOOR SPACE

Specifications	inches
Width:	57
Depth:	25 ¼ (inside curtain line)

Rev. 07.12.22




RBX6032BFKTLR.875

5 PIECE SECTIONAL SHOWER

with Standard Accessory Package

Exterior Dimensions: $60W \times 33D \times 78H$ inches

BACKING PLACEMENT



Dimensional Tolerance ± %". Dimensions needed for site preparation should be measured from the unit. American Bath Group assumes no responsibility for preparatory work.

24 1/8" x 70"

O.S.B Reinforced

Backing

24 1/8" x 70"

O.S.B Reinforced

Material Thickness: 3/8" Min — 7/16" Max

Backing

Rev. 07.12.22

72" x 3" 0.S.B

Reinforced Backing

Material Thickness: 3/8" Min — 7/16" Max

Backing