

STATUS: RELEASED REVISION: 00 DATE: 03/25/2022
 Analysis ID No.
 221252

 TDA License No.
 2020002

 ISO/IEC No.
 1055838

 Purchase Order:
 20220339

 Page No.
 Page 1 of 4

CUSTOMER INFORMATION	SAMPLE INFORMATION
Company Name:	Submitted Sample Name:
TYB, LLC	Joggy Joy Stick (MEG: D1/2022)
Address:	Submitted Sample Lot:
4760 North Camino Real; Tucson, Arizona 85718 USA	578428
Phone Number:	Submitted Sample Description:
Not Provided	Balm in Silver Tube Container; Stored at Room Temperature
Contact Name / Email:	Submitted Sample Product Type / Matrix:
Not Provided	Hemp Extract / Topical

TOTAL THC ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
∆9-ТНС	UHPLC-DAD	0.002 w/w%	w/w%: NMT 0.30 mg/g: NMT 3.0 (Д9-THC States Only)	0.040 w/w% 0.401 mg/g	PASS
THCa	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< 0.002 w/w%	Results Reported
Total THC	UHPLC-DAD	0.002 w/w%	w/w%: NMT 0.30 mg/g: NMT 3.0	0.040 w/w% 0.401 mg/g	PASS
		Total Potential	THC = (THC-A x 0.877) + (∆9-THC)		

LABEL CLAIM						
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail	
CBD	UHPLC-DAD	0.002 w/w%	mg/g: Report Only mg/unit: NLT 500 mg/unit*	11.388 mg/g 532.62 mg/unit	Results Reported	
CBD	UHPLC-DAD	0.002 w/w%	% Label Claim: 90.0 to 110.0% <i>Target: 100%</i>	106.5%	PASS	
			*Unit Weight = 46.77 grams			

	CANNABINOIDS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail	
CBD	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	1.139 w/w% 11.388 mg/g	Results Reported	
CBDa	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< 0.002 w/w%	Results Reported	
∆9-THC	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	0.040 w/w% 0.401 mg/g	Results Reported	
∆8-THC	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< 0.002 w/w%	Results Reported	
Exo-THC	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< 0.002 w/w%	Results Reported	
THCa	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< 0.002 w/w%	Results Reported	
CBG	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	0.022 w/w% 0.216 mg/g	Results Reported	
CBGa	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< 0.002 w/w%	Results Reported	
CBN	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< 0.002 w/w%	Results Reported	



STATUS: RELEASED REVISION: 00 DATE: 03/25/2022

Analysis ID No. TDA License No. ISO/IEC No. Purchase Order:

221252 2020002 1055838 20220339 Page 2 of 4 Page No.

	CANNABINOIDS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail	
CBNa	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< 0.002 w/w%	Results Reported	
СВС	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	0.037 w/w% 0.374 mg/g	Results Reported	
CBCa	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< 0.002 w/w%	Results Reported	
CBL	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< 0.002 w/w%	Results Reported	
CBDV	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	0.034 w/w% 0.339 mg/g	Results Reported	
CBDVa	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< 0.002 w/w%	Results Reported	
THCV	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< 0.002 w/w%	Results Reported	
THCVa	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< 0.002 w/w%	Results Reported	
Total Cannabinoids	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	1.272 w/w% 12.718 mg/g	Results Reported	

HEAVY METALS ASSAY						
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail	
Lead	USP <232> <233> by ICP-MS	10 ppb	NMT 1000 ppb	< LOQ	PASS	
Mercury	USP <232> <233> by ICP-MS	5 ppb	NMT 500 ppb	< LOQ	PASS	
Arsenic	USP <232> <233> by ICP-MS	10 ppb	NMT 1500 ppb	< LOQ	PASS	
Cadmium	USP <232> <233> by ICP-MS	10 ppb	NMT 300 ppb	< LOQ	PASS	

MICROBIOLOGICAL ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Total Aerobic Plate Count (TAPC)	Isolation Agar	10 CFU/gm	NMT 1,000 CFU/gm	< LOQ	PASS
Total Yeast & Mold (TYM)	Isolation Agar	10 CFU/gm	NMT 100 CFU/gm	< LOQ	PASS
Escherichia coli (E. coli)	Isolation Agar	1 CFU/gm	Absent	Absent	PASS
Campylobacter	Isolation Agar	1 CFU/gm	Absent	Absent	PASS
Listeria Monocytogenes	Isolation Agar	1 CFU/gm	Absent	Absent	PASS
Salmonella	Isolation Agar	1 CFU/gm	Absent	Absent	PASS
Shiga-Toxin E.coli (STEC)	Isolation Agar	1 CFU/gm	Absent	Absent	PASS
Staphylococcus aureus	Isolation Agar	1 CFU/gm	Absent	Absent	PASS
Yersinia	Isolation Agar	1 CFU/gm	Absent	Absent	PASS

Santé Laboratories, LLC - 8201 East Riverside Drive, STE 650, Austin, Texas 78744 USA Email: Testing@santelabs.com - Telephone: 512-309-5830 - Website: www.santelabs.com



STATUS: RELEASED REVISION: 00 DATE: 03/25/2022
 Analysis ID No.
 221252

 TDA License No.
 2020002

 ISO/IEC No.
 1055838

 Purchase Order:
 20220339

 Page No.
 Page 3 of 4

ASPERGILLUS ASSAY					
Analysis Test Method LOQ Specifications Test Results Pass /					
Aspergillus flavus	RT-PCR	1 CFU/g	Absent	Absent	PASS
Aspergillus fumigatus	RT-PCR	1 CFU/g	Absent	Absent	PASS
Aspergillus niger	RT-PCR	1 CFU/g	Absent	Absent	PASS
Aspergillus terreus	RT-PCR	1 CFU/g	Absent	Absent	PASS

PESTICIDES ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Acetamiprid	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 0.200 ppm	< LOQ	PASS
Aldicarb	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 0.400 ppm	< LOQ	PASS
Azoxystrobin	LC-MS/MS & GC-MS/MS	0.010 ppm	NMT 0.200 ppm	< LOQ	PASS
Bifenazate	LC-MS/MS & GC-MS/MS	0.005 ppm	NMT 0.200 ppm	< LOQ	PASS
Boscalid	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 0.200 ppm	< LOQ	PASS
Carbaryl (Sevin)	LC-MS/MS & GC-MS/MS	0.100 ppm	NMT 0.500 ppm	< LOQ	PASS
Carbofuran	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 0.200 ppm	< LOQ	PASS
Chlorantraniliprole	LC-MS/MS & GC-MS/MS	0.100 ppm	NMT 0.200 ppm	< LOQ	PASS
Chlorpyrifos	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 0.600 ppm	< LOQ	PASS
Cypermethrin	LC-MS/MS & GC-MS/MS	0.025 ppm	NMT 18.0 ppm	< LOQ	PASS
Diazinon	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 2.600 ppm	< LOQ	PASS
Dichlorvos	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 0.100 ppm	< LOQ	PASS
Ethoprophos (Prophos)	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 0.400 ppm	< LOQ	PASS
Etofenprox	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 0.400 ppm	< LOQ	PASS
Fipronil	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 1.000 ppm	< LOQ	PASS
Flonicamid	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 1.000 ppm	< LOQ	PASS
Imidacloprid	LC-MS/MS & GC-MS/MS	0.005 ppm	NMT 0.400 ppm	< LOQ	PASS
Metalaxyl	LC-MS/MS & GC-MS/MS	0.100 ppm	NMT 0.200 ppm	< LOQ	PASS
Methiocarb	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 0.400 ppm	< LOQ	PASS
Methomyl	LC-MS/MS & GC-MS/MS	0.200 ppm	NMT 0.400 ppm	< LOQ	PASS
Methyl parathion	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 8.500 ppm	< LOQ	PASS
Myclobutanil	LC-MS/MS & GC-MS/MS	0.005 ppm	NMT 0.300 ppm	< LOQ	PASS
Oxamyl	LC-MS/MS & GC-MS/MS	0.250 ppm	NMT 1.000 ppm	< LOQ	PASS

Santé Laboratories, LLC - 8201 East Riverside Drive, STE 650, Austin, Texas 78744 USA Email: Testing@santelabs.com - Telephone: 512-309-5830 - Website: www.santelabs.com



STATUS: RELEASED REVISION: 00 DATE: 03/25/2022

Analysis ID No. 221252 TDA License No. 2020002 ISO/IEC No. 1055838 Purchase Order: 20220339

Page No.

Page 4 of 4

PESTICIDES ASSAY Analysis Test Method LOQ Specifications **Test Results** Pass / Fail Permethrin (mix of LC-MS/MS & 0.020 ppm NMT 1.100 ppm < LOQ PASS GC-MS/MS isomers) LC-MS/MS & Pyridaben NMT 0.200 ppm < LOQ PASS 0.050 ppm GC-MS/MS LC-MS/MS & 0.050 ppm NMT 2.000 ppm < LOQ PASS Spiroxamine GC-MS/MS LC-MS/MS & Tebuconazole 0.005 ppm NMT 0.400 ppm < LOQ PASS GC-MS/MS LC-MS/MS & Thiacloprid 0.050 ppm NMT 0.200 ppm < LOQ PASS GC-MS/MS LC-MS/MS & < LOQ PASS Thiamethoxam 0.025 ppm NMT 0.200 ppm GC-MS/MS

MYCOTOXINS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Total Aflatoxins	LC-MS/MS	5 ppb	NMT 20 ppb (20 mcg/kg)	< LOQ	PASS
Aflatoxin B1	LC-MS/MS	5 ppb	Report Only	< LOQ	Results Reported
Aflatoxin B2	LC-MS/MS	5 ppb	Report Only	< LOQ	Results Reported
Aflatoxin G1	LC-MS/MS	5 ppb	Report Only	< LOQ	Results Reported
Aflatoxin G2	LC-MS/MS	5 ppb	Report Only	< LOQ	Results Reported
Ochratoxin A	LC-MS/MS	5 ppb	NMT 20 ppb (20 mcg/kg)	< LOQ	PASS

TESTING FACILITY INFORMATION	SAMPLE INFORMATION	
Santé Laboratories	Santé Sample ID: 221252	
8201 East Riverside Drive, STE 650	Receipt Date: 03/18/2022 / 12:49 PM CST	
Austin, Texas 78744 USA	Receipt Condition: Good Analysis Start Date: 03/18/2022	

ADDITIONAL REPORT NOTES

The reported results presented in this document is only applicable to samples submitted to Santé Laboratories for testing and may not represent the entire lot and/or batch produced by the manufacturer. Microbiological specifications according to Texas DSHS for consumable hemp products. ©2020 Santé Laboratories, LLC – All Rights Reserved

VERSION HISTORY						
Version	Effective Date		Summary of Changes			
00	03/25/2022	Initial Release				
	REVIEWED AND APPROVED BY					
	ned-by:	NE VIE				
	Sloat		3/25/2022	DD-MM-YY		
Brian Sloat, Ph.D.		Date				
Chief Scientific Officer / Quality Manager						
Santé Labo	ratories					

Santé Laboratories, LLC - 8201 East Riverside Drive, STE 650, Austin, Texas 78744 USA Email: Testing@santelabs.com - Telephone: 512-309-5830 - Website: www.santelabs.com

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.