Dated: 2022-12-12



Applicant: OUR EXPEDITION INC.

Address: 16192 COSTAL HIGHWAY, LEWES, DE, 19958

Product Name: Baby Shoulder Carrier

Style No.: M25 Country of Destination: USA

Receipt Date of Sample: 2022-08-19; 2022-11-04; 2022-11-29

Date of Testing: 2022-08-20 to 2022-12-12

Date of Further Information: 2022-12-02

Sample Submitted: The sample(s) was (were) submitted by applicant and identified.

Test Result: Refer to the data listed in following pages

Test Item Conclusion

1. Tests with reference to ASTM F2549-14a — Standard Consumer Safety Specification for See result 1 Frame Child Carriers

2. Tests with reference to ASTM F2549-22 — Standard Consumer Safety Specification for See result 2 Frame Child Carriers & 16 CFR Part 1230 — Safety Standard for Frame Child Carriers

3. Tracking label per Consumer Product Safety Improvement Act (CPSIA) of 2008 — Pass

Sec.103 Tracking Labels for Children's Products

_

 16 CFR Part 1130 — Requirements for consumer registration of durable infant or toddler products — Excluding clause 1130.7 Pass

 Total Lead Content Test in accessible substrate materials in accordance with Consumer Product Safety Improvement Act of 2008 Section 101

Pass

6. Total Lead Content Test in paint/similar surface coating material in accordance with Consumer Product Safety Improvement Act of 2008 Section 101

Pass

7. 16 CFR Part 1307 amending CPSIA section 108, Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates

Pass

8. Schedule 2 to the Canada Consumer Product Safety Act (CCPSA)-Tris-(2-chloroethyl) phosphate (TCEP)

Pass

Remarks: 1. MDL = Method Detection Limit

2. ND = Not Detected (<MDL)

3. <= Less than

4.1 mg/kg = 1 ppm = 0.0001%

Dated: 2022-12-12



TÜV SÜD Certification and Testing (China) Co.,Ltd. Shanghai Branch Testing Center

Prepared by:

J-emm)





Authorized by:

Sawyer Tang Technical Manager

Note:

- (1) The TÜV SÜD Certification and Testing (China) Co., Ltd. "General Terms & Conditions" applied.

 Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

 For further details, please see "Testing and certification regulation", chapter A-3.4

 For full version, please visit: EN: https://www.tuvsud.cn/zh-cn/resource/terms-and-conditions---en; SCN: https://www.tuvsud.cn/zh-cn/terms-and-conditions; TCN: https://www.tuvsud.com/zh-tw/terms-and-conditions
- (2) The results relate only to the Items tested.
- (3) The test report shall not be reproduced except in full without the written approval of the laboratory
- (4) Disclaimer Measurement Uncertainty: Unless otherwise agreed upon, Pass or Fail verdicts are given based on the measured values without any considerations of measurement uncertainties.
 - Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

Phone: +86 21 60376300

Fax: +86 21 60376350

http://www.tuvsud.com

Front view of registration card

Dated: 2022-12-12



Description of the Tested Subject

Sample Receiving Info	Sample Des	cription
Sample Received on: 2022-08-19; Complete test sample 1 set. Sample Received on: 2022-11-04; Revised test sample 1 set. Sample Received on: 2022-11-29; Revised test sample 1 set.	Overall weight (kg):	2.43
Sample photos	5	
Front view of test sample	Back view of test san	nple
PRODUCT REGISTRATION FOR SAFETY ALERT OR RECALL ONLY We will use the information provided on this card to contact you only if there is a safey safe or recall for contact you only if there is a safey safe or recall for income information, for register your prof. of the safe complete and mail the bottom part of this card, remail your contact information, the model name and number, and data of understanding the safe of the s	Manufacturer's Contact Information. Our Experience No. 10192 Consult Refuney LEVIES DE 19958 Test 5054857377 Woodel Name: DECARRIER Model Number M25 Manufacture Date: 20220805 KEEP THIS TOP PART FOR YOUR RECC FILL OUT AND RETURN BOTTOM PA Name Manip Address Empl address Model Name: DECARRIER Model Name: OECARRIER Model Name: OECARRIER	RT.

Phone: +86 21 60376300

Fax: +86 21 60376350

http://www.tuvsud.com

Bottom view of registration card



Sample	Description	Photo
001	Baby Shoulder Carrier	

T. No	Sample	Description
T1	002	Black coated fabric
T2	003	Grey coated fabric with white printing
Т3	004	Grey mesh fabric with foam
T4	005	White coated label with black/yellow printing
T5	006	Black plastic (holder)
T6	007	Black plastic (buckle)
T7	008	Grey plastic (buckle)
Т8	009	Yellow plastic (buckle)
Т9	010	Orange plastic (buckle)
T10	011	Yellow plastic (zipper teeth)
T11	012	Grey plastic (zipper teeth)
T12	013	Blue-grey elastic tape
T13	014	Grey elastic tape
T14	015	Dark grey leatheroid
T15	017	Black plastic (hook fastener)
T16	018	Light grey plastic (hook fastener)
T17	019	Black coating
T18	020	Silvery metal without coating (tube)
T19	021	Silvery metal without coating (hook)
T20	022	Silvery metal (hook)
T21	023	Silvery metal (O-ring)
T22	024	Grey metal (zipper head)
T23	025	Light grey plastic (hook fastener on sunshade)
T24	026	Black plastic (buckle)
T25	027	Grey plastic (zipper puller)
T26	028	Light grey plastic (zipper puller)
T27	029	Grey plastic (button, bend part)
T28	030	Black plastic (bend part)
T29	031	Bright black plastic (hooker, bend part)
T30	032	Black metal (bend part)
T31	033	Silver metal (bend part)

Dated: 2022-12-12



T. No	Sample	Description
T32	034	White foam (shoulder straps)
T33	035	Light yellow foam (shoulder straps)



Phone: +86 21 60376300

Fax: +86 21 60376350 http://www.tuvsud.com

Dated: 2022-12-12



Test Results

1. Tests with reference to ASTM F2549-14a — Standard Consumer Safety Specification for Frame Child Carriers

Clause	Requirement	Result	Verdict
5	General Requirements		
5.1	Hazardous Sharp Points or Edges —There shall be no sharp points or edges as defined by 16 CFR 1500.48 and 16 CFR 1500.49 before and after testing.	Complied	Р
5.2	Small Parts —There shall be no small parts as defined by 16 CFR 1501 before testing or liberated as a result of testing to this specification.	Complied	Р
5.3	Lead in Paint —The paint or surface coating on the product shall comply with 16 CFR 1303.	See Result 1.1	Р
5.4	Wood Parts —Prior to testing, any wooden parts shall be smooth and free of splinters.	-	N/A
5.5	Scissoring, Shearing, Pinching—A product, when in a manufacturer's recommended use position, shall be designed and constructed so as to prevent injury to the occupant from an scissoring, shearing, or pinching when members or components rotate about a common axis or fastening point, slide, pivot, fold, or otherwise move relative to one another. Scissoring, shearing, or pinching that may cause injury shall not be permissible when the edges of any rigid parts admit a probe greater than 0.210 in. (5.30 mm) and less than 0.375 in. (9.50 mm) diameter at any accessible point throughout the range of motion of such parts.	Complied	Р
5.6	Openings —Holes or slots that extend entirely through a wall section of any rigid material less than 0.375 in. (9.53 mm) thick and admit a 0.210 in. (5.33 mm) diameter rod shall also admit a 0.375 in. (9.53 mm) diameter rod. Holes or slots that are between 0.210 in. (5.33 mm) and 0.375 in. (9.53 mm) and have a wall thickness less than 0.375 in. (9.53 mm), but are limited in depth to 0.375 in. (9.53 mm) maximum by another rigid surface shall be permissible (see Fig. 2). The product shall be evaluated in all manufacturers' recommended use positions.	Complied	Р
5.7	Exposed Coil Springs —Any exposed coil spring which is accessible to the occupant, having or capable of generating a space between coils of 0.210 in. (5.33 mm) or greater during static load testing (see 7.3) shall be covered or otherwise designed to prevent injury.	-	N/A
5.8	Locking and Latching—Any frame child carrier that folds, for storage or transport, shall have a latching or locking device or other provision in the design that will prevent the unit from unintentionally folding when properly placed in the manufacturer's recommended use position. The unit shall remain in its manufacturer's recommended use position during and upon completion of the test in accordance with 7.10. If a unit is designed with a latching or locking device, that device shall remain engaged and operative after testing. NOTE 1—This requirement does not apply to the carrier kickstand.	Complied	Р
5.9	Unintentional Folding —If the frame child carrier is designed to allow it to stand freely in the upright position, the carrier shall remain in the manufacturer's recommended use position before and after completion of all tests in 7.11.	-	N/A



Clause	Requirement	Result	Verdict
5.10	Labeling —Warning labels (whether paper or non-paper) shall be permanent when tested in accordance with 7.7, 7.8, and 7.9.	Complied	Р
5.10.1	Warning statements applied directly onto the surface of the product by hot stamping, heat transfer, printing, wood burning, and so forth shall be permanent when tested in accordance with 7.8.	-	N/A
5.10.2	Non-paper labels shall not liberate small parts when tested in accordance with 7.9.	Complied	Р
5.11	Protective Components —If a child can grasp components between the thumb and forefinger or teeth (such as caps, sleeves, or plugs used for protection from sharp edges, points, or entrapment of fingers or toes), or if there is at least a 0.040in. (1.00 mm) gap between the component and its adjacent parent component, such component shall not be removed when tested in accordance with 7.12.	-	N/A
5.12	There shall be no flammable solids as defined in 16 CFR 1500.3 (c) (6) (vi) before or after testing in accordance with this specification.	Complied	Р
5.13	Toys—Toy accessories attached to, removable from, or sold with a child frame carrier, as well as their means of attachment, must meet applicable requirements of Consumer Safety Specification F963.	-	N/A
6	Performance Requirements		
6.1	Leg Openings —Leg openings shall not permit the passage of the Leg Opening Test Sphere when tested in accordance with 7.1.	See remark 2	N/A
6.2	Dynamic Strength —The carrier shall not create a hazardous condition, such as frame or fasteners breaking or disengaging or seams separating, when tested in accordance with 7.2. Adjustable elements in the occupant retention system shall not slip more than 1 in. (25.4 mm) per strap as a result of the dynamic testing in accordance with 7.2.	Complied	Р
6.3	Static Load —The carrier shall not create a hazardous condition, such as not supporting the test weight, frame or fasteners breaking or disengaging, or seams separating, when tested in accordance with 7.3. Adjustable elements in the occupant retention system shall not slip more than 1 in. (25.4mm) when tested in accordance with 7.3.	Complied	Р
6.4	Stability —If the frame child carrier is designed to allow it to stand freely in the upright position, the frame child carrier shall not tip over when tested in accordance with 7.4.	-	N/A
6.5	Retention System:	'	
6.5.1	A retention system, including a shoulder restraint, shall be provided to secure the occupant in a seated position in any of the manufacturer's recommended use positions.	Complied	Р
6.5.2	Before shipment, the manufacturer shall attach the retention system in such a manner that it will not detach in normal usage.	Complied	Р
6.5.3	If the retention system includes a crotch restraint designed to work with a lap belt,	-	N/A

Dated: 2022-12-12



Clause	Requirement	Result	Verdict
	it shall be designed such that its use is mandatory when the retention system is in use.		
6.5.4	When tested in accordance with 7.5, the restraint system and its closing means (for example, a buckle) shall not break, disengage, or separate at any seam and all fasteners shall not release or suffer damage that impairs the operation and function of the restraint system. At the end of the tests, the CAMI dummy shall not be released fully or fall out of the carrier.	Complied	Р
6.6	Handle Integrity—The carrier shall not create a hazardous condition such as handle or frame breaking or disengaging or seams separating when tested in accordance with 7.6.	Complied	Р
8	Marking and Labeling	Complied	Р
9	Instructional Literature	Complied	Р

Abbreviation: P = Pass; N/A = Not Applicable.

Remarks:

- 1. The sample was not a typical framed back carrier, out of scope of standard ASTM F2549, only reference tests were conducted as per client's request.
- 3. No integrity leg opening was provided.

2. Tests with reference to ASTM F2549-22 — Standard Consumer Safety Specification for Frame Child Carriers & 16 CFR Part 1230 — Safety Standard for Frame Child Carriers

Clause	Requirement	Result	Verdict
5	General Requirements		
5.1	Hazardous Sharp Points or Edges—There shall be no sharp points or edges as defined by 16 CFR 1500.48 and 16 CFR 1500.49 before and after testing.	Complied	Р
5.2	Small Parts—There shall be no small parts as defined by 16 CFR 1501 before testing or liberated as a result of testing to this specification.	Complied	Р
5.3	Lead in Paint —The paint or surface coating on the product shall comply with 16 CFR 1303.	See Result 1.1	Р
5.4	Wood Parts —Prior to testing, any wooden parts shall be smooth and free of splinters.	-	N/A
5.5	Scissoring, Shearing, and Pinching—The product, when in the manufacturer's recommended use position(s), shall be designed and constructed to prevent injury to the occupant from any scissoring, shearing, or pinching when members or components rotate about a common axis or fastening point, slide, pivot, fold, or otherwise move relative to one another. Scissoring, shearing, or pinching that may cause injury exists when the edges of the rigid parts admit a probe greater than 0.210 in. (5.33 mm) and less than 0.375 in. (9.53 mm) in diameter at any accessible point throughout the range of motion of such parts.	Complied	Р



5.7 Ex occ (5 ott) 5.8 Lot training in deep note 5.9 Ur free	Openings—Holes or slots that extend entirely through a wall section of any rigid naterial less than 0.375 in. (9.53 mm) thick and admit a 0.210 in. (5.33 mm) diameter rod shall also admit a 0.375 in. (9.53 mm) diameter rod. Holes or slots that are between 0.210 in. (5.33 mm) and 0.375 in. (9.53 mm) and have a wall hickness less than 0.375 in. (9.53 mm), but are limited in depth to 0.375 in. (9.53 mm) maximum by another rigid surface shall be permissible (see Fig. 2). The product shall be evaluated in all manufacturers' recommended use positions. Exposed Coil Springs—Any exposed coil spring which is accessible to the occupant, having or capable of generating a space between coils of 0.210 in. 5.33 mm) or greater during static load testing (see 7.3) shall be covered or	Complied	Р
5.8 Lo traitha main de no	occupant, having or capable of generating a space between coils of 0.210 in.		
tra tha ma in de no 5.9 Ur fre	otherwise designed to prevent injury.	-	N/A
fre	Locking and Latching—Any frame child carrier that folds, for storage or ransport, shall have a latching or locking device or other provision in the design hat will prevent the unit from unintentionally folding when properly placed in the manufacturer's recommended use position. The unit shall remain in its manufacturer's recommended use position during and upon completion of the test in accordance with 7.8. If a unit is designed with a latching or locking device, that device shall remain engaged and operative after testing. This requirement does not apply to the carrier kickstand.	Complied	Р
	Unintentional Folding—If the frame child carrier is designed to allow it to stand reely in the upright position by utilizing a kickstand or other means, the carrier shall remain in the manufacturer's recommended use position before and after completion of all tests in 7.9.	-	N/A
	_abeling—Warning labels (whether paper or non-paper) shall be permanent when tested in accordance with 7.7.	Complied	Р
sta	Varning statements applied directly onto the surface of the product by hot stamping, heat transfer, printing, wood burning, and so forth shall be permanent when tested in accordance with 7.7.	-	N/A
	Non-paper labels shall not liberate small parts when tested in accordance with 7.7.	Complied	Р
the be sh	Protective Components—If the child can grasp protective components between the thumb and forefinger, or teeth, or if there is at least a 0.04 in. (1.0 mm) gap between the component and its adjacent parent component, such component shall not be removed when tested in accordance with 7.10. All protective components that are accessible to a child in the product shall be evaluated.	-	N/A
5.12 FI	Flammability of Frame Child Carriers:		
ca N0 16	There shall be no Class 2 or 3 fabrics used in the construction of a frame child carrier when the fabrics are evaluated against the requirements of 16 CFR 1610. NOTE 1—The exemptions listed in 16 CFR sections 1610.1(d) and 1610.6(a)(1)(vi) apply when a fabric is evaluated against the requirements of 16	See remark 2	N/A
5.12.2 Th	CFR 1610.		



Clause	Requirement	Result	Verdict
	or after testing in accordance with this specification.		
5.12.3	Non-toy accessories that are sold with and intended to be attached to the product shall also meet the requirements of 5.12.	Complied	Р
5.13	Toys —Toy accessories attached to, removable from, or sold with a child frame carrier, as well as their means of attachment, shall comply with the applicable requirements of Consumer Safety Specification F963.	-	N/A
6	Performance Requirements		
6.1	Leg Openings —Leg openings shall not permit the passage of the Leg Opening Test Sphere when tested in accordance with 7.1.	See remark 3	N/A
6.2	Dynamic Strength —The carrier shall not create a hazardous condition, such as frame or fasteners breaking or disengaging or seams separating, and shall show no damage that will impair its function, when tested in accordance with 7.2. Seams of pockets, pouches, and other carrying receptacles are exempt from these requirements. Adjustable components in the occupant retention system and attachment system shall not slip more than 1 in. (25.4 mm) per strap as a result of the dynamic testing in accordance with 7.2.4 and 7.2.5.	Complied	Р
6.3	Static Load—The carrier shall not create a hazardous condition, such as not supporting the test weight, frame or fasteners breaking or disengaging, or seams separating, when tested in accordance with 7.3. Adjustable elements in the occupant retention system shall not slip more than 1 in. (25.4mm) when tested in accordance with 7.3.	Complied	Р
6.4	Stability —If the frame child carrier is designed to allow it to stand freely in the upright position, the frame child carrier shall not tip over when tested in accordance with 7.4.	-	N/A
6.5	Retention System:		
6.5.1	A retention system, including a shoulder restraint, shall be provided to secure the occupant in a seated position in any of the manufacturer's recommended use positions.	Complied	Р
6.5.2	Before shipment, the manufacturer shall attach the retention system in such a manner that it will not detach in normal usage.	Complied	Р
6.5.3	If the retention system includes a crotch restraint designed to work with a lap belt, it shall be designed such that its use is mandatory when the retention system is in use.	-	N/A
6.5.4	When tested in accordance with 7.5, the restraint system and its closing means (for example, a buckle) shall not break, disengage, or separate at any seam and all fasteners shall not release or suffer damage that impairs the operation and function of the restraint system. At the end of the tests, the CAMI dummy shall not be released fully or fall out of the carrier.	Complied	Р
6.6	Handle Integrity—The carrier shall not create a hazardous condition such as handle or frame breaking or disengaging or seams separating when tested in accordance with 7.6.	Complied	Р

Dated: 2022-12-12



Clause	Requirement	Result	Verdict
8	Marking and Labeling	Complied	Р
9	Instructional Literature	Complied	Р

Abbreviation: P = Pass; N/A = Not Applicable.

Remarks:

- 1. The sample was not a typical framed back carrier, out of scope of standard ASTM F2549, only reference tests were conducted as per client's request.
- 2. The submitted samples were not tested. According to §1610.1(d) of the regulation, the materials were subjected to specific exemptions. (Material: Polyester)
- 3. No integrity leg opening was provided.

3. Tracking label per Consumer Product Safety Improvement Act (CPSIA) of 2008 — Sec.103 Tracking Labels for Children's Products

Clause	Requirement	Result	Verdict
Sec.103	Tracking Labels for Children's Products.	Complied	Р

Abbreviation: P = Pass

4. 16 CFR Part 1130 — Requirements for consumer registration of durable infant or toddler products — Excluding clause 1130.7

Requirement	Result	Verdict
Purpose, scope, and effective date.		
(a) Purpose. This part prescribes a consumer product safety rule establishing requirements for consumer registration of durable infant or toddler products. These requirements are intended to improve the effectiveness of recalls of, and safety alerts regarding, such products.		
(b) Scope. Part 1130 applies to manufacturers, including importers, of durable infant or toddler products, as defined in § 1130.2(a). It does not apply to infant or child restraint systems intended for use in automobiles that are covered by the registration program of the National Highway Traffic and Safety Administration (NHTSA) at 49 CFR 571.213, or to products that comprise a travel system, and are sold with a child restraint system that is covered by the NHTSA registration program at 49 CFR 571.213.	-	-
(c) Compliance Date. Compliance with this part 1130 shall be required on June 28, 2010 for the following products: full-size cribs and non-full-size cribs; toddler beds; high chairs, booster chairs, and hook-on chairs; bath seats; gates and other enclosures for confining a child; play yards; stationary activity centers; infant carriers; strollers; walkers; swings; and bassinets and cradles. Compliance with this part 1130 shall be required on December 29, 2010 for the following products: Children's folding chairs, changing tables, infant bouncers, infant bath tubs, bed rails and infant slings. Compliance with this part 1130 shall be required on		
	Purpose, scope, and effective date. (a) Purpose. This part prescribes a consumer product safety rule establishing requirements for consumer registration of durable infant or toddler products. These requirements are intended to improve the effectiveness of recalls of, and safety alerts regarding, such products. (b) Scope. Part 1130 applies to manufacturers, including importers, of durable infant or toddler products, as defined in § 1130.2(a). It does not apply to infant or child restraint systems intended for use in automobiles that are covered by the registration program of the National Highway Traffic and Safety Administration (NHTSA) at 49 CFR 571.213, or to products that comprise a travel system, and are sold with a child restraint system that is covered by the NHTSA registration program at 49 CFR 571.213. (c) Compliance Date. Compliance with this part 1130 shall be required on June 28, 2010 for the following products: full-size cribs and non-full-size cribs; toddler beds; high chairs, booster chairs, and hook-on chairs; bath seats; gates and other enclosures for confining a child; play yards; stationary activity centers; infant carriers; strollers; walkers; swings; and bassinets and cradles. Compliance with this part 1130 shall be required on December 29, 2010 for the following products: Children's folding chairs, changing tables, infant bouncers, infant bath tubs, bed	Purpose, scope, and effective date. (a) Purpose. This part prescribes a consumer product safety rule establishing requirements for consumer registration of durable infant or toddler products. These requirements are intended to improve the effectiveness of recalls of, and safety alerts regarding, such products. (b) Scope. Part 1130 applies to manufacturers, including importers, of durable infant or toddler products, as defined in § 1130.2(a). It does not apply to infant or child restraint systems intended for use in automobiles that are covered by the registration program of the National Highway Traffic and Safety Administration (NHTSA) at 49 CFR 571.213, or to products that comprise a travel system, and are sold with a child restraint system that is covered by the NHTSA registration program at 49 CFR 571.213. (c) Compliance Date. Compliance with this part 1130 shall be required on June 28, 2010 for the following products: full-size cribs and non-full-size cribs; toddler beds; high chairs, booster chairs, and hook-on chairs; bath seats; gates and other enclosures for confining a child; play yards; stationary activity centers; infant carriers; strollers; walkers; swings; and bassinets and cradles. Compliance with this part 1130 shall be required on December 29, 2010 for the following products: Children's folding chairs, changing tables, infant bouncers, infant bath tubs, bed rails and infant slings. Compliance with this part 1130 shall be required on



Clause	Requirement	Result	Verdict
	product). The rule shall apply to durable infant or toddler products, as defined in §		
	1130.2(a), that are manufactured on or after those dates.		
	[74 FR 68676, Dec. 29, 2009, as amended at 84 FR 49949, Sept. 24, 2019]		
1130.2	Definitions.		
	In addition to the definitions given in section 3 of the Consumer Product Safety Act (15 U.S.C. 2052), the following definitions apply:		
	(a) Definition of durable infant or toddler product means the following products intended for use, or that may be reasonably expected to be used, by children under the age of 5 years. The listed product categories are further defined in the applicable standards that the Commission issues under section 104(b) of the Consumer Product Safety Improvement Act of 2008, and include products that are combinations of the following product categories:		
	(1) Full-size cribs and non-full-size cribs;		
	(2) Toddler beds;		
	(3) High chairs, booster seats, and hook-on chairs;		
	(4) Bath seats;		
	(5) Gates and other enclosures for confining a child;		
	(6) Play yards;		
	(7) Stationary activity centers;		
	(8) Infant carrier, including soft infant and toddler carriers, hand-held infant carriers, sling carriers, and frame child carriers;	-	-
	(9) Strollers;		
	(10) Walkers;		
	(11) Swings;		
	(12) Bassinets and cradles, including bedside sleepers;		
	(13) Children's folding chairs and stools;		
	(14) Baby changing products;		
	(15) Infant bouncers;		
	(16) Infant bathtubs;		
	(17) Bed rails.		
	(b) Manufacturer, for purposes of this part, in the case of a product produced within the United States, means the domestic manufacturer of the product, and in the case of an imported product, means the importer of the product.		
	(c) Product recall means action taken pursuant to sections 12, 15(c) or 15(d) of the CPSA (15 U.S.C. 2061, 2054(c), or 2064(d)), and action taken pursuant to a corrective action plan implemented by a company in cooperation with the		



Clause	Requirement	Result	Verdict
	Commission, where the firm is conducting one or more of the following:		
	repair of the product; replacement of the product; or refund of the purchase price of the product.		
	(d) Safety alert means notice or warning of a potential problem with an individual product or class of products so that consumers and other users of the affected products respond accordingly to reduce or eliminate the potential for injury.		
	[74 FR 68676, Dec. 29, 2009, as amended at 82 FR 59511, Dec. 15, 2017; 84 FR 49950, Sept. 24, 2019]		
1130.3	General requirements.		
	(a) Each manufacturer of a durable infant or toddler product shall:		
	(1) Provide consumers with a postage- paid consumer registration form that meets the requirements of this part 1130 with each such product;	It's manufa	
	(2) Maintain a record in accordance with the requirements set forth in § 1130.8 of the contact information (names, addresses, e-mail addresses, and telephone numbers) of consumers who register their products with the manufacturer under this part 1130;	assure the	
	(3) Permanently place the manufacturer name and contact information, model name and number, and the date of manufacture on each durable infant or toddler product in accordance with the requirements set forth in § 1130.4.	Compiled	Р
	(b) Consumer information collected by a manufacturer pursuant to the requirements of this part 1130 shall not be used by the manufacturer, nor disseminated by the manufacturer to any other party, for any purpose other than notification to such consumer in the event of a product recall or safety alert.	It's the manufacturer's responsibility to assure the compliance of this	
	[74 FR 68676, Dec. 29, 2009, as amended at 77 FR 9524, Feb. 17, 2012]	clause	
1130.4	Identification on the product.		
	(a) Each durable infant or toddler product shall be permanently marked with the manufacturer name, and contact information (U.S. address and telephone number, toll free if available) model name and number, and date of manufacture.		
	(1) If the manufacturer regularly uses only a model name or a model number, but not both, to identify the product, he/she may provide only the model name or number rather than creating a model name or number for the sole purpose of this part 1130.		
	(2) If the manufacturer regularly identifies the product by a product identification number ("PIN") or other similar identifying number rather than a model number, he/she may provide that identifying number instead of a model number.	Complied	Р
	(3) The date referred to in paragraph (a) of this section shall include the month and year of manufacture and can be stated in code.		
	(4) A permanent mark is one that can reasonably be expected to remain on the product during the useful life of the product.		



Clause	Requirement	Result	Verdict
	(b) The information required by this section shall be in English, legible, and in a location that is conspicuous to the consumer.		
	(c) The information required by this section may be combined with other information marked on the product.		
1130.5	Requirements for registration forms.		
	The registration form required under § 1130.3(a)(1) shall:		
	(a) Comply with the format and text requirements set forth in § 1130.6 as shown in figures 1 and 2 of this part;		
	(b) State all information required by this part 1130 in the English language;		
	(c) Be attached to the surface of each durable infant or toddler product so that, as a practical matter, the consumer must notice and handle the form after purchasing the product;		
	(d) Include the manufacturer's name, model name and number for the product, and the date of manufacture;	Complied F	
	(e) Include an option for consumers to register through the Internet;		
	(f) Include the statement required in § 1130.6(c)(1) that information provided by the consumer shall not be used for any purpose other than to facilitate a recall of or safety alert regarding that product.		
	[74 FR 68676, Dec. 29, 2009, as amended at 77 FR 9524, Feb. 17, 2012]		
1130.6	Requirements for format and text of registration forms.		
	(a) Size of form. The form shall be at least the size of two standard post cards, connected with perforation for later separation, so that each of the two portions is at least $31/2$ inches high x 5 inches wide x 0.007 inches thick.	Complied	Р
	(b) Layout of form—		
	(1) General. The form shall consist of four parts: top and bottom, divided by perforations for easy separation, and front and back.		
	(2) Font size and typeface. The registration form shall use bold black typeface. The size of the type shall be at least 0.12 in (3.0 mm) for the purpose statement required in paragraph (c)(1) of this section, and no less than 0.10 in (2.5 mm) for the other information in the registration form. The title of the purpose statement and the retention statement required in paragraph (d)(2) of this section shall be in all capitals.	Complied	Р
	All other information shall be in capital and lowercase type.		
	(c) Front of form—		
	(1) Top front of form: Purpose statement. The top portion of the front of each form shall state: "PRODUCT REGISTRATION FOR SAFETY ALERT OR RECALL ONLY.	Complied	Р
	We will use the information provided on this card to contact you only if there is a		



Clause	Requirement	Result	Verdict
	safety alert or recall for this product. We will not sell, rent, or share your personal information. To register your product, please complete and mail the bottom part of this card, or visit our online registration at: www.Web sitename.com." Manufacturers that do not have a Web site may provide an email address and state at the end of the purpose statement: "To register your product, please complete and mail the bottom part of this card, or email your contact information, the model name and number, and date of manufacture of the product, as provided on this card, to: name@firmname.com."		
	(2) Bottom front of form: Manufacturer's mailing address. The bottom portion of the front of each form shall be preaddressed and postage-paid with the manufacturer's name and mailing address where registration information is to be collected. A manufacturer may list a brand name in addition to the manufacturer's name. If a manufacturer uses a third party to process registration forms, the third party's name may be included as a "c/o" ("in care of") in the address on the form.		
	(d) Back of the form—		
	(1) Top back of form—		
	(i) Product information and manufacturer's identification. The top portion of the back of each form shall state: "Manufacturer's Contact Information" and provide the manufacturer's name and contact information (a U.S. mailing address displayed in sentence format, Web site address, a telephone number, toll-free, if available); product model name and number (or other identifier as described in § 1130.4(a)(1) and (2)); and manufacture date of the product. A rectangular box shall be placed around the model name, model number, and manufacture date. A manufacturer may list the brand name in addition to the manufacturer's name.		
	(ii) Retention statement. On the back of each form, just above the perforation line, the form shall state: "KEEP THIS TOP PART FOR YOUR RECORDS. FILL OUT AND RETURN BOTTOM PART."		
	(2) Bottom back of form—	Complied	Р
	(i) Consumer information. The bottom portion of the back of each form shall have blocks for the consumer to provide his/her name, address, telephone number, and email address. These blocks shall be 5 mm wide and 7 mm high, with as many blocks as possible to fill the width of the card allowing for normal printing practices.		
	(ii) Product information. The following product information shall be provided on the bottom portion of the back of each form below the blocks for consumer information printed directly on the form or on a pre-printed label that is applied to the form: the model name and number (or other identifier as described in §1130.4(a)(1) and (2)), and the date of manufacture of the product. A rectangular box shall be placed around the model name, model number, and manufacture date. A manufacturer may include its name on the bottom portion of the back of the form if they choose to do so.		
	[77 FR 9524, Feb. 17, 2012]		



Clause	Requirement	Result	Verdict
1130.7	Requirements for Web site registration or alternative e-mail registration.		
	(a) Link to registration page. The manufacturer's Web site, or other Web site established for the purpose of registration under this part 1130, shall be designed with a link clearly identified on the main web page that goes directly to "Product Registration."	-	N/A
	(b) Purpose statement. The registration page shall have the following statement at the top of the page: "PRODUCT REGISTRATION FOR SAFETY ALERT OR RECALL ONLY.		
	We will use the information provided on this page only to contact you if there is a safety alert or recall for this product. We will not sell, rent, or share your personal information. If you register on this Web site you do not need to fill out the card that came with your product."	-	N/A
	(c) Content of registration page. The Web site registration page shall request only the consumer's name, address, telephone number, e-mail address, product model name and number, and the date of manufacture. The consumer's telephone number and email address shall not be required for the consumer to submit the registration form. No other information shall appear on the electronic registration form, except for identification of the manufacturer or a link to the manufacturer's home page, a field to confirm submission, and a prompt to indicate any incomplete or invalid fields before submission. Accessing the electronic registration form shall not cause additional screens or electronic banners to appear.	-	N/A
	(d) Alternative for manufacturers without a Web site. A manufacturer that lacks a Web site shall provide for consumers to register their product through e-mail. Such e-mail addresses shall be set up to provide an automatic reply to confirm receipt of the consumer's registration information.		Р
	[74 FR 68676, Dec. 29, 2009. Redesignated at 77 FR 9525, Feb. 17, 2012]		
1130.8	Recordkeeping and notification requirements.		
	(a) Each manufacturer of a durable infant or toddler product shall maintain a record of registrants for each product manufactured that includes all of the information provided by each consumer registered.		
	(b) Each manufacturer of a durable infant or toddler product shall use the information provided by the registrant to notify the registrant in the event of a voluntary or involuntary recall of, or safety alert regarding, such product.(c) Each manufacturer of a durable infant or toddler product shall maintain a record of the information provided by the registrant for a period of not less than 6 years after the date of manufacture of the product.		the cturer's
			ibility to re the ce of this use
	(d) Records required under this section shall be made available within 24 hours, upon the request of any officer, employee, or agent acting on behalf of the U.S. Consumer Product Safety Commission.		
	(e) Optional barcode. (1) A manufacturer may include a barcode, or other		

Dated: 2022-12-12



Clause	Requirement	Result	Verdict
	machine readable data, that when scanned would provide a direct link for the consumer to register the product.		
	(2) Such a link must comply with all the requirements of this part 1130, including those in § 1130.7 and the restriction that the manufacturer shall not use or disseminate the consumer registration information for any purpose other than notifying the consumer of a safety alert or recall.		
	[74 FR 68676, Dec. 29, 2009. Redesignated and amended at 77 FR 9525, Feb. 17, 2012]		

Abbreviation: P = Pass.

1.1 Total Lead Content -16 CFR Part 1303, Lead of Paint

Test with reference to CPSC-CH-E1003-09.1 and determination by ICP-OES/ICP-MS.

Phone: +86 21 60376300

Fax: +86 21 60376350

http://www.tuvsud.com

Sample	Unit	MDL	Limit	Result(s)	Conclusion
019	mg/kg	10.0	90	<10.0	Pass



Dated: 2022-12-12



5. Total Lead Content Test in accessible substrate materials in accordance with Consumer Product Safety Improvement Act of 2008 Section 101

Test with reference to CPSC-CH-E1001-08.3, CPSC-CH-E1002-08.3 and determination by ICP-OES/ICP-MS.

Sample	Unit	MDL	Limit	Result(s)	Conclusion
002+003	mg/kg	10.0	100	<10.0	Pass
004	mg/kg	10.0	100	<10.0	Pass
005	mg/kg	10.0	100	<10.0	Pass
006+007+008	mg/kg	10.0	100	<10.0	Pass
009+010+011	mg/kg	10.0	100	<10.0	Pass
012+017+018	mg/kg	10.0	100	<10.0	Pass
013+014	mg/kg	10.0	100	<10.0	Pass
015	mg/kg	10.0	100	<10.0	Pass
020	mg/kg	10.0	100	<10.0	Pass
021	mg/kg	10.0	100	25.5	Pass
022	mg/kg	10.0	100	<10.0	Pass
023	mg/kg	10.0	100	<10.0	Pass
024	mg/kg	10.0	100	18.6	Pass
025+027+028	mg/kg	10.0	100	<10.0	Pass
026+029	mg/kg	10.0	100	<10.0	Pass
030+031	mg/kg	10.0	100	<10.0	Pass
032	mg/kg	10.0	100	<10.0	Pass
033	mg/kg	10.0	100	<10.0	Pass

6. Total Lead Content Test in paint/similar surface coating material in accordance with Consumer Product Safety Improvement Act of 2008 Section 101

Test with reference to CPSC-CH-E1003-09.1 and determination by ICP-OES/ICP-MS.

Phone: +86 21 60376300

Fax: +86 21 60376350

http://www.tuvsud.com

Sample	Unit	MDL	Limit	Result(s)	Conclusion
019	mg/kg	10.0	90	<10.0	Pass

Dated: 2022-12-12



7. 16 CFR Part 1307 amending CPSIA section 108, Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates

Test with reference to in-house method, determination by GC-MS.

Compound	CAS No.	Unit	MDI	MDL Limit Result				
Compound	CAS NO.	Offic	IVIDE	LIIIII	002+003	004		
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005	<0.005		
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005		
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005		
Di-isononyl phthalate,	28553-12-0 ,	%	0.005	0.1	<0.005	<0.005		
(DINP)	68515-48-0	/0	0.003	0.1	\0.005	\0.005		
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	<0.005	<0.005		
Dipentyl phthalate (DPP)	131-18-0	%	0.005	0.1	<0.005	<0.005		
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005	<0.005		
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	<0.005	<0.005		
	Conclusion							

Compound	CAS No	CAS No. Unit N	MDL	Limit	Result(s)			
Compound	CAS NO.		WIDL	Lilling	005	006+007+008		
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005	<0.005		
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005		
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005		
Di-isononyl phthalate,	28553-12-0 ,	%	0.005	0.1	<0.005	<0.005		
(DINP)	68515-48-0	70	0.005	0.1	<0.005	<0.005		
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	<0.005	<0.005		
Dipentyl phthalate (DPP)	131-18-0	%	0.005	0.1	<0.005	<0.005		
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005	<0.005		
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	<0.005	<0.005		
	Conclusion							



Compound	CAS No. Unit	Unit	MDL	Limit	Result(s)	
Compound	CAS NO.	Ullit	WIDL	LIIIII	009+010+011	012+017+018
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	<0.005	<0.005
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	<0.005	<0.005
Dipentyl phthalate (DPP)	131-18-0	%	0.005	0.1	<0.005	<0.005
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005	<0.005
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	<0.005	<0.005
	Pass	Pass				

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
	CAS NO.	Unit		Lillill	013+014	015
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005	0.009
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Di-isononyl phthalate,	28553-12-0 ,	%	0.005	0.1	<0.005	<0.005
(DINP)	68515-48-0	70	0.005	0.1	<0.005	<0.005
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	<0.005	<0.005
Dipentyl phthalate (DPP)	131-18-0	%	0.005	0.1	<0.005	<0.005
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005	<0.005
Dicyclohexyl phthalate	04 64 7	0/	0.005	0.4	<0.00E	40.00E
(DCHP)	84-61-7	%	0.005	0.1	<0.005	<0.005
	Pass	Pass				

Dated: 2022-12-12



Compound	CAS No.	Unit	MDL	Limit	Res	ult(s)
Compound	CAS NO.	Ullit	WIDL	Lillin	019	025+027+028
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Di-isononyl phthalate,	28553-12-0 ,	%	0.005	0.1	<0.005	<0.005
(DINP)	68515-48-0	/0	0.005	0.1	\0.003	\0.005
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	<0.005	<0.005
Dipentyl phthalate (DPP)	131-18-0	%	0.005	0.1	<0.005	<0.005
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005	<0.005
Dicyclohexyl phthalate	04.64.7	0/	0.005	0.4	40.00F	40 00E
(DCHP)	84-61-7	%	0.005	0.1	<0.005	<0.005
	Pass	Pass				

Compound	CAS No.	Unit	Unit MDL	Limit	Result(s)	
Compound	CAS NO.	Offic	MIDL	Lillit	026+029	030+031
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	<0.005	<0.005
Di-n-hexyl phthalate (DHEXP)	84-75-3	%	0.005	0.1	<0.005	<0.005
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	<0.005	<0.005
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	<0.005	<0.005
Di-n-pentyl phthalates (DPENP)	131-18-0	%	0.005	0.1	<0.005	<0.005
	Pass	Pass				

8. Schedule 2 to the Canada Consumer Product Safety Act (CCPSA)-Tris-(2-chloroethyl) phosphate (TCEP)

With reference to in house method, analysis was performed by GC-MS.

Sample	Unit	MDL	Limit	Result(s)	Conclusion
034	mg/kg	5	prohibited	ND	Pass
035	mg/kg	5	prohibited	ND	Pass

- End of Test Report -

Date: 2023-01-13



Greater China

Pass

Applicant: Our Expedition Inc.

Address: 16192 Costal Highway, Lewes, DE, 19958

Product Name: Baby Shoulder Carrier

Style No.: M25 **Country of Destination:** USA

Receipt Date of Sample: 2023-01-09

Date of Testing: From 2023-01-09 to 2023-01-13

Sample Submitted: The sample(s) was (were) submitted by applicant and identified.

Test Result: Refer to the data listed in following pages

Test Item Conclusion

1. Canada Consumer Product Safety Act (S.C. 2010, c. 21), Regulations (SOR/2018-83)-

Total Lead Content

2. Canada Consumer Product Safety Act (S.C. 2010, c. 21), Phthalates Regulations Pass

(SOR/2016-188)- Phthalates Content

Remarks: 1. MDL = Method Detection Limit

- 2. ND = Not Detected (<MDL)
- 3. ≤ Less than
- 4.1 mg/kg = 1 ppm = 0.0001%
- 5. NA=Not Applicable
- 6. Test items and samples were specified by client.

No.: 70.452.22.12645.02 **Test Report**

Date: 2023-01-13



Greater China

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch **Testing Center**

Prepared by:

Authorized by:

Sawyer Tang **Technical Manager**

Jenny Yao **Technical Engineer**

Note:

- The TüV SüD Certification and Testing (China) Co., Ltd. "General Terms & Conditions" applied. (1) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see "Testing and certification regulation", chapter A-3.4 For full version, please visit: EN: https://www.tuvsud.cn/zh-cn/resource/terms-and-conditions---en; SCN: https://www.tuvsud.cn/zh-cn/terms-and-conditions---en; conditions; TCN: https://www.tuvsud.com/zh-tw/terms-and-conditions
- The results relate only to the Items tested. (2)
- The test report shall not be reproduced except in full without the written approval of the laboratory
- **Disclaimer Measurement Uncertainty:** Unless otherwise agreed upon, Pass or Fail verdicts are given based on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

Date: 2023-01-13



Greater China

Description of Tested Subject:

Sample	Description	Photo
001	Baby Shoulder Carrier	

T. No	Sample	Description
T1	002	Black coated fabric
T2	003	Grey coated fabric with white printing
Т3	004	Grey mesh fabric with foam
T4	005	White coated label with black/yellow printing
T5	007	Black plastic (buckle)
T6	011	Yellow plastic (zipper teeth)
T7	013	Blue-grey elastic tape
Т8	014	Grey elastic tape
Т9	015	Dark grey leatheroid
T10	018	Light grey plastic (hook fastener)
T11	019	Black coating
T12	020	Silvery metal without coating (tube)
T13	025	Light grey plastic (hook fastener on sunshade)
T14	026	Black plastic (buckle)
T15	027	Grey plastic (zipper puller)
T16	028	Light grey plastic (zipper puller)
T17	029	Grey plastic (button, bend part)
T18	030	Black plastic (bend part)
T19	031	Bright black plastic (hooker, bend part)
T20	032	Black metal (bend part)
T21	033	Silver metal (bend part)
T22	036	Black mesh fabric
T23	037	Yellow belt fabric
T24	038	Yellow fabric (zipper tape)
T25	039	Grey rope (zipper puller)
T26	040	Grey belt fabric
T27	041	Grey lining fabric (inner)
T28	042	Grey binding fabric
T29	043	Black fabric (zipper tape)

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd.

Shanghai Branch, Testing Center

Building B,C, No. 1999 and Building D, No. 2059, Duhui Road, Minhang District, Shanghai

Phone: +86 21 60376300

Fax: +86 21 60376350 http://www.tuvsud.com Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd.

Shanghai Branch, TÜV SÜD Group

Floor 11-12, No 151, Hengtong Road, Jing'an District, Shanghai

Date: 2023-01-13



Greater China

T. No	Sample	Description
T30	044	Grey fabric (fastener loop)
T31	045	Black fastener loop/hook
T32	046	Black plastic (zipper teeth)
T33	047	Silvery metal with black coating (zipper head)



Date: 2023-01-13



Greater China

Test Result(s):

1. Canada Consumer Product Safety Act (S.C. 2010, c. 21), Regulations (SOR/2018-83)-Total Lead Content

With reference to Health Canada, Product Safety Reference Manual Book 5 -Laboratory Policies and Procedures, Part B: Test Methods Section, Method C-02.2, C-02.3&C-02.4, determination by ICP-OES/ICP-MS.

Sample	Unit	MDL	Limit	Result(s)	Conclusion
002+003	mg/kg	10.0	90	<10.0	Pass
004	mg/kg	10.0	90	<10.0	Pass
005	mg/kg	10.0	90	<10.0	Pass
007+011+018	mg/kg	10.0	90	<10.0	Pass
013+014	mg/kg	10.0	90	<10.0	Pass
015	mg/kg	10.0	90	<10.0	Pass
019	mg/kg	10.0	90	<10.0	Pass
020	mg/kg	10.0	90	<10.0	Pass
025+027+028	mg/kg	10.0	90	<10.0	Pass
026+029	mg/kg	10.0	90	<10.0	Pass
030+031+046	mg/kg	10.0	90	<10.0	Pass
032	mg/kg	10.0	90	<10.0	Pass
033	mg/kg	10.0	90	<10.0	Pass
036+037+038	mg/kg	10.0	90	<10.0	Pass
039+040+041	mg/kg	10.0	90	<10.0	Pass
042+043	mg/kg	10.0	90	<10.0	Pass
044+045	mg/kg	10.0	90	<10.0	Pass
047	mg/kg	10.0	90	14.3	Pass

Date: 2023-01-13



Greater China

2. Canada Consumer Product Safety Act (S.C. 2010, c. 21), Phthalates Regulations (SOR/2016-188)-Phthalates Content

Test with reference to in house method, determination by GC-MS.

Compound	CAS No.	Unit ME	MDL	Limit	Result(s)	
Compound	CAS NO.	Ullit	MIDL	LIIIII	002+003	004
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Di-n-octyl phthalate, (DNOP)	117-84-0	%	0.005	0.1	<0.005	<0.005
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	<0.005	<0.005
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	<0.005	<0.005
	Pass	Pass				

Compound	CAS No. U	Unit	Unit MDL	Limit	Result(s)	
Compound	CAS NO.	Unit	WIDL	Limit	005	007+011+018
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Di-n-octyl phthalate, (DNOP)	117-84-0	%	0.005	0.1	<0.005	<0.005
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	<0.005	<0.005
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	<0.005	<0.005
	Pass	Pass				

Date: 2023-01-13



Greater China

Compound	CAS No. U	Unit	Linit MDI	Limit	Result(s)
Compound	CAS NO.	Unit	Unit MDL		013+014
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005
Di-n-octyl phthalate, (DNOP)	117-84-0	%	0.005	0.1	<0.005
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	<0.005
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	<0.005
	Pass				

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					019	025+027+028
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Di-n-octyl phthalate, (DNOP)	117-84-0	%	0.005	0.1	<0.005	<0.005
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	<0.005	<0.005
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	<0.005	<0.005
	Pass	Pass				

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					026+029	030+031+046
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Di-n-octyl phthalate, (DNOP)	117-84-0	%	0.005	0.1	<0.005	<0.005
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	<0.005	<0.005
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	<0.005	<0.005
	Pass	Pass				

-End of Test Report-

Duhui Road, Minhang District, Shanghai