

THE FINIAL COMPANY

Custom for Every Style

MODERN • TRANSITIONAL • TRADITIONAL

April 2023 Drapery Hardware Suggested Retail* Price List *10% tariff has been included.

table of contents

table of contents

metal $1\frac{1}{8}$ "- $1\frac{3}{8}$ " modern metal collection $1\frac{3}{8}$ " metal collection	4
steel 1/2" collection 3/4" collection 1" collection 1 1/4" collection 1 1/2"-1 3/4" collection	14 17 21 26 31
outdoor hardware	36
custom solutions custom pole returns custom steel brackets & accessories custom arches	39 46 49
wood & resin 13/8" diameter collection 2"-21/4" diameter collection 3" diameter collection rosettes tiebacks crests	51 56 65 70 72 73
traverse systems motorized traverse • R-TEC Automation® 13/8" metal • R-TEC Automation® heavy duty	75
 Somfy® manual traverse 1 1/8" - 1 3/8" modern metal baton draw 1 3/8" metal baton draw 	103
 heavy duty corded or baton draw sales tools 	124
finish information terms & conditions	126 127

NEW!
LOOK FOR THE
DISCOUNTED
SECTIONS
THROUGHOUT
THE PRICE LIST:

'40% OFF SRP! While Supplies Last. Prices shown reflect 40% off.

$1^{1}/8$ " - $1^{3}/8$ " modern metal

finials Coordinate with 11/8" & 13/8" diameter poles; cuffs & collars not included.				
	Catalog page 5	Catalog page 5	Catalog page 5	Catalog page 5
step 1: select finial design				
step 2: choose pole diameter	Bryant	Bryant Acrylic	Declan Declan	Declan Acrylic
step 3: select a cuff	2 ⁷ /8"L × 2 ³ /4"W	$2^{7}/8$ "L × $2^{3}/4$ "W	21/4"L x 21/4"W	21/4"L × 21/4"W
or collar*	TFCM600	TFCM600/CL	TFCM601	TFCM601/CL
*sold separately	\$66.00 ea	\$86.90 ea	\$99.00 ea	\$82.50 ea
Catalog page 5	Catalog page 5	Catalog page 5	Catalog page 5	Catalog page 5
Upton	Upton Acrylic	Delano	Mercer	Luca Acrylic
4"L x 17/8"W	4"L x 17/8"W	4"L x 17/8 "W	4"L x 21/8"W	2"L × 3¾"W
TFCM602	TFCM602/CL	TFCM603	TFCM604	TFCM605
\$86.90 ea	\$82.50 ea	\$99.00 ea	\$99.00 ea	\$99.00 ea
Catalog page 5	Catalog page 6	Catalog page 6	Catalog page 6	Catalog page 6
() () () () () () () () () ()	F346		PAR	Total R

Stiles Acrylic	Anson	Anson Acrylic	Eason	Eason Acrylic
2 ³ / ₈ "L x 3"W	7∕ ₈ "L x 3"W	7/8"L x 3"W	1"L × 27/ ₈ "W	1"L x 27/8"W
TFCM606	TFCM691	TFCM691/CL	TFCM692	TFCM692/CL
\$99.00 ea	\$47.30 ea	\$53.90 ea	\$47.30 ea	\$53.90 ea


$1^{1}/_{8}$ " end caps				
Catalog page 6				
11 100	H			
Bex 11/8"	Round 11/8"			
$\frac{3}{4}$ "L x $\frac{17}{8}$ "W ($\frac{13}{8}$ " sq)	3/4"L × 1 1/4"W			
TFCM118690	TFCM118191			
\$31.90 ea	\$16.50 ea			


Scan QR codes by each finial to download the PRODUCT TEAR SHEET with dimensions & information!




1 ³ / ₈ " end caps				
Catalog page 6				
Bex 1 ³ / ₈ "	Round 13/8"			
1"L x 21/4"W (15/8" sq)	3/4"L × 1 1/2"W			
TFCM138690	TFCM138191			
\$39.60 ea	\$19.25 ea			


$1^{1}/8$ " - $1^{3}/8$ " modern metal






$1^3/_8$ " cuffs & collars		
Catalog page 6	Catalog page 6	Catalog page 6
	-	
1³/ ₈ " metal modern cuff	1³/8" metal modern collar	1³/8" metal transitional collar
1"L x 1 ⁵ /8"W	1 ¹¹ / ₁₆ "L x 1 ⁵ / ₈ "W	1 ¹³ /16"L x 1 ⁵ /8"W
TFCM138800	TFCM138801	TFCM138802
\$21.45 ea	\$21.45 ea	\$21.45 ea







finial screw attaches to collar TFCM118802


$1^{1/8}$ " - $1^{3/8}$ " modern metal






















Bracket return measured from wall to center of cradle.




















Bracket return measured from wall to center of cradle.

$1\frac{1}{8}$ " - $1\frac{3}{8}$ " diameter poles

Catalog page 8

Maximum continuous length: 144 inches (12')

All orders with poles will incur a \$10.00 net packaging fee per order.

Product Information

- Sold in 2 foot increments, 2 foot minimum
- Cut to specified length. Fall off will not be saved or shipped
- Splice is required for joining two poles. Sold separately
- Not available for bent or mitered returns

Please Specify

- Item number
- Custom pole length
- Finish color
- Pole splice, if needed. Sold separately We recommend installing a support bracket at the connection

 $1^{3}/8$ " round metal pole

11/8" round metal pole	Maximum continuous length: 144 inches ((12')

	Item Number	Length	Price
"	TFCM118002	2'	\$27.50
	TFCM118004	4'	\$55.00
	TFCM118006	6'	\$82.50
	TFCM118008	8'	\$110.00
	TFCM118010	10'	\$137.50
	TFCM118012	12'	\$165.00

Price	
7.50	
5.00	
2.50	
0.00	
7.50	
5.00	

	•		-
	Item Number	Length	Price
]3⁄8"	TFCM138002	2'	\$33.00
	TFCM138004	4'	\$66.00
	TFCM138006	6'	\$99.00
-	TFCM138008	8'	\$132.00
	TFCM138010	10'	\$165.00
	TFCM138012	12'	\$198.00

13/8" round acrylic pole Maximum continuous length: 144 inches (12')

1 ¹ / ₈ " pole splice	1 ³ / ₈ " pole splice
Catalog page 8	Catalog page 8
Required to splice 2 1 1/8" poles together	Required to splice 2 13/8" poles together
TFCM118403	TFCM138403
\$6.60 ea	\$6.60 ea


Catalog page 8	Catalog page 8
Required to splice 2 1 1/8" poles together	Required to splice 2 13/8" poles together
TFCM118403	TFCM138403
\$6.60 ea	\$6.60 ea
a 1 / 11	


	· / !		
	Item Number	Length	Price
13/8"	TFCM138002/CL	2'	\$84.70
	TFCM138004/CL	4'	\$169.40
	TFCM138006/CL	6'	\$254.10
	TFCM138008/CL	8'	\$338.80
	TFCM138010/CL	10'	\$423.50
	TFCM138012/CL	12'	\$508.20

acrylic poles cannot be spliced.

11/8" rings	
Catalog page 8	Catalog page 8 use with bypass brackets
1 1½" metal ring 1 5½" D, 2 ½"OD, 3½"drop	1 1½" metal c-ring 1 ½"1D, 2 ½"OD, ¾"drop
TFCM118205	TFCM118207
\$6.60 ea	\$6.60 ea

13/8" rings	
Catalog page 8	Catalog page 8 use with bypass brackets
1 %" metal ring 2"ID, 2%"OD, 34"drop	1%" metal c-ring 2"ID, 2%"OD, %"drop
TFCM138205	TFCM138207
\$7.70 ea	\$7.70 ea





Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles. **

THE FINIAL COMPANY.


April 1, 2023


$1^{1/8}$ " - $1^{3/8}$ " modern metal

tiebacks Can be used with any Modern Metal Collection finial	
Catalog page 8	Catalog page 8
metal tieback base 21½" projection, 2½"Dia backplate	metal tieback extension 2"L
TFCM991	TFCM990
\$47.30 ea	\$14.30 ea

batons		Catalog page 9
metal baton, ¾"Dia		
TFCM312S	available in 36"	\$55.00 ea
metal baton, %"Dia		
TFCM314S	available in 48"	\$60.50 ea
		550
metal baton, ¾"Dia		
TFCM316S	available in 60"	\$66.00 ea
		F ≈
acrylic baton, %"Dia		
ABTN-36	available in 36"	\$49.50 ea
ABTN-48	available in 48"	\$55.00 ea

11/8" elbow Catalog page 7 11/6" hinged elbow 11/6"Dia, 13/4" overall length, 76"L each side when bent TFCM118402 \$44.00 ea





modern metal finishes

Catalog page 9

CH Chrome

BN Brushed Nickel

SG Satin Gold

BBN Brushed Black Nickel

MK Matte Black

CL Clear Acrylic available in 13%" diameter pole and select modern finials.

poles are available up to 12' in all finishes

how to order

- 1. Select finial design example: Bryant finial in Satin Gold (TFCM600/SG)
- 2. Choose pole diameter example: $1\frac{3}{8}$ " 6' pole in Satin Gold (TFCM138006/SG)
- 3. Select a cuff or collar example: 13/8" modern cuff in Matte Black (TFCM138800/MK)

THE FINIAL COMPANY... April 1, 2023

13/8" metal

$1^3/8$ " finials				
Catalog page 11	Catalog page 11	Catalog page 11	Catalog page 11	Catalog page 11
Turner	Britton DATE	Ashby and	Abington	Harlow
5"L × 3"W	31/4"L × 37/8"W	37/8"L × 3 ³ /8"W	43/8"L x 31/4"W, glass	4 ³ / ₈ "L × 3"W
TFCM138100	TFCM138101	TFCM138102	TFCM138103	TFCM138104
\$73.70 ea	\$100.10 ea	\$93.50 ea	\$106.70 ea	\$73.70 ea

Catalog page 11	Catalog page 11	Catalog page 11	Catalog page 11
Weston	Brentford 🔐	Rothwell	Wells End Cap
41/4"L x 31/8"W	$3^{5}/8$ "L × $3^{1}/4$ "W	4½"L × 3"W	1 1/4"L × 21/4"W
TFCM138105	TFCM138106	TFCM138107	TFCM138190
\$100.10 ea	\$93.50 ea	\$100.10 ea	\$47.30 ea


Scan QR codes by each finial to download the

PRODUCT TEAR SHEET with dimensions & information!



THE FINIAL COMPANY.

11



Inside mount brackets and elbow not available in DRB or VZ finishes. Purchase MK finish to coordinate with DRB or VZ finishes. Bracket return measured from wall to center of cradle.

13/8" diameter poles

All orders with poles will incur a \$10.00 net packaging fee per order.

Product Information

- Sold in 2 foot increments, 2 foot minimum
- Cut to specified length. Fall off will not be saved or shipped
- Splice is required for joining two poles. Sold separately
- Not available for bent or mitered returns

Please Specify

- Item number
- Custom pole length
- Finish color
- Pole splice, if needed. Sold separately
 We recommend installing a support bracket at the connection

13/8" round metal pole Maximum continuous length: 144 inches (12')


	Item Number	Length	Price
 %"	TFCM138202	2'	\$33.00
- '	TFCM138204	4'	\$66.00
	TFCM138206	6'	\$99.00

Continuous 10' & 12' poles not available in BZ or ORB finishes		
Item Number	Length	Price
TFCM138208	8'	\$132.00
TFCM138210	10'	\$165.00
TFCM138212	12'	\$198.00

13/8" pole splice	
Catalog page 13	
Pole Splice	
Required to splice 2	
13/8"poles together.	
TFCM138403	
\$6.60 ea	

13/8" rings	
Catalog page 12	Catalog page 12 use with
Ÿ	bypass brackets
metal ring with eyelet 2"ID, 23%"OD, 34"drop	metal cring with eyelet 2"ID, 23/8"OD, 3/4"drop
TFCM138200	TFCM138201
\$7.70 ea	\$7.70 ea





Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles. **

Rings and finial wall mount adapter not available in DRB or VZ finishes. Purchase MK finish to coordinate with DRB or VZ finishes.

batons		Catalog page 13
		5 ~
metal baton, 3/8"Dia		
TFCM312S	available in 36"	\$55.00 ea
metal baton, %"Dia		
TFCM314S	available in 48"	\$60.50 ea
metal baton, 3%"Dia		
TFCM316S	available in 60"	\$66.00 ea
acrylic baton, %"Dia		
ABTN-36	available in 36"	\$49.50 ea
ABTN-48	available in 48"	\$55.00 ea

13/8" metal finishes		Catalog page 14
1 /g IIICIGI IIIIISIICS		

PN Polished Nickel 13/8" Metal Collection finials, brackets, poles and rings are available in any of our AP Antique Pewter standard hand painted finishes for a 30% surcharge on these items.

AB Antique Brass
BZ Brushed Bronze

VZ Venetian Bronze*
DRB Dark Oil Rubbed Bronze*

Oil Rubbed Bronze

SK Satin Black
SF Standard Finish

ORB

how to order

When ordering, please specify: Item Number/Finish Code.

THE FINIAL COMPANY. April 1, 2023

^{*}Rings, inside mount brackets, elbow and finial wall mount adapter not available in DRB or VZ finishes. Purchase MK finish to coordinate with DRB or VZ finishes. Poles are available up to 12' in all finishes except BZ or ORB finishes (available up to 8' continuous).

1/2" steel

\$39.60 ea

½" finials				
Catalog page 16	Catalog page 16	Catalog page 16	Catalog page 16	Catalog page 16
%"L x 1 ¼"W	1½"L x 1%"W, %" base, crystal	1½"L x 1¾"W, ¾" base	1%"L x 1½"W (1%"Sq), %" base, crystal	1%"L x 1½"W (1%"Sq), %" base
EC4	F050-1C	F050-1S	F050-2C	F050-2S
\$53.90 ea	\$60.50 ea	\$47.30 ea	\$60.50 ea	\$47.30 ea
Catalog page 16	Catalog page 16	Catalog page 16	Catalog page 16	Catalog page 16
7%"L x 1"W, 7%" base	1¾"L x 1¼"W, 1" base	1"L × 1"W	1"L × 1"W	34"L x 214"W (15%"Sq), 1" base
F050-3	S93	SF35	SF37	TFCS034110

\$40.70 ea


Scan QR codes by each finial to download the PRODUCT TEAR SHEET with dimensions & information!


\$60.50 ea




\$40.70 ea

\$60.50 ea







Bracket return measured from wall to center of cradle.

1/2" diameter pole Catalog page 17

All orders with poles will incur a \$10.00 net packaging fee per order.

Product Information

- Sold in 1 foot increments, 2 foot minimum
- Cut to specified length. Fall off will not be saved or shipped
- Connector screw available for joining two poles for no additional charge

Please Specify


- Item number
- Custom pole length
- Finish color
- Connector screw, if needed
 We recommend installing a support bracket at the connection
- Options, if selected (see below)

round solid pole Maximum continuous length: 240 inches (20')



Item Number	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	per FT
50SRB	\$61.60	\$92.40	\$123.20	\$154.00	\$184.80	\$215.60	\$246.40	\$30.80

Options





batons		Catalog page 17			
steel baton, specify fini	sh, ¾"Dia				
SBTN	specify length up to 60"	\$66.00 ea			
SBTN60	specify length over 60" up to 96"	\$99.00 ea			
fiberglass baton, white	only, ¾"Dia				
FBTN	specify length up to 48"	\$55.00 ea			
		₩			
acrylic baton, clear only, ½"Dia					
ABTN-36	available in 36"	\$49.50 ea			
ABTN-48	available in 48"	\$55.00 ea			


THE FINIAL COMPANY.

3/4" finials				
Catalog page 21	Catalog page 21	Catalog page 19	Catalog page 19	Catalog page 21
14"L x 11½"W, 1¾" base	14"L x 10"W, 1%" base	%"L x 1 ½"W	51/8"L x 37/8"W, 1" base	7½"L x 4¼"W, 1" base
BIRD ▶specify left or right (shown)	BRANCH W LEAF *specify left or right (shown)	EC4	L651	L848
\$166.10 ea	\$106.70 ea	\$53.90 ea	\$66.00 ea	\$80.30 ea

Catalog	g page 21	Catalog page 21	Catalog page 19	Catalog page 19	Catalog page 21
					3
12½"L×7"W, 1%	" base	12½"L x 7"W, 1¾" base	1¾"L x 1¼"W, 1" base	1/4"L x 11/3"W, 11/3" base	3½"L x 6¾"W, 1¾" base
PB ►specify left or right (shown)	PBN with needles ▶specify left or right (shown)	S93	SEC-125	SF19
\$106.70 e	a	\$113.30 ea	\$60.50 ea	\$47.30 ea	\$73.70 ea

Catalog page 19	Catalog page 19	Catalog page 20	Catalog page 20	Catalog page 19
1½"L×1½"W	2"L x 2%"W, 1¼"Sq base	2"L x 2"W, 1%" base	3"L × 2¾"W	2¾"L x 15%"W, 1½"Sq base
SF36	SF133	SF135	SF158B7	SF201
\$53.90 ea	\$80.30 ea	\$60.50 ea	\$66.00 ea	\$73.70 ea

Catalog page 19	Catalog page 20	Catalog page 19
1%"L×1%"W	31/4"L x 3"W, 13%" base	3/4"L x 21/4"W (15%"Sq),1" base
SF202A	SF236	TFCS034110
\$53.90 ea	\$86.90 ea	\$60.50 ea





34" finials *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off.					
Catalog page 20	Catalog page 20	Catalog page 19	Catalog page 19	Catalog page 19	
4"L x 2"W, 1¾" base	5¾"L x 3¾"W, 1½" base	3%"L x 2%"W, 1%" base	21/4"L x 15%"W, 11/4" base	3½"L x 2½"W, 1¾" base	
K657	L885875	SF-1	SF3	SF69	
\$36.30 ea	\$36.30 ea	\$40.15 ea	\$36.30 ea	\$44.00 ea	

Catalog page 19	Catalog page 19
3%"L x 2"W, 1¾" base	2"L × 2"W
SF180	SF202B
\$40.15 ea	\$33.00 ea


THE FINIAL COMPANY. April 1, 2023

3/4" steel















Bracket return measured from wall to center of cradle.

18


19




custom bypass brackets							
Catalog page 22	Catalog page 22	Catalog page 22	Catalog page 22				
	-						
custom steel bypass bracket,	custom steel bypass bracket,	custom steel bypass bracket,	custom steel bypass bracket,				
single	single	single	double				
3½" return,	6" return,	custom return,	double custom return,				
3/4"W backplate x 21/2" or 3"L	¾"W backplate x 2½" or 3"L	3/4"W backplate x 21/2" or 3"L	3/4"W backplate x 51/4"L				
Use with 75RD (¾") pole	Use with 75RD (¾") pole	Use with 75RD (¾") pole	Use with 75RD (¾") pole				
and CR-SR75 c-ring.	and CR-SR75 c-ring.	and CR-SR75 c-ring.	and CR-SR75 c-ring.				
SCB35	SCB6	SCBC	SCBCDBL				
\$80.30 ea	\$86.90 ea	\$100.10 ea	\$133.10 ea				

CAUTION: Bypass Brackets do not have full cradles. Standard Brackets must be installed at each end to secure pole.

▶ For custom steel bracket pricing, see page 46: TBKT (T-bracket), DBL1 (double rod bracket), BL4 (ceiling mount bracket), and FBKT (single bracket).





Bracket return measured from wall to center of cradle.

THE FINIAL COMPANY... April 1, 2023

3/4" diameter poles Catalog page 24

All orders with poles will incur a \$10.00 net packaging fee per order.

Product Information

- Sold in 1 foot increments, 2 foot minimum
- Cut to specified length. Fall off will not be saved or shipped
- Connector screw available for joining two poles for no additional
- EZ glide tape included; no charge

Please Specify

- Item number
- Custom pole length
- Finish color
- Connector screw, if needed We recommend installing a support bracket at the connection

 Options, if selected (see below)

	li	tem Number	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	per FT	
	round so	olid pole	Maximum o	continuous	length: 192 ir	iches (16')					
3/4"	MR BR	75RD	\$63.80	\$95.70	0 \$127.60	\$159.50	\$191.40	\$223.30	\$255.20	\$31.90	
1"	hammered solid square pole Maximum continuous length: 228 inches (19')										
	MR	SRH75	\$160.60	\$240.9	90 \$321.20	\$401.50	\$481.80	\$562.10	\$642.40	\$80.30	
3/ <u>4</u> "	Options				·						
BR BR	TFCFEE-SBR Bent return fee, see page 39				Minimum return 1½" from wall to center of pole. \$80.					\$80.00 per return	
MR	TFCFEE-SMR Mitered return fee, see page 39			39	Minimum return 1½" from wall to center of pole. \$80.00 per return					urn	
	TFCFEE-SSB Soft bend fee, see page 45							\$	80.00 per be	nd	
	TFCFEE-	ARCH Arched rod fee	e, see page 50)				\$	600.00 per b	end	

3/4" diameter poles *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off.

$\overline{}$	nammerea solla rouna pole	/viaximum c	continuous ien	gm: 115 inch	es (9° / ")				
3/4'	75HSRB	\$72.60	\$108.90	\$145.20	\$181.50	\$217.80	\$254.10	\$290.40	\$36.30

¾" rings			ring drop/distance from pole to drapery to
Catalog page 23	Catalog page 23	Catalog page 23 use with bypass brackets	top of fabric
smooth steel ring 1"ID, 1½"OD	smooth square steel ring 1-%"ID, 21%"OD	smooth steel c-ring 11/4"ID, 13/4"OD	
SR1	SQRG1	CR-SR75	SŘ1 CR-SR75 SQRG1
\$9.35 ea	\$13.75 ea	\$9.35 ea	shown on 75RD pole shown on SRH75


batons		Catalog page 24					
	Laure						
steel baton, specify finis	h, %"Dia	,					
SBTN	specify length up to 60"	\$66.00 ea					
SBTN60	specify length over 60" up to 96"	\$99.00 ea					
		D					
fiberglass baton, white	only, ¾"Dia						
FBTN	specify length up to 48"	\$55.00 ea					
		F					
acrylic baton, clear only, ½"Dia							
ABTN-36	available in 36"	\$49.50 ea					
ABTN-48	available in 48"	\$55.00 ea					

20



THE FINIAL COMPANY. April 1, 2023

				1 Steel
1" finials				
Catalog page 27	Catalog page 28	Catalog page 28	Catalog page 26	Catalog page 27
3½"L x 2¾"W, 1¾" base	14"L x 11½"W, 1¾" base	14"L x 10"W, 1%" base	1 1/4"L x 21/8"W, 2" base	51/8"L x 37/8"W, 1" base
4519C	BIRD ▶specify left or right (shown)	BRANCH W LEAF ▶specify left or right (shown)	EC135	L651
\$73.70 ea	\$166.10 ea	\$106.70 ea	\$60.50 ea	\$66.00 ea
Catalog page 27	Catalog page 27	Catalog page 27	Catalog page 28	Catalog page 28
7½"L x 4½"W, 1" base	2"L × 2"W	2¾"L x 2"W, 1¾" base	12½"L x 7"W, 1¾" base	12½"L x 7"W, 1¾" base
L848	L9328	L9328B	PB ▶specify left or right (shown)	PBN with needles ▶ specify left or right (shown)
\$80.30 ea	\$66.00 ea	\$73.70 ea	\$106.70 ea	\$113.30 ea
Catalog page 26	Catalog page 28	Catalog page 27	Catalog page 27	Catalog page 27
1/4"L x 11/3"W, 11/3" base	3½"L x 6¾"W, 1¾" base	3"L x 2½"W, 15%" base	2"L x 2%"W, 11/4"Sq base	2"L x 2"W, 1%" base
SEC-125	SF19	SF45	SF133	SF135
\$47.30 ea	\$73.70 ea	\$80.30 ea	\$80.30 ea	\$60.50 ea
Catalog page 27	Catalog page 26	Catalog page 26	Catalog page 26	Catalog page 27
3"L × 2¾"W	2¾"L x 15%"W, 1¼"Sq base	1%"L x 1%"W	21/4"L x 2"W, 17%" base	31/4"L x 3"W, 13%" base
SF158B7	SF201	SF202A	SF230	SF236
\$66.00 ea	\$73.70 ea	\$53.90 ea	\$66.00 ea	\$86.90 ea
Catalog page 26	Catalog page 26	Catalog page 26	Catalog page 26	Catalog page 26
1/4"L x 11/4"W, 11/4"Sq base	11/8"L x 33/8"W (23/8"Sq), 15/8" base	1"L x 2½"W (17/8"Sq), 15/8" sq base	1%"L x 21%"W, 134" base	2%"L x 2%"W, 1%" base, glass
SQEC	TFCS114110	TFCS114111	TFCS114120	TFCS114170
\$47.30 ea	\$86.90 ea	\$73.70 ea	\$93.50 ea	\$126.50 ea



Scan QR codes by each finial to download the PRODUCT TEAR SHEET with dimensions & information!





21


1" finials *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off.									
Catalog page 27	Catalog page 27	Catalog page 27	Catalog page 26	Catalog page 27					
4"L x 2"W, 1¾" base	5%"L x 3%"W, 1½" sq base	3%"L x 2%"W, 15%" base	3½"L x 2½"W, 1¾" base	41/4"L x 43/4"W, 2" base					
K657	L885875	SF-1	SF69	SF132					
\$36.30 ea	\$36.30 ea	\$40.15 ea	\$44.00 ea	\$47.30 ea					

Catalog page 26			Catalog page 26			Catalog page 26
3%"L x 2"W, 1¾" base		2"L × 2"W		21/8"	x 1%"W, 1%	" base
SF180	SF202B				SF237	
\$40.15 ea	\$40.15 ea \$33.00 ea				\$36.30 ec	r

1" steel









Catalog page 29 steel bypass bracket, single	Catalog page 29 steel bypass bracket, double
3½" return, ¾"W x 3¾"L backplate, use with RR100 pole and TFCS100SCRI c-ring	6" front and 3" back return, ¾"W x 3¾"L backplate, use with RR100 pole and TFCS100SCRI c-ring
TFCS100GRSBK	TFCS100GRDBK
\$55.00 ea	\$66.00 ea

CAUTION: Bypass Brackets do not have full cradles. Standard Brackets must be installed at each end to secure pole.








Bracket return measured from wall to center of cradle.

22


23




custom bypass brac	kets		
Catalog page 29	Catalog page 29	Catalog page 29	Catalog page 29
custom steel bypass bracket,	custom steel bypass bracket,	custom steel bypass bracket,	custom steel bypass bracket,
single	single	single	double
31/2" return,	6" return,	custom return,	double custom return,
³¼"W backplate x 2½" or 3"L	$^{3}\!/_{4}$ "W backplate x $2^{1}\!/_{2}$ " or 3 "L	3/4"W backplate x 21/2" or 3"L	3/4"W backplate x 51/4"L
Use with RR100 (1") pole and CR-SR3 c-ring.	Use with RR100 (1") pole and CR-SR3 c-ring.	Use with RR100 (1") pole and CR-SR3 c-ring.	Use with RR100 (1") pole and CR-SR3 c-ring.
SCB35	SCB6	SCBC	SCBCDBL
\$80.30 ea	\$86.90 ea	\$100.10 ea	\$133.10 ea

CAUTION: Bypass Brackets do not have full cradles. Standard Brackets must be installed at each end to secure pole.

▶ For custom steel bracket pricing, see page 46: TBKT (T-bracket), DBL1 (double rod bracket), BL4 (ceiling mount bracket), and FBKT (single bracket).





Bracket return measured from wall to center of cradle.

1" diameter poles Catalog page 31

All orders with poles will incur a \$10.00 net packaging fee per order.

Product Information

- Sold in 1 foot increments, 2 foot minimum
- Cut to specified length. Fall off will not be saved or shipped
- Connector screw available for joining two poles for no additional charge
- EZ glide tape included; no charge


Please Specify


- Item number
- Custom pole length
- Finish color
- Connector screw, if needed
- We recommend installing a support bracket at the connection
- Options, if selected (see below)

,	Item Number	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	per FT
111/4"	square tube	Maximum cor	ntinuous len	gth: 288 inches	(24') Use wit	th L125-SQ o	r L135-SQ br	ackets and SG	QRG1 rings.
	MR 1SQ	\$55.00	\$82.50	\$110.00	\$137.50	\$165.00	\$192.50	\$220.00	\$27.50
1"	round tube	Maximum cor	ntinuous len	gth: 192 inches	(16')				
1"	RR100	\$48.40	\$72.60	\$96.80	\$121.00	\$145.20	\$169.40	\$193.60	\$24.20
	solid rope twist pole	Maximum cor	ntinuous len	gth: 228 inches	(19')				
1"	SRT1	\$132.00	\$198.00	\$264.00	\$330.00	\$396.00	\$462.00	\$528.00	\$66.00
	single twist solid pole Maximum continuous length: 228 inches (19')								
	ST2	\$92.40	\$138.60	\$184.80	\$231.00	\$277.20	\$323.40	\$369.60	\$46.20
\ <u>\</u>	double twist solid pole Maximum continuous length: 228 inches (19')								
3⁄4 "	ST3	\$105.60	\$158.40	\$211.20	\$264.00	\$316.80	\$369.60	\$422.40	\$52.80
 	Options								
BR	TFCFEE-SBR Bent return fee,	see page 39	Λ	Minimum return determined by ring selection.			3	\$80.00 per return	
MR	TFCFEE-SMR Mitered return f	ee, see page (39 A	Minimum return determined by ring selection.				\$80.00 per return	
	TFCFEE-ARCH Arched rod fe	e, see page 5	0					600.00 per b	pend

1" diameter poles *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off.








1" rings *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off. Catalog page 30




1" steel

25



1" metal band for rosettes

attaches any rosette to the front of a 1" pole; rosettes sold separately



Installation Tip:



Metal band slides onto pole and is locked in place with set screw. Set screw should be positioned in the front center of pole because it receives the rosette.

Included with pole order. Allows rings and grommets to slide effortlessly across the drapery rod without damaging the finish.

THE FINIAL COMPANY.

April 1, 2023

11/4" steel

26


4519C EC135 L9328 RF4 S	Catalog page 33
3½"L x 2¾"W, 2" base 1½"L x 2½"W, 2" base 2"L x 2"W 1"L x 1½"W ½"L x 4519C EC135 L9328 RF4	
4519C EC135 L9328 RF4 S	2"W x 2" base
4519C EC135 L9328 RF4 S	2"W x 2" base
470.70	SEC-2
\$73.70 ea \$60.50 ea \$66.00 ea \$47.30 ea \$	53.90 ea
Catalog page 33 Catalog page 34 Catalog page 35 Catalog page 34	Catalog page 34
½"L x 1½"W, 1½" base 3½"L x 2½"W, 2" base 3½"L x 6½"W, 1¾" base 3"L x 2½"W, 1%" base 2½"L x	x 2½"W, 2" base
SEC-125 SF-4 SF19 SF45	SF63
\$47.30 ea \$93.50 ea \$73.70 ea \$80.30 ea \$	80.30 ea
Catalog page 34 Catalog page 34 Catalog page 35 Catalog page 34	Catalog page 33
1 1 1 × 2 ½" V 2" hasa 2" × 2%" V 1 ½" Sa hasa 3" × 2¾" V 2 ½" × 2" V 1 ½" hasa	x 3%"W (2%"Sq), 1%" base
SF131 SF133 SF158B7 SF230 TFC	S114110
\$66.00 ea \$80.30 ea \$66.00 ea \$66.00 ea \$	86.90 ea
Catalog page 33 Catalog page 33 Catalog page 33 Catalog page 33	Catalog page 33
1"L x 2½"W (17%"Sq),	2¼"W, 1%" base
1%"L x 21%"W, 11%" base 27%"L x 21%"W, 11%" base, glass 37%"L x 21%"W, 11%" base, glass 17%"L x 21%"W, 11%" base, glass 11%"L x 21%"W, 11%"W, 11%" base, glass 11%"L x 21%"W, 11%"W,	
1%" sq base 1%"L x 2%"VV, 1%" base 2%"L x 2%"VV, 1%" base, glass 3%"L x 2%"VV, 1%" base, glass 1%"L x 1	CS114190


11/4" finials *40% O	FF SRP! While Sup	plies Last. Prices s	hown reflect 40%	off.
Catalog page 35	Catalog page 35	Catalog page 35	Catalog page 35	Catalog page 35
3%"L x 2"W, 2" base	4"L x 2"W, 1¾" base	5"L × 4½"W	51/4"L x 3"W, 2" base	4¼"L x 7"W x 2" base
14R704	K657	LS385	SF70	SF96
\$36.30 ea	\$36.30 ea	\$58.30 ea	\$54.45 ea	\$58.30 ea

Catalog page 35	Catalog page 35	Catalog page 34	Catalog page 34
3			
4¼"L x 4¾"W, 2" base	4"L x 21/4"W x 2" base	21/8"L x 15/8"W, 17/8" base	4"L x 31/8"W, 2" base
SF132	SF138	SF237	SSA
\$47.30 ea	\$54.45 ea	\$36.30 ea	\$54.45 ea



27





\$73.70 ea

* *Cannot customize.

Bracket return measured from wall to center of cradle.

\$60.50 ea

* *Cannot customize.


THE FINIAL COMPANY... April 1, 2023


21/2"W x 11/2"L backplate


CSL125**


* *Cannot customize.

11/4" steel
















28

custom bypass brackets					
Catalog page 36	Catalog page 36	Catalog page 36	Catalog page 36		
-					
custom steel bypass bracket,	custom steel bypass bracket,	custom steel bypass bracket,	custom steel bypass bracket,		
single	single	single	double		
3½" return,	6" return,	custom return,	double custom return,		
3/4"W x 21/2" or 3"L backplate	$^{3}\!4$ "W x 2 ½" or 3"L backplate	$\frac{3}{4}$ "W x $2\frac{1}{2}$ " or 3 "L backplate	3/4"W x 51/4"L backplate		
Use with RR125 (11/4") or	Use with RR125 (11/4") or	Use with RR125 (11/4") or	Use with RR125 (11/4") or		
RD125 (11/4") poles and	RD125 (1¼") poles and	RD125 (1¼") poles and	RD125 (1¼") poles and		
CR-SR3 or CR-SR7 c-ring.	CR-SR3 or CR-SR7 c-ring.	CR-SR3 or CR-SR7 c-ring.	CR-SR3 or CR-SR7 c-ring.		
SCB35	SCB6	SCBC	SCBCDBL		
\$80.30 ea	\$86.90 ea	\$100.10 ea	\$133.10 ea		

CAUTION: Bypass Brackets do not have full cradles. Standard Brackets must be installed at each end to secure pole.

▶ For custom steel bracket pricing, see page 46: TBKT (T-bracket), DBL1 (double rod bracket), BL4 (ceiling mount bracket), and FBKT (single bracket).





11/4" diameter poles

Catalog page 38

\$600.00 per bend

29

All orders with poles will incur a \$10.00 net packaging fee per order.

Product Information

- Sold in 1 foot increments, 2 foot minimum
- Cut to specified length. Fall off will not be saved or shipped
- Connector screw available for joining two poles for no additional charge

TFCFEE-ARCH Arched rod fee, see page 50

• EZ glide tape included; no charge

Please Specify

- Item number
- Custom pole length
- Finish color
- Connector screw, if needed
 We recommend installing a support bracket at the connection
- Options, if selected (see below)


	Item Number	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	per FT
	round tube Maximum continuous length: 192 inches (16')								
\(\)\[\]\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	RR125	\$55.00	\$82.50	\$110.00	\$137.50	\$165.00	\$192.50	\$220.00	\$27.50
•	round, heavy walled tube Maximum continuous length: 252 inches (21')								
$\bigcap^{1} 1^{1}$	" RD125	\$66.00	\$99.00	\$132.00	\$165.00	\$198.00	\$231.00	\$264.00	\$33.00
	Options								
BR	TFCFEE-SBR Bent return fee, see page 39 Minimum return determined by ring selection.				\$80.00 per re	turn			
MR	MR TECEFE-SMR Mitered return fee see page 39 Minimum return determined by				letermined by	rina selection.		\$80.00 per re	turn

11/4" diameter poles *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off.


	solid rope pole Maximum continuous length: 228 inches (19'). Use ring with minimum 1¾"ID								
11/4"	SRT2	\$102.30	\$153.45	\$204.60	\$255.75	\$306.90	\$358.05	\$409.20	\$51.15

THE FINIAL COMPANY... April 1, 2023

1¹/₄" steel



#1/# A			41
1 /4" rings *40% O	FF SRP! While Supp	olies Last. Prices st	nown reflect 40% off.
Catalog page 37	Catalog page 37	Catalog page 37	
		\bigcirc	
smooth heavy steel ring 1¾"ID, 2¾"OD	hammered steel ring 1¾"ID, 2½"OD	hammered oval steel ring 1¾"ID, 2½"OD, 3¼"L	
FSR1	HSR1	OVL1	
\$12.10 ea	\$12.10 ea	\$10.45 ea	



30



1½"-1¾" finials				
Catalog page 41	Catalog page 40	Catalog page 40	Catalog page 41	Catalog page 41
3¾"L x 37%"W, 1¾" base	1/3"L x 2"W, 2" base	1 1/3"L x 21/2"W, 23%" base	6%"L x 3%"W, 2%" base	8¾"L x 4¼"W, 2¾" base
1340HB	EC3	FC1	L651FC1	L848FC1
\$126.50 ea	\$86.90 ea	\$34.10 ea	\$100.10 ea	\$114.40 ea

Catalog page 40	Catalog page 40	Catalog page 40	Catalog page 40	Catalog page 41
1/4"L x 2"W, 2" base	31/3"L x 21/2"W, 2" base	2½"L x 2½"W, 2" base	3½"L x 2½"W, 2½" base	51/8"L x 47/8"W, 2" base
SEC-2	SF-4	SF63	SF151	SF228
\$53.90 ea	\$93.50 ea	\$80.30 ea	\$100.10 ea	\$100.10 ea



Scan QR codes by each finial to download the PRODUCT TEAR SHEET with dimensions & information!




1½"-1¾" finials *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off.					
Catalog page 41	Catalog page 41	Catalog page 41	Catalog page 41	Catalog page 41	
5"L × 4½"W	6¼"L x 4½"W, 2¾" base	51/4"L x 3"W, 2" base	3¾"L x 3"W, 2½" base	4¼"L x 7"W, 2" base	
LS385	LS385FC1	SF70	SF90	SF96	
\$58.30 ea	\$76.45 ea	\$54.45 ea	\$54.45 ea	\$58.30 ea	


Catalog page 40	Catalog page 40	Catalog page 40	Catalog page 40
4"L x 21/4"W, 2" base	3%"L x 2¾"W, 2½" base	31/4"L x 21/2"W, 21/4" base	4%"L x 2¾"W, 21%" base
SF138	SF140	SF150	SF192
\$54.45 ea	\$54.45 ea	\$54.45 ea	\$54.45 ea

THE FINIAL COMPANY. April 1, 2023 31


1¹/₂"-1³/₄" steel




Catalog page 42	Catalog page 42
steel bracket, single	steel bracket, single
3½" return, 2½"W x 1½"L backplate	6" return, 2½"W x 1½"L backplate
CS17535**	CS1756**
\$66.00 ea	\$73.70 ea
* *Cannot customize.	* *Cannot customize.



Catalog page 42






Catalog page 42

Catalog page 42 Catalog page 42 steel eyelet bracket, single	Catalog page 42 Catalog page 42 steel eyelet bracket, single
3½" return, 1"W x 3½"H backplate, eyelet 1½"lD	6" return, 1"W x 3½"H backplate, eyelet 1½"ID
EB5**	EB6**
\$73.70 ea	\$80.30 ea


* *Cannot customize.

* *Cannot customize.



Bracket return measured from wall to center of cradle.


33



custom bypass brackets					
Catalog page 42	Catalog page 42	Catalog page 42	Catalog page 42		
-	-	-			
steel custom bypass bracket,	steel custom bypass bracket,	steel custom bypass bracket,	steel custom bypass bracket,		
single	single	single	double		
3½" return,	ó" return,	custom return,	double custom return,		
3/4"W backplate x 21/2" or 3"L	34"W backplate x 2½" or 3"L	3/4"W backplate x 21/2" or 3"L	3¼"W backplate x 5¼"L		
Use with RD175 or RR175	Use with RD175 or RR175 (134")	Use with RD175 or RR175	Use with RD175 or RR175 (1¾")		
(134") poles and CR-SR12 c-ring.	poles and CR-SR12 c-ring.	(1¾") poles and CR-SR12 c-ring.	poles and CR-SR12 c-ring.		
SCB35	SCB6	SCBC	SCBCDBL		
\$80.30 ea	\$86.90 ea	\$100.10 ea	\$133.10 ea		

CAUTION: Bypass Brackets do not have full cradles. Standard Brackets must be installed at each end to secure pole.

► For custom steel bracket pricing, see page 46: TBKT (T-bracket), DBL1 (double rod bracket), BL4 (ceiling mount bracket), and FBKT (single bracket).



Bracket return measured from wall to center of cradle.

1½"-1¾" diameter poles

Catalog page 44

\$600.00 per bend

All orders with poles will incur a \$10.00 net packaging fee per order.

Product Information

- Sold in 1 foot increments, 2 foot minimum
- Cut to specified length. Fall off will not be saved or shipped
- Connector screw available for joining two poles for no additional

TFCFEE-ARCH Arched rod fee, see page 50

\$12.65 ea

• EZ glide tape included; no charge


Please Specify

- Item number
- Custom pole length
- Finish color
- Connector screw, if needed
- We recommend installing a support bracket at the connection

• ()	ptions,	if	selected	(see	below

	Item Number	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	per FT
$\overline{}$	1¾" round tube Maximum continuous length: 192 inches (16')								
13/4"	■ RR175	\$66.00	\$99.00	\$132.00	\$165.00	\$198.00	\$231.00	\$264.00	\$33.00
	15%" round tube, heavy walled Maximum continuous length: 288 inches (24')								
15/8"	MR RD175	\$79.20	\$118.80	\$158.40	\$198.00	\$237.60	\$277.20	\$316.80	\$39.60
	1½" twisted tube Maximum continuous length: 216 inches (18') use with steel c-ring minimum 2"ID								
11/2"	MR TRT	\$266.20	\$399.30	\$532.40	\$665.50	\$798.60	\$931.70	\$1,064.80	\$133.10
	Options								
BR	TFCFEE-SBR Bent return fee, see page 39			Minimum return determined by ring selection.			\$80.00 per return		
MR	TFCFEE-SMR Mitered return fee, see page 39			Minimum return determined by ring selection.			\$80.00 per return		

1½"-1¾" rings			ring drop/distance from pole to drapery top:
Catalog page 43	Catalog page 43	Catalog page 43	- 73
\bigcirc	\bigcirc	\bigcirc	
smooth steel ring 2½"ID, 2½"OD	twisted steel ring 2% "ID, 3"OD	smooth oval steel ring 21/4"ID, 23/4"OD, 31/2"L	
SR7	SR5	OVL7	top of febric
\$12.10 ea	\$12.10 ea	\$15.40 ea	
Catalog page 43			SR7 FSR2 HSR175 SR5 OVL7 OVL175 CR-SR12 [34" 34" 56" 1" 11/2" 11/2" 11/6" shown on RD175 pole




\$12.65 ea

1½"-1¾" rings *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off. Catalog page 43 Catalog page 43 Catalog page 43 smooth heavy steel ring hammered steel ring hammered oval steel ring 2"ID, 3"OD 2"ID, 23/4"OD 2"ID, 23/4"OD, 31/2"L FSR2 HSR175 **OVL175**

\$11.00 ea THE FINIAL COMPANY. 34 April 1, 2023

1¹/₂"-1³/₄" steel





35

THE FINIAL COMPANY... April 1, 2023

outdoor hardware

The Outdoor Hardware Collection includes steel finials, poles, brackets and rings.

Tested for outdoor use and guaranteed against:

- UV exposure
- Humidity
- Sea spray

5 Custom finishes available on all Outdoor Hardware products with protective high gloss, weather resistant topcoat.

- 450-OH Aluminum Gloss
- 440-OH Soft Gold Gloss
- 103-OH Satin Black Gloss
- 105-OH Bronze Gloss
- 270-OH Mahogany Rust Gloss



Note: Each order will include 2 oz. of finish and protective topcoat for periodic maintenance.

Items with welds are not covered under the Outdoor Hardware Limited Warranty.

Outdoor Hardware Limited Warranty

All Outdoor Hardware is guaranteed to be free of manufacturing defects and is covered under our Manufacturers Limited Warranty. The product is guaranteed not to rust and the finish not to fade for 5 years if the product is maintained according to the "Product Care" information. In the event of rusting or fading, photography may be requested for finalization of claims on a case-by-case basis.

Outdoor Hardware Product Care

Unlike indoor drapery hardware, outdoor hardware requires periodic maintenance. It is important that any damages or finish abrasion be repaired immediately. Any scratches incurred during installation must be repaired at that time. Stainless steel mounting hardware is recommended, but not included. Each order will include 2 oz. of finish and protective topcoat for periodic maintenance.

In addition, twice a year, it is important to clean and inspect the outdoor hardware for scratches or wear patterns that could expose the metal and result in rusting. This is very important for treatments with rings. If such areas are discovered, apply the paint finish sent with the order. When dry, apply the clear protective topcoat also provided.

please note: allow 10-15 business days for production of Outdoor Hardware Collection. Professional installation recommended due to weight of steel products. Brackets recommended every 3 feet. Splicing not recommended for steel rods.


outdoor steel finials				
Catalog page 47	Catalog page 47	Catalog page 47	Catalog page 47	Catalog page 47
3½"L x 2¾"W, 1¾" base	1 1/4"L x 21/8"W, 2" base	7½"L x 4¼"W, 1" base	8¾"L x 4¼"W, 2¾" base	1/4"L x 2"W, 2" base
for 1" and 1¼" poles	for 1" and 1¼" poles	for ¾" and 1" poles	for 1¾" poles	for 1¼" and 1¾" poles
4519C-OH	EC135-OH	L848-OH	L848FC1-OH	SEC2-OH
\$88.00 ea	\$72.05 ea	\$96.25 ea	\$135.85 ea	\$64.35 ea



Scan QR codes by each finial to download the Product Tear Sheet!




outdoor steel finials *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off.




36

outdoor hardware



Customized brackets not covered under the Outdoor Hardware Limited Warranty. Bracket return measured from wall to center of cradle.

outdoor metal rosett	es *40% OFF SRP!	While Supplies Las	st. Prices shown re	flect 40% off.
Catalog page 47	Catalog page 47	Catalog page 47	Catalog page 47	Catalog page 47
400	The state of the s	steel tieback post for rosettes	steel tieback post for rosettes	steel tieback post for rosettes
3"Dia, steel	5½"Dia, brass	bottom base: 1¾"Dia 2½" projection	bottom base: 1¾"Dia 3½" projection	bottom base: 1¾"Dia 6" projection
R16-OH	R101-OH	NBL2-OH	NBL4-OH	NBL6-OH
\$39.60 ea	\$52.80 ea	\$17.60 ea	\$17.60 ea	\$17.60 ea



THE FINIAL COMPANY. April 1, 2023 37

outdoor steel poles Catalog page 48

All orders with poles will incur a \$10.00 net packaging fee per order.

Product Information

- Sold in 1 foot increments, 2 foot minimum
- Cut to specified length. Fall off will not be saved or shipped
- Connector screw available for joining two poles for no additional charge

Please Specify

- Item number
- Custom pole length
- High gloss finish, available in 105-OH Bronze Gloss, 103-OH Satin Black Gloss, 270-OH Mahogany Rust Gloss, 440-OH Soft Gold Gloss, or 450-OH Aluminum Gloss
- Connector screw, if needed. We recommend installing a support bracket at the connection

		Item Number	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	per FT
	1" single twist solid steel pole Maximum continuous length: 228 inches (19')									
3/4"	<u> </u>	ST2-OH	\$112.20	\$168.30	\$224.40	\$280.50	\$336.60	\$392.70	\$448.80	\$56.10
	1"	1" double twist solid steel p	ole Maxim	ium continuo	us length: 22	28 inches (19	P')			
3/4 11/1	<u> </u> 1"	ST3-OH	\$128.70	\$193.05	\$257.40	\$321.75	\$386.10	\$450.45	\$514.80	\$64.35
1" round steel tube Maximum continuous length: 192 inches (16')										
	1"	RR100-OH	\$58.30	\$87.45	\$116.60	\$145.75	\$174.90	\$204.05	\$233.20	\$29.15
	1	11/4" round steel tube	Maxim	ium continuo	us length: 19	2 inches (1	5')			
\bigcup	11/4"	RR125-OH	\$64.90	\$97.35	\$129.80	\$162.25	\$194.70	\$227.15	\$259.60	\$32.45
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1¾" round steel tube	Maxim	ium continuo	us length: 19	2 inches (1	5')			
) 13/4"	RR175-OH	\$80.30	\$120.45	\$160.60	\$200.75	\$240.90	\$281.05	\$321.20	\$40.15

outdoor steel poles *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off.



outdoor steel rings			
Catalog page 48	Catalog page 48	Catalog page 48	Catalog page 48
Q	\bigcirc	\bigcirc	\bigcirc
smooth steel ring	smooth steel ring	smooth steel ring	twisted steel ring
1"ID, 1½"OD	1 ½"ID, 2"OD	21/4"ID, 23/4"OD	2%"ID, 3"OD
for 3¼" pole (see page 20 for ring drop diagram and dimensions)	for 1" or 1½" pole (see page 24 or 30 for ring drop diagrams and dimensions)	for 1¾" pole (see page 34 for ring drop diagram and dimensions)	for 1", 1½" or 1¾" pole (see page 24, 30 or 34 for ring drop diagrams and dimensions)
SR1-OH	SR3-OH	SR7-OH	SR5-OH
\$11.55 ea	\$13.20 ea	\$14.85 ea	\$14.85 ea

outdoor steel rings *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off.

Catalog page 48	Catalog page 48	Catalog page 48	Catalog page 48
Q	Q	\bigcirc	\Diamond
hammered steel ring	hammered steel ring	hammered oval steel ring	hammered oval steel ring
13/4"ID, 21/2"OD	2"ID, 2¾"OD	1¾"ID, 2½"OD	2"ID, 2¾"OD
for 1" or 11/4" pole	for 1¾" pole	for 1" or 1½" pole	for 1¾" pole
(see page 24 or 30 for ring drop diagrams and dimensions)	(see page 34 for ring drop diagram and dimensions)	(see page 24 or 30 for ring drop diagrams and dimensions)	(see page 34 for ring drop diagram and dimensions)
HSR1-OH	HSR175-OH	OVL1-OH	OVL175-OH
\$14.30 ea	\$14.85 ea	\$12.65 ea	\$13.20 ea

Please note: rings may abrade protective outdoor finish with frequent use. Please see Product Care for maintenance recommendations.

\$343.20

\$42.90

Bent and mitered return fees are charged per return. Double pole treatments are also available with bent or mitered returns.

steel pole bent returns


Catalog page 50

TFCFEE-SBR steel pole bent returns - up to 8" returns

\$80.00 per return

Rectangular backplates: 3"L x 11/2"W (for 1SQ). Round backplates upon request.

Round backplates: 13/8"Dia (for 50SRB), 2"Dia (for 75HSRB, 75RD, RD125 and RD175). Rectangular backplates upon request.



Product Information

- Available on steel poles: 50SRB, 75HSRB, 75RD, 1SQ, RD125, RD17.5
- Sold in one foot increments, 2 foot minimum
- Cut to specified length. Fall off will not be saved or shipped
- Round Backplates: 13/8"Dia (for 50SRB), 2"Dia (for 75HSRB, 75RD, RD125, RD175). Rectangular backplates upon request
- Rectangular Backplates: 3"L x 11/2"W (for 1SQ). Round backplates upon request.
- Bent Return fees are charged per return; returns over 8" incur an additional charge. TFCFEE-CBKT: \$25.00 per return

Please Specify

- A. Length of pole from outer return edge to outer return edge
- Return (distance from wall to center pole)
- C. Pole item number
- D. Finish color
- E. Projection or support bracket being used

steel pole mitered returns


Catalog page 52

39

TFCFEE-SMR steel pole mitered returns - up to 8" returns

\$80.00 per return

Rectangular Backplates: 3"L x 11/2"W (for 50SRB, 75HSRB and 75RD, 1SQ, RR100, ST2, ST3, SRT1, SHT1, RR125, RD125, SRT2, and RR125) and 3½"L x 2"W (for RR175 and TRT). Round backplates upon request.



Product Information

- Sold in one foot increments, 2 foot minimum
- Cut to specified length; fall off will not be saved or shipped
- Rectangular Backplates: 3"L x 11/2"W (for 50SRB, SRH75, 75HSRB, 75RD, 1SQ, RR100, ST2, ST3, SRT1, SHT1, RR125, RD125, ST2 and RR125, RR175 and RD175) and $3\frac{1}{2}$ "L x 2"W (for RD175 and TRT). Round backplates upon request
- Round Backplates: 13/8"Dia (for 1/2" pole), 2"Dia (for 3/4", 1" and 11/4" poles) and 3"Dia (for 13/4" pole)
- Ring inner diameter must be large enough to clear the pole miter, if used. See Ring Chart
- Mitered Return fees are charged per return; returns over 8" incur an additional charge. TFCFEE-CBKT: \$25.00 per return

Please Specify

- A. Length of pole from outer return edge to outer return edge
- Return (distance from wall to center pole)
- C. Pole item number
- D Finish color
- E. Projection or support bracket being used


mitered returns - ring inner diameter chart

milered reforms Ting miler didifferent chair				
Mitered Pole Diameter	Ring Inner Diameter (minimum)			
1/2"	7/8"			
3/4"	1 1/8"			
1"	1 ½"			
11/4"	17/8"			
13/8"	2"			
1½"	21/4"			
15%"	23/8"			
13/4"	25/8"			
17/8"	2¾"			
2"	31/4"			
21/4"	33/8"			
3"	43/8"			


THE FINIAL COMPANY. April 1, 2023


poles								Catalog pages	50, 52 & 5
s with poles w	vith bent or mitered returns			ackaging fee					
	Item Number	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	per FT
	½" round solid pole	Maxi	mum continu	ous length: 2	240" (20')				
1/2"	50SRB	\$61.60	\$92.40	\$123.20	\$154.00	\$184.80	\$215.60	\$246.40	\$30.80
_	3/4" round solid pole	Maxi	mum continuo	ous length: 19	92" (16')				
3⁄ ₄ "	75RD	\$63.80	\$95.70	\$127.60	\$159.50	\$191.40	\$223.30	\$255.20	\$31.90
1"	3/4" hammered solid square	e pole Maxi	mum continu	ous length: 2	228" (19')				
	SRH75	\$160.60	\$240.90	\$321.20	\$401.50	\$481.80	\$562.10	\$642.40	\$80.30
/ <u>/</u> 4">	1" single twist solid pole	Maxi	mum continu	ous length: 2	228" (19')				
	ST2	\$92.40	\$138.60	\$184.80	\$231.00	\$277.20	\$323.40	\$369.60	\$46.20
)	1" double twist solid pole	Maxi	mum continu	ous length: ') 228" (19')			l	
<u></u>	ST3	\$105.60	\$158.40	\$211.20	\$264.00	\$316.80	\$369.60	\$422.40	\$52.80
3⁄₄"	313	\$105.60	\$136.40	\$211.20	\$204.00	\$310.60	ψ307.00	\$422.4U	φ32.6U
	1" round tube	Maxi	mum continu	ous length:	192" (16')				
<u> </u>	RR100	\$48.40	\$72.60	\$96.80	\$121.00	\$145.20	\$169.40	\$193.60	\$24.20
11/4"	1" square tube				288" (24') Us				
7	1SQ	\$55.00	\$82.50	\$110.00	\$137.50	\$165.00	\$192.50	\$220.00	\$27.50
>									
	1" solid rope twist pole		mum continu	ous length: 2	228" (19')				
"	SRT1	\$132.00	\$198.00	\$264.00	\$330.00	\$396.00	\$462.00	\$528.00	\$66.00
	11/16" round, heavy walled	tube Maxi	mum continu	ous length: 2	252" (21')				
)	RD125	\$66.00	\$99.00	\$132.00	\$165.00	\$198.00	\$231.00	\$264.00	\$33.00
<u></u>	1¼" round tube	Maxi	mum continu	ous length:	192" (16')				
11/4"	RR125	\$55.00			\$137.50	\$165.00	\$192.50	\$220.00	\$27.50
<u> </u>	1½" twisted tube	Maxi	mum continu	ous lenath: 2	1 216" (18')				
) 11/2"	TRT	\$266.20	\$399.30	\$532.40	\$665.50	\$798.60	\$931.70	1,064.80	\$133.10
<u></u>						,	• • • • • •	,	,
15/8"	15%" round tube, heavy wa	lled Maxi	mum continu	ous length: 2	288" (24')				
	RD175	\$79.20	\$118.80	\$158.40	\$198.00	\$237.60	\$277.20	\$316.80	\$39.60
13/4"	1¾" round tube	Maxi	mum continu	ous length:	192" (16')				
	RR175	\$66.00	\$99.00	\$132.00	\$165.00	\$198.00	\$231.00	\$264.00	\$33.00
					I			ı	
ooles * 4 (0% OFF SRP! Wh	ile Supp	olies Las	t. Price:	s shown	reflect	40% of	f.	
	Item Number	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	per FT
) 'I'	3⁄4" hammered solid round	pole Maxi	mum continu	ous length:	115" (9' 7")				
3⁄4"	75HSRB	\$72.60	\$108.90	\$145.20	\$181.50	\$217.80	\$254.10	\$290.40	\$36.30
11/4"	1" square hammered tube	Mavi	mum continu	ous longth: '	228" (10") 11		O er 1125 SO	brackets and	SOPC1 ring
7>					228" (19') Us				
<u></u>	SHT1	\$34.10	\$51.15	\$68.20	\$85.25	\$102.30	\$119.35	\$136.40	\$17.05
	1¼" solid rope twist pole	Maxi	mum continu	ous length: 2	228" (19')				
1 1/2									


41



Bracket return measured from wall to center of cradle.







Bracket return measured from wall to center of cradle.

42

43

custom brackets			
Catalog page 53	Catalog page 53	Catalog page 53	Catalog page 53
steel custom bypass bracket,			
single	single	single	double
3½" return,	6" return,	custom return,	double custom return,
3/4" backplate x 21/2" or 3"H	¾" backplate x 2½" or 3"H	3/4" backplate x 21/2" or 3"H	3/4" backplate x 51/4"H
Use with 75RD, RR100, RR125,			
RD125, RR175 or RD175 poles (see page 19, 23, 29 or 33 for diagrams and dimensions)	RD125, RR175 or RD175 poles (see page 19, 23, 29 or 33 for diagrams and dimensions)	RD125, RR175 or RD175 poles (see page 19, 23, 29 or 33 for diagrams and dimensions)	RD125, RR175 or RD175 poles (see page 19, 23, 29 or 33 for diagrams and dimensions)
SCB35*	SCB6*	SCBC*	SCBCDBL*
\$80.30 ea	\$86.90 ea	\$100.10 ea	\$133.10 ea

Customized brackets not covered under the Outdoor Hardware Limited Warranty. Bracket return measured from wall to center of cradle.

CAUTION: Bypass Brackets do not have full cradles. Standard Brackets must be installed at each end to secure pole.

standard rings				
Catalog page 51	Catalog page 51	Catalog page 51	Catalog page 53	
O .		Ç	Ç	
smooth steel ring 3/4"ID, 11/4"OD 1/2" use with 50SRB (see page 16 for ring drop diagram and dimensions)	smooth square steel ring 1%"ID, 2%"OD 3/" use with 1SQ, SRH75 or SHT1 pole (see page 20 for ring drop diagram and dimensions)	smooth steel c-ring 1 ½"ID, 2"OD use with RR100 pole and TFCS114GRSBK or TFCS114GRDBK bypass brackets (see page 24 or 30 for ring drop diagram and dimensions)	smooth steel c-ring 11½"ID, 1½"CD ¾" use with 75RD pole (see page 20 for ring drop diagram and dimensions)	
SR05	SQRG1	TFCS100SCRI	CR-SR75	standard rings
\$8.25 ea	\$13.75 ea	\$11.00 ea	\$9.35 ea	*40% OFF SRP!
smooth steel ring 1"ID, 1½"OD %" use with 75HSRB, 75RD (see page 20 for ring drop diagram and dimensions)		smooth steel c-ring 2"ID, 2%"OD 1", 11%" use with RR125 pole and TFCS114GRSBK or TFCS114GRDBK bypass brackets (see page 24 or 30 for ring drop diagram and dimensions)	smooth steel c-ring 1½"ID, 2"OD 1", 1¼" use with RR 100 or RD125 pole ((see page 24 or 30 for ring drop diagram and dimensions)	While Supplies Last. Prices shown reflect 40% off. Catalog page
SR1		TFCS114MCRI	CR-SR3	
\$9.35 ea		\$11.00 ea	\$11.00 ea	
smooth steel ring 1½"ID, 2"OD 1", 1½" use with RR100, SRT1, ST2, ST3, RR125, RD125 or SRT2 pole (see page 24 or 30 for ring drop diagram and dimensions)			smooth steel c-ring 2½" D, 2¾"OD 1½" use with RR125 (see page 30 for ring drop diagram and dimensions)	smooth heavy steel ring 11½"ID, 2½"OD 11", 11½" use with RR100, SRT ST2, ST3, RR125, RD125 o SRT2 pole (see page 24 or 30 for ring drop diagram and dimension
SR3			CR-SR7	FSR1
\$11.00 ea			\$12.10 ea	\$12.10 ea
smooth steel ring 2½"ID, 2¾"OD 1¾" use with RR175 or RD175 or TRT pole (see page 34 for ring drop diagram and dimensions)			smooth steel c-ring 2% "ID, 3"OD 1%" use with RR175 or RD175 pole (see page 34 for ring drop diagram and dimensions)	smooth heavy steel ring 2"ID, 3"OD 134" use with RR175, RD175 or TRT pole (see page 34 for ring drop diagram and dimensions)
SR7			CR-SR12	FSR2
\$12.10 ea			\$12.10 ea	\$12.10 ea

THE FINIAL COMPANY... April 1, 2023

bay window and corner window solutions

or soft bends

bay window corner miters

Required Measurement Information

please include with your order:

- A. pole size and profile.
- B. length of walls (wall 1, wall 2, and wall 3).
- C. distance from front facing wall to wall 2.
- D. width of opening on front facing wall.
- E. angle of each miter or soft bend.
- F. return (distance from wall to center of bracket cradle).
- G. chosen brackets.
- H. chosen finials.
- I. chosen rings, if any.
- J. please make deductions for brackets and finials and provide finished length on order.*

* What are pole deductions? Pole Deductions for Finials

When measuring your pole length for bay window installations, please consider where on wall 1 and wall 3 you want your finials to be positioned. Do you want them behind the opening of the front facing wall?.

See diagram.



pole deductions for finials

Pole Deductions for Brackets

When measuring your pole length for corner installations, remember that the poles do not reach the corner due to your brackets. See diagram.



pole deductions for brackets

44 April 1, 2023 THE FINIAL COMPANY.

bay window and corner window solutions

Catalog pages 54-55

All orders with poles with bent or mitered returns, soft bends or miters for corner and bay windows will incur a \$25.00 net packaging fee per order.

miters and soft bends for steel poles

Soft bends are only available for ½" 50SRB, ¾" 75RD and 75HSRB poles at 90° angle or larger.

Soft bends (for ≥ 90° corners)	TFCFEE-SSB	\$80.00 per bend
Standard 45° miter cut (for 90° corners)	TFCFEE-SM45	\$65.00 per connection
Non 45° miter cut (for non 90° corners)	TFCFEE-SM-NON45	\$65.00 per connection

miters for wood poles


We can miter our wood poles at any angle for you.

Mitered returns for wood poles	TFCFEEMITER-EACH	\$80.00 per return
Standard 45° miter cut (for 90° corners)	TFCFEEMITER-45	\$65.00 per connection
Non-45° miter cut (for non-90° corners)	TFCFEEMITER-NON45	\$65.00 per connection
Wood cutting fee for more than one cut	TFCFEEWCUT	\$65.00 per cut

miters and blends for traverse wood fascia

We cannot miter system tracks, but traverse wood fascia can connect and miter at the corner.

Mitered returns for wood fascia	TFCFEEMITER-EACH	\$80.00 per return
Standard 45° miter cut (for 90° corners)	TFCFEEMITER-45	\$65.00 per connection
Non-45° miter cut (for non-90° corners)	TFCFEEMITER-NON45	\$65.00 per connection
Wood fascia fabrication fee	TFCFEEFASCUT	\$65.00 per cut
Wood fascia blending fee	TFCFEEBLEND	\$108.00 per blend



90° inside corner window

Required Measurement Information please include with your order:

- A. pole size and profile.
- B. length of pole 1.*
- C. length of pole 2.*
- D. return (distance from wall to center of bracket cradle).
- E. chosen brackets.
- F. chosen finials.
- G. chosen rings, if any.

* What are pole deductions?

Pole Deductions for Brackets

When measuring your pole length for inside corner installations, remember that the poles do not reach the corner due to your brackets.

See diagram.



pole deduction for brackets



Required Measurement Information please include with your order:

- A. pole size and profile.
- B. length of pole 1.*
- C. length of pole 2.*
- D. return (distance from wall to center of bracket cradle).
- E. chosen brackets.
- F. chosen finials.
- G. chosen rings, if any.

* What are pole additions?


Pole Additions for Brackets

When measuring your pole length for outside corner installations, remember that the poles extend beyond the corner due to your brackets.

See diagram.



pole addition for brackets



THE FINIAL COMPANY

custom brackets & accessories

custom steel brackets made to your specifications					
Catalog page 56	Catalog page 56	Catalog page 56			
N	by	J			
t-bracket	double bracket	ceiling mount bracket			
TBKT	DBL1	BL4			
\$93.50 ea	\$133.10 ea	\$86.90 ea			


TBKT, custom steel T-bracket

please specify:

A. return (distance from wall to center of cradle)

B. pole size and profile

note: 3½"H backplate comes standard, unless otherwise specified




DBL1, custom steel double bracket

please specify:

- A. front pole size and profile
- B. back pole size and profile
- C. outside diameter of rings to be used
- D. front and back returns (distance from wall to center of cradle)

note: returns are contingent upon which poles and rings are chosen 31/2"H backplate comes standard, unless otherwise specified



BL4, custom steel ceiling mount bracket

please specify:


A. drop (distance from ceiling to top of pole)

B. pole size and profile

C. rings to be used, if any

note: minimum drop is contingent upon which finial and ring is chosen 21/2"W ceiling plate comes standard, unless otherwise specified








custom steel brackets made to your specifications *40% OFF **SRP! While Supplies Last.** Prices shown reflect 40% off.



FBKT, custom steel single bracket

A. return (distance from wall to center of cradle)

note: 4¾"H backplate may not be modified



For a custom bracket with return or drop distance in excess of 8", add the following custom bracket modification fee TFCFEE-CBKT: (Includes a recommended support arm.)	\$25.00 per bracket
To modify an existing Standard Bracket, add a Custom Bracket Modification fee TFCFEE-BKTMOD:	\$50.00 per bracket
Support bars can be added to existing Custom Brackets, add the following fee TFCFEE-SB: (Must be added for returns over 8")	\$25.00 per bracket

tip: finial must

steel swing arms *40% OFF SRP	! While Supplies Last. Prices sh	own reflect 40% off.
Catalog page 57	Catalog page 57	Catalog page 57
maximum length 36"	maximum length 36"	maximum length 20"
1" diameter pole RD125 8½"H x 1½"VV backplate L9328 finial included,1½"Dia scroll included,7"H x 16"Deep	1" diameter pole RD125 8½"H x 1½"W backplate L9328 finial included,1¾"Dia	½" diameter pole 50SRB 4"H x %"W backplate EC4 finial included, ¾"L X 1½"W
large swing arm "with scroll"	large swing arm "without scroll"	small swing arm
\$326.70 ea	\$290.40 ea	\$181.50 ea

custom brackets & accessories

custom bypass brackets				
Catalog page 56	Catalog page 56	Catalog page 56	Catalog page 56	
custom steel bypass bracket,				
single	single	single	double	
3½" return,	6" return,	custom return,	double custom return,	
34"W x 2½" or 3"L backplate	3/4"W x 21/2" or 3"L backplate	3/4"W x 21/2" or 3"L backplate	¾"W x 5¼"L backplate	
Use with 75RD (34"), RR100 (1"), RR125 and RD125 (114") or RR175 and RD175 (134") poles*	Use with 75RD (34"), RR100 (1"), RR125 and RD125 (114") or RR175 and RD175 (134") poles*	Use with 75RD (34"), RR100 (1"), RR125 and RD125 (11¼") or RR175 and RD175 (13¼") poles*	Use with 75RD (34"), RR100 (1"), RR125 and RD125 (114") or RR175 and RD175 (134") poles*	
SCB35	SCB6	SCBC	SCBCDBL	
\$80.30 ea	\$86.90 ea	\$100.10 ea	\$133.10 ea	

diagrams and dimensions: 3/4" page 19 page 23

1 1/4" page 29 1 3/4" page 33


*see below pages for

CAUTION: Bypass Brackets do not have full cradles. Standard Brackets must be installed at each end to secure pole.


When ordering bypass brackets please specify: A. 75RD (34"), RR100 (1") pole, RR125 and RD125 (11/4") pole or RR175 and RD175 (13/4") pole

B. Return distance from wall to center of cradle Note: Return may be restricted by the size of the poles and rings specified *CAUTION: Bypass Brackets do not have full cradles. Standard

Brackets must be installed at each end to secure pole.







custom enhancements for steel b	rackets or rings *40% OFF SRP	! While Supplies Last. Price	s shown reflect 40% off.
Catalog page 57	Catalog page 57	Catalog page 57	Catalog page 57
			وۋۋا ر
short leaf	long leaf	steel leaf	any rosette or end cap
6"L x 13/4"W	11½"L x 1¾"W	21/4"L x 13/4"W	Any rosette or end cap can be added
SL	LL	SL3	to any wood or steel bracket. Rosettes and end caps sold separately.
\$37.95 ea	\$33.00 ea	\$14.85 ea	When ordering your bracket, please
This leaf can be welded to the front of any steel bracket with a maximum return of 3½". When ordering your bracket, please	This leaf can be welded to the front of any steel bracket with a maximum return of 8". When ordering your bracket, please	This leaf can be welded to any steel ring or steel bracket. When ordering your ring or bracket, please specify addition of SL3,	specify addition of rosette or end cap and the following: 1. rosette medallion or end cap to be added, sold separately 2. attachment method:
specify addition of SL. Shown with L135 bracket.	specify addition of LL. Shown with L16 bracket.	and in what position it should be attached.	TFCFEE-DRILL drill and tap fee: \$15.00 ea TFCFEE-SWELD spot weld fee:
TFCFEE-SWELD spot weld fee: \$15.00 ea	TFCFEE-SWELD spot weld fee: \$15.00 ea	TFCFEE-SWELD spot weld fee: \$15.00 ea	\$15.00 ea (for steel rosettes and steel end caps on steel brackets only)

THE FINIAL COMPANY April 1, 2023 47 finial adaptors

Catalog page 58

If the finial you want isn't in the diameter you need, you can add a finial adaptor.

The finial adaptor acts as the new finial base.

Select a finial adaptor size from the **base adaptor size** chart, specify "add finial adaptor" and add the following upcharge.

	bas	e adaptor size		use for pole diameters	Price
FA-S Small Adaptor		FA-S, 1%"Dia	<u>—————————————————————————————————————</u>	1/2", 3/4", 1", 11/4"	\$16.50 ea
FA-M Medium Adaptor		FA-M, 2"Dia	1½" 1½" 1½"	1 ½"-1 ¾"	\$16.50 ea
FA-L Large Adaptor		FA-L, 3"Dia	2" 2½"	2"-21/4"	\$16.50 ea
FC1 Adaptor		FC1, 2%"Dia	1½" 1½" 2" 2½"	1½"-1¾", 2"-2¼"	\$34.10 ea

Finial Adaptor Tips:

- It is typically easier and more visually pleasing to adapt a finial to a larger diameter pole, rather than a smaller diameter pole.
- Many finials are located in multiple size categories because they look appropriate for several pole sizes; you may not need an adaptor.

custom tiebacks	
Catalog page 58	Catalog page 58
6"L back arm x 4½"L front arm,	8"L back arm x 8"L front arm,
4½" projection	6½" projection
TBA	STBA1
\$47.30 ea	\$166.10 ea

TBA shown with L651 finial STBA1 shown with R73 rosette tip mount.

Finial sold separately.

Rosette sold separately.

Installation Tip:


Methods of attaching finial or rosette to custom tiebacks:

TFCFEE-DRILL Drill and tap fee (for any finial or rosette)	\$15.00 ea
TFCFEE-SWELD Spot weld fee for steel finial or rosette only	\$15.00 ea
Screw on tip mount	no charge

Specify if "face" mount or "tip" mount

48 April 1, 2023 The Finial Company.

arched window required template



Draw entire installation to scale on large butcher paper

How to Calculate Length of Pole Needed for Your Arch arch width (inches) + arch height (inches) + 48" = total length of arched pole (inches)

Required Measurements

Paper template must be provided with every arched window order. Please mark the following measurements on the template:

- A. Pole size and profile.
- B. Height of arch: please specify which height measurement you are using.
 - 1. measurement from bottom center of pole to bottom of arch.
 - 2. measurement from top center of pole to bottom of arch.
- C. Width of arch (from outside edge to outside edge).
- D. Return (distance from wall to center of bracket cradle).
- E. Selected support bracket(s): please indicate position of each bracket.

note: ARBE brackets must be used for ends of vertical arched poles.

- F. Selected rings, if any, must be welded to vertical arch: please indicate position of each ring.
 - *note: Outermost rings must be a minimum of 1½" from end of pole due to ARBE bracket cup.
 - *note: ARBC, custom center bracket, can not be used with welded rings; select a standard or custom cradle bracket for center support unless pole is spliced in center.

Fill in and send this page with template and order.

Pole Length for Arch	
(A) Pole Size and Profile	
(B) Height of Arch (B1) (B2)	
(C) Width of Arch	
(D) Return	
(E) Support Bracket* Item #	
End Brackets Item #	
Quantity Indicated on Template	
(F) Rings* Item #	
Quantity Indicated on Template	

Need something different than what you see here?

Call us with your special request; and we can quote it for you.

arched window poles, rings, and brackets

Catalog page 59

All orders with arched rods will incur a \$27.50 net packaging fee per order.

Steel poles available for arched window bending

- 50SRB - RD125 - 75RD - SRT2 - 75HSRB - TRT - SRT1 - RD175

Bending for standard or eyebrow arches, add the following upcharge:

TFCFEE-ARCH Single arch bend	\$600.00 per bend
------------------------------	-------------------

If total length of arch specified requires 2 poles and, therefore, a splice, 2 bends are required. Add the following upcharge.

TFCFEE-2ARCH Spliced arch, 2 bends \$1,200.00 per 2 bends

For shipping some large arches, the factory will cut bent pole at apex (center) for no additional charge.

Rings must be spot welded into place, if using rings for vertical installation. Indicate ring locations on template drawing. Add the following upcharge.

TFCFEE-SWELD Spot weld fee	\$15.00 ea
TFCFEE-DRILL Drill & tap fee	\$15.00 ea

Steel rings sold separately.

Finials, brackets, and arched poles sold separately

Note: Additional support brackets are required for two-piece arch.

Note: An addition drill and tap fee is required to use finials on vertical arches.


arched window custom brackets: made to your specifications



note: ARBC bracket cannot be used for installation with welded rings unless pole is spliced. Brackets without eyelet cradles may be substituted; sold separately.

note: ARBE bracket cups are custom made to fit pole profile.

note: If welding rings to arch, outermost ring must be positioned 1½" from end of pole due to the bracket cup.



please specify for ARBC or ARBE

A. return (distance from wall to center of cradle)

B. pole size and profile

custom finishing Catalog page 60

custom finishes and custom color match

Beyond our standard finishes, we can match any finish, fabric swatch, wood trim or paint color specified from your favorite paint company. A finish sample or paint color, sheen level and manufacturer must be provided by the customer. The Finial Company will then provide a strike-off sample to the customer on any wood or steel pole profile as requested. Customer approval of the strike-off sample is required before production will begin. Please see page 126 for detailed list of fees.

clear coating

Clear coat can be added on any finish to achieve your preferred sheen level. Sheen choices are matte, satin and high gloss as shown in the catalog. Please see page 126 for detailed list of fees.

100 Polished Steel finish

Many, but not all, of our raw steel products can be polished and given a clear topcoat to achieve a finished look. Steel is not uniform in color tone and will vary in shades of gray and silver. Polishing raw steel parts requires considerably more preparation work than our other finishes and therefore incurs additional charges.

A polished steel finish is NOT available on the following items that appear in the steel section of the 2018 catalog:

TRT	EB3
EC1	CSL16
SELB	EB1
EB5	EC3
RF4	123ELB
EB2	EB6

Please see page 126 for detailed list of fees.

repaint fees

Includes painting product from any manufacturer in a standard TFC finish included in the 2018 Drapery Hardware Catalog. 10-15 day lead time. (all prices below are SRP)

Poles	\$15.00 per foot
Bracket	\$20.00 ea
Tieback posts	\$15.00 ea
Rings	\$5.00 ea
Finials or end caps	\$20.00 ea
Elbows	\$20.00 ea
Rosettes	\$20.00 ea
Crests	\$60.00 ea

Please see page 126 for detailed list of fees.

50 April 1, 2023 THE FINIAL COMPANY.


			1% WO	od and resin
1%" finials				
Catalog page 64	Catalog page 64	Catalog page 64	Catalog page 63	Catalog page 63
	15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35 15.35	四次 · · · · · · · · · · · · · · · · · · ·		
1½"L x 1%"W, 1%" base, wood	11/4"L x 23/8"W, 23/8" base, wood	3"L x 2%"W x 1%" base, wood	41/8"L x 21/8"W, 2" base	47/8"L x 31/8"W, 17/8" base
38EC	138EC	387	F138-1	F138-2
\$53.90 ea	\$34.10 ea	\$66.00 ea	\$73.70 ea	\$73.70 ea
Catalog page 64	Catalog page 64	Catalog page 63	Catalog page 63	Catalog page 63
3½"L x 3¾"W (2¾"Sq), 1%" base, crystal	31/4"L x 33/4"W (25/4"Sq), 17/4" base	3½"L x 2½"W, 1%" base, crystal	31/4"L x 21/2"W, 17%" base	3¼"L x 3"W, 1%" base
F138-4C	F138-4S	F138-5C	F138-5S	F138-8
\$126.50 ea	\$66.00 ea	\$126.50 ea	\$66.00 ea	\$66.00 ea
Catalog page 62	Catalog page 64	Catalog page 63	Catalog page 62	Catalog page 62
%"L x 21/8"W, 17/8" base	4"L x 2½"W,1¾" base, crystal	3½"L x 4½"W (3%"Sq), 1%" base	2%"L x 2%"W, 2" base	3% L x 31/4"W, 2" base
F138-9	GB4	TFCR138110	TFCR138121	TFCR138124
\$47.30 ea	\$220.00 ea	\$73.70 ea	\$66.00 ea	\$80.30 ea
Catalog page 62	Catalog page 63	Catalog page 62	Catalog page 63	Catalog page 62
3%"L x 2½"W, 1%" base	3%"L x 31/4"W, 2" base	$3\frac{1}{2}$ "L x $4\frac{3}{8}$ "W, 2" base	4%"L x 31/8"W, 2" base	3%"L x 3¼"W, 1%" base, glass
TFCR138125	TFCR138126	TFCR138130	TFCR138164	TFCR138170
\$73.70 ea	\$66.00 ea	\$80.30 ea	\$73.70 ea	\$126.50 ea
Catalog page 62	Catalog page 63	Catalog page 62	Catalog page 62	Catalog page 62
3%"L x 3½"W, 2½" base, glass	4½"L x 4¾"W, 2" base, glass	1"L x 1%"W, 1%" base	1 1/4"L x 21/4"W, 2" base	2½"L x 3½"W (2½"Sq), 1" base
TFCR138171	TFCR138172	TFCR138190	TFCR138191	TFCR138192
\$126.50 ea	\$166.10 ea	\$53.90 ea	\$60.50 ea	\$53.90 ea


1%" finials *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off.						
Catalog page 63	Catalog page 64	Catalog page 63	Catalog page 62	Catalog page 64		
4"L x 3"W, 1%" base	3¼"L x 3½"W, 1%" base	3%"L x 3¼"W, 1%" base	1"L x 1¾"W, 1¾" base	5"L x 3"W, 1¾" base		
F138-3	F138-6	F138-7	RF5	RF86		
\$36.30 ea	\$40.70 ea	\$36.30 ea	\$29.70 ea	\$40.70 ea		


		Catalog page 62			Catalog page 63			Catalog page 64
37/8'	'L x 4%"W, 2"	base	53/4	"L×31/8"W, 2"	base	41/2	"L×2½"W, 1¾	" base
TF	CR1381	31	TF	CR1381	65		WW190	0
	\$44.00 ec	ı		\$36.30 ed	1		\$40.70 ec	1


Scan QR codes by each finial to download the PRODUCT TEAR SHEET with dimensions & information!
















Bracket return measured from wall to center of cradle.







CAUTION: Bypass brackets do not have full cradles. Standard brackets must be installed at each end to secure pole.


► For custom steel bracket pricing, see page 46: TBKT (T-bracket), DBL1 (double rod bracket), BL4 (ceiling mount bracket), and FBKT (single bracket).







drop is measured from ceiling to bottom of pole











Bracket return measured from wall to center of cradle.

1%" diameter wood poles

Catalog page 67

All orders with poles will incur a \$10.00 net packaging fee per order.

Product Information

- Sold in 2 foot increments, 2 foot minimum
- Cut to specified length. Fall off will not be saved or shipped
- Connector screw available for joining two poles for no additional charge
- EZ glide tape included; no charge

Please Specify

- Item number
- Custom pole length
- Finish color
- Connector screw, if needed. We recommend installing a support bracket at the connection
- Options, if selected (see below)

Connection Options


Pole connector screw: no charge
Join two poles with a connector screw. Ask
for one with your order
Positioning a support bracket at this
connection is important. It helps conceal the
splice while offering additional support to
this fragile area

Maximum continuous length: 144 inches (12')


Item Number	Profile	2 FT	4 FT	6 FT	8 FT	10 FT	12 FT	per 2 FT
WS38	Smooth	\$73.70	\$147.40	\$221.10	\$294.80	\$368.50	\$442.20	\$73.70
WG38	Grooved	\$73.70	\$147.40	\$221.10	\$294.80	\$368.50	\$442.20	\$73.70
WNF38	Fluted	\$73.70	\$147.40	\$221.10	\$294.80	\$368.50	\$442.20	\$73.70
WR38	Reeded	\$73.70	\$147.40	\$221.10	\$294.80	\$368.50	\$442.20	\$73.70


Options

SCREW Pole connector screw	no charge
TFCFEEMITER-EACH Mitered return fee, see page 45	\$80.00 per return
TFCFEEMITER-45 Standard 45° miter cut (for 90° corners), see page 45	\$65.00 per connection
TFCFEEMITER-NON45 Non-45° miter cut (for non-90° corners), see page 45	\$65.00 per connection
TFCFEEWCUT Wood cutting fee for more than one cut, see page 45	\$65.00 per cut



1%" rings		
Catalog page 66	Catalog page 66	Catalog page 66
0	\bigcirc	\bigcirc
fluted wood ring	smooth steel ring	smooth oval steel ring
2"ID, 2%"OD	1¾"ID, 2¼"OD	1½"ID, 2"OD, 2½"L
38FLR	SR13	OVL3
\$11.00 ea	\$11.00 ea	\$13.75 ea





54

1%" rings *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off.


Catalog page 66	Catalog page 66	Catalog page 66
		\bigcirc
smooth heavy steel ring 13/4"ID, 23/4"OD	hammered steel ring 1¾"ID, 2½"OD	hammered oval steel ring 1¾"ID, 2½"OD, 3¼"L
FSR1	HSR1	OVL1
\$12.10 ea	\$12.10 ea	\$10.45 ea

April 1, 2023 THE FINIAL COMPANY.

batons		Catalog page 67			
		Do			
steel baton, specify finis	sh, ¾"Dia				
SBTN	specify length up to 60"	\$66.00 ea			
SBTN60	specify length over 60" up to 96"	\$99.00 ea			
		200			
fiberglass baton, white only, 3/8"Dia					
FBTN	specify length up to 48"	\$55.00 ea			
		₽ ∞			
acrylic baton, clear onl	y, %"Dia				
ABTN-36	available in 36"	\$49.50 ea			
ABTN-48	available in 48"	\$55.00 ea			
wood baton, specify fini	ish, %"Dia				
WBTN	specify length up to 48"	\$66.00 ea			



batons *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off. wood baton, specify finish, %"Dia, handle: 61%"L x 11/4"Dia EPBTN-1 specify length up to 48" \$55.00 ea wood baton, specify finish, %"Dia, handle: 53/4"L x 11/2"Dia EPBTN-2 specify length up to 48" \$55.00 ea



THE FINIAL COMPANY.

April 1, 2023 55

56

2"-21/4" finials				
Catalog	Catalog	Catalog	Catalog	Catalog
page 76	page 71	page 71	page 71	page 71
1 1/8"L x 23/4"W, 23/4" base, wood	1%"L x 2%"W, 2%" base	3½"L x 4"W, 2%" base	21/4"L x 31/2"W, 3" base	3¾"L x 4"W, 2%" base
225EC	EC214-1	F214-1	F214-2	F214-3
\$40.70 ea	\$66.00 ea	\$93.50 ea	\$73.70 ea	\$93.50 ea
Catalog	Catalog	Catalog	Catalog	Catalog
page 71	page 72	page 71	page 72	page 72
27%"L x 3½"W, 2¾" base	5½"L x 4"W, 2½" base	3%"L x 4½"W, 3" base	4%"L x 31/4"W, 27%" base	4½"L x 4½"W, 3" base
F214-4	F214-6	F214-7	F214-8	F214-10
\$73.70 ea	\$93.50 ea	\$93.50 ea	\$86.90 ea	\$100.10 ea
Catalog	Catalog	Catalog	Catalog	Catalog
page 72	page 72	page 73	page 73	page 73
			ā pe	6.2
4"L x 41/6"W, 27/6" base, crystal	4"L x 41/8"W, 27/8" base	3%"L x 4½"W (3"Sq), 2%" base, crystal	35/6"L x 41/6"W (3"Sq), 27/6" base	5¼"L x 3%"W, 2½" base, crystal
F214-15C	F214-15S	F214-16C	F214-16S	GB2
\$166.10 ea	\$86.90 ea	\$166.10 ea	\$86.90 ea	\$200.20 ea
Catalog	Catalog	Catalog	Catalog	Catalog
page 75	page 71	page 72	page 69	page 69
6"L x 4"W, 2¾" base, glass	7/8"L x 23/4"W, 23/4" base	3"L x 2¾"W, 2½" base	4%"L x 57%"W (4½"Sq), 2¾" base	31/4"L x 31/2"W, 23/4" base
GB3	REC73	RF63	TFCR214110	TFCR214121
\$200.20 ea	\$60.50 ea	\$73.70 ea	\$93.50 ea	\$93.50 ea
Catalog	Catalog	Catalog	Catalog	Catalog
page 69	page 70	page 70	page 70	page 70
4½"L x 4¾"W, 2½" base	4%"L x 4%"W, 2¾" base	5"L x 4%"W, 2¾" base	5%"L x 3½"W, 2¾" base	4%"L x 5½"W, 3" base
TFCR214122	TFCR214123	TFCR214124	TFCR214125	TFCR214130
\$106.70 ea	\$106.70 ea	\$106.70 ea	\$100.10 ea	\$106.70 ea
Catalog page 70	Catalog page 70	Catalog page 71	Catalog page 69	Catalog page 69
			B F	page 07
	672			
4%"L x 5%"W, 2%" base	5%"L x 4%"W, 2%" base	3%"L x 4%"W, 2%" base, glass	1"L x 2%"W, 2%" base	1½"L x 3½"W, 2½" base
TFCR214131	TFCR214163	TFCR214171	TFCR214190	TFCR214191
\$106.70 ea	\$106.70 ea	\$166.10 ea	\$66.00 ea	\$73.70 ea
Catalog page 69	Catalog page 69	Catalog page 69	Catalog page 69	Catalog page 69
1 ½"L x 4½"W (3½"Sq),	1½"L x 5½"W (3½"Sq),			
27/8" base	2%" base	1%"L x 3"W, 2%" base	1 ¼"L x 3 ½"W, 2 ½" base	1 ½"L x 3"W, 3" base
TFCR214192	TFCR214193	TFCR214194	TFCR214195	TFCR214196
\$66.00 ea	\$66.00 ea	\$73.70 ea	\$73.70 ea	\$73.70 ea

April 1, 2023 THE FINIAL COMPANY.




Scan QR codes by each finial to download the PRODUCT TEAR SHEET with dimensions & information!



2"-21/4" finials *40%	6 OFF SRP! While S	Supplies Last. Price	es shown reflect 40	% off.
Catalog page 76	Catalog page 74	Catalog page 74	Catalog page 75	Catalog page 76
1 1/8"L x 3"W, 3" base, wood (fits 2" diameter pole only)	4%"L x 41/4"W, 21/2" base	4"L x 5"W, 2½" base	3¾"L x 4½"W, 2½" base	6"L x 3¼"W, 2½" base
2EC	225MC9	225MC11	225MC13	EP1
\$22.00 ea	\$51.70 ea	\$51.70 ea	\$51.70 ea	\$55.00 ea
Catalog page 76	Catalog page 72	Catalog page 72	Catalog page 72	Catalog page 71
5%"L x 3%"W, 2%" base	7"L x 4¾"W, 3" base	4¾"L x 4¾"W, 3¼" base	47/8"L x 4"W, 27/8" base	2"L x 3"W, 2%" base
EP8	F214-5	F214-9	F214-11	F214-12
\$55.00 ea	\$58.30 ea	\$55.00 ea	\$47.30 ea	\$36.30 ea
Catalog page 73	Catalog page 72	Catalog page 74	Catalog page 74	Catalog page 75
4"L x 41/8"W, 27/8" base	47/8"L x 31/2"W, 27/8" base	5"L x 3"W, 2½" base, glass	6"L x 3½"W, 2½" base	6"L x 5½"W, 3¼" base
F214-13	F214-14	GB1	R22569	RD225
\$55.00 ea	\$51.70 ea	\$58.30 ea	\$51.70 ea	\$55.00 ea
Catalog page 74	Catalog page 75	Catalog page 75	Catalog page 76	Catalog page 73
6½"L x 3½"W, 2¾" base	71/4"L x 5"W, 21/2" base	9½"L x 9¾"W, 2¾" base	2%"L x 2%"W, 2½" base	7¼"L x 3"W, 2¾" base
RF10	RF20	RF21	RF64	RF1000
\$51.70 ea	\$51.70 ea	\$51.70 ea	\$40.70 ea	\$51.70 ea
Catalog			Ψ40.7 0 eu	\$01.70 00
page 70	Catalog page 70	Catalog page 71	Catalog page 70	Catalog page 76
	mm diff	0	Catalog	Catalog
page 70	page 70	page 71	Catalog page 70	Catalog page 76
page 70 page 70 5½"L x 4½"W, 2%" base	page 70 page 70 6%"L x 4%"W, 2%" base	page 71 page 71 3%"L x 4%"W, 2%" base, glass	Catalog page 70	Catalog page 76 \$\frac{1}{2}\text{L} \times 3\text{2"W, 2\text{2" base, wood}}\$
page 70 5½"L x 4½"W, 2%" base TFCR214164 \$55.00 ea Catalog page 74	page 70 6%"L x 4%"W, 2%" base TFCR214165	page 71 ### 3%"L x 4%"W, 2%" base, glass TFCR214170	Catalog page 70 23%"L x 5%"W, 2¾" base TFCS214151	Catalog page 76 5½"L x 3½"W, 2½" base, wood W551
page 70 5½"L x 4½"W, 2%" base TFCR214164 \$55.00 ea Catalog page 74 page 74 3"L x 3%"W, 2%" base	page 70 61/4"L x 41/4"W, 27/4" base TFCR214165 \$51.70 ea Catalog page 75 page 75 \$5"L x 23/4"W, 21/4" base	page 71 3%"L x 4%"W, 2%" base, glass TFCR214170 \$91.30 ea Catalog page 74 Page 74 T"L x 4½"W, 2¾" base	Catalog page 70 37%"L x 5%"W, 2%" base TFCS214151 \$83.60 ea Catalog page 75 page 75 6½"L x 4¾"W, 2¾" base	Catalog page 76 5½"L x 3½"W, 2½" base, wood W551 \$116.60 ea Catalog page 74 page 74 5¾"L x 3½"W, 2½" base
page 70 5½"L x 4½"W, 2%" base TFCR214164 \$55.00 ea Catalog page 74	page 70 61/4"L x 41/4"W, 27/4" base TFCR214165 \$51.70 ea Catalog page 75	page 71 3%"L x 4%"W, 2¾" base, glass TFCR214170 \$91.30 ea Catalog page 74 page 74	Catalog page 70 37%"L x 5%"W, 2%" base TFCS214151 \$83.60 ea Catalog page 75 Page 75	Catalog page 76 5½"L x 3½"W, 2½" base, wood W551 \$116.60 ea Catalog page 74

2"-2¼" finials *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off.					
Catalog page 73	Catalog page 73	Catalog page 74	Catalog page 76	Catalog page 74	
5½"L x 35%"W, 2½" base	21/8"L x 31/2"W, 31/2" base	6½"L x 5¼"W, 2½" base	45%"L x 3"W, 3" base, wood	5"L x 2¾"W, 2¾" base	
WW51	WW60-1	WW70-1	WW77	WW201	
\$58.30 ea	\$36.30 ea	\$62.70 ea	\$40.70 ea	\$51.70 ea	

Catalog page 75	Catalog page 73	Catalog page 73	Catalog page 75
5"L x 3¼"W, 2%" base	4"L x 3½"W, 2½" base	5%"L x 3¾"W, 2½" base	3¾"L x 2¾"W, 2¾" base
WW203	WW205	WW207	WW251
\$51.70 ea	\$51.70 ea	\$51.70 ea	\$47.30 ea



Ring Drop page 63

LFB3



DB80


LFB4

1-1/2"


Ring Drop

Top of Fabric












Catalog page 77	Catalog page 77
wood bracket, single	wood bracket, single
3%" return, 1"W x 3"L backplate	6" return, 1 "W x 3"L backplate
CSB1	CSB2
\$33.00 ea	\$36.30 ea


























**Cannot customize.


**Cannot customize.







Catalog page 77















EB7


EB8

61



▶ For custom steel bracket pricing, see page 46: TBKT (T-bracket), DBL1 (double bracket), BL4 (ceiling mount bracket), and FBKT (single bracket).

CSWB2



Bracket return measured from wall to center of cradle.

CSWB1

THE FINIAL COMPANY... April 1, 2023

2" & 21/4" diameter wood poles

Catalog page 79


All orders with poles will incur a \$10.00 net packaging fee per order.

Product Information

- Sold in 2 foot increments, 2 foot minimum
- Cut to specified length. Fall off will not be saved or shipped
- Connector screw available for joining two poles for no additional
- EZ glide tape included; no charge

Please Specify

- Item number
- Custom pole length
- Finish color
- Connector screw, if needed. We recommend installing a support bracket at the connection
- Options, if selected (see below)



Maximum continuous length: 192 inches (16')

Item Number	Profile	2 FT	4 FT	6 FT	8 FT	10 FT	12 FT	14 FT	16 FT	per 2 FT
2½" diameter wood poles										
225WS	Smooth	\$93.50	\$187.00	\$280.50	\$374.00	\$467.50	\$561.00	\$654.50	\$748.00	\$93.50
225WG	Grooved	\$93.50	\$187.00	\$280.50	\$374.00	\$467.50	\$561.00	\$654.50	\$748.00	\$93.50
225FL	Fluted	\$93.50	\$187.00	\$280.50	\$374.00	\$467.50	\$561.00	\$654.50	\$748.00	\$93.50
225WR	Reeded	\$93.50	\$187.00	\$280.50	\$374.00	\$467.50	\$561.00	\$654.50	\$748.00	\$93.50
225WWR	Wide Reeded	\$93.50	\$187.00	\$280.50	\$374.00	\$467.50	\$561.00	\$654.50	\$748.00	\$93.50

Options

SCREW Pole connector screw	no charge
TFCFEEMITER-EACH Mitered return fee, see page 45	\$80.00 per return
TFCFEEMITER-45 Standard 45° miter cut (for 90° corners), see page 45	\$65.00 per connection
TFCFEEMITER-NON45 Non-45° miter cut (for non-90° corners), see page 45	\$65.00 per connection
TFCFEEWCUT Wood cutting fee for more than one cut, see page 45	\$65.00 per cut

Fascia Options

TFCFEEMITER-EACH Mitered return fee, see page 45	\$80.00 per return
TFCFEEBLEND Fascia blending fee, see page 45	\$108.00 per blend
TFCFEEFASCUT Fascia fabrication fee, see page 45	\$65.00 per fascia

2" diameter wood poles *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off.								off.		
Item Number	Profile	2 FT	4 FT	6 FT	8 FT	10 FT	12 FT	14 FT	16 FT	per 2 FT
2" diameter v	vood poles									
WWR	Smooth	\$47.30	\$94.60	\$141.90	\$189.20	\$236.50	\$283.80	\$331.10	\$378.40	\$47.30
2WG	Grooved	\$47.30	\$94.60	\$141.90	\$189.20	\$236.50	\$283.80	\$331.10	\$378.40	\$47.30
WWF	Fluted	\$47.30	\$94.60	\$141.90	\$189.20	\$236.50	\$283.80	\$331.10	\$378.40	\$47.30
2WR	Reeded	\$47.30	\$94.60	\$141.90	\$189.20	\$236.50	\$283.80	\$331.10	\$378.40	\$47.30

THE FINIAL COMPANY. 62 April 1, 2023

63

2" rings		ring drop for 2" pole
Catalog page 79	Catalog page 79	All A
\bigcirc	\bigcirc	
smooth steel ring	smooth oval steel ring	
21/4"ID, 23/4"OD	2¼"ID, 2¾"OD, 3½"L	
SR7	OVL7	top of fabric
\$12.10 ea	\$15.40 ea	top of idolic
		WWRG SR7 OW7
		1 1/8" 1/2" 1 1/4"
		shown on WWR pole

2" rings *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off. Catalog page 79 fluted wood ring 2¼"ID, 3%"OD WWRG \$10.45 ea

2" & 21/4" rings			ring drop for 2½" pole
Catalog page 79	Catalog page 79	Catalog page 79	
0	\bigcirc	\bigcirc	
fluted wood ring 2¾"ID, 4¼"OD	smooth steel ring 2½"ID, 3"OD	smooth oval steel ring 2½"ID, 3¼"OD, 4"L	1 XVXXV
225-RWR	SR12	OVL12	top of fabric A A A A A A A A A A A A A A A A A A A
\$22.00 ea	\$12.10 ea	\$15.40 ea	
Catalog page 79	Catalog page 79		225-kwr sri2 owl12 HSr2 sr5 owl2 drrg3 , 1 ½" ½" 1¾"
\bigcirc	0		shown on 225WS pole
twisted steel ring 2%"ID, 3"OD	leafy resin ring 3"ID, 4½"OD		
SR5	DRRG3		
\$12.10 ea	\$29.70 ea		


2" & 21/4" rings *40	% OFF SRP! While	Supplies Last. Prices shown reflect 40% off.
Catalog page 79	Catalog page 79	
0	\Diamond	
hammered steel ring 2½"ID, 3½"OD	hammered oval steel ring 2½"ID, 3½"OD, 4"L	
HSR2	OVL2	
\$12.10 ea	\$12.10 ea	


THE FINIAL COMPANY... April 1, 2023

batons		Catalog page 80
steel baton, specify fin	ish, ⅓"Dia	
SBTN	specify length up to 60"	\$66.00 ea
SBTN60	specify length over 60" up to 96"	\$99.00 ea
fiberglass baton, white	only, ¾"Dia	
FBTN	specify length up to 48"	\$55.00 ea
acrylic baton, clear on	ly, %"Dia	
ABTN-36	available in 36"	\$49.50 ea
ABTN-48	available in 48"	\$55.00 ea
wood baton, specify fin	nish, ¾"Dia	
WBTN	specify length up to 48"	\$66.00 ea



batons *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off.






64





Metal band slides onto pole and is locked in place with set screw. Set screw should be positioned in the front center of pole because it receives the rosette.

April 1, 2023 THE FINIAL COMPANY.



Catalog page 83	Catalog page 82	Catalog page 82	Catalog page 82	Catalog page 82
				0 (AD 30 (A) 0 (A)
41/8"L x 41/4"W, 35/8" base	5%"L x 5¼"W, 3¾" base	51/4"L x 57/8"W, 33/4" base	5"L x 6"W, 3¾" base	11/4"L x 33/4"W, 33/4" base
F300-4S	TFCR300124	TFCR300130	TFCR300131	TFCR300190
\$106.70 ea	\$126.50 ea	\$126.50 ea	\$126.50 ea	\$80.30 ea



Scan QR codes by each finial to download the PRODUCT TEAR SHEET with dimensions & information!




3" finials *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off.								
Catalog page 84	Catalog page 83	Catalog page 84	Catalog page 83	Catalog page 84				
3"L x 5½"W, 3½" base	4"L x 4"W, 35%" base	8½"L x 6½"W, 3¾" base	71/4"L x 4"W x 31/4" base	111/4"L x 71/4"W, 35%" base				
3MC11	3R9	3R3 <i>5</i>	3RF10	3RF20				
\$55.00 ea	\$58.30 ea	\$72.60 ea	\$62.70 ea	\$66.00 ea				

ſ	Catalog page 83	Catalog page 84	Catalog page 82	Catalog page 83	Catalog page 84
	7"L x 51/4"W, 33/4" base	8"L x 4½"W, 3½" base	1 ½"L x 3¾"W, 3¾" base	3%"L x 4½"W, 3%" base	7"L x 4"W, 3½" base
	3RF86	3W100	EC300-1	F300-3	F513
	\$62.70 ea	\$66.00 ea	\$40.70 ea	\$62.70 ea	\$62.70 ea

Catalog page 83	Catalog page 84	Catalog page 82	Catalog page 83	Catalog page 83
8½"L x 5¼"W, 3½" base	7¾"L x 7"W, 4" base	3¾"L x 4¼"W, 3¾" base	5½"L x 3¾"W, 3¾" base	7½"L x 4½"W, 3¾" base
R369	RD3	TFCR300121	WW26-1	WW75
\$62.70 ea	\$62.70 ea	\$62.70 ea	\$62.70 ea	\$66.00 ea


THE FINIAL COMPANY. April 1, 2023 65




▶ For custom steel bracket pricing, see page 46: TBKT (T-bracket), DBL1 (double bracket), BL4 (ceiling mount bracket), and FBKT (single bracket).

Bracket return measured from wall to center of cradle.

67





► For custom steel bracket pricing, see page 46: TBKT (T-bracket), DBL1 (double bracket), BL4 (ceiling mount bracket), and FBKT (single bracket).

Bracket return measured from wall to center of cradle.

DB79

THE FINIAL COMPANY... April 1, 2023


3" diameter poles

Catalog page 87

All orders with poles will incur a \$10.00 net packaging fee per order.

Product Information

- Sold in 2 foot increments, 2 foot minimum
- Cut to specified length. Fall off will not be saved or shipped
- Connector screw available for joining two poles for no additional charge
- EZ glide tape included; no charge



Please Specify

- Item number
- Custom pole length
- Finish color or stain
- Connector screw, if needed. We recommend installing a support bracket at the connection
- Options, if selected (see below)

Maximum continuous length: 192 inches (16')

Item Number	Profile	2 FT	4 FT	6 FT	8 FT	10 FT	12 FT	14 FT	16 FT	per 2 FT
3SM	Smooth	\$166.10	\$332.20	\$498.30	\$664.40	\$830.50	\$996.60	\$1,162.70	\$1,328.80	\$166.10
3GR	Grooved	\$166.10	\$332.20	\$498.30	\$664.40	\$830.50	\$996.60	\$1,162.70	\$1,328.80	\$166.10
3RD	Reeded	\$166.10	\$332.20	\$498.30	\$664.40	\$830.50	\$996.60	\$1,162.70	\$1,328.80	\$166.10

Options

SCREW Pole connector screw	no charge
TFCFEEMITER-EACH Mitered return fee, see page 45	\$80.00 per return
TFCFEEMITER-45 Standard 45° miter cut (for 90° corners), see page 45	\$65.00 per connection
TFCFEEMITER-NON45 Non-45° miter cut (for non-90° corners), see page 45	\$65.00 per connection
TFCFEEWCUT Wood cutting fee for more than one cut, see page 45	\$65.00 per cut

Fascia Options

TFCFEEMITER-EACH Mitered return fee, see page 45	\$80.00 per return
TFCFEEBLEND Fascia blending fee, see page 45	\$108.00 per blend
TFCFEEFASCUT Fascia fabrication fee, see page 45	\$65.00 per fascia

3" rings		
Catalog page 86	Catalog page 86	Catalog page 86
0	\bigcirc	
fluted wood ring 3%"ID, 51%"OD	smooth steel ring 3½"ID, 4"OD	leafy resin ring 3½"ID, 5½"OD
WRG3	SR11	DRRG4
\$27.50 ea	\$14.30 ea	\$35.20 ea

top of fabric DRRG4 WRG3 11/8" 3/4" 3/4" 13/8"

shown on 3SM pole

ring drop/distance from pole to drapery top:



hammered steel ring 35%"ID, 41/4"OD

HSR3

\$18.15 ea


April 1, 2023

68

THE FINIAL COMPANY.

3" rings *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off.

Catalog page 86





wood baton, specify finish, %"Dia, handle: 61%"L x 11½"Dia EPBTN-1 specify length up to 48" \$55.00 ea wood baton, specify finish, 5%"Dia, handle: 53%"L x 1½"Dia

specify length up to 48"

EPBTN-2

THE FINIAL COMPANY. April 1, 2023 69

\$55.00 ea

rosettes

rosettes				
Catalog page 89	Catalog page 89	Catalog page 90	Catalog page 89	Catalog page 89
2"Dia, brass	1 ¼"Dia, steel	3¾"Dia, steel	2¾"Dia, resin	17%"Dia, resin
EC3	EC4	R-22	REC73	RF4
\$86.90 ea	\$53.90 ea	\$60.50 ea	\$60.50 ea	\$47.30 ea
Catalog page 90	Catalog page 91	Catalog page 90	Catalog page 90	Catalog page 89
3¾"Dia, resin	6"Dia, resin	3"Sq, 41/4"Diagonal, crystal	3"Sq, 41/4"Diagonal, resin	2"Dia, steel
ROS-1S	ROS-5	ROS-6C	ROS-6S	SEC-2
\$66.00 ea	\$106.70 ea	\$93.50 ea	\$66.00 ea	\$53.90 ea
		·		<u>. </u>

		Catalog page 89		
1 ¼"Dia, steel				
	SEC-12	25		
	\$47.30 e	а		

70

rosettes *40% OFF S	RP! While Supplie	es Last. Prices sho	wn reflect 40% off	
Catalog page 90	Catalog page 89	Catalog page 91	Catalog page 91	Catalog page 89
4½"Dia, resin	41/4"Dia, resin	5"Dia, resin	4¾"Sq , 7"Diagonal, resin	4"Dia, resin
R-2	R5	R8	R10	R11
\$33.00 ea	\$33.00 ea	\$33.00 ea	\$33.00 ea	\$33.00 ea
Catalog page 89	Catalog page 89	Catalog page 91	Catalog page 89	Catalog page 90
3¾"Dia, resin	3"Dia, steel	4¾"Dia, steel	3½"Dia, resin	2%"Dia, steel
R15	R-16	R-17	R18	R-21
\$33.00 ea	\$33.00 ea	\$36.30 ea	\$33.00 ea	\$33.00 ea
Catalog page 89	Catalog page 90	Catalog page 90	Catalog page 90	Catalog page 90
3½"Dia, steel	3"Dia, resin	3"Dia, resin	3"Dia, resin	4½"Dia, resin
R23	R24	R64	R65	R73
\$33.00 ea	\$33.00 ea	\$33.00 ea	\$33.00 ea	\$33.00 ea
Catalog page 91	Catalog page 91	Catalog page 89	Catalog page 90	Catalog page 86
5½"Dia, brass	51/4"Dia, steel	4½"Dia, resin	4½"Dia, resin	3%"Dia, resin
R101	R-107	REP1	RMC11	RMC13
\$44.00 ea	\$44.00 ea	\$33.00 ea	\$33.00 ea	\$33.00 ea

April 1, 2023 THE FINIAL COMPANY.

rosettes *40% OFF	SRP! While Suppli	es Last. Prices sho	wn reflect 40% off	
Catalog page 90	Catalog page 90	Catalog page 91	Catalog page 91	Catalog page 89
3¾"Dia, crystal	4"Dia, resin	5"Dia, resin	5¾"Dia, resin	1 ¼"Dia, steel
ROS-1C	ROS-2	ROS-3	ROS-4	R-RND
\$51.70 ea	\$36.30 ea	\$36.30 ea	\$36.30 ea	\$18.15 ea



metal bands for rosettes
Catalog page 92
attaches rosette to front of pole
1"Dia metal band for use with 1" pole
MB100
\$26.95 ea
1%"Dia metal band for use with 1%" pole
MB138
\$33.55 ea
2½"Dia metal band for use with 2½" pole
MB214
\$40.15 ea



Attach any rosette to the front of a pole. Metal band slides onto pole and is locked in place with set screw. Set screw should be positioned in the front center of pole because it receives the rosette. Rosettes sold separately.

rosette br	ackets
	Catalog page 92
	1
steel b	rackets
2½" pr	ojection
BL	25
\$9.3	35 ea
3½" pr	ojection
В	L3
\$9.3	35 ea
6" pro	ection
В	L6
\$9.3	35 ea

rosette posts *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off.

Catalog page 92	Catalog page 92
steel posts	wood posts
2½" projection	2½" projection
NBL2	WTBS2
\$14.85 ea	\$22.00 ea
3½" projection	4½" projection
NBL4	WTBS4
\$14.85 ea	\$22.00 ea
6" projection	6" projection
NBL6	WTBS6
\$14.85 ea	\$22.00 ea

THE FINIAL COMPANY... April 1, 2023 71

tiebacks

tiebacks		
Catalog page 93	Catalog page 93	Catalog page 93
Call Control of the C		
9½"L x 5" projection	10"L x 4¾"W	4½"L x 1½" projection
STBA7	STB	TTBH-1
\$93.50 ea	\$60.50 ea	\$60.50 ea

[▶]specify left or right (shown)

tiebacks *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off.



custom steel tiebacks Catalog page 93 Catalog page 93 6"L back arm x $4\frac{1}{2}$ "L front arm, 8"L back arm x 8"L front arm, $6\frac{1}{2}$ " projection

 $4\frac{1}{2}$ " projection

TBA \$47.30 ea Shown L651 rosette, tip mount

Rosettes sold separately.

\$166.10 ea Shown with R73 rosette, face mount Rosettes sold separately.

STBA1

Attach finial or rosette of choice to face or tip of STBA1 or TBA. Add the following upCharge. Finials and rosettes sold separately.

TFCFEE-DRILL Drill and tap fee (for any finial or rosette)	\$15.00 ea
TFCFEE-SWELD Spot weld fee (for steel finial or rosette only)	\$15.00 ea
Screw on tip mount	no charge

specify if "face" mount or "tip" mount

72

THE FINIAL COMPANY. April 1, 2023

standard crests Attach to pole with L-bracket or attach to wall with custom H-bracket. Catalog page 94 Catalog page 94 20"W × 8½"H C1 C7 \$126.50 ea \$126.50 ea

standard crests *40 Pri	% OFF SRP! While	Supplies Last. 40% off.
Catalog page 94	Catalog page 94	Catalog page 94
23%"W x 9"H	26¼"W x 7½"H	27½"W x 15¼"H
C2	C6	C8
\$90.75 ea	\$69.30 ea	\$90.75 ea

standard crest installation methods

Pole Mount

L-bracket attaches standard crest to top of pole.

Note: L-bracket included with standard crest.

Custom Wall Mount


custom H-bracket attaches crest to wall independently of drapery hardware.

HBKT Custom h-bracket	\$72.60 ea
--------------------------	------------

Traverse Fascia Mount


required crest block attaches crest to corded or motorized traverse with fascia.

Crest block \$33.00 ea



please specify:

- A. pole size and profile.
- B. bracket and return (distance from wall to center of cradle.
- C. ring, if any.



please specify:

A. return (distance from wall to back of crest)

if crest is being installed with drapery hardware, please also specify:

- B. pole size and profile.
- C. pole bracket and return (distance from wall to center of cradle).
- D. ring, if any.

TFCFEE-CBKT Custom
bracket modifications
foo for brackets over 8"

\$25.00 ea


please note:

Attaching fabric panels to the standard crest is not advised. All fabric treatments, whether swags or drapery panels, need to be installed independently of the custom H-bracket, as it is only meant to hold the weight of a standard crest.

pole mount crests slide onto pole; cannot be wall mounted *40% OFF SRP! While Supplies Last. Prices shown reflect 40% off.



pole mount crest installation method pole mount crest slides onto pole



Set screw (B) holds crest in place. Be sure the return (distance from wall to center of cradle) on your pole brackets (A) allow the back of the crest to clear the wall and other objects.

please note:

- pole brackets (A) cannot be installed where the pole mount crest is positioned (if center support bracket is needed, it will be to the side(s) of the crest).
- rings will not fit behind pole mount crest

73

THE FINIAL COMPANY... April 1, 2023





13/8" metal motorized traverse systems

Traverse Collection Catalog page 6

LI-ION BATTERY OR 110v AC/DC POWER, RIPPLEFOLD OR PINCH PLEAT | AVAILABLE IN 13/8" DIAMETER



single traverse system, wall mount

- wall bracket: 3 1/2" or 6" return options
- traverse system includes track, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, round end caps and a Push5 handheld or wall mount remote
- modern metal & metal collection finials and additional remote options sold separately




double traverse system, wall mount

- wall bracket: 3'' and $7^{1/2}''$ returns
- traverse system includes tracks, motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, round end caps and a Push5 handheld or wall mount remote
- modern metal & metal collection finials and additional remote options sold separately



single traverse system, ceiling mount

- ceiling bracket: 3¹¹/₁₆" drop
- traverse system includes track, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, round end caps and a Push5 handheld or wall mount remote
- modern metal & metal collection finials and additional remote options sold separately



double traverse system, ceiling mount

- ceiling bracket: 4" drop, 4 ½" between centers of tracks
- traverse system includes tracks, motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, round end caps and a Push5 handheld or wall mount remote
- modern metal & metal collection finials and additional remote options sold separately



single traverse system, low-profile ceiling mount

- ceiling bracket: 1 ½" drop
- traverse system includes track, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, round end caps and a Push5 handheld or wall mount remote
- modern metal & metal collection finials and additional remote options sold separately

THE FINIAL COMPANY.

April 1, 2023

INCLUDED IN SYSTEM: R-TEC AUTOMATION® METAL TRAVERSE TRACK, ROUND METAL END CAPS, BRACKETS, COMPONENTS, MOTOR, POWER OPTION & PUSH5 HANDHELD OR WALL MOUNT REMOTE



R-TEC Automation® slim drapery motor RTMLDSS50

- slim motor, 1 per metal traverse track
- maximum drapery weight: 77 lbs
- maximum track length: 24'
- power option: li-ion battery (includes battery charger & USB cable) or 110v AC/DC power transformer (includes 10' cord with 3 conductor male plug)
- motor can be mounted on right or left for center draw
- available in white
- 5 year warranty

000

R-TEC Automation® Push5 handheld remote with wall mount

(5 channel)

- 4\%"H x 2"W x \%"D
- 1 remote control per system
- range: 65'
- programmable Favorite Position to set your favorite drapery position

77

available in off-white

R-TEC metal traverse track

- track sold in 1 foot increments, 4' minimum
- maximum continuous length is 12' (select finishes); spliced lengths up to 24' (maximum of 2 splices per metal traverse track system)
- available in all finishes shown on page 79

power options







RTMLDSSBC battery charger



RTMLDSSUSB USB charger cable



RTMDSSPT

110v AC/DC power transformer 10' (plug included)


Motor Weight Capacity

	Motor	maximum drapery weight per total length of system (lbs)										
	MOTOL	18' or less	20'	22'	24′							
RTEC AUTOMATION*	Slim Drapery Motor	77	77	77	77							

Note: 77 lbs. is for single or double systems (combined panel weight for double system) Capacity ratings are based on internal system friction only. External loads caused by fabric friction, drag, or obstructions will adversely affect pulling capacity or stop motor due to resistance.

Motorized Traverse System

includes motor(s) with power option(s), track(s) with components, round end caps, brackets and a Push5 channel handheld or wall mount remote (1 per system)



THE FINIAL COMPANY.

April 1, 2023

System Features	R-TEC Automation® Slim Drapery Motor
System Features	
center draw or one-way draw available	Х
White or Bronze track, components and brackets available	Х
track maximum length	24'
maximum number of track splices	2
Motor Features	
battery power option	Х
motor cord length as purchased	10' (custom length up to 20' available)
2-way RF communication	Х
adjustable speed	Х
preferred open / close position	X
favorite position	Х
obstruction detection	Х
manual override	Х
quiet operation	Х
soft start / stop	X
average linear speed	5.5" (14 cm)/sec
motorized track noise level	44 dB
maximum weight	77 lbs
motor unit can be installed on either end of track	Х
Control Options	
sun control	Х
digital technology	ARC™
Solar Power	Х
Installation Features	
programming buttons on motor unit	Х
power supply	li-ion battery or 110v AC/DC power transformer
amperage	1.3 A
power consumption	20 W
power cable type	3 conductor male plug
Standard Accessories included with system	
Push5 handheld or wall mount remote (remote control; white)	X
Carrier Features	
White or Bronze pinch pleat glides	X
White or Bronze Ripplefold glides (choose 60%, 80%, 100%, or 120% fullness)	Х

ENDOR ALTONATION by soules and the soules are souled by soules and the soule are souled by soules and the souled by soules are souled by souled by soules are souled by souled b

R-TEC Automation® App - Control your window coverings with a smartphone or tablet

Our App enables simple, intuitive control and system configuration from your smartphone or tablet.



bit.ly/R-TEC-Automation-Rowley



bit.ly/R-TEC-Automation-Rowley-Android


Pair the R-TEC Hub and App with these systems (not sold by Rowley):











(maximum of 2 repeaters per system or network)

Additional R-TEC Smart Controls

can be ordered at additional cost



RTMHUB2

R-TEC Hub

2-way RF; Wi-Fi built in

- 4½"H x 1¼"W x 4½"D
- range: 60'



RTMHR1C

handheld or wall mount remote, 1 channel

- 5 3/16"H X 1 1/4"W X 1/2"D
- range: 65'
- available in white



RTMHR5C

Push5 handheld or wall mount remote, 5 channel

- 4\%\"H x 2\"W x \%\"D
- range: 65'
- available in off-white



RTMHRP15C (/K)

Push 15 handheld or wall mount remote, 15 channel

- 43/4"H x 2"W x 3/8"D
- range: 65'
- available in white or black



RTMHR15C

handheld or wall mount remote, 15 channel

- 5 ³/₁₆"H x 1 ¹/₄"W x ¹/₂"D
- range: 65'
- available in white



RTMWSR5C

surface mount wall switch 5 channel

- 41/2"H x 23/4"W x 7/8"D
- range: 65'
- available in white



RTMWCR1C RTMWCR2C RTMWSR15C

cut-in wall mount switch, 1, 2 or 15 ch

- 41/2"H x 23/4"W x 1"D
- range: 65'
- available in white
- RTMSMB/W required for installation



RTMISS

interior sun sensor

- $1\frac{3}{4}$ "H x $1\frac{3}{4}$ "W x $\frac{5}{8}$ "D
- range: 65'
- available in white



ECO **9** friendly

RTMUSR

ARC USB signal repeater

- $2"L \times 2\frac{1}{2}"\tilde{L}$ with USB $\times 1\frac{5}{16}"W$
- extends the wireless range of the R-TEC Hub and remotes up to 60'
- maximum 2 repeaters per system or network
- available in white (color may vary)

RTMLDSSBC

wall charger for USB signal repeater

- 17/16"W x 1 13/16"L
- available in white (color may vary)

RTMSOLAR2

solar panel battery charger

- 45% "H x 12% 6" W x 13% "D
- includes l-bracket, cables & fastener

THE FINIAL COMPANY.



13/8" metal motorized traverse systems

Continuous lengths up to 12' and spliced lengths up to 24'

Traverse Collection Ca page

Orders with R-TEC motorized traverse systems will incur a \$25 packaging fee. Orders that contain a Li-ion battery will be charged a \$25.00 shipping surcharge.

LI-ION BATTERY OR 110v AC/DC POWER, RIPPLEFOLD OR PINCH PLEAT

Systems are sold in 1 ft incree

Item ## Dia 4' 5' 6' 7' 8' 9' 10' 11' 12' price page

Systems are sold in 1 ft increments price per ft single traverse system, wall mount, 3½" return (includes track, motor, power option, brackets, round end caps, 5 channel remote & components) \$1,669.80 | \$1,756.70 | \$1,843.60 | \$1,930.50 | \$2,017.40 | \$2,104.30 | \$2,191.20 CSRTFCM138400 single traverse system, wall mount, 6" return (includes track, motor, power option, brackets, round end caps, 5 channel remote & components) \$1,753.40 | \$1,850.20 | \$1,947.00 | \$2,043.80 | \$2,140.60 | \$2,237.40 | \$2,334.20 | \$2,431.00 | \$2,527.80 CSRTFCM138401 13/8" double traverse system, wall mount (includes tracks, motors, power options, brackets, round end caps, 5 channel remote & components) CSRTFCM138402 13/8" \$3,339.60 | \$3,513.40 | \$3,687.20 | \$3,861.00 | \$4,034.80 | \$4,208.60 | \$4,382.40 | \$4,556.20 | \$4,730.00 \$173.80 single traverse system, ceiling mount (includes track, motor, power option, brackets, round end caps, 5 channel remote & components) CSRTFCM138403 13/8" \$1,669.80 | \$1,756.70 | \$1,843.60 | \$1,930.50 | \$2,017.40 | \$2,104.30 | \$2,191.20 | \$2,278.10 | \$2,365.00 \$86.90 double traverse system, ceiling mount (includes tracks, motors, power options, brackets, round end caps, 5 channel remote & components) \$3,339.60 | \$3,513.40 | \$3,687.20 | \$3,861.00 | \$4,034.80 | \$4,208.60 | \$4,382.40 | \$4,556.20 | \$4,730.00 CSRTFCM138404 13/8"

single traverse system, low-profile ceiling mount (includes track, motor, power option, brackets, round end caps, 5 channel remote & components)

CSRTFCM138406 | 13/8" | \$1,669.80 | \$1,756.70 | \$1,843.60 | \$1,930.50 | \$2,017.40 | \$2,104.30 | \$2,191.20 | \$2,278.10 | \$2,365.00 | \$86.90

11/8" -	$-13/_8$ " modern me	tal finis	nes Traverse Collection Catalog page 9
CH	Chrome	BBN	Brushed Black Nickel
BN	Brushed Nickel	MK	Matte Black
SG	Satin Gold		

$1^{3}/_{8}$	" metal finishes	Traverse Collection Catalog page 9					
PN	Polished Nickel	ORB	Oil Rubbed Bronze				
AP	Antique Pewter	SK	Satin Black				
AB	Antique Brass	MK	Matte Black*				
ΒZ	Brushed Bronze						

- maximum continuous track length in Chrome (CH), Satin Gold (SG), Brushed Bronze (BZ) and Oil Rubbed Bronze (ORB) is 8'. All other finishes available up to 12'. Center draw tracks can be spliced for longer lengths
- Matte Black (MK) tracks and brackets coordinate with Venetian Bronze (VZ) and Dark Oil Rubbed Bronze (DRB) finials*
- see page 82 for finials. Sold separately

Item #	Name	NET Price
R-TEC Au	tomation® Motor Kits	
RTMLDKIT	Slim Drapery Motor with Li-ion Battery, Wall Charger & USB Cable (included)	\$350.00
RTMLDS2KIT	Slim Drapery Motor with Li-ion Battery, Wall Charger & Solar Panel Charger	\$470.00
RTMLDACKIT	Slim Drapery Motor with 110v AC/DC Power Transformer 10' with 3 Conductor Male Plug	\$295.00

R-TEC Smart Controls Push 5 handheld or wall mount remote 5 channel included


RTMHR1C	Handheld or wall mount remote-1 ch	White	\$65.00			
RTMHR5C	Push5 handheld or wall mount remote-5 ch	White	\$70.00			
RTMHRP15C RTMHRP15C/K	Push 1.5 Handheld or wall mount remote-1.5 ch	White or Black	\$75.00			
RTMHR15C	Handheld or wall mount remote-15 ch	White	\$85.00			
RTMWSR5C	Surface Mount Wall Switch-5 channel	White	\$70.00			
RTMWCR1C	Cut-In Wall Mount Switch, 1 ch *RTMSMB/W required for installation.	White	\$50.64			
RTMWCR2C	Cut-In Wall Mount Switch, 2 ch *RTMSMB/W required for installation.	White	\$56.59			
RTMWSR15C	Cut-In Wall Mount Switch, 15 ch *RTMSMB/W required for installation.	White	\$75.00			
RTMSMB/W	RTMSMB/W *Surface Mount Wall Back Box					
RTMHUB2 Wi-Fi to ARC Bridge Hub, 2-Way includes USB Power Cord, Power & Ethernet Cable		White	\$255.00			
RTMISS	Interior Sun Sensor	White	\$45.00			
RTMUSR	ARC USB Signal Repeater	White	\$120.00			
RTMLDSSBC	Wall Charger for USB Signal Repeater	White	\$15.00			
RTMSOLAR2	Solar Panel Battery Charger includes L-Bracket, Cables & Fastener					


13/8" glide and bracket chart																					
Quantity included per set based on cut track length	4'	5'	6'	7'	8'	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'	21'	22'	23'	24'
Glides [4 per foot, includes master carriers & end caps (2)]	16	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80	84	88	92	96
Brackets	2	3	4	4	4	5	5	5	5	6	6	6	6	7	7	7	8	8	8	8	8

THE FINIAL COMPANY... April 1, 2023 79















80









April 1, 2023 THE FINIAL COMPANY.

carriers for additional carriers

Pinch Pleat Glides



CP40 CP40/BR

pinch pleat glides

- wheel for smooth movement
- available in white or bronze /BR.
- included in system; additional glides may be ordered separately.

\$3.25 NET pack (10 pieces)

Ripplefold® Style Glides



R4060/P R4060/P/BR R4080/P R4080/P/BR R4100/P R4100/P/BR R4120/P R4120/P/BR


Ripplefold glides with detachable pendents

R-TEC Ripplefold glide

- 60%, 80%, 100% or 120% fullness specify fullness on order
- available in white or bronze /BR
- included in system; additional glides may be ordered separately

\$0.63 NET ea

R-TEC pinch pleat glide 4 per foot, unless otherwise specified



see specs to the right

60% carrier fullness: 2.5% spacing 80% carrier fullness: 2.3% spacing 100% carrier fullness: 2.1% spacing 120% carrier fullness: 1.2% spacing

Snap tape*: $4 \, \text{\lambda} \, \text{w}$ " spacing *Snap tape not included with system

IMPORTANT: Drapery workroom must apply specific snap tape to drapery panel when using Ripplefold glides.

R-TEC Automation® Ripplefold glides are compatible with Rowley R-TEX and clear Ripplefold snap tapes. Kirsch Ripplefold snap tapes may also fit.

R-TEC motorized tra	verse accessories	Master carrier body is required for each master carrier arm - sold separately; look for the /BF icon for components available in bronze and add /BR at the end of the item number to order	Traverse Collection Catalog page 8
	RTFC138MCB	master carrier body (must order 1 for each arm) • select from different arms to assemble into one master carrier body • order two if ordering center draw master carrier arms - sold separately • available in white or bronze /BR	\$10.50 NET ea
	RTFC138CD	master carrier arms for center draw • stainless steel arms overlap; pair • for use with center opening draperies • pinch pleat or Ripplefold • must order two master carrier bodies - sold separately	\$5.50 NET ea
	RTFC138PPOR RTFC138PPOL	master carrier arm for one-way draw • stainless steel arm • right (R) or left (L) • for use with one-way opening draperies • pinch pleat • must order one master carrier body - sold separately	\$3.00 NET ea
	RTMDTCDB	Ripplefold butt master carrier arms for center draw • stainless steel arms with snaps to accept Ripplefold tape; pair • for use with center opening draperies • Ripplefold • butt master carriers do not overlap, allowing some light to filter between draperies on center draw treatments • must order two master carrier bodies - sold separately	\$4.75 NET ea
	RTFC138OBR RTFC138OBL	Ripplefold butt master carrier arm for one-way draw • stainless steel arm • right and left • for use with one-way opening draperies • Ripplefold • must order one master carrier body - sold separately	\$4.00 NET ea

THE FINIAL COMPANY. April 1, 2023 81

	K-TEC Auto	mation [®] 1 ⁹ /8"	metal motor	rized traverse	e systems	
## 12 sector Model Troverse System ## 22 sector finial ## 23 sector finial ## 32 sector fi	finials You must purchase	cuffs & collars to coordinate w	ith 1³/8" diameter tracks.	Cat	See the 2018 Drapery Hardware alog & website for more information	
Pop 2 Select final Deck Acylic Deck A	step 1: select Modern		2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog	
Boyer Boye		page 5	page 5	page 5	page 5	
page 3: select a cull or color of the property	,	回港 回				
### 12/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16					,	
\$66.00 ea \$86.90 ea \$99.00 ea \$82.50 ea \$99.00	step 3: select a cuff or					
Second early Seco			·		-	
Delano	cold copulatory	\$66.00 ea	\$86.90 ea	\$99.00 ea	\$82.50 ea	
Upton Acrylic	2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog	
### AT x 17/4"W #### TFCM602 TFCM602/CL TFCM603 TFCM604 TFCM605 \$88.00 ea	page 5	page 5	page 5	page 5	page 5	
### AT x 17/4"W #### TFCM602 TFCM602/CL TFCM603 TFCM604 TFCM605 \$88.00 ea						
TFCM602	Upton	Upton Acrylic			Luca Acrylic	
\$88.00 ea \$82.50 ea \$99.00 ea \$90.00	· ·					
2018 Dropery Hardware Catalog page o		·				
Page 6 Page 7 P	\$88.00 ea	\$82.50 ea	\$99.00 ea	\$99.00 ea	\$99.00 ea	
Siles Acrylic Siles Acryli	2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog	
TFCM606	page 5	page 6	page 6	page 6	page 6	
TFCM606	回海	0340		DAME.		
TFCM691	Stiles Acrylic	Anson	Anson Acrylic	Eason Eason	Eason Acrylic	
\$99.00 ea \$47.30 ea \$53.90 ea \$47.30 ea \$53.90 ea \$47.30 ea \$53.90 ea \$13/8" end caps catalog & website for more information 2018 Drappery Hardware Catalog & website for more information page 6	2 ³ / ₈ "L × 3"W	7/8"L × 3"W	7/8"L × 3"W	1"L x 2 ⁷ / ₈ "W	1"L x 2 ⁷ / ₈ "W	
13/8" end caps Catalog & website for more information 2018 Drappery Hardware Catalog page 6 Bex 13/8" and caps Catalog & website for more information 2018 Drappery Hardware Catalog page 6 Bex 13/8" metal modern collar 11/4" sql 13/4" x1/4" 11/4" x1/4" x1/4	TFCM606	TFCM691	TFCM691/CL	TFCM692	TFCM692/CL	
Total Tota	\$99.00 ea	\$47.30 ea	\$53.90 ea	\$47.30 ea	\$53.90 ea	
2018 Diapery Hardware Catalog page 6 Bex 13/4" Round 13/4" 2018 Diapery Hardware Catalog page 6 Bex 13/4" 2018 Diapery Hardware Catalog page 6 Bex 13/4" 2018 Diapery Hardware Catalog page 6 Bex 13/4" 2018 Diapery Hardware Catalog page 6 TFCM138890 13/4" metal modern cullif 13/4" metal modern collor 13/4" metal transitional collor 13/4" metal modern collor 13/4" metal m	13/8" end caps Catalo	ee the 2018 Drapery Hardware a & website for more information	$1^3/_8$ " cuffs & collars	Cat	See the 2018 Drapery Hardware aloa & website for more information	
13/4" metal modern culf 13/4" metal modern collar 13	2018 Drapery Hardware Catalog		2018 Drapery Hardware Catalog			
1"L x 2½" W (1½" sq) TFCM138191 \$39.60 ea \$19.25 ea \$19.80 ea \$19.	page 6		page 6	page 6	page 6	
1"L x 2½" W (1½" sq) TFCM138191 \$39.60 ea \$19.25 ea \$19.80 ea \$19.	Box 13/a"	Pound 13/4"	13/a" metal modern cuff	13/a" metal modern collar	136" metal transitional collar	
TFCM138800 TFCM138801 TFCM138802 \$39.60 ea \$19.25 ea \$19.80 ea \$10.80 ea \$10	menar	TELL PAGE	· ·			
\$39.60 ea \$19.25 ea \$19.80			·			
3/8" finials See the 2018 Drapery Hardware Catalog and website for more information						
2018 Drapery Hardware Catalog page 11 Turner Britton Ashby Ashby Ashby Ashby Ashby Ashby Ashby Ashby Ashby Ashby Ash		\$19.25 ea	\$19.80 ea	\$19.80 ea		
Turner Britton Ashby Abington Page 11 Parlow Page 11	$1^3/_8$ " finials		See t	he 2018 Drapery Hardware Catalo	ng and website for more information	
Turner	2018 Drapery Hardware Catalog	1 /	1 /	-64		
5"L x 3"W 31/4"L x 37/6"W 37/6"L x 33/6"W 43/6"L x 31/4"W, glass 43/6"L x 3"W TFCM138100 TFCM138101 TFCM138102 TFCM138103 TFCM138104 \$73.70 ea \$100.10 ea \$93.50 ea \$106.70 ea \$73.70 ea 2018 Drapery Hardware Catalog page 11 Weston Brentford Rothwell Wells End Cap page 11 Weston 35/6"L x 31/4"W 41/6"L x 3"W 11/4"L x 21/4"W 3/4"L x 11/2"W TFCM138105 TFCM138106 TFCM138107 TFCM138190 TFCM138191	page 11	page 11	page 11	page 11	page 11	
5"L x 3"W 31/4"L x 37/6"W 37/6"L x 33/6"W 43/6"L x 31/4"W, glass 43/6"L x 3"W TFCM138100 TFCM138101 TFCM138102 TFCM138103 TFCM138104 \$73.70 ea \$100.10 ea \$93.50 ea \$106.70 ea \$73.70 ea 2018 Drapery Hardware Catalog page 11 Weston Brentford Rothwell Wells End Cap page 11 Weston 35/6"L x 31/4"W 41/6"L x 3"W 11/4"L x 21/4"W 3/4"L x 11/2"W TFCM138105 TFCM138106 TFCM138107 TFCM138190 TFCM138191						
TFCM138100 TFCM138101 TFCM138102 TFCM138103 TFCM138104 \$73.70 ea \$100.10 ea \$93.50 ea \$106.70 ea \$73.70 ea 2018 Drapery Hardware Catalog page 11 Weston Brentford Rothwell Wells End Cap page 11 4¼"L x 3½"W 3½"L x 3½"W 4½"L x 3½"W 1½"L x 3½"W 75CM138105 TFCM138106 TFCM138107 TFCM138103 TFCM138103 TFCM138103 TFCM138104 TFCM138103 TFCM138103 TFCM138103 TFCM138104 TFCM138103 TFCM138104 TFCM138103 TFCM138103 TFCM138104 TFCM138103 TFCM138104 TFCM138105 TFCM138106 TFCM138107 TFCM138191				_		
\$73.70 ea \$100.10 ea \$93.50 ea \$106.70 ea \$73.70 ea 2018 Drapery Hardware Catalog page 11 Weston Brentford Rothwell Wells End Cap page 11 4¼"L x 3"/4"W 35/6"L x 31/4"W 41/6"L x 3"W 11/4"L x 21/4"W 3/4"L x 11/2"W TFCM138105 TFCM138106 TFCM138107 TFCM138190 TFCM138191		·		_	,	
2018 Drapery Hardware Catalog page 11 Weston Brentford Brentfor						
Weston Brentford Rothwell Wells End Cap Round End Cap 4½"L x 3½"W 3½"L x 3½"W 4½"L x 3"W 1½"L x 2½"W ¾"L x 1½"W TFCM138105 TFCM138106 TFCM138107 TFCM138190 TFCM138191	\$73.70 ea	\$100.10 ea	\$93.50 ea	\$106.70 ea	\$73.70 ea	
Weston Brentford Rothwell Wells End Cap Round End Cap 4½"L x 3½"W 3½"L x 3½"W 4½"L x 3"W 1½"L x 2½"W 3½"L x 1½"W TFCM138105 TFCM138106 TFCM138107 TFCM138190 TFCM138191	2018 Drapery Hardware Catalog		2018 Drapery Hardware Catalog			
4½"L x 3½"W 3½"W 4½"L x 3"W 1½"L x 2½"W 3½"L x 1½"W TFCM138105 TFCM138106 TFCM138107 TFCM138190 TFCM138191	page 11	page 11	page 11	page 11	_	
4½"L x 3½"W 3½"W 4½"L x 3"W 1½"L x 2½"W 3½"L x 1½"W TFCM138105 TFCM138106 TFCM138107 TFCM138190 TFCM138191				W		
4½"L x 3½"W 3½"W 4½"L x 3"W 1½"L x 2½"W 3½"L x 1½"W TFCM138105 TFCM138106 TFCM138107 TFCM138190 TFCM138191	Weston	Brentford Brentford	Rothwell	Wells End Cap	Round End Cap	
TFCM138105 TFCM138106 TFCM138107 TFCM138190 TFCM138191				·		
	TFCM138105	TFCM138106		TFCM138190		

April 1, 2023 THE FINIAL COMPANY.



Metal Motorized Traverse Order Form



COMPANY	# O	#						Side Mark	Nark							Ship via	æ,				Date	
Company Information											S	Shipping Information	ing Ir	nforr	natio	u						
Company Name					Acct #	t #					ŭ	Company Name	ny Na	ıme							Acct #	
Contact Person											Ö	Contact Person	t Pers	uo								
Street Address											Ñ	Street Address	Addres	SS								
City					State	ē		ZIP	_		Ö	City									State	ZIP
Email											ш	Email										
Phone		Fax	×								₫	Phone							Fax	×		
MOTORIZED TRAVERSE SYSTEMS - Consult Price List for detailed Specified custom cut length indicates track length including pulleys.	YSTEM tes track	S - Consult F length includii	rice I	List fo	or det	ailed	specifications.	ficati	ons.													
Item #	Motor	Power Options (NET) Li-ion Battery 110v AC/DC Pc (Battery Charger Transforme & USB Cable) (10' cord includ	Optio 110	tions (NET) 110v AC/DC Power Transformer (10' cord included)	ET) C Powe rmer cluded)	Ŀ		System Length (sold by 1')	em gth vy 1')	Finish Code	ish	Center		Draw Preferenc Motor Location	Draw Preference	e One-Way	Way	pin Ripp	Carrier pinch pleat OR Ripplefold® style*	e, a	Price per Unit	Subtotal
	Slim	Charger & cable solar panel \$120	20, 20,	10' cord with plug	plug \$2	2									~				White	92		
	Slin	Charger & cable solar panel \$120		10' cord with plug	plug plug \$2	22								_	~		<u>~</u>		White	e ez		
	Slim	☐ charger & cable ☐ solar panel \$120	70, 00	10' cord with plug	plug plug \$25	D.								_	&				White	e ez		
	Slim	☐ charger & cable ☐ solar panel \$120		10' cord with plug	plug plug \$2	22								_	K			□ □		92		
MOTORIZED TRAVERSE COORDINATING ACCESSORIES AND A Order finials, cuffs & collars, additional brackets and accessories here.	OORDII onal brac	NATING ACC	SSS ssories	ORIE s here.	S A	VD A	DDITIONAL FEES	ONA	L FE	ES												
Item #		Finish Code										Desc	Description	_						Qty	Price per Unit	Subtotal
	ı	ı	ı				ı	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı		STATE OF STA		
Glide and Bracket Information									ŀ											when order	when ordering kippieroid carriers, answer mese questions	answer mese questions
Quantity included per set based on cut track length	s length		4	5' 6'	. 7	œ	9.	10,	11.	12' 13'	14.	15'	, 16'	17. 1	18' 19'	20,	21'	22, 2	23' 24'	1. Select	ipplefold	
Glides [4 per foot, includes master carriers & end caps (2)]	s end caps	(2)]	16	20 24	4 28	32	36	40	44 48	3 52	26	09	64	68 72	2 76	80	84	88	96 26	%00	80% 100%	

S
Ċ
≂
.9
₩.
ပ
Š
Ξ
Ð
Ś
Ċ
=
_
Œ
-
O
Ø.
õ
~
v,

Brackets

TOTAL

2. Select Ripplefold masters:
☐ Butt Master ☐ Overlap

8

9 9 9


2

5 5

4

7

motorized heavy duty traverse fascias



April 1, 2023 THE FINIAL COMPANY.

84

R-TEC Automation® motorized heavy duty traverse systems

Traverse Collection Catalog pages 12-17

LI-ION BATTERY OR 110v AC/DC POWER, RIPPLEFOLD OR PINCH PLEAT, AVAILABLE IN $1^3/8$ ", $1^7/8$ ", $2^1/4$ " AND 3" DIA.

single



- standard single brackets are adjustable: 2 7/8" 3 1/4" return
- longer return bracket options may be substituted at no charge
- traverse system includes track, fascia, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- coordinates with all fascia profiles
- 1 $^{3}/_{8}$ " and 2 $^{1}/_{8}$ " finials and additional remote options sold separately



- standard single brackets are adjustable: 2 7/8" 3 1/4" return
- longer return bracket options may be substituted at no charge
- traverse system includes track, fascia, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- coordinates with all fascia profiles
- additional remote options sold separately



- standard single brackets are adjustable: 2 1/8" 3 1/4" return
- standard double brackets are adjustable 4 $^5/_8$ " 5 $^{1}\!\!\!/_4$ " front return and adjustable 2" - 2 7/16" back return
- longer return bracket options may be substituted at no charge
- traverse system includes track(s), motor(s), power option(s), drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- available with no fascia; ceiling mount only available without fascia
- additional remote options sold separately

double



- standard double brackets are 5 1/4" front return and 2" back return
- longer return bracket options may be substituted at no charge
- traverse system includes tracks, fascia(s), motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- coordinates with all fascia profiles
- 1 $\frac{3}{8}$ " and 2 $\frac{1}{4}$ " finials and additional remote options sold separately



- standard double brackets are 5 $\,^{1}\!\!\!\!/4$ " front return and 2" back return
- longer return bracket options may be substituted at no charge
- traverse system includes tracks, fascia(s), motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- coordinates with all fascia profiles
- additional remote options sold separately



- traverse system coordinates with all 2 1/4" round fascia profiles; flat and slim fascia may not be used
- coordinates with 2 1/4" poles for stationary front pole; back track available with or without wood fascia.
- stationary front pole and tbkt bracket are included
- finials and additional remote options sold separately
- full rings available on stationary

coordinating fascia profiles & finials

Finials sold separately. Please reference the 2018 Drapery Hardware Catalog for coordinating finials: 13/8" Dia on pages 62-64, $2'' - 2^{1}/_{4}''$ Dia on pages 69-76 and 3'' Dia on pages 82-84.

















slim round smooth, no finials • 1 7/8" Dia

flat smooth, no finials 2 1/4" Dia

 1³/₈", 2", 2¹/₄" and 3" Dia

• 1³/₈", 2", 2¹/₄" and 3" Dia

• $1^3/8$ ", 2" and $2^{1}/_{4}$ " Dia

 13/8", 2", 21/4" and 3" Dia

wide reeded • 2 1/4" Dia

mitered returns (sold separately)

- 1³/₈", 1^{'7}/₈", 2", $2^{1}/_{4}$ " and 3" Dia
- all profiles

INCLUDED IN SYSTEM: R-TEC AUTOMATION® TRACK, BRACKETS, COMPONENTS, MOTOR, POWER OPTION & PUSH5 HANDHELD OR WALL MOUNT REMOTE



R-TEC Automation® slim drapery motor RTMLDSS50

- slim drapery motor, 1 per track
- maximum drapery weight: 110 lbs
- maximum track length: 36'
- power option: li-ion battery (includes battery charger & USB cable) or 110v AC/DC power transformer (includes 10' cord with 3 conductor male plug)
- motor can be mounted on right or left for center draw, or top mounted
- return hooks/snaps included; available in white or bronze
- available in white
- 5 year warranty

R-TEC Automation® track

- track sold in 1 foot increments, 4' minimum
- maximum continuous length is 19'; spliced lengths up to 36'
- available in white or bronze
- may be ordered with or without fascia
- fascia options shown on page 85



R-TEC Automation® Push5 handheld remote with wall mount

(5 channel)

- 43/4"H x 2"W x 3/8"D
- 1 remote control per system
- range: 65'
- programmable Favorite Position to set your favorite drapery position
- available in off-white

power options









RTMLDSSB li-ion battery

RTMLDSSBC battery charger

RTMLDSSUSB USB charger cable

RTMDSSPT

110v AC/DC power transformer 10' (plug included)

Motor Weight Capacity


				maximun	n drapery	weight p	er total ler	ngth of sy	stem (lbs)		
	Motor	18' or less	20'	22'	24′	26'	28'	30′	32′	34′	36′
RIEC AUTOMATION*	Slim Drapery Motor	110	110	110	110	110	110	110	110	110	110

Note: 110 lbs. is for single or double systems (combined panel weight for double system) Capacity ratings are based on internal system friction only. External loads caused by fabric friction, drag, or obstructions will adversely affect pulling capacity or stop motor due to resistance. Maximum System Lengths: If you need more than the maximum spliced length for a system, two one-way systems can butt against each other behind fascia. Must be specified on your order form. An additional arm component is needed to create an overlap between the two individual systems; sold separately.

Motorized Traverse System

includes motor(s) with power option(s), track(s) with components, brackets, Push5 handheld or wall mount remote (1 per system), and fascia with fascia clips when applicable.

front view




^{*}motor can be top mounted

top view

^{*}tandem alternative: see page 92

System Features	R-TEC Automation® Slim Drapery Motor
System Features	
center draw or one-way draw available	X
White or Bronze track, components and brackets available	Х
track maximum length	36'
maximum number of track splices	1
Motor Features	
battery power option	X
motor cord length as purchased	10' (custom length up to 20' available)
2-way RF communication	X
adjustable speed	X
preferred open / close limit settings	X
favorite position	X
obstruction detection	X
manual override	X
quiet operation	X
soft start / stop	X
average linear speed	5.5" (14 cm) / sec
motorized track noise level	44 dB
maximum weight	110 lbs
motor unit can be installed on either end of track	X
Control Options	
sun control	X
digital technology	ARCTM
Solar Power	Х
Installation Features	
programming buttons on motor unit	Х
power supply	li-ion battery or 110v AC/DC power transformer
amperage	1.3 A
power consumption	20 W
power cable type	3 conductor male plug
Standard Accessories included with system	
Push5 handheld or wall mount remote (remote control; white)	Х
Carrier Features	
White or Bronze pinch pleat glides	X
White or Bronze Ripplefold glides (choose 60%, 80%, 100%, or 120% fullness)	X





Additional R-TEC Smart Controls

can be ordered at additional cost



RTMHUB2

R-TEC Hub

2-way RF; Wi-Fi built in $4\frac{1}{2}$ "H x $1\frac{1}{4}$ "W x $4\frac{1}{2}$ "D

• range: 60'



RTMHR1C

handheld or wall mount remote, 1 channel

- \bullet 5 $^3\!/_{16}$ "H X 1 $^1\!/_{\!\!4}$ "W X $^1\!/_{\!\!2}$ "D
- range: 65'
- available in white



RTMHR5C

Push5 handheld or wall mount remote, 5 channel

- \bullet 4 $\frac{3}{4}$ "H x 2"W x $\frac{3}{8}$ "D
- range: 65'
- available in off-white



RTMHRP15C (/K)

Push 15 handheld or wall mount remote, 15 channel

- $5\%6"H \times 2\%W \times \%6"D$
- range: 65'
- available in white or black



RTMHR15C

handheld or wall mount remote, 15 channel

- 5 3/16"H x 1 1/4"W x 1/2"D
- range: 65'
- available in white



RTMWSR5C

surface mount wall switch 5 channel

- 4½"H x 2¾"W x 7%"D
- range: 65'
- available in white



RTMWCR1C RTMWCR2C RTMWSR15C

cut-in wall mount switch, 1, 2 or 15 ch

- 41/2"H x 23/4"W x 1"D
- range: 65'
- available in white
- RTMSMB/W required for installation



RTMISS

interior sun sensor

- 13/4"H x 13/4"W x 5/8"D
- range: 65'
- · available in white



RTMUSE

ARC USB signal repeater

- 2"L x 21/2"L with USB x 15/16"W
- extends the wireless range of the R-TEC Hub and remotes up to 60'
- maximum 2 repeaters per system or network
- available in white (color may vary)



KIMILDSSBO

wall charger for USB signal repeater

- 17/16"W x 113/16"L
- available in white (color may vary)

RTMSOLAR2

solar panel battery charger

- $4\frac{5}{8}$ "H x $12\frac{9}{16}$ "W x $1\frac{3}{8}$ "D
- includes l-bracket, cables & fastener

THE FINIAL COMPANY.

R-TEC Automation® Traverse Pricing

LHON BATTERY OR 110v AC/DC POWER TRANSFORMER

Item #	Name	Systems ar	e sold in 1 ft i	ncrements					
Motorized Tr	averse System with Wood Fas	cia							
	tem with Wood Fascia for 13/8" round	4'	5'	6'	<i>7</i> '	8'	9'	10'	
CSRTFC138WF	R-TEC Automation® Slim Drapery Motor	\$1,789.70	\$1,863.40	\$1,937.10	\$2,010.80	\$2,084.50	\$2,158.20	\$2,231.90	
Double Track S	systems with Wood Fascia Front Only	for 1 ³ / ₈ " rour	nd						
CSRTFC138WFFDBL	R-TEC Automation® Slim Drapery Motor	\$3,180.10	\$3,297.80	\$3,415.50	\$3,533.20	\$3,650.90	\$3,768.60	\$3,886.30	
Double Track S	system with Wood Fascia Front and Bo	ick for 13/8"	round						
CSRTFC138WFDBL	R-TEC Automation® Slim Drapery Motor	\$3,579.40	\$3,726.80	\$3,874.20	\$4,021.60	\$4,169.00	\$4,316.40	\$4,463.80	
Single Track Sys	tem with Wood Fascia for 17/8" slim, 21/4"	flat smooth, 2	2" and 21/4" re	ound					
CSRTFC214WF	R-TEC Automation® Slim Drapery Motor	\$1,934.90	\$2,082.30	\$2,229.70	\$2,377.10	\$2,524.50	\$2,671.90	\$2,819.30	
Double Track S	systems with Wood Fascia Front Only	for 1 ⁷ / ₈ " slim,	21/4" flat sma	ooth, 2" and	21/4" round				
CSRTFC214WFFDBL	R-TEC Automation® Slim Drapery Motor	\$3,325.30	\$3,516.70	\$3,708.10	\$3,899.50	\$4,090.90	\$4,282.30	\$4,473.70	
Double Track S	system with Wood Fascia Front and Bo	ıck for 2" ar	nd 21/4" rounc	ĺ					
CSRTFC214WFDBL	R-TEC Automation® Slim Drapery Motor	\$3,869.80	\$4,164.60	\$4,459.40	\$4,754.20	\$5,049.00	\$5,343.80	\$5,638.60	
Double Track S	system with Stationary Front Only for 2	1/4" round							
CSRTFC214SDBL	R-TEC Automation® Slim Drapery Motor	\$1,834.80	\$2,041.60	\$2,226.40	\$2,411.20	\$2,596.00	\$2,780.80	\$2,965.60	
Double Track S	system with Stationary Front 21/4" Woo	d Pole & W	ood Fascia	Back for 21/	4" round				
CSRTFC214WFBSDBL	R-TEC Automation® Slim Drapery Motor	\$2,401.30	\$2,689.50	\$2,977.70	\$3,265.90	\$3,554.10	\$3,842.30	\$4,130.50	
Single Track Sy	vstem with Wood Fascia for 3" round								
CSRTFC300WF	R-TEC Automation® Slim Drapery Motor	\$2,080.10	\$2,263.80	\$2,447.50	\$2,631.20	\$2,814.90	\$2,998.60	\$3,182.30	
Double Track S	system with Wood Fascia Front Only fo	or 3" round							
CSRTFC300WFFDBL	R-TEC Automation® Slim Drapery Motor	\$3,470.50	\$3,698.20	\$3,925.90	\$4,153.60	\$4,381.30	\$4,609.00	\$4,836.70	
Double Track S	system with Wood Fascia Front and Bo	ıck for 3" rou	ınd						
CSRTFC300WFDBL	R-TEC Automation® Slim Drapery Motor	\$4,160.20	\$4,527.60	\$4,895.00	\$5,262.40	\$5,629.80	\$5,997.20	\$6,364.60	
Motorized Tr	averse System without Wood F	ascia							
Single Track Sy	vstem track available in white and bronze	4'	5'	6'	<i>7</i> '	8'	9'	10'	
CSRTFCTRACK	R-TEC Automation® Slim Drapery Motor	\$1,390.40	\$1,434.40	\$1,478.40	\$1,522.40	\$1,566.40	\$1,610.40	\$1,654.40	
Double Track S	ystem track available in white and bronze								
CSRTFCTRACKDBL	R-TEC Automation® Slim Drapery Motor	\$2,780.80	\$2,868.80	\$2,956.80	\$3,044.80	\$3,132.80	\$3,220.80	\$3,308.80	

Item #	Name	Color	NET Price

R-TEC Smart Controls Push5 handheld or wall mount remote 5 channel included

RTMHR1C	Handheld or wall mount remote-1 ch	White	\$65.00
RTMHR5C	Push5 handheld or wall mount remote-5 ch	White	\$70.00
RTMHRP15C RTMHRP15C/K	Push 1.5 Handheld or wall mount remote-1.5 ch	White or Black	\$75.00
RTMHR15C	Handheld or wall mount remote-15 ch	White	\$85.00
RTMWSR5C	Surface Mount Wall Switch-5 channel	White	\$70.00
RTMWCR1C	Cut-In Wall Mount Switch, 1 ch *RTMSMB/W required for installation.	White	\$50.64
RTMWCR2C	Cut-In Wall Mount Switch, 2 ch *RTMSMB/W required for installation.	White	\$56.59
RTMWSR15C	Cut-In Wall Mount Switch, 15 ch *RTMSMB/W required for installation.	White	\$75.00
RTMSMB/W	*Surface Mount Wall Back Box	White	\$8.50
RTMHUB2	Wi-Fi to ARC Bridge Hub, 2-Way RF- includes USB Power Cord, Power Plug & Ethernet Cable	White	\$255.00

88

Item #	Name	Color	NET Price

R-TEC Smart Controls cont.

RTMISS	Interior Sun Sensor	White	\$45.00
RTMUSR	ARC USB Signal Repeater	White	\$120.00
RTMLDSSBC	Wall Charger for USB Signal Repeater	White	\$15.00
RTMSOLAR2	Solar Panel Battery Charger includes L-Bracket, Cables & Fastener	Black	\$120.00

TFC Motorized Traverse Tips

- specified custom cut length indicates track length including drive belts; fascia will be $\frac{1}{2}$ " longer at each end of track ($\frac{1}{2}$ " total); mitered fascia will be $\frac{1}{2}$ " to $\frac{1}{3}$ 4" longer at each end of track ($\frac{3}{2}$ to $\frac{3}{2}$ " total)
- track and fascia will be spliced in the center of overall length
- blended fascia available for an additional fee per blend; TFC will properly connect splice(s) and ship your fascia in one continuous length
- back fascia can accommodate decorative end caps; decorative end caps sold separately
- R-TEC Automation® Traverse Systems carry a 5 year warranty on motor WARNING: Modifications of internal components will void R-TEC warranties

April 1, 2023 THE FINIAL COMPANY.

Orders with R-TEC motorized traverse systems will incur a \$25 packaging fee. Orders that contain a Li-ion battery will be charged a \$25.00 shipping surcharge. Available in all profiles for 13/8", 17/8", 2", 21/4" and 3" diameter fascias or without a wood fascia

Pricing Includ	es R-TEC Automo	ition® Track, Brac	kets, Component	ts, Motor, Power	Option & Push5	handheld or wall	mount remote	Traverse C	ollection Catalog pages 12-16
								Spliced systems	begin at 19'
11'	12'	13'	14'	15'	16'	1 <i>7</i> '	18'	19'	per add'l ft
\$2,305.60	\$2,379.30	\$2,453.00	\$2,526.70	\$2,600.40	\$2,674.10	\$2,747.80	\$2,821.50	\$2,895.20	\$73.70
\$4,004.00	\$4,121.70	\$4,239.40	\$4,357.10	\$4,474.80	\$4,592.50	\$4,710.20	\$4,827.90	\$4,945.60	\$117.70
\$4,611.20	\$4,758.60	\$4,906.00	\$5,053.40	\$5,200.80	\$5,348.20	\$5,495.60	\$5,643.00	\$5,790.40	\$147.40
\$2,966.70	\$3,114.10	\$3,261.50	\$3,408.90	\$3,556.30	\$3,703.70	\$3,851.10	\$3,998.50	\$4,145.90	\$147.40
\$4,665.10	\$4,856.50	\$5,0 <i>47</i> .90	\$5,239.30	\$5,430.70	\$5,622.10	\$5,813.50	\$6,004.90	\$6,196.30	\$191.40
					1				
\$5,933.40	\$6,228.20	\$6,523.00	\$6,817.80	<i>\$7</i> ,112.60	\$7,407.40	\$7,702.20	\$7,997.00	\$8,291.80	\$294.80
	T		ı	T	1	T	T		
\$3,150.40	\$3,335.20	\$3,520.00	\$3,704.80	\$3,889.60	\$4,074.40	\$4,259.20	\$4,444.00	\$4,628.80	\$184.80
					T		T		
\$4,418.70	\$4,706.90	\$4,995.10	\$5,283.30	\$5,571.50	\$5,859.70	\$6,147.90	\$6,436.10	\$6,724.30	\$288.20
							T .		
\$3,366.00	\$3,549.70	\$3,733.40	\$3,917.10	\$4,100.80	\$4,284.50	\$4,468.20	\$4,651.90	\$4,835.60	\$183.70
\$5,064.40	\$5,292.10	\$5,519.80	\$5,747.50	\$5,975.20	\$6,202.90	\$6,430.60	\$6,658.30	\$6,886.00	\$227.70
4.700.00	47000 10	* 7.444.00	47.00 / 00	to 001 (0	to 5/000	to 00 / 10	40,000,00	do (71.00	40.47.40
\$6,732.00	\$7,099.40	\$7,466.80	\$7,834.20	\$8,201.60	\$8,569.00	\$8,936.40	\$9,303.80	\$9,671.20	\$367.40
								Spliced systems	begin at 19'
11'	12'	13'	14'	15'	16'	1 <i>7</i> '	18'	19'	per add'l ft
\$1,698.40	\$1, <i>7</i> 42.40	\$1,786.40	\$1,830.40	\$1,874.40	\$1,918.40	\$1,962.40	\$2,006.40	\$2,050.40	\$44.00
\$3,396.80	\$3,484.80	\$3,572.80	\$3,660.80	\$3 <i>,7</i> 48.80	\$3,836.80	\$3,924.80	\$4,012.80	\$4,100.80	\$88.00

Item #	Name	NET Price
R-TEC Aut	tomation® Motor Kits	
RTMLDKIT	Slim Drapery Motor with Li-ion Battery, Wall Charger & USB Cable (included)	\$350.00
RTMLDS2KIT	Slim Drapery Motor with Li-ion Battery, Wall Charger & Solar Panel Charger	\$470.00
RTMLDACKIT	Slim Drapery Motor with 110v AC/DC Power Transformer 10' with 3 Conductor Male Plug	\$295.00

Item #	Name	Со	or	Price		
R-TEC Additional Options, Upgrades & Fees						
TFCFEEMITI Wood fasci	ER-EACH a mitered return			\$80.00 per return		
TFCFEEBLEN Blended fas	\$108.00 per blend					

Quantity Per	System
--------------	--------

	4'	5'	6'	7'	8'	9'	10'	11'	12'	13'	14'	15'	16'	1 <i>7</i> '	18'	19'
Pinch Pleat Glides	21	27	33	38	44	50	55	61	67	72	78	84	89	95	100	106
Brackets	3	4	4	5	5	6	6	7	7	8	8	9	9	10	10	11

Motorized Stack Back Calculation (each drapery panel)

master carrier + (# glides on panel x carrier width) + 3.375" = stack per drapery panel

R-TEC Automation® 10ft. center draw, pinch pleat (standard 4 glides per ft.) $4.2" + [(40/2) \times .563"] + 3.375" = 18.84"$ stack, for each panel BEFORE drapery fabric is installed

Please note: Calculations result in Stack Back Width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat, and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.

THE FINIAL COMPANY April 1, 2023


R-TEC motorized tra	verse brackets	Traverse Co	llection Catalog page 16
-2 -44 -2 -4	TB035-R	wall traverse bracket, single • adjustable up to 3½" return; 2½"H x ½"W backplate • available in white or bronze /BR	\$31.63 ea
	TB060-R	wall traverse bracket, single or double • 5½" front return; 2" back return; 3½""H x 1½"W backplate • available in white or bronze /BR	\$50.60 ea
TB035-R TB060-R TB100-R	TB100-R	wall traverse bracket, single, double or triple • adjustable up to 9"; 4½"H x 1½"W backplate • available in white or bronze /BR	\$50.60 ea
IBOOOK IBIOOK	RTMDTBCM	ceiling mount clip may only be used in systems without fascia • '/a"H x 2 '/a"Deep x 1'/1°"W • single bracket; may be substituted in double systems; for double ceiling mount installation, install two individual brackets into ceiling • available in white or bronze / BR	\$3.00 NET ea
	RTMDTFC	fascia mount clip • use to attach fascia to traverse systems; included • available in zinc	\$2.50 NET ea
1	TBKT214-R * TBKT300-R *	• For 2"-2½" poles: 3½"H x ¾"W backplate, 7½" front return and 3" back track return* • For 3" poles: 3½"H x ½"W backplate, 8¾" front return and 3" back track return* • use to combine 2", 2½" or 3" full wood pole with single traverse systems • includes traverse ceiling mount bracket attached onto the bottom of the over-bracket custom returns available, poles sold separately	\$88.55 ea
	CMTB-R *	steel custom ceiling bracket, single • 2¾"H x 1½"W backplate for double ceiling mount installation, install two individual brackets into ceiling When ordering, specify: A. fascia diameter and profile. B. projection to carrier and/or to front of fascia. C. drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling). D. width of mounting plate if longer than 2¾".	\$75.90 ea


 $^{^{\}star} \text{available}$ in any of our 50 standard hand painted finishes or your own custom finish

90 April 1, 2023 The Finial Company.


R-TEC motorized traverse brackets


R-TEC Single Motorized Bracket (TB035-R)







R-TEC Single, Double or Triple Motorized Bracket (TB100-R)









THE FINIAL COMPANY. April 1, 2023

carriers for additional carriers

Pinch Pleat Glides



CP40 CP40/BR

pinch pleat glides

- wheel for smooth movement
- available in white or bronze /BR.
- included in system; additional glides may be ordered separately.

\$3.25 NET pack (10 pieces)

Ripplefold® Style Glides




R4060/P R4060/P/BR R4080/P R4080/P/BR R4100/P R4100/P/BR R4120/P R4120/P/BR

Ripplefold glides with detachable pendents


- 60%, 80%, 100% or 120% fullness specify fullness on order
- available in white or bronze /BR
- included in system; additional glides may be ordered separately

\$0.63 NET ea

R-TEC pinch pleat glide 4 per foot, unless otherwise specified



R-TEC Ripplefold glide see specs to the right



60% carrier fullness: 2 5/8" spacing 80% carrier fullness: 2 3/8" spacing 100% carrier fullness: 2 1/6" spacing 120% carrier fullness: 1 7/8" spacing Snap tape*: 4 1/4" spacing

*Snap tape *: 4 1/4" space
*Snap tape not included with system

IMPORTANT: Drapery workroom must apply specific snap tape to drapery panel when using Ripplefold glides.

R-TEC Automation® Ripplefold glides are compatible with Rowley R-TEX and clear Ripplefold snap tapes. Kirsch Ripplefold snap tapes may also fit.

R-TEC motorized traverse accessories

Master carrier body is required for each master carrier arm - sola separately; look for the /BK icon for components available in bronze and add /BR at the end of the item number to order

Traverse Collection Catalog page 8



RTMDTMCB RTMDTMCB/BR

master carrier body

- select from different arms to assemble into one MC Body; order two if ordering Center Draw MC Arms - sold separately
- available in white or bronze /BR

\$4.00 NET ea



RTMDTCD

overlap master carrier arms for center draw

- pinch pleat or Ripplefold; order two MC Bodies sold separately
- available in Stainless Steel only

\$4.75 NET pair



RTMDTCDTAN

- Tandem Master Carrier Arms for Center Draw (see below)
 pinch pleat or Ripplefold; order two MC Bodies sold separately
- available in Stainless Steel only

\$7.00 NET pair



RTMDTOR RTMDTOL

- master carrier arm for one-way draw
- right (R) or left (L)
 pinch pleat or Ripplefold; order one MC Body sold separately
- available in Stainless Steel only

\$2.75 NET ea



RTMDTCDB

- Ripplefold butt master carrier arms for center draw
- Ripplefold only; order two MC Bodies sold separately
 do not overlap, allowing some light to filter between draperies on
 - center draw treatments
- available in Stainless Steel only

\$4.75 NET pair



92

RTMDTOB

- Ripplefold butt master carrier arm for one-way draw
- right and left use
- Ripplefold only; order one MC Body sold separately
 available in Stainless Steel only

\$2.75 NET ea


Tandem Alternative

Tandem alternative ARCTM motorized systems utilize two drapery motors and are used for draperies that exceed the maximum single motor capacity, available in center draw only. Use Tandem Center Draw Overlap Arms RTMDTCDTAN (for pinch pleat or ripplefold draperies) or two Butt Master One-Way Draw Arms RTMDTOB (for ripplefold draperies only).

April 1, 2023 THE FINIAL COMPANY.

R-TEC motorized carrier diagrams


R-TEC Motorized Heavy Duty Traverse ONLY Universal Master Carrier Arms, Center Draw RTMDTCD




R-TEC Motorized Heavy Duty Traverse ONLY Universal Tandem Master Carrier Arms, Center Draw RTMDTCDTAN (see page 92 for details)

L-U


6 15/16"




TAN (O) R-O TAN (O) 6 (I) $6^{3}/8$ "




R-TEC Motorized Heavy Duty Traverse ONLY Universal Master Carrier Árm, Óne-Way Draw Right - RTMDTOR or Left - RTMDTOL




R-TEC Motorized Heavy Duty Traverse ONLY Ripplefold Butt Master Carrier Arm, One-Way Draw, Right or Left - RTMDTOB




R-TEC Motorized Heavy Duty AND 1 3/8" Metal Traverse Ripplefold Butt Master Carrier Arms, Center Draw RTMDTCDB




1 3/8" R-TEC Motorized Metal Traverse ONLY Pinch Pleat / Ripplefold Master Carrier Arms, Center Draw RTTFC138CD



1 3/8" R-TEC Motorized Metal Traverse ONLY Ripplefold Butt Master Carrier Arm, One-Way Draw Right - RTTFC 138OBR or Left - RTTFC 138OBL



1 3/8" R-TEC Motorized Metal Traverse ONLY Pinch Pleat Master Carrier Arm, One-Way Draw Right - RTTFC 138PPOR or Left - RTTFC 138PPOL



93

THE FINIAL COMPANY April 1, 2023

R-TEC Automation® & Somfy motorized traverse systems

Provide your clients with innovative window treatment solutions that fit their budget expectations with R-TEC Automation® systems that offer unrivaled design, uncompromising quality and service, and intuitive control options at exceptional price points.

System Features	R-TEC® Automation® Slim	Somfy Glydea	ULTRA Motors	Somfy Irism	no™ Motors
	Drapery Motor	Heavy Duty	Standard	Standard	Mini
System Features	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
8' system pricing (single track with 2 1/4" wood fascia)	\$1,730.00	\$2,800.00	\$2,450.00	\$2,800.00	\$2,450.00
center draw or one-way draw available	X	X	Х	X	X
white or bronze track available	X	Х	Х	Х	X
white or bronze components available	X	Х	X	X	X
track maximum length	36'	36'	32'	33'	32'
maximum number of track splices	2	2	2	2	2
minimum curving radius		11.8" (30 CM)	11.8" (30 CM)		11.8" (30 CM)
white or bronze wall mount brackets (sgl & dbl)	X	χ	X	X	X
white standard ceiling mount bracket	X	X	X	X	X
13/8" fascia provide	X				
Motor Features	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
motor cord length as purchased	120" or specify length up	120"	120"	n/a	158.4"
	to 240"			·	
touch motion	X	Х	Х	X	X
manual override	X	Х	Х	X	X
soft start	X	Х	X	X	Х
soft stop	X	Х	X	X	X
speed control and adjustment	X	X	X	X	X
average linear speed	5.5 in./s - 8.25 in. /s	4.9 in./s - 7.86 in. /s (silent: 2.95 in. /s)	4.9 in./s - 7.86 in. /s (silent: 2.95 in. /s)	4.9 in./s - 7.86 in./s	4.9 in./s - 7.86 in./s
motor automatically stops when system reaches fully open or fully closed position	х	X	x	x	X
adjustable limits	X	Х	X	X	X
intermediate position	Favorite Position	My Position	My Position	My Position	My Position
motorized track noise level	44 dB	38 dB in silent mode	38 dB in silent mode	44 dB	44 dB
maximum weight	110 lbs	132 lbs	77 lbs	99 lbs	77 lbs
tandem maximum weight	220 lbs	266 lbs	154 lbs	198 lbs	154 lbs
motor unit can be installed on either end of track	X	X	X	X	X
inverse mounting of motor	X	X	Х	X	X
factory reset	Х	Χ	X	Х	Х
Control Options	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
timer control		Х	Х	Х	Х
sun control	Х	Х	Х	Х	Х
digital communication technology	ARC™		Radio Technolo	ogy Somfy (RTS)	
solar power	Х				
Installation Features	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
programming buttons on motor unit	X	Х	X		Х
power supply	Li-ion Battery or 110v AC/ DC power transformer	12	OV	25.9 V DC Power (Li-ion Rechargeable)	24V DC Power Supply
amperage	1.3 A	0.8 A	0.8 A	0.5 A	2 A
power consumption	20 W	96 W	96 W	60 W	48 W
power cable type	3 conductor male plug	3 conductor male plug	3 conductor male plug	3 conductor male plug	3 conductor male plug
certifications	CE		CCC, CE	CE	CE
Standard Accessories included with system	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
5 channel transmitter (remote control; white)	X	X	X	X	X
Carrier Features	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
white or bronze pinch pleat or Ripplefold® style carriers	X	X	X	X	X
write or profize billou blear of kippletola, sixte carriers	^	^	^	^	^

94

THE FINIAL COMPANY. April 1, 2023

^{*}components include: carriers, master carriers, drive gears, return hooks and fascia clips.

**maximum allowable charging current.

***DCT motors are available for Glydea Ultra 60e, 35e and Irismo 35. Special order required.

Somfy motorized heavy duty traverse systems

Traverse Collection Catalog pages 12-17

RIPPLEFOLD OR PINCH PLEAT, AVAILABLE IN $1^{7}/_{8}$ ", 2^{1} , $2^{1}/_{4}$ " AND 3" DIA.

single



- standard single bracket is adjustable 2 $^3/_4$ " 3 $^5/_8$ " return
- longer return bracket options may be substituted at no charge
- traverse system includes track, fascia, motor, power option, brackets, components and a standard 5 channel remote control
- coordinates with all fascia profiles
- 2 ¼" finials and additional remote options sold separately



- standard single bracket is adjustable 2 $\frac{3}{4}$ " 3 $\frac{5}{8}$ " return
- longer return bracket options may be substituted at no charge
- traverse system includes track, fascia, motor, power option, brackets, components and a standard 5 channel remote control
- coordinates with all fascia profiles
- additional remote options sold separately



- standard single bracket is adjustable 2 ³/₄" 3 ⁵/₈" return
- longer return bracket options may be substituted at no charge
- traverse system includes track, motor, power option, brackets, components and a standard 5 channel remote control
- available with no fascia; ceiling mount only available without fascia
- additional remote options sold separately

double



- standard double brackets are adjustable 5" 5 3/8" front return and adjustable 1 3/4" - 2 3/8" back return
- longer return bracket options may be substituted at no charge
- traverse system includes tracks, fascia(s), motors, power options, brackets, components and a standard 5 channel remote control
- coordinates with all fascia profiles
- 2 1/4" finials and additional remote options sold separately



- standard double brackets are adjustable 5" 5 $^3/_8$ " front return and adjustable 1 $^3/_4$ " 2 $^3/_8$ " back return
- longer return bracket options may be substituted at no charge
- traverse system includes tracks, fascia(s), motors, power options, brackets, components and a standard 5 channel remote control
- coordinates with all fascia profiles
- additional remote options sold separately



- standard double brackets are adjustable 5" 5 $^3/_8$ " front return and adjustable 1 $^3/_4$ " 2 $^1/_2$ " back return
- longer return bracket options may be substituted at no charge
- traverse system includes tracks, fascia(s), motors, power options, brackets, components and a standard 5 channel remote control
- available with no fascia; ceiling mount only available without fascia
- additional remote options sold separately

THE FINIAL COMPANY. April 1, 2023 95

RIPPLEFOLD OR PINCH PLEAT

INCLUDED IN SYSTEM: SOMFY® MOTORIZED TRAVERSE TRACK WITH MOTOR AND REMOTE



- track sold in 1 foot increments, 6' minimum
- maximum continuous length is 20'; spliced lengths up to 36'
- includes one motor, standard remote control 5-channel transmitter per track, and fascia with fascia clips when applicable
- available in white or bronze; track finish will complement fascia finish
- end drive gears available in white
- may be ordered with or without The Finial Company™ fascia options
- curved tracks available with minimum 11.8" radius; curving fees apply



Somfy Irismo™ 45 motor 1002353

- heavy duty motor, 1 per track
- maximum drapery weight for motor: 99 lbs
- maximum length for motor: 33'
- 25.9V Li-ion Battery Power
- motor can be mounted on right or left for center draw, or top mounted
- return hooks/snaps included; available in white
- available in white
- 5 year warranty



Somfy Glydea® ULTRA 60e RTS motor 1003159

- heavy duty motor, 1 per track
- maximum drapery weight for heavy duty motor: 132 lbs
 maximum length for heavy duty motor: 36'
- 110V Power Supply cord with plug: 120" cord length
- motor can be mounted on right or left for center draw, or top mounted; may also be hardwired
- return hooks/snaps included; available in white
- available in brushed aluminum
- 5 year warranty (warranty voided if hardwired)



Somfy Situo® standard remote control transmitter

(multi-channel handheld remote)

- 51/4"H x 15/8"W
- 1 remote control per track
- 5 channels
- programmable My Position to set your favorite drapery position
- available in white



Somfy Irismo™ 35 Mini motor 1003004

- mini motor, 1 per track
- maximum drapery weight for mini motor: 77 lbs
- maximum length for mini motor: 32'
- 24V DC Power Supply cord with plug: 158.4" cord length
- motor can be mounted on right or left for center draw, or top mounted
- return hooks/snaps included; available in white
- available in white
- 5 year warranty



Somfy Glydea® ULTRA 35e RTS motor 1003152

- light duty motor; 1 per track
- maximum drapery weight for light duty motor: 77 lbs
 maximum length for light duty motor: 32'
- 110V Power Supply cord with plug: 120" cord length
- motor can be mounted on right or left for center draw, or top mounted; may also be hardwired
- return hooks/snaps included; available in white
- available in brushed aluminum
- 5 year warranty (warranty voided if hardwired)


Be sure to select the best motor for your window treatment. Use the Motor Weight Capacity chart below to determine which motor best accommodates your length of track and your drapery weight. The System Features chart on page 94 lists the varied functions of each motor.

Motor Weight Capacity

				maximum drapery weight per total length of system (lbs)										
	Motor		18' or less	20'	22'	24′	26'	28'	30′	32′	34′	36′	38′	40′
somfy.	Standard	Glydea® ULTRA 35e	77	77	77	77	77	77	77	77	-	-	-	-
	Heavy Duty	Glydea® ULTRA 60e	132	132	132	132	132	132	132	132	132	132	-	-
	Standard	Irismo™ 45	99	99	99	99	99	99	99	99	-	-	-	-
	Mini	Irismo™ 35	77	77	77	77	77	77	77	77	-	-	-	-

Note: Capacity ratings are based on internal system friction only. External loads caused by fabric friction, drag, or obstructions will adversely affect pulling capacity or stop motor due to resistance. Curving: System curves reduce maximum drapery weight capacity by a minimum of 15% per bend. Please call us regarding weight capacity for your curved track. Maximum System Lengths: If you need more than the maximum spliced length for a system, two one-way systems can butt against each other behind fascia. Must be specified on your order form. An additional arm component is needed to create an overlap between the two individual systems; sold separately,

Motorized Traverse System includes 1 motor with power supply (1 per track), track(s) with components, brackets, and 1 standard transmitter (1) per track), and fascia with fascia clips when applicable. Somfy transformers are within the Somfy motor housing.



Single and Double without Fascia can be curved for an additional fee:


Somfy Glydea®

Please note: Somfy Glydea® systems can be curved with a minimum 11.8" radius. All curves require a template. Curving track reduces weight capacity of motor. Please refer to motor specifications above.

Somfy motorized traverse accessories Traverse Collection Catalog page 18 Somfy standard pinch pleat glide wheeled for smooth movement \$2.04 NET 1782869 bronze 1781415 white included in system; additional glides may be ordered separately • available in white or bronze Somfy Ripplefold glide 1780901 white 1782870 bronze 120% • snap accepts Ripplefold tape and swivels to create fold \$2.86 NET 1780902 white 1782871 bronze 100% • fullness 80%, 100% and 120%; specify fullness on order

80%

Somfy pinch pleat glide 4 per foot, unless otherwise specified 1.25" 5 mm 1.25" 32 mm



Somfy Ripplefold glide

• available in white or bronze

80% glide fullness: 2½" spacing 100% glide fullness: 2½" spacing 120% glide fullness: 1½" spacing

Snap tape: 41/4" spacing; Snap tape not included with system

IMPORTANT: Drapery workroom must apply specific snap tape to drapery panel when using Ripplefold glides. Somfy Glydea® Ripplefold glides are only compatible with Kirsch Ripplefold snap tape. Other brand tapes are NOT COMPATIBLE with the Somfy Glydea® Motorized system.


Somfy Ripplefold Butt Master Carrier One-Way Draw

1780903 white


.5"

12.7 mm

1782872 bronze




Somfy Ripplefold Butt Master Carrier



TFC Motorized Traverse Tips

- specified custom cut length indicates track length including drive gears; fascia will be ¼" longer at each end of track (½" total); mitered fascia will be 1½" to 13½" longer at each end of track (3 to 3½" total)
- track and fascia will be spliced in the center of overall length
- blended fascia available for an additional fee per blend; TFC will properly connect splice(s) and ship your fascia in one continuous length.
- back fascia can accommodate decorative end caps; decorative end caps sold separately
- Somfy Motorized Traverse Systems carry a 5 year warranty on motor;
 WARNING: Modifications of internal components will void Somfy warranties;
 Hardwiring Somfy Glydea® Motors will void Somfy warranties

Somfy Pinch Pleat or Ripplefold Master Carrier



Quantity Per System

	6'	<i>7</i> '	8'	9'	10'	11'	12'	13'	14'	15'	16'
Pinch Pleat Glides	24	28	32	36	40	44	48	52	56	60	64
Brackets	3	3	4	4	4	5	5	5	6	6	6

Somfy glides are 4 per foot

Somfy brackets are 1 every 3-4 feet

THE FINIAL COMPANY.

April 1, 2023

Somfy motorized tra	verse accessories	Traverse Collection C	Catalog pages 18-19
10	TB035-S	steel traverse bracket, single • adjustable 2³/4" - 3⁵/s" return; 2¹¹/₁₀"H x 1¹/₂"W backplate • available in white or bronze	\$31.63 ea
	TB060-S	steel traverse bracket, double, can be used for single 6" return • adjustable 5"-53/8" front return, adjustable 13/4"-21/2" back return, 35/16"H x 11/2"W backplate • available in white or bronze	\$50.60 ea
TB035-S TB060-S TB100-S	TB100-S	steel custom bracket, single or double • 41/2"H x 11/2"W backplate; specify return up to 93/16"	\$50.60 ea
	CMBC-S	single ceiling mount bracket • ½"H x 2"Deep x 1"W • may only be used in systems without fascia • single bracket; may be substituted in single or double systems • available in white or bronze for double ceiling mount installation, install two individual brackets into ceiling	\$25.30 ea
	SOMFY CLIP	Somfy fascia clip • use to attach fascia to traverse systems; included	\$25.30 ea
	CMTB-S	steel custom ceiling bracket, single • 2¾"H x 1½"W backplate specify drop: contingent upon which fascia or finials are chosen for double ceiling mount installation, install two individual brackets into ceiling	\$75.90 ea
1	TBKT214-S	3½"H x ¾"W backplate, 7½" front return and 3" back track return* use to combine 2" or 2½" full wood pole with single traverse systems includes traverse ceiling mount bracket attached onto the bottom of the over-bracket *custom returns available, poles sold separately	\$88.55 ea
	TBKT300-S	3½"H x ¾"W backplate, 8¾" front return and 3" back track return* use to combine 3" full wood pole with single traverse systems includes traverse ceiling mount bracket attached onto the bottom of the over-bracket *custom returns available, poles sold separately	\$88.55 ea
0 0	1781344	master carrier body • select from different arms to assemble into one MC Body; order two if ordering Center Draw MC Arms - sold separately • pinch pleat or Ripplefold. Available in gray with white only	\$16.50 NET ea
	1782320 (Over A 1782321 (Under		\$14.03 NET ea
	1782662 (Under 1780947 (Over A	 bluch bledt of kinbletold, older two Y/Y Rodies - sold sebalately 	\$14.03 NET ea
	1782320	master carrier arm for one-way draw • right and Left use • pinch pleat or Ripplefold; order one MC Body - sold separately • available in Stainless Steel only.	\$14.03 NET ea
alleguer by	1780953	ripplefold butt master carrier arms for center draw • each, order 2. Ripplefold only; order two MC Bodies - sold separately • do not overlap, allowing some light to filter between draperies on center draw treatments • available in Stainless Steel only.	\$14.03 NET ea
	1782319	ripplefold butt master carrier arms for center draw tandem option each, order 2. Ripplefold only; order two MC Bodies - sold separately do not overlap, allowing some light to filter between draperies on center draw treatments available in Stainless Steel only.	\$14.03 NET ea
1 29 - 19	1782319	ripplefold butt master carrier arm for one-way draw • right and left use. Ripplefold only; order one MC Body - sold separately • available in Stainless Steel only.	\$14.03 NET ea

April 1, 2023 THE FINIAL COMPANY.

98

Motorized Stack Back Calculation (each drapery panel)


master carrier + (# glides on panel x carrier width) + 3.75" = stack per drapery panel

Somfy 10ft. center draw, pinch pleat (standard 4 glides per ft.) 2.75" + [(40/2) x .5"] + 3.75" = 16.5" stack, short master panel BEFORE drapery fabric is installed 6.75" + [(40/2) × .5"] + 3.75" = 20.5" stack, overlap master panel BEFORE drapery fabric is installed


Please note: Calculations result in Stack Back Width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat, and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.

wall mount brackets for Somfy motorized systems


Somfy Single Motorized Bracket (TB035-S)




Somfy Single or Double Motorized Bracket (TB060-S)



Somfy Single, Double or Triple Motorized Bracket (TB100-S)



Custom Over-Bracket Single (TBKT214-S)




Optional back fascia will be clipped to track. Diagram depicts ensemble when


ceiling mount brackets for Somfy motorized systems

Please note: only Custom Ceiling Mount Bracket will accommodate fascia and finials.

Somfy Ceiling Mount Bracket (CMBC-S)


Available in White





Custom Ceiling Mount Bracket (CMTB-S) Sold separately

When ordering, specify:
A. fascia diameter and profile.
B. projection to carrier and/or to front of fascia.
C. drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling).
D. width of mounting plate if longer than 2%.



THE FINIAL COMPANY April 1, 2023

Somfy Motorized Traverse Pricing

Item #	Name	Price	
Somfy M	lotors		
1003159	Somfy Glydea® ULTRA 60e Heav Duty Motor	У	\$1,518.00
1003152	Somfy Glydea® ULTRA 35e Std /	\$1,246.03	
1002353	Somfy Irismo™ 45 Std Motor		\$1,518.00
1003004	Somfy Irismo™ 35 Mini Motor	\$1,246.03	

^{*} Transformers are included

Item #	Name	Color	Price
Motor Acc	essories		
1003080	Battery Charger for Irismo™ 45 Std Motor	White	\$103.59
9026476	Rechargeable Li-ion Battery- Replacement	White	\$221.38
Transmitte	rs/Devices		
1870575	Situo® Transmitter-5 channel (included)	White	\$284.63
1810652	Telis Transmitter-5 channel	Black	\$357.50
1870571	Situo® Transmitter-1 channel	White	\$192.50
1810639	Telis Transmitter-1 channel	Silver	\$286.00
1810650	Telis Transmitter-1 channel	Black	\$286.00
1811081	Telis 16 RTS-16 channel	White	\$866.53
1811082	Telis 16 RTS-16 channel	Silver	\$866.53
1810897	Wireless Wall Switch-1 channel	White	\$487.03
1810898	Wireless Wall Switch-1 channel	lvory	\$487.03
1810899	Wireless Wall Switch-1 channel	Black	\$556.60
1810813	Wireless Wall Switch-5 channel	White	\$506.00
1810814	Wireless Wall Switch-5 channel	lvory	\$506.00
1810830	Wireless Wall Switch-5 channel	Black	\$588.23
1811185	Table Top Accessory *	White	\$151.80
1810972	Table Top Accessory *	Silver	\$151.80
1811051	Table Top Accessory *	Black	\$151.80

^{*} use with Wireless Wall Switch

Programmable Timers

1811731	Somty IaHoma® gateway	\$251.74 NET
---------	-----------------------	--------------

Item #	Name	Color	Price
Somfy Ac	Fees		
TFCFEEMITER Wood fascia			\$80.00 per return
TFCFEEBLEND Blended fascio			\$108.00 per blend
TFCFEECURVE Curving fee (te	emplates must be provided)	NET Price	\$175.00
Handling and	\$75.00		

,	n with Wood Fascia " flat smooth, 2" and 21/4" round, 3" round
STRACKF2S6045	Somfy Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor
STRACKF2S35	Somfy Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor
	m with Wood Fascia Front Only " flat smooth, 2" and 21¼" round, 3" round
STRACKF2DF6045	Somfy Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor
STRACKF2DF35	Somfy Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor
STRACKF2DFMix	Mixed Somfy Motors
Double Track Syste for 2" and 21/4" ro	rm with Wood Fascia Front and Back ound, 3" round
STRACKF2DFB6045	Somfy Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor
STRACKF2DFB35	Somfy Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor
STRACKF2DFBMix	Mixed Somfy Motors
Double System with Front & Track Back	h Stationary 2½" or 3" Wood Pole with no fascia
STRACKF2DSF6045	Somfy Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor
STRACKF2DSF35	Somfy Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor
Double System with Front & Track Back	h Stationary 21/4" or 3" Wood Pole with fascia
STRACKF2DSFB6045	Somfy Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 4.5 Std Motor
STRACKF2DSFB35	Somfy Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor

Single Irack System	track available in white or bronze
STRACK6045	Somfy Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor
STRACK35	Somfy Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor
Double Track System	n track available in white or bronze
STRACKDBL6045	Somfy Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor
STRACKDBL35	Somfy Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor
STRACKDBLMix	Mixed Somfy Motors

Pair with these systems (sold separately):



THE FINIAL COMPANY. 100 April 1, 2023

Orders with Somfy motorized traverse systems will incur a \$25 packaging fee. Orders that contain a Li-ion battery will be charged a \$25.00 shipping surcharge. Available in all profiles for $1^7/8^{\circ}$, 2° , 2° /4" and 3° diameter fascias or without a wood fascia. $1^3/8^{\circ}$ not available with Somfy Systems.

		c . 11.	
		Systems are sold in	1 ft increments
6' 7' 8' 9' 10' 11' 12'	13' 14'	15' 16'	per add'l ft
\$3,619.00 \$3,762.00 \$3,905.00 \$4,048.00 \$4,191.00 \$4,334.00 \$4,477.00 \$	\$4,620.00 \$4,763.00	\$4,906.00 \$5,049.00	\$143.00
\$3,129.50 \$3,272.50 \$3,415.50 \$3,558.50 \$3,701.50 \$3,844.50 \$3,987.50 \$	\$4,130.50 \$4,273.50	\$4,416.50 \$4,559.50	\$143.00
	·		
\$6,891.50 \$7,128.00 \$7,364.50 \$7,601.00 \$7,837.50 \$8,074.00 \$8,310.50 \$	\$8,547.00 \$8,783.50	\$9,020.00 \$9,256.50	\$236.50
\$5,912.50 \$6,149.00 \$6,385.50 \$6,622.00 \$6,858.50 \$7,095.00 \$7,331.50 \$	\$7,568.00 \$7,804.50	\$8,041.00 \$8,277.50	\$236.50
\$6,402.00 \$6,638.50 \$6,875.00 \$7,111.50 \$7,348.00 \$7,584.50 \$7,821.00 \$	\$8,057.50 \$8,294.00	\$8,530.50 \$8,767.00	\$236.50
\$7,238.00 \$7,524.00 \$7,810.00 \$8,096.00 \$8,382.00 \$8,668.00 \$8,954.00 \$	\$9,240.00 \$9,526.00	\$9,812.00 \$10,098.00	\$286.00
\$6,259.00 \$6,545.00 \$6,831.00 \$7,117.00 \$7,403.00 \$7,689.00 \$7,975.00 \$	\$8,261.00 \$8,547.00	\$8,833.00 \$9,119.00	\$286.00
\$6,748.50 \$7,034.50 \$7,320.50 \$7,606.50 \$7,892.50 \$8,178.50 \$8,464.50 \$	\$8,750.50 \$9,036.50	\$9,322.50 \$9,608.50	\$286.00
\$3,923.70 \$4,158.00 \$4,392.30 \$4,626.60 \$4,860.90 \$5,095.20 \$5,329.50 \$	\$5,563.80 \$5,798.10	\$6,032.40 \$6,266.70	
\$3,434.20 \$3,668.50 \$3,902.80 \$4,137.10 \$4,371.40 \$4,605.70 \$4,840.00 \$	\$5,074.30 \$5,308.60	\$5,542.90 \$5,777.20	\$234.30
\$4,270.20 \$4,554.00 \$4,837.80 \$5,121.60 \$5,405.40 \$5,689.20 \$5,973.00 \$	\$6,256.80 \$6,540.60	\$6,824.40 \$7,108.20	\$283.80
\$3,780.70 \$4,064.50 \$4,348.30 \$4,632.10 \$4,915.90 \$5,199.70 \$5,483.50 \$	\$5,767.30 \$6,051.10	\$6,334.90 \$6,618.70	\$283.80
6' 7' 8' 9' 10' 11' 12'	13' 14'	15' 16'	per add'l ft
\$3,272.50 \$3,366.00 \$3,459.50 \$3,553.00 \$3,646.50 \$3,740.00 \$3,833.50 \$	\$3,927.00 \$4,020.50	\$4,114.00 \$4,207.50	\$93.50
\$2,783.00 \$2,876.50 \$2,970.00 \$3,063.50 \$3,157.00 \$3,250.50 \$3,344.00 \$	\$3,437.50 \$3,531.00	\$3,624.50 \$3,718.00	\$93.50
\$6,545.00 \$6,732.00 \$6,919.00 \$7,106.00 \$7,293.00 \$7,480.00 \$7,667.00 \$	\$7,854.00 \$8,041.00	\$8,228.00 \$8,415.00	\$187.00
\$5,566.00 \$5,753.00 \$5,940.00 \$6,127.00 \$6,314.00 \$6,501.00 \$6,688.00 \$	\$6,875.00 \$7,062.00	\$7,249.00 \$7,436.00	\$187.00
\$6,055.50 \$6,242.50 \$6,429.50 \$6,616.50 \$6,803.50 \$6,990.50 \$7,177.50 \$	\$7,364.50 \$7,551.50	\$7,738.50 \$7,925.50	\$187.00

The Finial Company. April 1, 2023 101



Motorized Traverse Order Form





	TM																				
COMPANY	PO #	#				Sid	Side Mark	×						Sh	Ship via						
Company Information										Shi	Shipping Information	y Info	orma	tion							
Company Name			_	Acct #						Con	Company Name	Name						Þ	Acct#		
Contact Person										Con	Contact Person	erson									
Street Address										Stre	Street Address	ress									
City				State			ZIP			City								ý	State	ZIP	P
Email										Email	ai										
Phone		Fax								Phone	ne						Fax				
MOTORIZED TRAVERSE SYSTEMS - Consult Price List for detailed specifications. Specified custom cut length indicates track length including drive gears; Mitered fascia will be up to 3" longer than track length, depending on the	SE SYSTEM.	S - Consult Price Lis	st for o	detail d fasc	'ed sp ia will b	ecifica e up to	tions 3" Ion	i. ger tha	an trac	ck leng)th, dep	ending	y on th		profile ordered.	red.					
Item# Motor		Power Options for R-TEC Motor (NET) Li-ion Battery (Battery Charger (Battery Charger & USB Cable) (10' cord included)	Fascia Type		System Length Up to 36' (per 1')		Custom Cut Track Length		Fascia Finish Code	Bra Prefe	Bracket Preference	Cer	D Prefi Center	Draw Preference ter One-Way	Nay	Motor Location	Glide Style pinch pleat or Ripplefold ®*	Qty	Price per Unit	er Uni	t Subtotal
	☐ charger & cable☐ solar panel \$120	☐ 10' cord with plug ☐ 20' cord \$75; plug \$25												_	□ ₽	L R					
	☐ charger & cable☐ solar panel \$120	☐ 10° cord with plug ☐ 20° cord \$75; plug \$25													U ₽	☐ L ☐ R					
	☐ charger & cable ☐ solar panel \$120	10' cord with plug 20' cord \$75; plug \$25												_	_\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	L					
	charger & cable solar panel \$120	☐ 10' cord with plug ☐ 20' cord \$75; plug \$25											H		 						
MOTORIZED TRAVERSE COORDINATING ACCESSORIES AND ADDITIONAL FEES Order finials, mitered returns, and accessories here.	SE COORDIN urns, and acce	NATING ACCESSO ssories here.	RIES	AND	ADD	ITION	AL F	EES													
Item #		Finish Code								0	Description	lion					0	Qty	Price per Unit	nit	Subtotal
																				\perp	
Additional Information																			7	Total	
Quantity included per set based on cut track length	cut track length		6	7	9 ₁	10'	1	12'	13'	14'	15' 16'	6' 17'	18'	19'	20'					Г	
Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)]	des master carriers	(2) & end caps (2)]	24	28	32 36	6 40	44	48	52	56	60 64	68	8 72	? 76	80						
Brackets (1 per every 3-4 feet)			ω	ω	4	4	O1	Ŋ	Ŋ	6	6	5 7	7	7	8						
Special Instructions															*	* When ordering Ripplefold carriers, answer these questions:	Ripplefold	carrie	rs, answer	these	questions:

Select Ripplefold fullness: 80% 100% 120%
 Select Ripplefold masters: Overlap Butt Master

 $1^{1}/_{8}$ " - $1^{3}/_{8}$ " modern metal traverse systems

Traverse Collection Catalog pages 24-27

BATON DRAW, RIPPLEFOLD OR PINCH PLEAT AVAILABLE IN $1^1/8^{\circ}$ OR $1^3/8^{\circ}$ DIAMETERS

single traverse system, wall mount

- wall bracket: 3 1/2" or 6" return options
- traverse system includes track, brackets, master carriers, glides and round end caps
- batons, modern collection finials and cuffs/collars sold separately

double traverse system, wall mount

- wall bracket: 3" and 7 1/2" returns
- traverse system includes tracks, brackets, master carriers, glides and round end caps
- batons, modern collection finials and cuffs/collars sold separately

single traverse system, ceiling mount

- ceiling bracket: 3⁵/₁₆" drop
- traverse system includes track, brackets, master carriers, glides and round end caps
- batons, modern collection finials and cuffs/collars sold separately

double traverse system, ceiling mount

- ceiling bracket: 4" drop, 4 1/2" between centers of tracks
- traverse system includes tracks, brackets, master carriers, glides and round end caps
- batons, modern collection finials and cuffs/collars sold separately

single traverse system, low-profile ceiling mount

- ceiling bracket: 1 ³/₁₆" drop
- traverse system includes track, brackets, master carriers, glides and round end caps
- batons, modern collection finials and cuffs/collars sold separately



THE FINIAL COMPANY... April 1, 2023 103

										J	
$1^{1}/_{8}$ " - $1^{3}/_{8}$ " mode	rn me	etal trav	erse sys	tems	Systems are	e sold in 1 ft	increments		Traverse C	Collection Cata	alog page 25
Item #	Dia.	4'	5'	6'	7'	8'	9'	10'	11'	12'	price per ft
single traverse system,	wall m	nount, 3 $\frac{1}{2}$	2" return	(includes tra	ıck, brackets	, round end	caps & con	nponents)			
TFCMT118400/SET	1 1/8"	\$264.00	\$330.00	\$396.00	\$462.00	\$528.00	\$594.00	\$660.00	\$726.00	\$792.00	\$66.00
TFCMT138400/SET	13/8"	\$347.60	\$434.50	\$521.40	\$608.30	\$695.20	\$782.10	\$869.00	\$955.90	\$1,042.80	\$86.90
single traverse system,	wall m	nount, 6"	return (inc	ludes track,	brackets, ro	ound end ca	ps & compo	nents)			
TFCMT118401/SET	11/8"	\$299.20	\$374.00	\$448.80	\$523.60	\$598.40	\$673.20	\$748.00	\$822.80	\$897.60	\$74.80
TFCMT138401/SET	13/8"	\$387.20	\$484.00	\$580.80	\$677.60	\$774.40	\$871.20	\$968.00	\$1,064.80	\$1,161.60	\$96.80
double traverse system		mount (inc	ludes tracks	, brackets, r	ound end co						
TFCMT118402/SET	11/8"	\$528.00	\$660.00	\$792.00	\$924.00	. ,				\$1,584.00	\$132.00
TFCMT138402/SET	13/8"	\$695.20	\$869.00	\$1,042.80	\$1,216.60	\$1,390.40	\$1,564.20	\$1,738.00	\$1,911.80	\$2,085.60	\$173.80
single traverse system,	ceiling	g mount (ir	ncludes trac	k, brackets,	round end o	caps & comp	oonents)				
TFCMT118403/SET	1 1/8"	\$264.00	\$330.00	\$396.00	\$462.00	\$528.00	\$594.00	\$660.00	\$726.00	\$792.00	\$66.00
TFCMT138403/SET	13/8"	\$347.60	\$434.50	\$521.40	\$608.30	\$695.20	\$782.10	\$869.00	\$955.90	\$1,042.80	\$86.90
double traverse system	, ceilin	g mount (includes tra	icks, bracket	s, round en	d caps & co	mponents)				
TFCMT118404/SET	11/8"	\$528.00	\$660.00	\$792.00	\$924.00	\$1,056.00	\$1,188.00	\$1,320.00	\$1,452.00	\$1,584.00	\$132.00
TFCMT138404/SET	13/8"	\$695.20	\$869.00	\$1,042.80	\$1,216.60	\$1,390.40	\$1,564.20	\$1,738.00	\$1,911.80	\$2,085.60	\$173.80
single traverse system,	low-pr	rofile ceili	ng mount	(includes tr	ack, bracket	ts, round en	d caps & co	mponents)			
TFCMT118406/SET	1 1/8"	\$211.20	\$264.00	\$316.80	\$369.60	\$422.40	\$475.20	\$528.00	\$580.80	\$633.60	\$52.80
TFCMT138406/SET	13/8"	\$277.20	\$346.50	\$415.80	\$485.10	\$554.40	\$623.70	\$693.00	\$762.30	\$831.60	\$69.30

maximum continuous track length in Chrome and Satin Gold is 8'. All other finishes available up to 12'.
 Center draw tracks can be spliced for longer lengths

$1^{1}/_{8}$ " - $1^{3}/_{8}$ " glide and bracket chart																					
Quantity included per set based on cut track length	4'	5'	6'	7'	8'	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'	21'	22'	23'	24'
Glides [4 per foot, includes master carriers & end caps (2)]	16	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80	84	88	92	96
Brackets	2	3	4	4	4	5	5	5	5	6	6	6	6	7	7	7	8	8	8	8	8

modern metal finishes

Traverse Collection Catalog page 24

CH Chrome

BN Brushed Nickel

SG Satin Gold


BBN Brushed Black Nickel

MK Matte Black

maximum continuous track length in Chrome (CH) and Satin Gold (SG) is 8'. All other finishes available up to 12'. Center
draw tracks can be spliced for longer lengths

• see page 107 for finials. Sold separately

THE FINIAL COMPANY.



THE FINIAL COMPANY. April 1, 2023 105

Metal Track

carriers	Look for the /BR i	con for components available in bronze an	d add /BR at the end of the item number to order	Traverse Collection Catalog page 27
	-	BT3005R BT3005L	pinch pleat master carriers • stainless steel overlap arms • multi-wheel design for smooth movement • baton draw; pinch pleat • right (R) or left (L) • available in white or bronze /BR	\$4.75 NET ea
	•	BT3125R BT3125L	Ripplefold overlap master carriers • stainless steel overlap arms with snaps to accept Ri • multi-wheel design for smooth movement • overlap master carriers come standard unless other • baton draw; Ripplefold • right (R) or left (L) • available in white or bronze /BR	\$5.45 NET
d		BT3600R BT3600L	Ripplefold butt master carriers • snaps to accept Ripplefold tape • multi-wheel design for smooth movement • butt master carriers do not overlap, allowing some to filter between draperies on center draw treatmer • butt master carriers must be specified for substitution • baton draw; Ripplefold • right (R) or left (L) • available in white or bronze /BR	\$5.85 NEI
	000	CP10	ball-bearing pinch pleat glides • ball-bearing wheel for smooth movement • pinch pleat • available in white or bronze /BR	\$2.95 NET pack (10 pcs)
		R4060/ 60% fullness R4080/ 80% fullness R4100/ 100% fullness R4120/ 120% fullness	Ripplefold glides Ripplefold glides with detachable pendants fullness 60%, 80%, 100% or 120%; specify fullnes Ripplefold available in white or bronze /BR	\$0.63 NET ea
3	3	BT4333	glide stop • stainless steel	\$0.55 NET ea

modern metal finishes

СН Chrome Brushed Nickel BN SG Satin Gold BBN Brushed Black Nickel

Matte Black ΜK

- maximum continuous track length in Chrome (CH) and Satin Gold (SG) is 8'. All other finishes available up to 12'. Center draw tracks can be spliced for longer lengths
- see page 107 for finials. Sold separately

how to order

see 2021 Traverse Collection Catalog pages 32 - 33 for easy to order instructions

batons	Traverse Collec	tion Catalog page 27
		-
metal baton, ¾"Dia		
TFCM312S	36" - available in all metal finishes	\$55.00 ea
TFCM314S	48" - available in all metal finishes	\$60.50 ea
TFCM316S	60" - available in all metal finishes	\$66.00 ea
handicap metal baton, 3	%"Dia	—————————————————————————————————————
TFCM314HS-48	48" - available in BN or MK only	\$60.50 ea
TFCM314HS-60	60" - available in BN or MK only	\$66.00 ea
acrylic baton, %"Dia		} ⊷
ABTN-36	36" - available in acrylic	\$49.50 ea
ABTN-48	48" - available in acrylic	\$55.00 ea

THE FINIAL COMPANY. 106 April 1, 2023

finials You must purchase	cuffs & collars to coordinate w	ith $1^{1}/_{8}$ " & $1^{3}/_{8}$ " diameter trac	ks. Cat	See the 2018 Drapery Hardware alog & website for more information
step 1: select Modern	2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog
Metal Traverse System	page 5	page 5	page 5	page 5
step 2: select finial	Bryant D. P.	Bryant Acrylic District	Declan U	
' design	/	Bryant Acrylic	Declan	Declan Acrylic
O	$2^{7}/8$ "L $\times 2^{3}/4$ "W	$2^{7}/8$ "L × $2^{3}/4$ "W	$2^{1}/_{4}$ "L × $2^{1}/_{4}$ "W	$2^{1}/_{4}$ "L × $2^{1}/_{4}$ "W
step 3: select a cuff or collar*	TFCM600	TFCM600/CL	TFCM601	TFCM601/CL
*sold separately	\$66.00 ea	\$86.90 ea	\$99.00 ea	\$82.50 ea
2018 Drapery Hardware Cataloa	2018 Drapery Hardware Cataloa	2018 Drapery Hardware Catalog	2018 Drapery Hardware Cataloa	2018 Drapery Hardware Cataloa

| 2018 Drapery Hardware Catalog |
|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| page 5 |
Upton Upton	Upton Acrylic	Delano	Mercer	Luca Acrylic
4"L x 17/8"W	4"L x 17/8"W	4"L x 17/8 "W	4"L x 21/8"W	2"L × 33/4"W
	, .	,-	,	
TFCM602	TFCM602/CL	TFCM603	TFCM604	TFCM605
\$88.00 ea	\$82.50 ea	\$99.00 ea	\$99.00 ea	\$99.00 ea

| 2018 Drapery Hardware Catalog |
|-------------------------------|-------------------------------|-------------------------------|-------------------------------|----------------------------------------|
| page 5 | page 6 | page 6 | page 6 | page 6 |
| Stiles Acrylic | Anson | Anson Acrylic | Eason The | Eason Acrylic |
| 23/8"L × 3"W | 7/8"L x 3"W | 7/8"L x 3"W | 1"L × 27/8"W | 1"L x 2 ⁷ / ₈ "W |
| TFCM606 | TFCM691 | TFCM691/CL | TFCM692 | TFCM692/CL |
| \$99.00 ea | \$47.30 ea | \$53.90 ea | \$47.30 ea | \$53.90 ea |

11/8" end caps Cata	See the 2018 Drapery Hardware log & website for more information
2018 Drapery Hardware Catalog	Included
page 6	
	iii.
Bex 11/8"	Round 11/8"
3/4"L x 17/8"W (13/8" sq)	3/4"L × 1 1/4"W
TFCM118690	TFCM118191
\$31.90 ea	\$16.50 ea

$1^{1}/_{8}$ " cuffs & collars	Cat	See the 2018 Drapery Hardware alog & website for more information
2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog
page 6	page 6	page 6
11/8" metal modern cuff	11/8" metal modern collar	11/8" metal transitional collar
1"L x 1 ³ /8"W	15/8"L x 13/8"W	1 ⁵ / ₈ "L x 1 ³ / ₈ "W
TFCM118800	TFCM118801	TFCM118802
\$14.30 ea	\$14.30 ea	\$14.30 ea

You must purchase cuffs & collars to coordinate with $1^1/_8$ " & $1^3/_8$ " diameter tracks.

$1^3/_8$ " end caps _{Cata}	See the 2018 Drapery Hardware log & website for more information	
2018 Drapery Hardware Catalog	Included	
page 6		
Bex 1 ³ / ₈ "	Round 13/8"	
1"L x 21/4" W (15/8" sq)	$^{3}/_{4}$ "L × $^{1}/_{2}$ "W	
TFCM138690	TFCM138191	
\$39.60 ea	\$19.25 ea	

$1^3/_8$ " cuffs & collars	Cat	See the 2018 Drapery Hardware alog & website for more information
2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog
page 6	page 6	page 6
1³/ ₈ " metal modern cuff	1³/8" metal modern collar	1³/8" metal transitional collar
1"L x 1 ⁵ / ₈ "W	15/8"L x 15/8"W	1 ⁷ / ₈ "L x 1 ⁵ / ₈ "W
TFCM138800	TFCM138801	TFCM138802
\$19.80 ea	\$19.80 ea	\$19.80 ea

You must purchase cuffs & collars to coordinate with $1^1/_8$ " & $1^3/_8$ " diameter tracks.

THE FINIAL COMPANY... April 1, 2023 107

manual 13/8" metal baton draw traverse systems

 $1^3/_8$ " metal traverse systems

Traverse Collection Catalog pages 28-31

BATON DRAW, RIPPLEFOLD OR PINCH PLEAT | AVAILABLE IN 13/8" DIAMETER



single traverse system, wall mount

- wall bracket: 3 ½" or 6" return options
- traverse system includes track, brackets, master carriers, glides and round end caps
- batons and metal collection finials sold separately.

double traverse system, wall mount

- wall bracket: 3'' and $7^{1/2}''$ returns
- traverse system includes tracks, brackets, master carriers, glides and round end caps
- batons and metal collection finials sold separately.

single traverse system, ceiling mount

- ceiling bracket: 2³/₈" drop
- traverse system includes track, brackets, master carriers, glides and round end caps
- batons and metal collection finials sold separately.

double traverse system, ceiling mount

- ceiling bracket: $2^{5}/8$ " drop, $4 \frac{1}{2}$ " apart
- traverse system includes tracks, brackets, master carriers, glides and round end caps
- batons and metal collection finials sold separately.

single traverse system, low-profile ceiling mount

- ceiling bracket: 5/32" drop
- traverse system includes track, brackets, master carriers, glides and round end caps
- batons and metal collection finials sold separately.

THE FINIAL COMPANY.

manual 13/8" metal baton draw traverse systems

$1^3/_8$ " metal travers	e syst	tems		Systems a	re sold in 1	ft increments			Traverse C	Collection Cata	log page 29
Item #	Dia.	4'	5'	6'	7'	8'	9'	10'	11'	12'	price per ft
single traverse system,	wall m	ount, 3 ½	z" return	(includes tra	ck, brackets	, round end	caps & con	nponents)			
TFCMT138400/SET	13/8"	\$347.60	\$434.50	\$521.40	\$608.30	\$695.20	\$782.10	\$869.00	\$955.90	\$1,042.80	\$86.90
single traverse system, wall mount, 6" return (includes track, brackets, round end caps & components)											
TFCMT138401/SET	13/8"	\$387.20	\$484.00	\$580.80	\$677.60	\$774.40	\$871.20	\$968.00	\$1,064.80	\$1,161.60	\$96.80
double traverse system	_	mount (inc	ludes tracks								
TFCMT138402/SET	13/8"	\$695.20	\$869.00	\$1,042.80	\$1,216.60	\$1,390.40	\$1,564.20	\$1,738.00	\$1,911.80	\$2,085.60	\$173.80
single traverse system, ceiling mount (includes track, brackets, round end caps & components)											
TFCMT138403/SET	13/8"	\$347.60	\$434.50	\$521.40	\$608.30	\$695.20	\$782.10	\$869.00	\$955.90	\$1,042.80	\$86.90
double traverse system, ceiling mount (includes tracks, brackets, round end caps & components)											
TFCMT138404/SET	13/8"	\$695.20	\$869.00	\$1,042.80	\$1,216.60	\$1,390.40	\$1,564.20	\$1,738.00	\$1,911.80	\$2,085.60	\$173.80
single traverse system, low-profile ceiling mount (includes track, brackets, round end caps & components)											

maximum continuous track length in BZ and ORB is 8'. All other finishes available up to 12'. Center draw tracks can be spliced for longer lengths

\$485.10

\$554.40

\$623.70

\$693.00

\$762.30

\$831.60

\$69.30

\$415.80

Venetian Bronze (VZ) and Dark Oil Rubbed Bronze (DRB) finials coordinate with Matte Black (MK) tracks, brackets and batons

13/8" glide and bracket chart																					
Quantity included per set based on cut track length	4'	5'	6'	7'	8'	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'	21'	22'	23'	24'
Glides [4 per foot, includes master carriers & end caps (2)]	16	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80	84	88	92	96
Brackets	2	3	4	4	4	5	5	5	5	6	6	6	6	7	7	7	8	8	8	8	8

13/8" metal finishes

TFCMT138406/SET

 $1^{3}/_{8}$ "

\$277.20

\$346.50

Traverse Collection Catalog page 28


PN Polished Nickel AΡ Antique Pewter ΑB **Antique Brass** ΒZ **Brushed Bronze ORB** Oil Rubbed Bronze ٧Z Venetian Bronze* DRB Dark Oil Rubbed Bronze*


Satin Black


- maximum continuous track length in Brushed Bronze (BZ) and Oil Rubbed Bronze (ORB) is 8'. All other finishes available up to 12'. Center draw tracks can be spliced for longer lengths
- Matte Black (MK) tracks, brackets and batons coordinate with Venetian Bronze (VZ) and Dark Oil Rubbed Bronze (DRB) finials*

see page 112 for finials. Sold separately

THE FINIAL COMPANY April 1, 2023 109







THE FINIAL COMPANY. 110 April 1, 2023

manual 13/8" metal baton draw traverse systems

carriers Lo	ok for the /BR icon for components available in bror	nze and add /BR at the end of the item number to order Traverse Collection	on Catalog page 31
	BT3005R BT3005L	pinch pleat master carriers • stainless steel overlap arms • multi-wheel design for smooth movement • baton draw; pinch pleat • right (R) or left (L) • available in white or bronze /BR	\$4.75 NET ea
	BT3125R BT3125L	Ripplefold overlap master carriers • stainless steel overlap arms with snaps to accept Ripplefold tape • multi-wheel design for smooth movement • overlap master carriers come standard unless otherwise specified • baton draw; Ripplefold • right (R) or left (L) • available in white or bronze /BR	\$5.65 NET ea
9	BT3600R BT3600L	Ripplefold butt master carriers • snaps to accept Ripplefold tape • multi-wheel design for smooth movement • butt master carriers do not overlap, allowing some light to filter between draperies on center draw treatments • butt master carriers must be specified for substitution • baton draw; Ripplefold • right (R) or left (L) • available in white or bronze /BR	\$5.85 NET ea
DOD	CP10	ball-bearing pinch pleat glides • ball-bearing wheel for smooth movement • pinch pleat • available in white or bronze /BR	\$2.95 NET pack (10 pcs)
	R4060/ 60% fullness R4080/ 80% fullness R4100/ 100% fullness R4120/ 120% fullness		\$0.63 NET ea
	BT4333	glide stop • stainless steel	\$0.55 NET ea

raverse Collection Catalog page 28

PN	Polished Nickel
AP	Antique Pewter
AB	Antique Brass
BZ	Brushed Bronze
ORB	Oil Rubbed Bronze
VZ	Venetian Bronze*
DRB	Dark Oil Rubbed Bronze*
SK	Satin Black

- maximum continuous track length in Brushed Bronze (BZ) and Oil Rubbed Bronze (ORB) is 8'. All other finishes available up to 12'. Center draw tracks can be spliced for longer lengths
- Matte Black (MK) tracks, brackets and batons coordinate with Venetian Bronze (VZ) and Dark Oil Rubbed Bronze (DRB) finials*
- see page 112 for finials. Sold separately

how to order

see 2021 Traverse Collection Catalog pages 32 - 33 for easy to order instructions

batons	Traverse Collect	ion Catalog page 31				
metal baton, %"Dia						
TFCM312S	36" - available in all metal finishes	\$55.00 ea				
TFCM314S	48" - available in all metal finishes	\$60.50 ea				
TFCM316S	60" - available in all metal finishes	\$66.00 ea				
handicap metal baton, 3/4"Dia						
TFCM314HS-48	48" - available in BN*, BZ, AB or MK *BN coordinates with PN	\$60.50 ea				
TFCM314HS-60	60" - available in BN*, BZ, AB or MK *BN coordinates with PN	\$66.00 ea				
acrylic baton, %"Dia						
ABTN-36	36" - available in acrylic	\$49.50 ea				
ABTN-48	48" - available in acrylic	\$55.00 ea				

THE FINIAL COMPANY.

April 1, 2023

manual 13/8" metal baton draw traverse systems

manda 1 / 0	metal baton	araw cravers	e systems	
$1^3/8$ " finials		See t	he 2018 Drapery Hardware Catalo	og and website for more information
2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog
page 11	page 11	page 11 Ashby	Abington	page 11
		,	, ,	
5"L × 3"W	31/4"L x 37/8"VV	37/8"L x 33/8"W	43/8"L x 31/4"W, glass	43/8"L × 3"W
TFCM138100	TFCM138101	TFCM138102	TFCM138103	TFCM138104
\$73.70 ea	\$100.10 ea	\$93.50 ea	\$106.70 ea	\$73.70 ea
2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog	2018 Drapery Hardware Catalog	Included
page 11	page 11	page 11	page 11 Wells End Cap	Round End Cap
	Brentford 🗔 🖼	Rothwell		Round End Cap
41/4"L x 31/8"VV	3 ⁵ / ₈ "L × 3 ¹ / ₄ "W	41/8"L x 3"W	1 1/4"L x 21/4"W	3/4"L x 1 1/2"W
TFCM138105	TFCM138106	TFCM138107	TFCM138190	TFCM138191
\$100.10 ea	\$93.50 ea	\$100.10 ea	\$47.30 ea	\$19.25 ea

THE FINIAL COMPANY.



Manual Metal Traverse Collection Order Form

 	PO #		Side	Side Mark		Ship via		Date		
Company Information					Shipping Information	ation				
Company Name		Acct #			Company Name		Acct #	#		
Contact Person					Contact Person					
Street Address					Street Address					
City		State	Z	ZIP	City		State		ZIP	
Email					Email					
Phone	Fax				Phone		Fax			
METAL TRAVERSE SYSTEMS - Consult Price List for detailed specifications.	S - Consult Price List 1	for detailed specifi	cations.							
Item #		Finish Code	System Length (per 2')	Cut Length	Draw Preference Center One-Way	Baton (sold separately)	Glides Pinch Pleat or Ripplefold*	Oty Pe	Price per Unit	Subtotal
							□ PP □			
							PP RF			
							PP RF			
							□PP □RF			

	nit Subtota		
	Qty Price per Unit		
	Qty		
VD ADDITIONAL FEES iccessories here.	Description		
CCESSORIES AI Il brackets and a	Finish Code		
METAL TRAVERSE COORDINATING ACCESSORIES AND ADDITIONAL FEES Order finials, cuffs & collars, additional brackets and accessories here.	Item #		


Answer These Questions	1. S	6	- 5	☐ ☐ Butt Master ☐ Overlap
	23' 24'	96	- ∞	
	23	92	- ∞	
	22	88	00	
	21	80 84	00	
	20,	80	00	
	19,	9/	^	
	8' 9' 10' 11' 12' 13' 14' 15' 16' 17' 18' 19' 20' 21' 22'	56 60 64 68 72 76	_	
	17.	89	^	
	16'	64	9	
	15	09	9	
	4	99	9	
	13	32 36 40 44 48 52	9	
	- 12	48	2	
	-	44	2	
	<u> </u>	40	2	
	6	36	5	
		3 32	4	
	6' 7'	24 28	-	
	\vdash	20 2	8	
	5.		2	
Glide and Bracket Information	Quantity included per set based on cut track length	lides [4 per foot, includes master carriers & end caps (2)]	Brackets	

Special Instructions

* Must specify Ripplefold carrier fullness.

TOTAL

manual heavy duty traverse fascias



THE FINIAL COMPANY.

heavy duty traverse systems

Traverse Collection Catalog pages 34-37

CORDED OR BATON DRAW, RIPPLEFOLD OR PINCH PLEAT | AVAILABLE IN 13/8", 17/8", 2", 21/4" AND 3" DIAMETERS

single traverse system

- coordinates with all fascia profiles or available with no fascia; ceiling mount only available without fascia
- standard corded single bracket has 3% " 5% return; standard baton single brackets has adjustable 3%" 4" return
- longer return bracket options may be substituted at no charge
- batons and finials sold separately
- c-rings available for 1 3/8", 2", 2 1/4" and 3"

double traverse system

Back track available with or without wood fascia. Back track shown with fascia and end caps.

- coordinates with all fascia profiles or available with no fascia; ceiling mount only available without fascia
- standard corded double brackets have 3" back track and adjustable 6" - 7½" front track return; standard baton double brackets have 2½" back track and adjustable 5½" - 6" front track return
- longer return bracket options may be substituted at no charge
- batons and finials sold separately
- c-rings available for 1 3/8", 2", 2 1/4" and 3" (front track)

single or double traverse system with mitered returns

Back track available with or without wood fascia. Finials and c-rings are not available with this option.

- coordinates with all fascia profiles
- standard corded single bracket has 4" 5½" return; standard baton single brackets has adjustable 3½" - 4" return
- standard corded double brackets have 3" back track and adjustable 6" 7½" front track return; standard baton double brackets have 2¼" back track and adjustable 5¼" 6" front track return
- batons and mitered returns sold separately
- c-rings not available


stationary front pole with back traverse system

2", 2¼", and 3" wood poles can be used. Back track available with or without wood fascia. Back track shown with fascia and end caps.

- traverse system coordinates with all 2", 2½" and 3" round fascia profiles; flat and slim fascia may not be used
- \bullet coordinates with 2", $2^{1/4}$ " and 3" poles for stationary front pole
- stationary front pole and TBKT bracket are included
- batons and finials sold separately
- full rings available on stationary; c-rings not available

0000000







coordinating fascia profiles & finials

Finials sold separately. Please reference the 2018 Drapery Hardware Catalog for coordinating finials: $1\frac{3}{8}$ " Dia on pages 62-64, 2" - $2\frac{1}{4}$ " Dia on pages 69-76 and 3" Dia on pages 82-84.

















slim round smooth, no finials • 1 ⁷/₈" Dia

flat smooth, no finials • 2 1/4" Dia

smooth

• 1³/8", 2", 2¹/4"
and 3" Dia

grooved
• 13/8", 2", 21/4"
and 3" Dia

fluted

• 1³/₈", 2" and 2¹/₄" Dia

reeded
• 1³/8", 2", 2¹/4"
and 3" Dia

wide reeded2 1/4" Dia

returns (sold separately)
• 13/8", 17/8", 2

• 1³/₈", 1 ⁷/₈", 2", 2 ¹/₄" and 3" Dia

115

• all profiles

Heavy Duty Traverse System


CSTFCCTRACK

CSTFCCTRACKDBL

CSTFCBTRACK

CSTFCBTRACKDBL

includes 1 track, components, your choice of brackets, and fascia with fascia clips when applicable. Pricing for Double Systems and other configurations are based on Single System pricing.



Manual Heavy Duty Traverse Pricing

8'	10'
\$902.00	\$1,122.00
\$1,529.00	\$1,908.50
\$1,804.00	\$2,244.00
\$1,474.00	\$1,842.50
\$2,101.00	\$2,629.00
\$2,376.00	\$2,964.50
th are not available v	with c-rings
\$1,193.50	\$1,490.50
\$1,490.50	\$2,277.00
\$2,387.00	\$2,981.00
\$1, <i>7</i> 60.00	\$2,200.00
\$2,387.00	\$2,986.50
\$2,953.50	\$3,690.50
\$1,375.00	\$1,675.30
\$1,941.50	\$2,379.30
\$1,483.90	\$1,853.50
\$2,110.90	\$2,640.00
\$2,967.80	\$3,707.00
\$2,050.40	\$2,563.00
\$2,677.40	\$3,349.50
\$3,534.30	\$4,416.50
\$1,665.40	\$2,038.30
\$2,561.90	\$3,144.90
90	
	\$2,561.90 8'

THE FINIAL COMPANY.

Single with No Fascia

Double with No Fascia

\$308.00

\$616.00

\$467.50

\$935.00

\$627.00

\$1,254.00

\$786.50

\$1,573.00

HEAVY DUTY STACK BACK CALCULATION (each drapery panel)

Heavy Duty pinch pleat: master carrier + (# glides on panel x .75") + 2.75" = stack per drapery panel

Heavy Duty Ripplefold*: master carrier + (# glides on panel x .625") + 2.75" = stack per drapery panel

EX: Heavy Duty pinch pleat, 20ft. one-way draw (standard 4 glides per ft.)

4.25" + [80 glides on panel x .75"] + 2.75" = 67" stack back, per drapery panel BEFORE drapery fabric is installed

Please note: Calculations result in Stack Back Width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat, and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back back back back on your draperies.

additional heavy duty traverse information

BRACKETS, PINCH PLEAT GLIDES AND PINCH PLEAT GLIDES WITH C-RINGS

	White	Bronze
Track	•	•
Master Carriers	•	•

COMPONENT COLORS

Quantity included per set based on cut track length	4'	5'	6'	7'	8'	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'
Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)]	16	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80
Brackets (1 per every 3-4 feet)	2	3	3	3	4	4	4	5	5	5	6	6	6	7	7	7	8

\$100.00 per track

Pricing Includes Track, Components and your choice of TB035-, TB060- or TB100- Brackets

Spliced systems begin at 16' for Corded and 20' for Baton

12'	14'	16'	18'	20'	per add'l 2 ft
\$1,342.00	\$1,562.00	\$1,782.00	\$2,002.00	\$2,222.00	\$220.00
\$2,288.00	\$2,667.50	\$3,047.00	\$3,426.50	\$3,806.00	\$379.50
\$2,684.00	\$3,124.00	\$3,564.00	\$4,004.00	\$4,444.00	\$440.00
\$2,211.00	\$2,579.50	\$2,948.00	\$3,316.50	\$3,685.00	\$368.50
\$3,157.00	\$3,685.00	\$4,213.00	\$4,741.00	\$5,269.00	\$528.00
\$3,553.00	\$4,141.50	\$4,730.00	\$5,318.50	\$5,907.00	\$588.50
\$1,787.50	\$2,084.50	\$2,381.50	\$2,678.50	\$2,975.50	\$297.00
\$2,733.50	\$3,190.00	\$3,646.50	\$4,103.00	\$4,559.50	\$456.50
\$3,575.00	\$4,169.00	\$4,763.00	\$5,357.00	\$5,951.00	\$594.00
\$2,640.00	\$3,080.00	\$3,520.00	\$3,960.00	\$4,400.00	\$440.00
\$3,586.00	\$4,185.50	\$4,785.00	\$5,384.50	\$5,984.00	\$599.50
\$4,427.50	\$5,164.50	\$5,901.50	\$6,638.50	\$7,375.50	\$737.00
\$1,975.60	\$2,275.90	\$2,576.20	\$2,876.50	\$3,176.80	\$300.30
\$2,817.10	\$3,254.90	\$3,692.70	\$4,130.50	\$4,568.30	\$437.80
\$2,223.10	\$2,592.70	\$2,962.30	\$3,331.90	\$3,701.50	\$369.60
\$3,169.10	\$3,698.20	\$4,227.30	\$4,756.40	\$5,285.50	\$529.10
\$4,446.20	\$5,185.40	\$5,924.60	\$6,663.80	\$7,403.00	\$739.20
\$3,075.60	\$3,588.20	\$4,100.80	\$4,613.40	\$5,126.00	\$512.60
\$4,021.60	\$4,693.70	\$5,365.80	\$6,037.90	\$6,710.00	\$672.10
\$5,298.70	\$6,180.90	\$7,063.10	\$7,945.30	\$8,827.50	\$882.20
\$2,411.20	\$2,784.10	\$3,157.00	\$3,529.90	\$3,902.80	\$372.90
\$3,727.90	\$4,310.90	\$4,893.90	\$5,476.90	\$6,059.90	\$583.00

Spliced systems begin at 16' for Corded and 20' for Baton

12'	14'	16'	18'	20'	per add'l 2 ft
\$946.00	\$1,105.50	\$1,265.00	\$1,424.50	\$1,584.00	\$159.50
\$1,892.00	\$2,211.00	\$2,530.00	\$2,849.00	\$3,168.00	\$319.00

additional heavy duty traverse fees

TFCFEEMITER-EACH: Wood fascia mitered return	\$80.00 per retur
TFCFEEMITER-45: Wood fascia mitered cut 45° angle (90° corner)	\$65.00 per connection
TFCFEEMITER-NON45: Wood fascia mitered cut non-45° angle (non-90° corner)	\$65.00 per connection
Standard 45° fascia splice	no charge
TFCFEEBLEND: Blended fascia splice	\$108.00 per blend
TFCFEEFASCUT: Fascia fabrication fee (if ordering fascia alone, order full pole and specify fascia fabrication	\$65.00 per fascion)

heavy duty traverse system Traverse Collection Catalog page 35

Orders with traverse systems up to 16' will incur a \$10 packaging fee, over 16' will incur a \$25 packaging fee.

Product Information

TFCFEERESTRING: Restringing fee

- Sold in 2 foot increments, 4 foot minimum; cut to specified length; fall off will not be saved or shipped
- Fascia, if selected, in 17/8" slim round, 2", 21/4" or 3" round wood profiles available up to 192". 21/4" flat fascia is available up to 144". Fascia is installed directly onto front of traverse system track. Fascia over 16 feet will be spliced
- 1⁷/₈" slim round and 2¹/₄" flat smooth fascia do not accept finials. Not available for back fascia on Double Systems or Double System with Back Traverse and Stationary Pole in Front

Please Specify

- Item number for track or track with wood fascia
- Track and matching bracket color (if not specified, we will select color to match fascia finish)
- Cord location: right or left
- Draw: center, one-way stack right or one-way stack left
- Number of glides if different than 4 per foot
- Pinch pleat or Ripplefold carriers
- Cord drop (standard is 120"). Additional length available upon request
- Finish name and number for fascia, if selected

Options

- Additional brackets pages 118-119
- 3½" or 6" mitered return(s) see above
- Standard splices and blended splices for fascia over 16', see above

THE FINIAL COMPANY... April 1, 2023 117


^{*}note: number of glides on panel depends on which fullness of Ripplefold tape being used. Consult your workroom for quantity.


avy duty baton traverse accesso	ories Look for the /BR icon for components available in bronze and add /BR at the end of the item number to order	se Collection Cato pages 36
ТВОЗ5-НВ	wall traverse bracket, single • adjustable up to 4" return • 2 ¹¹ / ₁₆ "H x 1 ¹ / ₂ "W backplate • available in white or bronze /BR	\$31.63 ea
ТВО6О-НВ	wall traverse bracket, single or double • adjustable 5½" - 6" front return, adjustable 2½"-3½" back return • 3½"H x ½"W backplate • available in white or bronze /BR	\$50.60 ea
ТВ100-НВ ТВ100-НВ	heavy duty wall traverse bracket, single or double or triple adjustable up to 9³/₄" 4¹/₂"H x 1¹/₂"W backplate available in white or bronze /BR	\$50.60 ea
BT5333	ceiling mount bracket, single • ½"H x 2½"Deep x 1"W • may only be used in systems without fascia • available in white	\$1.00 NET ea
BT4003NFC	fascia mount clip use to attach fascia to baton traverse systems; included available in zinc	\$7.35 NET ea
BT3005R BT3005L	baton pinch pleat master carriers • stainless steel overlap arms • multi-wheel design for smooth movement • baton draw • pinch pleat • right (R) or left (L) • available in white or bronze /BR	\$4.75 NET ea
BT3125R BT3125L	baton Ripplefold master carriers • stainless steel overlap arms with snaps to accept Ripplefold tape • multi-wheel design for smooth movement • overlap master carriers come standard unless otherwise specified • baton draw • Ripplefold • right (R) or left (L) • available in white or bronze /BR	\$5.65 NET ea
BT3600R BT3600L	baton Ripplefold butt master carriers • stainless steel arms with snaps to accept Ripplefold tape • multi-wheel design for smooth movement • butt master carriers do not overlap, allowing some light to filter between draperies on center draw treatments • butt master carriers must be specified for substitution • baton draw • Ripplefold • right (R) or left (L) • available in white or bronze /BR	\$5.85 NET ea
BT4013	baton pinch pleat end pulley baton draw pinch pleat right or left available in white or bronze /BR	\$1.30 NET ea
BT4500	baton pinch pleat c-ring end pulley baton draw pinch pleat with c-rings right or left available in white or bronze /BR	\$1.30 NET ea
BT4123	baton Ripplefold end pulley baton draw Ripplefold right or left available in white or bronze /BR	\$1.40 NET ea
TBKT214-HE TBKT300-HE		\$88.55 ea

heavy duty corded to	raverse accessor	ries Look for the /BR icon for components available in bronze and add /BR Traver at the end of the item number to order	se Collection Catalog pages 36-32
	TB035-H	wall traverse bracket, single adjustable up to 5½" return 21½","H x ½"W backplate available in white or bronze /BR	\$31.63 ea
	ТВО60-Н	wall traverse bracket, single or double adjustable 6"-7"/5" front return, 3" back return 35/1c"H x 1 ½"W backplate available in white or bronze /BR	\$50.60 ea
3035-Н ТВ060-Н ТВ100-Н	ТВ100-Н	wall traverse bracket, single, double or triple • adjustable up to 11 ½" • 4½"H x 1½"W backplate • available in white or bronze /BR	\$50.60 ea
000	CD533	ceiling mount bracket, single • ½"H x 2½"Deep x ½"W • may only be used in systems without fascia • available in white for double ceiling mount installation, install two individual brackets into ceiling	\$3.15 NET ea
	CD4001FC	fascia mount clip use to attach fascia to corded traverse systems; included available in zinc	\$7.35 NET ea
	CD3300R CD3300L	corded pinch pleat master carriers • stainless steel overlap arms • multi-wheel design for smooth movement • right (R) or left (L) • available in white or bronze /BR	\$5.65 NET ea
	CD3412R CD3412L	corded Ripplefold master carriers • stainless steel overlap arms with snaps to accept Ripplefold tape • multi-wheel design for smooth movement • overlap master carriers come standard unless otherwise specified • right (R) or left (L) • available in white or bronze /BR	\$5.65 NET ea
	CD3600R CD3600L	corded Ripplefold butt master carriers • stainless steel arms with snaps to accept Ripplefold tape • multi-wheel design for smooth movement • butt master carriers do not overlap, allowing some light to filter between draperies on center draw treatments • butt master carriers must be specified for substitution • right (R) or left (L) • available in white or bronze /BR	\$5.85 NET ea
	CD4311R CD4311L	corded universal end pulley body • pendants sold separately: CP30 pinch pleat, CPC30 pinch pleat with c-rings or R1002 Ripplefold • right (R) or left (L) • available in white or bronze /BR	\$5.65 NET ea
• •	CD4310R CD4310L	corded one-way end pulley body • right (R) or left (L) • available in white or bronze /BR	\$2.75 NET ea
	TBKT214-H	• For 2"-21/4" poles: 31/2"H x 3/4"W backplate, 77% front return and 3" back track return* • For 3" poles: 31/2"H x 3/4"W backplate, 83/4" front return and 3" back track return* • use to combine 2", 21/4" or 3" full wood pole with single traverse systems • includes traverse ceiling mount bracket attached onto the bottom of the over-bracket *custom returns available, poles sold separately *available in any of our 50 standard hand painted finishes or your own custom finish	\$88.55 ea

Custom Bracket (TBKT214-H & TBKT214-HB)

Custom Bracket (TBKT300-H & TBKT300-HB)







THE FINIAL COMPANY. April 1, 2023 119

wall mount brackets

Single Corded Bracket (TB035-H)




Single Baton Bracket (TBO35-HB)




Scan the QR code or visit bit.ly/TFC-C-Rings for diagrams of all C-Ring Systems




Single or Double Corded Bracket (TB060-H)




Single or Double Baton Bracket (TBO60-HB)



Single, Double or Triple Corded Bracket (TB100-H)




Single, Double or Triple Baton Bracket (TB100-HB)




ceiling mount brackets

Please note: only Ceiling Mount Brackets will not accommodate fascia and finials.

Corded Single Ceiling Mount Bracket (CD533)



Baton Single Ceiling Mount Bracket (BT5333)





THE FINIAL COMPANY.

heavy duty corded o	r baton traverse accesso	Dries Look for the /BR icon for components available in bronze and add /BR at the end of the item number to order	erse Collection Catalog pages 36-37
000	CP10	ball-bearing pinch pleat glides • ball-bearing wheel for smooth movement • pinch pleat • available in white or bronze /BR	\$2.95 NET pack (10 pcs)
	R4060/ 60% fullness R4080/ 80% fullness R4100/ 100% fullness R4120/ 120% fullness	Ripplefold glides Ripplefold glides with detachable pendants fullness 60%, 80%, 100% or 120%; specify fullness on order Ripplefold available in white or bronze /BR	\$0.63 NET ea
	CP500	drapery return bracket • allows for return on track hardware in traverse systems; included • available in zinc	\$3.25 NET pack (10 pcs)
3	BT4333	glide stop • stainless steel	\$0.55 NET ea
	138CR 1 ³ / ₈ " diameter 200CR 2" diameter 214CR 2 ¹ / ₄ " diameter 300CR 3" diameter	cring • use with round wood fascias *available in any of our 50 standard hand painted finishes or your own custom finish Scan the QR code or visit bit.ly/TFC-C-Rings for diagrams of all C-Ring Systems	\$12.65 ea \$12.65 ea \$18.98 ea \$25.30 ea
	CPC10	cring glide • available in white or bronze /BR	\$1.80 NET pack (10 pcs)
	CMTB-H* corded CMTB-HB* baton • 23/4"H x 11/2 for double ceii installation, ins brackets into a When orderin A. fascia dian B. projection to front of f C. drop from a and/or fro fascia (tip:	ling mount stall two individual ceiling g, specify: neeter and profile. to carrier and/or fascia. ceiling to carrier eyelet m ceiling to top of finial must clear ceiling). ounting plate if	\$75.90 ea

^{*}available in any of our 50 standard hand painted finishes or your own custom finish

heavy duty corded or baton traverse track








ANSI Standards: Child Safety Warning Tags


ANSI Standard 100.1: Safety of Corded Window Coverings Requires warning tags for child safety on all interior drapery hardware and window covering products that incorporate cords, bead chains, cord shrouds or any type of flexible loop control device in their operation INCLUDING sales collateral materials.

carriers for heavy duty traverse systems

pinch pleat carriers

ripplefold carriers





THE FINIAL COMPANY



Heavy Duty Traverse Order Form

	PO#					Si	Side Mark	rk						S	Ship via								
Company Information										Sh	ippir	ıg In:	form	Shipping Information	1								
Company Name				Acct#	,-					Cor	Company Name	y Nan	1e							Acct#			
Contact Person										Cor	Contact Person	erso	ח										
Street Address										Stre	Street Address	dress	"										
City				State			ZIP			City	$ \cdot $								-	State		ZIP	
Email										Email	<u>a:</u>												
Phone	Fax									Phone	one							Fax					
HEAVY-DUTY BALL BEARING TRAVERSE SYSTEMS - Consult Price List for detailed specifications. Specified custom cut length indicates fascia length; For mitered returns, custom cut length indicates fascia length from outside corner to outside co	TRAVERSE SYS	TEM .	S - Co	m cut I	Price ength	List indicat	for d es fas	etaile cia len	d spe	ecifica m outs	itions	rner to	outsi	de con	vrner of fascia	ascia.							
Item #	Fascia Type	System Length (per 2')		Custom Cut Length		Fascia Finish Code	P	Bracket Preference		Pre Center	ਰਿਸ਼	aw rence One-Way	ау	Cord Location	rd ition	Cord Length (standard	Baton Draw Option*		Carrier pinch pleat OR Ripplefold® style*	oty		Price per Unit	Subtotal
													Z Z	_	 R								
													7		고								
													\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		고								
													ק		ק								
HEAVY-DUTY BALL BEARING TRAVERSE COORDINATING ACCESSORIES AND ADDITIONAL FEES Order finials, mitered returns, and accessories here.	TRAVERSE COO	RDIN	ATIN	GAC	CES	SORI	ES A	/ dw	וםמגּ	NOIT	AL F	EES							-				
Item #	Finish Code	Code									Desc	Description	5						Qty	Price	Price per Unit	'nit	Subtotal
			┞									l										-	
Additional Information																* Bato	n draw	optio	Baton draw option available; batons sold separately.	ole; ba	itons s	sold sepa	ırately.
Quantity included per set based on cut track length	th	4	ΩĪ	6 7	œ	آه	10'	11 1	12' 13'	3 14	15	16'	17'	18' 1	19' 20'							<u>v</u>	
Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)]	rriers (2) & end caps (2)]	16	20	24 28	32	36	40	44 4	48 52	2 56	8	64	68	72 7	76 80						;	[
Brackets (1 per every 3-4 feet)		2	ω	ω ω	4	4	4	Οī	5	6	6	6	7	7	7 8								

Special Instructions

* When ordering Ripplefold carriers, answer these questions:

1. Select Ripplefold fullness: 60% 80% 100% 120%

2. Select Ripplefold masters: Overlap Butt Master

motorized or manual traverse systems

traverse systems coordinated color chart

Finish Name	Finish Code	Track and Bracket Colors	Maximum Continuous Fascia Length
STANDARD FINISHES			
Charred Toasted Oak	800	Bronze	16'
Bronzed Ore	810	Bronze	16'
Sea Salt Black	820	Bronze	16'
Driftwood	830	White	16'
White with Gold Accents	840	White	16'
Soft Brass	850	Bronze	16'
Grayed Brass	860	Bronze	16'
Chalet Gray	870	White	16'
Parchment	880	White	16'
Warm Walnut	890	Bronze	16'
Gilded Red	600	Bronze	16'
Cobalt Bronze	610	Bronze	16'
Weathered Iron	620	Bronze	16'
Ash Gray	630	White	16'
Oil Rubbed Bronze	640	Bronze	16'
Hickory	650	Bronze	16'
Antique White	660	White	16'
Espresso	670	Bronze	16'
Aged Gold	680	Bronze	16'
Champagne	690	Bronze	16'
Graphite	700	Bronze	16'
Tarnished Silver	710	Bronze	16'
Tawny Oak	720	Bronze	16'
Rose Gold	730	Bronze	16'
Smoky Mocha	740	Bronze	16'
Polished Gold	750	Bronze	16'
Rustic Iron	760	Bronze	16'
Bronze Patina	770	Bronze	16'
Hazelwood	780	Bronze	16'
Vintage Bronze	790	Bronze	16'
Bronze	105	Bronze	16'
Bronze with Gold	106	Bronze	16'
Bronze with Gold and Gray	107	Bronze	16'
Flat Black	109	Bronze	16'
Flat Black with Gold	110	Bronze	16'
Silver with Gold	112	White	16'
Walnut Gold	117	Bronze	16'
Dark Walnut Gloss with Gold	126	Bronze	16'
Antique Steel	129	Bronze	16'
Antique Steel with Black Highlights	129B	Bronze	16'
Gray with Gold	150	White	16'
Antique	155	Bronze	16'
Walnut Gold with Gray Accents	200	Bronze	16'
Walnut	240	Bronze	16'
Platinum	250	Bronze	16'
Platinum with Black Highlights	250B	Bronze	16'
Mahogany Rust	270	Bronze	16'
Pewter	320	Bronze	16'
Bronze with Black	330	Bronze	16'
Statuary Bronze with Gold	350G	Bronze	16'

Based on your specified finish we supply track and brackets that best match the finish on your fascia. Please refer to the Finish Reference Guide to the left. If you order a custom match finish, please specify your track color.

Components are included in the per foot track price, as listed in the Retail Price List. Components will match the track color when applicable (see chart at bottom of page).

Standard glides are 4 per foot. Standard brackets are 2 end brackets with 1 support bracket for every 3–4 feet of track.

Wood pole profiles available in 1%", 2", 21/4" and 3" diameters can be used as fascia.

Spliced fascia will be cut at a 45° angle for an obscure splice upon request.

Spliced fascia can be blended for an additional fee (see pages 89, 100 or 117). Blended fascia will be properly connected and shipped in one continuous length.

COMPONENT COLORS

Components include: glides, master carriers and drive gears/end pulleys.

	moto	rized	manual
	R-TEC	Somfy	heavy duty
BRONZE	•	•	•
WHITE	•	•	•

Please Note: Somfy Glydea® motor is always silver.

C-ring glides are available only in Bronze

THE FINIAL COMPANY. April 1, 2023 123

display boards



TFC20TDB

traverse display board 2 24"H x 24"W x 6"Deep wall mount

NET price: \$250.00



RTMDK

R-TEC Automation® display kit (case & kit*)
*R-TEC smart controls not included;
see page 78 for our selection
30¼"H x 26¼"W x 8"Deep (case)

NET price: \$300.00

order modules separately:

RTMDK/FMH \$100.00

R-TEC Automation® motorized metal module

RTMDK/TRACK \$100.00

R-TEC Automation® track module with fascia*
*13/8" fascia included for reference only; see page 85 for a
full list of fascia styles available in this collection, and choose from
any of our 50 standard hand painted finishes located on page 126
or your own custom finish

RTMLDKIT \$350.00

slim drapery motor + battery kit*
*works with motorized metal and track modules above



TFC18TTMETAL

metal table top display 12¼"H x 20"W x 8"Deep

NET price: \$125.00



TFC18TTMODMETAL

modern metal table top display 121/4"H x 20"W x 8"Deep

NET price: \$125.00



TFC18WRDB1

wood & resin display board 1 42"H x 24"W x 7"Deep wall mount

NET price: \$250.00

TFC18WRDB1RETRO

wood & resin retro kit 1 wall mount

NET price: \$75.00



TFC18WRDB2

wood & resin display board 2 42"H x 24"W x 7"Deep wall mount

NET price: \$250.00

TFC18WRDB2RETRO

wood & resin retro kit 2 wall mount

NET price: \$75.00



TFC18SDB

steel display board 42"H x 24"W x 7"Deep wall mount

NET price: \$250.00

TFC18SDBRETRO

steel retro kit wall mount

NET price: \$75.00

THE FINIAL COMPANY... April 1, 2023 125

finish information

2018 NEW FINISHES

800	Charred Toasted Oak
810	Bronzed Ore

Sea Salt Black 820 830 Driftwood

White with Gold Accents 840

850 Soft Brass **Grayed Brass** 860 870 Chalet Gray 880 **Parchment** 890 Warm Walnut

STANDARD FINISHES

105	Bronze

106 Bronze with Gold

107 Bronze with Gold and Gray

109 Flat Black

110 Flat Black with Gold

112 Silver with Gold

117 Walnut Gold

126 Dark Walnut Gloss with Gold

129 Antique Steel

Antique Steel with Black Highlights 129B

150 Gray with Gold

155 Antique

200 Walnut Gold with Gray Accents

240 Walnut

250 Platinum

250B Platinum with Black Highlights

270 Mahogany Rust

320 Pewter

330 Bronze with Black

Statuary Bronze with Gold 350G

600 Gilded Red 610 Cobalt Bronze

620 Weathered Iron

630 Ash Gray

640 Oil Rubbed Bronze

650 Hickory

660 Antique White

670 Espresso

Aged Gold 680

690 Champagne

700 Graphite

710 Tarnished Silver

720 Tawney Oak

730 Rose Gold

740 Smoky Mocha

750 Polished Gold

760 Rustic Iron

770 Bronze Patina 780 Hazelwood

126

790

Vintage Bronze

special finishes

custom finishes and custom color match

Beyond our standard finishes, we can match any finish, fabric swatch, wood trim or paint color specified from your favorite paint company. A finish sample or paint color, sheen level and manufacturer must be provided by the customer. The Finial Company will then provide a strike-off sample to the customer on any wood or steel pole profile as requested. Customer approval of the strike-off sample is required before production will begin.

100 Polished Steel finish

Many, but not all, of our raw steel products can be polished and given a clear topcoat to achieve a finished look. Steel is not uniform in color tone and will vary in shades of gray and silver. Polishing raw steel parts requires considerably more preparation work than our other finishes and therefore incurs additional charges.

A polished steel finish is NOT available on the following items that appear in the steel section of the 2018 catalog:

TRT	EB3
EC1	CSL16
SELB	EB1
EB5	EC3
RF4	123ELB
EB2	EB6

clear coating

Clear coat can be added on any finish to achieve your preferred sheen level. Sheen choices are matte, satin and high gloss as shown in the catalog.

outdoor hardware finishing

Available on all Outdoor Hardware product as listed in the catalog. See pages 36-38. 20% surcharge on items in outdoor finishes that are not part of the Outdoor Hardware collection.

standard finishes on 13/8" metal collection:

13/8" Metal Collection finials, brackets, poles and rings are available in any of our standard hand painted finishes for a 30% surcharge on these items.

finish fees

(all prices below are SRP)

Custom match/custom finishing

includes modifying existing TFC finishes and painting product from any manufacturer in any finish not included in the 2018 Drapery Hardware Catalog. 10-15 day lead time:

single color: 10% of order value, minimum of \$100.00 per order

multicolor: 15% of order value, minimum of \$150.00 per order

Polished steel finishing:

30% of order value, min of \$150.00 per order

Clear coating:

10% of order value, min of \$100.00 per order

Outdoor hardware finishing:

20% of order value

13/8" Metal Collection standard finishing:

30% of order value, no minimum order

Touch up paint:

\$20.00 per vial

Strike-offs:

\$70.00 per finish/strike-off. If finish is approved, ½ of strike-off fee will be rebated on order.

Color chip samples:

\$3.00 per chip

repaint tees

Includes painting product from any manufacturer in a standard TFC finish included in the 2018 Drapery Hardware Catalog. 10-15 day lead time. (all prices below are SRP)

Poles	\$15.00 per foot
Bracket	\$20.00 ea
Tieback posts	\$15.00 ea
Rings	\$5.00 ea
Finials or end caps	\$20.00 ea
Elbows	\$20.00 ea
Rosettes	\$20.00 ea
Crests	\$60.00 ea

THE FINIAL COMPANY. April 1, 2023

terms & conditions

PRICING AND TERMS

Prices found in The Finial Company Retail Price List are our suggested retail prices. Due to the U.S. government's current policy on China tariffs, all products are subject to a tariff surcharge as of September 1st, 2019. Prices are subject to change without notice. Prices are quoted exclusive of freight and packaging. The buyer should always inspect the product upon receipt.

<u>IMPORTANT</u>: Please note that your order will be placed with an authorized Finial Company Distributor. While most of the following will generally apply, your distributor may have terms and conditions of sales that will vary from what is stated here.

Estimated Lead Times: Purchase orders are processed once they are received by The Finial Company. Incomplete information will delay processing and shipping. Metal Baton Draw Traverse Systems will ship within 5 business days of the order confirmation. Painted product (including painted products from the Metal Collection), custom products and traverse systems will ship within 10-15 business days of the order confirmation. R-TEC Automation® Traverse Systems will ship within 10-15 business days of the order confirmation.

Rush Orders: Rush orders are available. An additional 30% charge applies to product and all fees excluding freight and packaging. Rush orders will ship within 5 business days. The 30% rush charge is available for all product except arch rods, bay windows, custom brackets, and mitered returns. If an order is received after 12:00 C.S.T., the next business day will count as the first day of production.

<u>IMPORTANT</u>: Please note that rush orders are not always available due to the nature of scheduling in a strictly custom manufacturing environment. Processing time for a rush order is in business days, (excluding holidays) not calendar days.

Shipping (NET Fees): Poles or tracks over 92" must be shipped by common carrier. For current common carrier freight rates go to www.thefinialcompany.com/freightrate. Expedited shipments are not available in all areas. Any additional charges for expedited shipments will be in addition to the published net fees. Orders that contain a Li-ion battery will be charged a \$25.00 shipping surcharge.

The following orders will be subject to actual freight costs:

- shipments going to Alaska, Hawaii, Idaho, Montana, Wyoming, Puerto Rico or any international destination.
- orders with poles or tracks exceeding 92" in length
- orders that exceed a \$2,500 SRP

Packaging Fees (NET Fees): A net packaging fee of \$10.00 per order will apply to any order that has a pole. A net packaging fee of \$10.00 will apply to any order with a traverse rod less than 16 feet. The net packaging fee increases to \$25.00 for all orders with arched rods; bay windows; rods with returns; motorized traverse track; or poles, rods and corded traversing track 16 feet or longer.

RETURNS, CHANGES & CANCELLATIONS

All orders are considered "custom". No changes or cancellations will be accepted later than 24 hours after order is confirmed. All returns must be authorized by The Finial Company customer service department, and are authorized at our discretion, given the circumstances and nature of each custom order.

DAMAGED GOODS

Immediately upon receipt, your order should be inspected to ensure that there is no concealed damage from shipping. Claims on damaged merchandise must be made within 15 days of receipt. No claims after 15 days will be accepted. If your order is damaged in shipping, carriers require that all packing materials be kept in order for a representative to inspect the goods. Our policy is that we replace damaged product per the original order.

Please note on the bill of lading if there is any possibility of concealed damaged. If shipping through a 3rd party, distributor is responsible for claiming damages and the remakes will be at charge.

PRODUCT INFORMATION

Wood Poles & Fascias: Wood poles are sold in 2 foot increments, 2 foot minimum. We will cut your pole to specification, but we do not save or ship the fall off.

Steel Poles: All steel poles are sold in 1 foot increments, 2 foot minimum. We will cut to your specification, but we do not save or ship the fall off.

Metal & Acrylic Poles: All metal and acrylic poles are sold in 2 foot increments, 2 foot minimum. We will cut to your specification, but we do not save or ship the fall off.

Corded or Baton Draw Traverse Tracks: Corded or baton draw traverse tracks are sold in 2 foot increments with a 4 foot minimum. We will cut to your specification, but we do not save or ship the fall off.

Motorized Traverse Tracks: Motorized traverse tracks are sold in 1 foot increments with a 6 foot minimum. We will cut to your specification, but we do not save or ship the fall off.

Support Brackets: We recommend support brackets every 3–4 feet.

Installation: Mollie bolts and nail anchors are recommended for all installations, but are not included. We strongly recommend using a professional installer for our hardware.

Force Majeure: The Finial Company is not liable for any performance failure that arises from any cause not within its control.

THE FINIAL COMPANY. April 1, 2023 127

April 1, 2023 THE FINIAL COMPANY.