

IDEALSEAL FILL AND SEAL ACRYLIC SAFETY DATA SHEET

IDEALSEAL FILL AND SEAL ACRYLIC

Revision date 13-11-2022 Supercedes Date: 20-08-2018 **Revision Number** 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name IDEALSEAL FILL AND SEAL ACRYLIC

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant

Uses advised against Not to be used in production of toys or childcare articles

1.3. Details of the supplier of the safety data sheet

Company Name

Ideal Sealants Limited Unit D5 Taylor Business Park Risley, Warrington Cheshire UK WA3 6BL

Tel: +44 (1925) 76 59 34

info@idealsealants.com E-mail address

1.4. Emergency telephone number

United Kingdom

NPIC - National Poison Information Centre Ireland

Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week)

Healthcare Professionals: +353 (01) 8092566 (24 hour service)

Europe 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word

None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

United Kingdom - BE Page 1 / 13

IDEALSEAL FILL AND SEAL ACRYLIC

Supercedes Date: 20-08-2018 Revision Number 2

Revision date 13-11-2022

[C(M)IT/MIT] & 1,2-benzisothiazol-3(2H)-one [BIT]. May produce an allergic reaction EUH210 - Safety data sheet available on request

2.3. Other hazards

No information available.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Ethylene glycol	203-473-3	107-21-1	0.1 - <1	STOT RE 2 (H373) Acute Tox. 4 (H302)		01-2119456816- 28-XXXX
Titanium dioxide	236-675-5	13463-67-7	0.1 - <1	[C]	-	01-2119489379- 17-XXXX
1,2-benzisothiazol-3(2H) -one [BIT]	220-120-9	2634-33-5	0.0015 - <0.01	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Acute Tox. 2 (H330) Aquatic Chronic 2 (H411)	Skin Sens. 1 :: C>=0.05%	01-2120761540- 60-XXXX
reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one and 2-methyl-2H-isothiazol-3 -one (3:1) [C(M)IT/MIT]	611-341-5	55965-84-9	<0.0015	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Eye Dam. 1 :: C>=0.6% Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: C>=0.0015%	01-2120764691- 48-XXXX

United Kingdom - BE Page 2/13

IDEALSEAL FILL AND SEAL ACRYLIC

Supercedes Date: 20-08-2018 Revision Number 2

Revision date 13-11-2022

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation IF exposed or concerned: Get medical advice/attention. Remove to fresh air.

Eye contactRinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor.

Skin contact In the case of skin irritation or allergic reactions see a doctor. Wash skin with soap and

water.

Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

United Kingdom - BE Page 3/13

IDEALSEAL FILL AND SEAL ACRYLIC

Supercedes Date: 20-08-2018 Revision Number 2

Revision date 13-11-2022

Personal precautions Ensure adequate ventilation.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containmentDo not scatter spilled material with high pressure water streams.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing.

Recommended storage

temperature

Do not freeze. Keep at temperatures between 5 and 35 $^{\circ}\text{C}.$

7.3. Specific end use(s)

Specific use(s)

Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure LimitsThis product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product

Chemical name	European Union	United Kingdom
Ethylene glycol	TWA: 20 ppm	TWA: 10 mg/m ³
107-21-1	TWA: 52 mg/m ³	TWA: 20 ppm
	STEL: 40 ppm	TWA: 52 mg/m ³
	STEL: 104 mg/m ³	STEL: 40 ppm
	*	STEL: 104 mg/m ³
		STEL: 30 mg/m ³
		Sk*
Titanium dioxide	-	TWA: 10 mg/m ³
13463-67-7		TWA: 4 mg/m ³
		STEL: 30 mg/m3

United Kingdom - BE Page 4/13

IDEALSEAL FILL AND SEAL ACRYLIC Revision date 13-11-2022 Supercedes Date: 20-08-2018 **Revision Number** 2 STEL: 12 mg/m³ **Derived No Effect Level (DNEL)** No information available Derived No Effect Level (DNEL) Ethylene glycol (107-21-1) Derived No Effect Level Type Exposure route Safety factor (DNEL) worker Dermal 106 mg/kg bw/d Long term Systemic health effects Inhalation 35 mg/m³ worker Long term Systemic health effects Titanium dioxide (13463-67-7) Туре Exposure route Derived No Effect Level Safety factor (DNEL) worker Inhalation 10 mg/m³ Long term Local health effects 1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5) Exposure route Derived No Effect Level Safety factor Type (DNEL) Inhalation 6.81 mg/m³ worker Long term Systemic health effects Dermal 0.966 mg/kg bw/d worker Long term Systemic health effects Derived No Effect Level (DNEL) Ethylene glycol (107-21-1) Type Exposure route Derived No Effect Level Safety factor (DNEL) Consumer Dermal 53 mg/kg bw/d Long term Systemic health effects Inhalation 7 mg/m³ Consumer Long term Local health effects Titanium dioxide (13463-67-7) Derived No Effect Level Exposure route Safety factor Туре (DNEL) Consumer Oral 700 mg/kg bw/d Long term Systemic health effects 1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5) Exposure route Derived No Effect Level Safety factor Type (DNEL) Consumer Inhalation 1.2 mg/m³

United Kingdom - BE Page 5 / 13

0.345 mg/kg bw/d

Dermal

Long term

Consumer

Long term

Systemic health effects

IDEALSEAL FILL AND SEAL ACRYLIC

Revision date 13-11-2022 Supercedes Date: 20-08-2018 **Revision Number** 2

Systemic health effects		

Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)	
Ethylene glycol (107-21-1)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	10 mg/l
Marine water	1 mg/l
Freshwater sediment	37 mg/kg dry weight
Marine sediment	3.7 mg/kg dry weight
Soil	1.53 mg/kg dry weight
Microorganisms in sewage treatment	199.5 mg/l

Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)							
Environmental compartment	Predicted No Effect Concentration (PNEC)						
Freshwater	4.03 μg/l						
Marine water	0.403 μg/l						
Sewage treatment plant	1.03 mg/l						
Freshwater sediment	49.9 µg/l						
Marine sediment	4.99 μg/l						
Soil	3 mg/kg dry weight						

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Avoid contact with eyes.

Skin and body protection Wear protective gloves and protective clothing. Avoid contact with skin, eyes or clothing.

Respiratory protection During spraying wear suitable respiratory equipment.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid **Appearance** Paste

Colour See section 1 for more information

Odour Characteristic.

Odour threshold No information available

Property <u>Values</u> Remarks • Method

Melting point / freezing point = 0 °C Initial boiling point and boiling = 100 °C

range

Flammability Not applicable for liquids .

Flammability Limit in Air None known

Upper flammability or explosive No data available

United Kingdom - BE Page 6 / 13

IDEALSEAL FILL AND SEAL ACRYLIC

Revision date 13-11-2022 Supercedes Date: 20-08-2018 **Revision Number** 2

Lower flammability or explosive No data available

limits

Flash point Not applicable No data available °C

Autoignition temperature No data available None known

Decomposition temperature None known

pH (as aqueous solution) No data available None known

Kinematic viscosity $> 21 \text{ mm}^2/\text{s}$ Dynamic viscosity No data available

Water solubility No data available Miscible in water None known No data available Solubility(ies) None known **Partition coefficient** No data available None known Vapour pressure No data available None known Relative density No data available None known

Bulk Density No data available

Liquid Density 1.71

No data available Relative vapour density None known

Particle characteristics

Particle Size No information available **Particle Size Distribution** No information available

9.2. Other information

VOC Content (%)

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available. Reactivity

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

None. Sensitivity to mechanical

impact

Sensitivity to static discharge

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Do not freeze.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

United Kingdom - BE Page 7/13

IDEALSEAL FILL AND SEAL ACRYLIC

Supercedes Date: 20-08-2018 Revision Number 2

Hazardous decomposition

products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

Revision date 13-11-2022

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene glycol	ATE 500 mg/kg	= 10600 mg/kg (Rattus) =	> 2.5 mg/L (Rat) 6 h
		9530 µL/kg (Oryctolagus	
		cuniculus)	
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L (Rattus) 4 h
1,2-benzisothiazol-3(2H)-one	=670 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	ATE = 0.25 mg/L
[BIT]			
reaction mass of	-	LD50 = 87.12 mg/kg	= 0.33 mg/L (Rat) 4h
5-chloro-2-methyl-2H-isothiazo		(Oryctolagus cuniculus)	
I-3-one and			
2-methyl-2H-isothiazol-3-one			
(3:1) [C(M)IT/MIT]			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)

Titaliiaiii aloxiao (10 100	That it allowed (10 100 of 1)							
Method	Species	Exposure route	Effective dose	Exposure time	Results			
OECD Test No. 404:	Rabbit	Dermal			Non-irritant			
Acute Dermal								
Irritation/Corrosion								

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

United Kingdom - BE Page 8 / 13

Revision date 13-11-2022

Revision Number 2

IDEALSEAL FILL AND SEAL ACRYLIC

Titanium dioxide (13463-67-7)

Supercedes Date: 20-08-2018

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	Eye			Non-irritant
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	Not a skin sensitiser
Sensitisation			
OECD Test No. 429: Skin	Mouse	Dermal	Not a skin sensitiser
Sensitisation: Local Lymph Node			
Assay			

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicityBased on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

	Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
		plants		microorganisms			(long-term)
Ī	Ethylene glycol	EC50: 6500 -	LC50 96 h =	EC50 = 10000	EC50:		
	107-21-1	13000mg/L (96h,	16000 mg/L	mg/L 16 h	=46300mg/L		
		Pseudokirchneri	(Poecilia	EC50 = 620	(48h, Daphnia		
		ella subcapitata)	reticulata static)	mg/L 30 min	magna)		
				EC50 = 620.0			

United Kingdom - BE Page 9/13

IDEALSEAL FILL AND SEAL ACRYLIC

Supercedes Date: 20-08-2018 Revision Number 2

Revision date 13-11-2022

			mg/L 30 min			
Titanium dioxide	LC50 (96h)	-	-	-		
13463-67-7	>10000 mg/l					
	(Cyprinodon					
	variegatus)					
	OECD 203					
1,2-benzisothiazol-3(2	EC50 3Hr	LC50 (96hr) 2.15	-	EC50(48hr) 2.94	1	
H)-one [BIT]	13mg/l (activated	mg/l Cyprinodon		mg/l (Daphnia		
2634-33-5	sludge) (OECD	variegatus EPA		Magna) OECD		
	209)	540/9-85-006		202		
reaction mass of	EC50 (72h)	EC50 (96h) =	-	EC50 (48h) =0.1	100	100
5-chloro-2-methyl-2H-is	=0.048 mg/L	0.22 mg/L		mg/L (Daphnia		
othiazol-3-one and	(Pseudokirchner	(Oncorhynchus		magna) (OECD		
2-methyl-2H-isothiazol-	iella subcapitata)	mykiss) (OECD		202)		
3-one (3:1)	(OECD 201)	211)				
[C(M)IT/MIT]	·					
55965-84-9						

12.2. Persistence and degradability

Persistence and degradability

No information available.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable
Biodegradability: CO2 Evolution Test			
(TG 301 B)			

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Component information		
Chemical name	Partition coefficient	
Ethylene glycol	-1.36	
1,2-benzisothiazol-3(2H)-one [BIT]	0.7	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7	
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]		

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment	
Ethylene glycol	The substance is not PBT / vPvB PBT assessment does	
	not apply	
Titanium dioxide	The substance is not PBT / vPvB PBT assessment does	
	not apply	
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB	
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]		

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

United Kingdom - BE Page 10 / 13

IDEALSEAL FILL AND SEAL ACRYLIC

Supercedes Date: 20-08-2018 Revision Number 2

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of waste in accordance with environmental legislation. Dispose of in accordance

Revision date 13-11-2022

with local regulations.

Contaminated packaging Do not reuse empty containers.

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Note: Keep from freezing.

Land transport (ADR/RID)

14.1 UN number or ID number
14.2 Proper Shipping Name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
Not regulated Not regulated Not regulated Not applicable

14.6 Special Provisions None

<u>IMDG</u>

14.1UN number or ID numberNot regulated14.2Proper Shipping NameNot regulated14.3Transport hazard class(es)Not regulated14.4Packing groupNot regulated14.5Marine pollutantNP

14.6 Special Provisions None

14.7 Maritime transport in bulk Not applicable

according to IMO instruments

Air transport (ICAO-TI / IATA-DGR)

14.1UN number or ID numberNot regulated14.2Proper Shipping NameNot regulated14.3Transport hazard class(es)Not regulated14.4Packing groupNot regulated14.5Environmental hazardsNot applicable14.6Special ProvisionsNone

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

United Kingdom - BE Page 11 / 13

IDEALSEAL FILL AND SEAL ACRYLIC

Supercedes Date: 20-08-2018 Revision Number 2

Revision date 13-11-2022

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide: Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

United Kingdom - BE Page 12 / 13

IDEALSEAL FILL AND SEAL ACRYLIC

Revision date 13-11-2022 Supercedes Date: 20-08-2018 **Revision Number 2**

Ceiling Limit Value Ceiling Skin designation

SVHC Substance(s) of Very High Concern

Persistent, Bioaccumulative, and Toxic (PBT) Chemicals PBT Very Persistent and very Bioaccumulative (vPvB) Chemicals vPvB

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

European Agreement concerning the International Carriage of Dangerous Goods by **ADR**

Road

IMDG International Maritime Dangerous Goods (IMDG) IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data

No information available

Technical Department Prepared By

Revision date 13-11-2022

Indication of changes

Revision note Not applicable.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 13 / 13