

IDEALSEAL FIRECHECK INTUMESCENT SEALANT Supercedes Date: 22-09-2022

Revision date 21-10-2022 Revision Number 1

SECTION 1: Identification of	of the substance/mixture and of the company/undertaking		
1.1. Product identifier			
Product Name	IDEALSEAL FIRECHECK INTUMESCENT SEALANT		
Pure substance/mixture	Mixture		
1.2. Relevant identified uses of the	ne substance or mixture and uses advised against		
Recommended use	Sealant		
Uses advised against	None known		
1.3. Details of the supplier of the	safety data sheet		
<u>Company Name</u> Ideal Sealants Limited Unit D5 Taylor Business Park Risley, Warrington Cheshire UK WA3 6BL Tel: +44 (1925) 76 59 34			
E-mail address	info@idealsealants.com		
1.4. Emergency telephone number	<u>ər</u>		
United Kingdom Ireland Europe	111 NPIC - National Poison Information Centre Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week) Healthcare Professionals: +353 (01) 8092566 (24 hour service) 112		
SECTION 2: Hazards identi	fication		
2.1. Classification of the substan	ce or mixture		
Regulation (EC) No 1272/2008			
This mixture is classified as not haz	ardous according to regulation (EC) 1272/2008 [CLP]		
2.2. Label elements			
This mixture is classified as not haz	ardous according to regulation (EC) 1272/2008 [CLP]		
Signal word None			
Hazard statements This mixture is classified as not haz	ardous according to regulation (EC) 1272/2008 [CLP]		
	of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 3(2H)-one [BIT]. May produce an allergic reaction		

IDEALSEAL FIRECHECK INTUMESCENT SEALANT Supercedes Date: 22-09-2022

EUH210 - Safety data sheet available on request

2.3. Other hazards

No information available.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Ethylene glycol	203-473-3	107-21-1	0.1- <1	STOT RE 2 (H373) Acute Tox. 4 (H302)		01-2119456816- 28-XXXX
1,2-benzisothiazol-3(2H) -one [BIT]	220-120-9	2634-33-5	0.01 - < 0.05	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Acute Tox. 2 (H330) Aquatic Chronic 2 (H411)	Skin Sens. 1 :: C>=0.05%	01-2120761540- 60-XXXX
reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one and 2-methyl-2H-isothiazol-3 -one (3:1) [C(M)IT/MIT]	611-341-5	55965-84-9	<0.0015	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Eye Dam. 1 :: C>=0.6% Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: C>=0.0015%	01-2120764691- 48-XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

IDEALSEAL FIRECHECK INTUMESCENT SEALANT

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measur	es	
General advice	Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.	
Inhalation	IF exposed or concerned: Get medical advice/attention. Remove to fresh air.	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.	
Skin contact	In the case of skin irritation or allergic reactions see a doctor. Wash skin with soap and water.	
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.	
4.2. Most important symptoms and	d effects, both acute and delayed	
Symptoms	No information available.	
4.3. Indication of any immediate m	edical attention and special treatment needed	
Note to doctors	Treat symptomatically.	
SECTION 5: Firefighting me	asures	
5.1. Extinguishing media		
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Unsuitable extinguishing media	No information available.	
5.2. Special hazards arising from t	he substance or mixture	
Specific hazards arising from the chemical	No information available.	
Hazardous combustion products	Carbon monoxide. Carbon dioxide (CO2).	
5.3. Advice for firefighters		
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	
SECTION 6: Accidental relea	ase measures	

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

IDEALSEAL FIRECHECK INTUMESCENT SEALANT

Supercedes Date: 22-09-2022

Environmental precautions	See Section 12 for additional Ecological Information.		
6.3. Methods and material for conta	ainment and cleaning up		
Methods for containment	Do not scatter spilled material with high pressure water streams.		
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
6.4. Reference to other sections			
Reference to other sections	See section 8 for more information. See section 13 for more information.		
SECTION 7: Handling and st	orage		
7.1. Precautions for safe handling			
Advice on safe handling	Ensure adequate ventilation.		
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.		
7.2. Conditions for safe storage, in	cluding any incompatibilities		
Storage Conditions	Keep from freezing.		
Recommended storage temperature	Do not freeze. Keep at temperatures between 5 and 35 °C.		
7.3. Specific end use(s)			
Specific use(s) Sealant.			
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.		
Other information	Observe technical data sheet.		
SECTION 8: Exposure control	ols/personal protection		

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom
Aluminum hydroxide (Al(OH)3)	-	TWA: 10 mg/m ³
21645-51-2		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m ³
Ethylene glycol	TWA: 20 ppm	TWA: 10 mg/m ³
107-21-1	TWA: 52 mg/m ³	TWA: 20 ppm
	STEL: 40 ppm	TWA: 52 mg/m ³
	STEL: 104 mg/m ³	STEL: 40 ppm
	*	STEL: 104 mg/m ³
		STEL: 30 mg/m ³
		Sk*

Derived No Effect Level (DNEL)

No information available

Derived No Effect Level (DNE	E)			
Ethylene glycol (107-21-1)				
Туре	Exposure route	Derived No Effect Level	Safety factor	

IDEALSEAL FIRECHECK INTUMESCENT SEALANT Supercedes Date: 22-09-2022

		(DNEL)	
worker	Dermal	106 mg/kg bw/d	
Long term Systemic health effects			
worker	Inhalation	35 mg/m ³	
Long term Systemic health effects			

1,2-benzisothiazol-3(2H)-one [B	SIT] (2634-33-5)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	6.81 mg/m³	
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d	

Derived No Effect Level (DNEL)			
Ethylene glycol (107-21-1)			
Туре	Exposure route	Derived No Effect Level Safety factor (DNEL)	or
Consumer Long term Systemic health effects	Dermal	53 mg/kg bw/d	
Consumer Long term Local health effects	Inhalation	7 mg/m³	

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)				
Туре		Exposure route	Derived No Effect Level Safety factor (DNEL)	
Consumer		Inhalation	1.2 mg/m ³	
Long term Systemic health effects				
Consumer Long term Systemic health effects		Dermal	0.345 mg/kg bw/d	

Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)	
Ethylene glycol (107-21-1)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	10 mg/l
Marine water	1 mg/l
Freshwater sediment	37 mg/kg dry weight
Marine sediment	3.7 mg/kg dry weight
Soil	1.53 mg/kg dry weight
Microorganisms in sewage treatment	199.5 mg/l

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)

Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	4.03 μg/l
Marine water	0.403 µg/l
Sewage treatment plant	1.03 mg/l
Freshwater sediment	49.9 µg/l
Marine sediment	4.99 μg/l
Soil	3 mg/kg dry weight

IDEALSEAL FIRECHECK INTUMESCENT SEALANT

Supercedes Date: 22-09-2022

Revision date 21-10-2022 Revision Number 1

8.2. Exposure controls		
Engineering controls	Ensure adequate ventilation, especia	ally in confined areas.
Personal protective equipment Eye/face protection Skin and body protection	: Tight sealing safety goggles. Suitable protective clothing.	
Environmental exposure controls	No information available.	
SECTION 9: Physical and cl	nemical properties	
SECTION 9. Physical and ch	iennear properties	
9.1. Information on basic physica	and chemical properties	
Physical state	Solid	
Appearance	Paste	
Colour	See section 1 for more information	
Odour	Characteristic.	
Odour threshold	No information available	
Property	Values	Remarks • Method
Melting point / freezing point	= 0 °C	
Initial boiling point and boiling	= 100 °C	
range		
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	7 0	None known
pH	7 - 9	News Income
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	> 21 mm²/s No data available	
Dynamic viscosity Water solubility	Miscible in water.	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk Density	No data available	
Density	1.60	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
9.2. Other information		
Solid content (%)	No information available	
VOC content	No data av	alladie
9.2.1. Information with regards to Not applicable	physical hazard classes	

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

IDEALSEAL FIRECHECK INTUMESCENT SEALANT Supercedes Date: 22-09-2022

10.1. Reactivity	
Reactivity	No information available.
10.2. Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical	None.
impact Sensitivity to static discharge	None.
10.3. Possibility of hazardous read	<u>xtions</u>
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	Do not freeze.
10.5. Incompatible materials	
Incompatible materials	None known based on information supplied.
10.6. Hazardous decomposition pr	roducts_
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.
SECTION 11: Toxicological	information
11.1. Information on hazard class	ses as defined in Regulation (EC) No 1272/2008
Information on likely routes of exp	osure
Product Information	
Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.
Symptoms related to the physical,	, chemical and toxicological characteristics
Symptoms	No information available.
Acute toxicity	

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene glycol	ATE 500 mg/kg	= 10600 mg/kg (Rattus) = 9530 μL/kg (Oryctolagus	>2.5 mg/L (Rat)6 h

IDEALSEAL FIRECHECK INTUMESCENT SEALANT Supercedes Date: 22-09-2022

Revision date 21-10-2022 Revision Number 1

		cuniculus)	
1,2-benzisothiazol-3(2H)-one [BIT]	=670 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	ATE = 0.25 mg/L
reaction mass of 5-chloro-2-methyl-2H-isothiazo	= 53 mg/kg(Rat)	LD50 = 87.12 mg/kg (Oryctolagus cuniculus)	= 0.33 mg/L (Rat) 4h
I-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]			

s well as chronic effects from short and long-term exposure
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
<u>s_</u>
perties
No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Ethylene glycol 107-21-1	EC50: 6500 - 13000mg/L (96h,	LC50 96 h = 16000 mg/L	EC50 = 10000 mg/L 16 h	EC50: =46300mg/L		
	Pseudokirchneri ella subcapitata)	(Poecilia	EC50 = 620	(48h, Daphnia magna)		

IDEALSEAL FIRECHECK INTUMESCENT SEALANT Supercedes Date: 22-09-2022

Revision date 21-10-2022 Revision Number 1

			EC50 = 620.0 mg/L 30 min			
1,2-benzisothiazol-3(2 H)-one [BIT]		LC50 (96hr) 2.15 mg/l Cyprinodon		EC50(48hr) 2.94 mg/l (Daphnia	1	
2634-33-5		variegatus EPA 540/9-85-006		Magna) OECD 202		
reaction mass of 5-chloro-2-methyl-2H-is	EC50 (72h)	EC50 (96h) = 0.22 mg/L	-	EC50 (48h) =0.1 mg/L (Daphnia	100	100
othiazol-3-one and 2-methyl-2H-isothiazol-	(Pseudokirchner			magna) (ÓECD 202)		
3-one (3:1) [C(M)IT/MIT]	(OECD 201)	211)				
55965-84-9						

12.2. Persistence and degradability

Persistence and degradability

No information available.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

Method		Exposure time	Value		Results
OECD Test No. 301B: Ready		28 days	biodegrada	ition	Not readily biodegradable
Biodegradability: CO2 Evolution	Fest		-		
(TG 301 B)					

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Ethylene glycol	-1.36
1,2-benzisothiazol-3(2H)-one [BIT]	0.7
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Ethylene glycol	The substance is not PBT / vPvB PBT assessment does
	not apply
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

IDEALSEAL FIRECHECK INTUMESCENT SEALANT Supercedes Date: 22-09-2022

13.1. Waste treatment methods	
Waste from residues/unused products	Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.
Contaminated packaging	Do not reuse empty containers.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information			
Note:	Keep from freezing.		
Land transport (ADR/RID) 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special Provisions	Not regulated Not regulated Not regulated Not applicable None		
IMDG 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Marine pollutant 14.6 Special Provisions 14.7 Maritime transport in bulk according to IMO instruments	Not regulated Not regulated Not regulated NP None Not applicable		
Air transport (ICAO-TI / IATA-DGR 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None		

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

IDEALSEAL FIRECHECK INTUMESCENT SEALANT

Supercedes Date: 22-09-2022

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H301 -	l oxic if swallowed
11000 1	In marked if a condition of

- H302 Harmful if swallowed
- H310 Fatal in contact with skin H314 - Causes severe skin burns and eye damage
- H315 Causes severe skin burns and H315 - Causes skin irritation
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H330 Fatal if inhaled
- H373 May cause damage to organs through prolonged or repeated exposure
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H411 Toxic to aquatic life with long lasting effects

Legend	
TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by
	Road
IMDG	International Maritime Dangerous Goods (IMDG)
IATA	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail

IDEALSEAL FIRECHECK INTUMESCENT SEALANT Supercedes Date: 22-09-2022

Key literature references and sources for data No information available		
Prepared By	Technical Department	
Revision date	21-10-2022	
Indication of changes		
Revision note	Not applicable.	
Training Advice	No information available	
Further information	No information available	

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet