

I. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

Product Name:	Red Ruby		
General Use:	Adhesives		
Product Description:	Sensitive Adhesive		
Company Name:	Sinful Lashes		
Address:	15617-A Ventura Blvd. Encino, CA 91436		
Phone:	(818) 508-6544		
Web Address: www.sinfullashes.com/			

II. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	wt%	CAS Registry No.
Alkoxy2-cyanoacrylate	15%<	21982-43-4
Ethyl Cyano Acrylae	83%<	7085-85-0
Stabilizer	1 %>	SECRET
Polymethyl methacrylate	10%>	9011-14-7

EXPOSURE LIMITS

Ingredients	ACGIH (TL V)	OSHA
Alkoxy 2-cyanoacrylate	Not listed	None
Carbon black	1 %>	1333-86-4

III. HAZARDS IDENTIFICATION

Emergency Overview:

Vapor is irritating to eyes, skin and mucous membranes and respiratory tract.

Potential Health Effects:

May cause sensitization by inhalation. Narcotic effects, headache, dizziness, vomiting.

Skin:

Dryness

Eyes:

Irritation

Potential Environmental Effects:

Not Available.

Signs and Symptoms of Exposure:

Vapor is irritating to eyes and mucous membranes above TLV. Prolonged and repeated overexposure to vapors may produce symptoms of non-allergic asthma in sensitive individuals.

Existing Conditions Aggravated By Exposure:

Unknown

Target organ and Other Health Effects:

*Literature Referenced

Ingredients



Ethylcyanoacrylate ALG IRR RES

Carcinogen NTP !ARC OSHA

No. No.

No.

* N/ A Not applicable IRR Irritant

ALG AllergenRES Respiratory

Page

First issue: Jul.25,2006

IV. FIRST AID MEASURES

DESCRIPTION OF NECESSARY MEASURES, SUBDIVIDED ACCORDING TO THE DIFFERENT ROUTES OF EXPOSURE, IE, INHALATION, SKIN AND EYE CONTACT, AND INGESTION

If on skin:

Remove contaminated clothing. Wash contact areas with soap and much water.

If inhaled:

Evacuate from further exposure. If unconsciousness occurs, seek immediate medical assistance and call a physician. If the breath has stopped, have artificial respiration. If breathing difficulty occurs, have oxygen inhalation.

If in eyes:

Flush thoroughly with fresh water for at least 15 min. Get medical assistance immediately.

If ilngested:

Ingestion is not likely. See supplemental page for emergency procedures.

Notes to physicians:

None for this material

V. FIREFIGHTING MEASURES

Flash Point:

Above 95 "C Method:Cleveland open cup. (Recommended)

Extinguishing agents:

Carbon dioxide, form ,dry chemical

Special firefighting procedures:

Not available

*Hazardous products formed by fire or thermal decomposition. Irritating organic fragments.

Unusual fire or explosion hazards:

None

Explosive Limits:

(%by volume in air) Lower Not available

(%by volume in air) Upper Not available



VI.ACCIDENTAL RELEASE MEASURES

EVACUATE NON ESSENTIAL PERSONNEL. SHUT OFF ALL SOURCES OF IGNITION: NO FIRES.SMOKING OR FLAMES IN AREA. *VENTILATE AREA AFTER MATERIAL PICK UP IS COMPLETED.

For small spills:

Absorb spill with inert material (dry cloth, dry sand), then place in a chemical waste containers using non-sparking tools. Flush residual spill (area) with plenty of water.

For large spills:

Dike for later disposal. Wash with plenty of water.

VII.HANDLING AND STORAGE

Handling:

Keep away from sources of ignition and heat. No smoking or flames in working area. Take precautionary measures against static discharges. Avoid contact with skin and eyes. Wear proper protective equipment. Use only in well ventilated areas. Use exhaust ventilation to keep air concentration below exposure limit. Keep container tightly closed when not in use. Install emergency showers and eye wash facility in working area.

Storage:

Keep away from all possible source of ignition. Store in a cool, dry, well ventilated location. Keep container tightly closed. Keep away from combustible materials, heat, steam pipe or sunlight. Keep away from oxidizing materials.

Other Precautions:

Wash hands, face and gargle after work. Practice good personal hygiene after using this material, especially before eating, drinking, smoking or using the rest room. Keep out of reach of children.

First issue: Jul.25,2006

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection (Specify type):

Chemical cartridge respirator with organic vapor. Local exhausts •Special Should be used control vapors in work area. Mechanical (General): Should use a breathing mask.

Protective gloves:

Polyethylene gloves. No rubber.

Eye protection:

Safety glasses, face shield.

Skin protection:

Other protective clothing or equipment impervious clothing, apron and boots. Barrier creams, etc.



IX. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE : BLACK LIQUID
ODOR : ODORLESS, IRRITATING.
BOILING POINT : ABOVE 190 "C

MELTING POINT: NIA

SPECIFIC GRAVITY (H2O =1): 0.9 -1.1 VAPOR PRESSURE (AT25 ·C): 1PA

VAPOR DENSITY (AIR =L): 4.9

EVAPORATION RATE (BUTYL ACETATE =1): NIA

SOLUBILITY IN WATER: INSOLUBLE(POLYMERIZED BY WATER)

X. STABILITY AND REACTIVITY

Condition to avoid:

High humidity, high temperature or direct sunlight.

Stability:

Stable (cool and dry area.). Materials to avoid: Polymerized by contact with water, alcohols, amines, alkalies. Hazardous decomposition or byproducts: CO2, oxides and nitrogen and unknown hydrocarbons.

XI. TOXICOLOGICAL INFORMATION

Toxicity:

Skin contact may cause burns. Bond skin rapidly and strongly. Skin and eye irritant.

Carcinogen etc...:

See section 3.

XII. ECOLOGICAL INFORMATION

NONE KNOWN

XIII. DISPOSAL CONSIDERATION

Waste disposal method:

Don't pour drain. Follow domestic and local environmental regulations. Precautions to be taken in handling and storing. Avoid unnecessary exposure to air and moisture. Don't store above 25 "C and in direct sunlight, Keep container lids tightly closed.

Other Precautions:

Avoid contact with skin and eyes. Protect eyes, skin and clothing from contact with liquid product. Wear recommended equipment.

Page

First issue: Jul.25,2



XIV.TRANSPORT INFORMATION

DOT (49 CFR 172) *DOMESTIC GROUND TRANSPORT

Proper	ahin	DIDO	nama	

Unrestricted (Not more than 450 liters.) Combustible liquids n.o.s.(Cyanoacrylate ester) (More than 450 liters)

Hazard class or division:

Unrestricted (Not more than 450 liters.) Combustible liquids. (More than 450 liters)

Identification number:

None (Not more than 450 liters.) NA1993 (More than 450 liters)

Marine pollutant:

None.

IATA

Proper shipping name:

Unrestricted

Class or division:

Unrestricted

UN or ID number:

None

XV. REGULATORY INFORMATION

CA Proposition 65:

No California Proposition 65 chemicals are known to be present.

XVI. OTHER INFORMATION

Estimated NFPA Code:

*NFPA is a registered trademark of the National Fire Protection Assn.

Health Hazard:

2

Fire Hazard:

2

Reactivity Hazard:

1

Specific Hazard:

Does not apply

Estimated HMIS Code:

*HMIS is a registered trademark of the National Paint and Coatings Assn.

Health Hazard:

2



F	lan	nma	bilit)	0 H	azard	:
---	-----	-----	--------	-----	-------	---

2

Note:

This information is furnished without warranty, express or implied, except that it is