



Report Number:	21-014970/D003.R000				
Report Date:	12/29/2021				
ORELAP#:	OR100028				
Purchase Order:					
Received:	12/22/21 12:00				

Customer:	Sugar Island CBD
Product identity:	Sugar Island "Revive + CBG"
Batch Number:	SIREVIVE0001
Laboratory ID:	21-014970-0002

Summary

Analysia new An	Decult	Lingita	Unite	Chatria		
Analyte per 4g	Result	Limits	Units	Status	CBD-Total per 4g	<loq< td=""></loq<>
CBG per 4g⁺	25.9		mg/4g			
					THC-Total per 4g	<loq< td=""></loq<>
					(Reported in milli	grams per serving)

Page 1 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430



Customer:

12423 NE Whitaker Way Portland, OR 97230 503-254-1794

Report Number:	21-014970/D003.R000
Report Date:	12/29/2021
ORELAP#:	OR100028
Purchase Order:	
Received:	12/22/21 12:00

Product identity:	Sugar Island "Revive + CBG" SIREVIVE0001
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	21-014970-0002
Evidence of Cooling:	No
Temp:	17.1 °C
Relinquished by:	UPS
Serving Size #1:	4 g

Sugar Island CBD

Sample Results

Potency per 4g	Method J AOA	AC 2015 V98-6 (mod) Units mg/s	e Batch: 2111473	Analyze: 12/28/21 2:53:00 PM
Analyte	Result	Limits Units	LOQ	Notes
CBC per 4g [†]	< LOQ	mg/4g	0.131	
CBC-A per 4g [†]	< LOQ	mg/4g	0.131	
CBC-Total per 4g [†]	< LOQ	mg/4g	0.247	
CBD per 4g	< LOQ	mg/4g	0.131	
CBD-A per 4g	< LOQ	mg/4g	0.131	
CBD-Total per 4g	< LOQ	mg/4g	0.247	
CBDV per 4g [†]	< LOQ	mg/4g	0.131	
CBDV-A per 4g [†]	< LOQ	mg/4g	0.131	
CBDV-Total per 4g [†]	< LOQ	mg/4g	0.245	
CBE per 4g [†]	< LOQ	mg/4g	0.131	
CBG per 4g [†]	25.9	mg/4g	0.131	
CBG-A per 4g [†]	< LOQ	mg/4g	0.131	
CBG-Total per 4g [†]	25.9	mg/4g	0.245	
CBL per 4g [†]	< LOQ	mg/4g	0.131	
CBL-A per 4g [†]	< LOQ	mg/4g	0.131	
CBL-Total per 4g [†]	< LOQ	mg/4g	0.247	
CBN per 4g	< LOQ	mg/4g	0.131	
CBT per 4g [†]	< LOQ	mg/4g	0.131	
$\Delta 8$ -THCV per 4g ⁺	< LOQ	mg/4g	0.131	
$\Delta 8$ -THC per 4g ⁺	< LOQ	mg/4g	0.131	
$\Delta 9$ -THC per 4g	< LOQ	mg/4g	0.131	
exo-THC per 4g⁺	< LOQ	mg/4g	0.131	
THC-A per 4g	< LOQ	mg/4g	0.131	
THC-Total per 4g	< LOQ	mg/4g	0.247	
THCV per 4g [†]	< LOQ	mg/4g	0.131	
THCV-A per 4g [†]	< LOQ	mg/4g	0.131	
THCV-Total per 4g [†]	< LOQ	mg/4g	0.247	
Total Cannabinoids per 4g	25.9	mg/4g		

Page 2 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





 Report Number:
 21-014970/D003.R000

 Report Date:
 12/29/2021

 ORELAP#:
 OR100028

 Purchase Order:
 22/22/21

 Received:
 12/22/21

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

[†] = Analyte not NELAP accredited.

Units of Measure

g = Gram mg/4g = Milligram per 4g % = Percentage of sample % wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 8

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	21-014970/D003.R000				
Report Date:	12/29/2021				
ORELAP#:	OR100028				
Purchase Order:					
Received:	12/22/21 12:00				

Hemp / Cannabis Usable / Extract / Finished Products Columbia **Chain of Custody Record** LABORATORIES Document Control ID: 2732 Revision: 1 Effective: 05/04/2021 ORELAP ID: OR100028 A Tent Analysis Requested PO Number: Company: Sugar Island CBD Project Number: Contact: Chris Motts esticide Multi-Residue – 379 compounds Project Name: Sugar Island Launch Street: 8201 S 48th St Custom Reporting: city: Phoenix ficro: E. Coli and Total Coliform Report to State - 🗌 METRC or 🔲 Other:__ ticides - OR 59 compounds Email Results: cmotts@bodeeorganics.com visture & Water Activity Turnaround time: 🗌 5 Business Day Standard Turnaround ficro: Yeast and Mold 3 Business Day Rush Turnar Ph: (843_) 467-0154 Fx Results: (____) 2 Business Day Rush Turnaround* dual Solvents Billing (if different): Bodee Organics *Check for availability eavy Metals otoxins penes otency Other: Lab ID Client Sample Identification Date 12.15.2 Time 11:00AM Comments/Metrc ID 4G / 30pcs and island "Beaters - CBC" SIDEMUSCO 11:00AM 12,15,2 4G / 30pcs Sugar Island "Rest + CBN" SIREST0001 4G / 30pcs 12.15.2 11:00AM 12.15.2 12.15.2 12.15.2 12.15.2 12.15.2 12.15.2 Relinquished By: Date Time Received By Date Time Lab Use Only: Lab Use Univ: Lab Use Univ: VPS or I Client drop Evidence of cooling: Y sy VS No - Temp (°C): Sample in good condition (Yes) No Cash | Check | CC | Chris Motts 12.15.2 11:00AN 2/22/21 12:00 ÞS Prelog storage:

† - Sample Type Codes: Vegetation (V) ; Isolates (S) ; Extract/Concentrate (C) ; Tincture/Topical (T) ; Edible (E) ; Beverage (B)

Samples submitted to Columbia Laboratories with testing requirements constitute on generated for services in accordance with the correct terms of service associated with Blue COC. By signing "Relinquished by" you are agreeing to these terms Pr: (503) 254-1794 / Face (503) 254-1794 / F

www.columbialaboratories.com

Page 4 of 8

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

A Tentamus Company

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number:	21-014970/D003.R000					
Report Date:	12/29/2021					
ORELAP#:	OR100028					
Purchase Order:						
Received:	12/22/21 12:00					

G		unbia RATORIES ntamus Compony			Doc	ument ID: 3177 Revision: 2 Effective: 06/25/2021 Page 1 of 1
Job	Number:	Search Name:				
Pad	ckage/Coole	r opened on (if different than received date/time) Date: $\frac{12/22/2}{12}$	Time:	11:58		
Red	ceived By (Ir	itials): Logged in by (Initials): Date:	_Time:			
1)		ody seals on outside of the package/cooler? v many and where?	YES	NO	NA	
	Does date	match collection date on COC?	YES	NO	NA	
2)	Was Chain	of Custody (COC) included in the package/cooler?	YES	NO	NA	
3)	Was COC s	igned when relinquished and received? (time, date)?	YES	NO	NA	
4)	How was t	he package/cooler delivered?				
1	UPS	FEDEX USPS CLIENT COURIER OTHE	ER:			
	Tracking	Number (written in or copy of shipping label): 12 VR9	591	01	1659	9758
5)	Was packi	ng material used?	YES	NO	NA	
	Peanuts	Bubble Wrap Foam Paper Other:			-	
6)		rature upon receipt 4°C+- 2°C (if appropriate)? nt contacted:	YES	NO	NA	
	Proceed?		YES	NO		
7)	Was there	evidence of cooling?	YES	NO) na	
	What kind	Blue ice ice Cooler Packs Dry ice		\sim		
8)	Were all sa	ample containers sealed in separate plastic bags?	YES	NO	NA	
9)	Did all sam	ple containers arrive in good condition?	YES	NO	NA	
10)) Were all sa	mple container labels complete?	YES	NO	NA	
11)) Did all sam	ple container labels and tags agree with the COC?	YES	NO	NA	
12)) Were corre	ect sample containers used for the tests indicated?	YES	NO	NA	
13)) Were VOA	vials checked for absence of air bubbles (note if found)?	YES	NO	NA	
14)) Was a suff	iclent amount of sample sent in each sample container?	YES	NO	NA	
16)) Sample loc	ation prior to login: R99 R39 R44 F44 Ambient Shelf) Canna	abis Tabl	e Other:_	
Exp	olain any dis	crepancies:				

Page 5 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	21-014970/D003.R000
Report Date:	12/29/2021
ORELAP#:	OR100028
Purchase Order:	

Received:

12/22/21 12:00

Revision #: 0.00 Control : CFL-D06

Revision Date: 05/31/201	19 Effective Date: 05/31/2019

	Laboratory Quality Control Results																						
	AOAC 2015 V98-6 Batch ID: 2111473																						
Laboratory Cont	trol Sample																						
Analyte	Result	Spike	Units	% Rec	Limits		Limits		Limits		Limits		Limits		Limits		Limits		Limits		Limits		Notes
CBDVA	0.0105	0.01	%	105	85.0	-	115	Acceptable															
CBDV	0.0108	0.01	%	108	85.0	-	115	Acceptable															
CBE	0.0109	0.01	%	109	85.0	-	115	Acceptable															
CBDA	0.0108	0.01	%	108	85.0	-	115	Acceptable															
CBGA	0.0106	0.01	%	106	85.0	-	115	Acceptable															
CBG	0.0107	0.01	%	107	85.0	-	115	Acceptable															
CBD	0.0106	0.01	%	106	85.0	-	115	Acceptable															
THCV	0.0107	0.01	%	107	85.0	-	115	Acceptable															
d8THCV	0.0106	0.01	%	106	85.0	-	115	Acceptable															
THCVA	0.0101	0.01	%	101	85.0	-	115	Acceptable															
CBN	0.0107	0.01	%	107	85.0	-	115	Acceptable															
exo-THC	0.00956	0.01	%	95.6	85.0	-	115	Acceptable															
d9THC	0.0103	0.01	%	103	85.0	-	115	Acceptable															
d8THC	0.00983	0.01	%	98.3	85.0	-	115	Acceptable															
CBL	0.00960	0.01	%	96.0	85.0	-	115	Acceptable															
CBC	0.0101	0.01	%	101	85.0	-	115	Acceptable															
THCA	0.0103	0.01	%	103	85.0	-	115	Acceptable															
CBCA	0.0105	0.01	%	105	85.0	-	115	Acceptable															
CBLA	0.00996	0.01	%	99.6	85.0	-	115	Acceptable															
CBT	0.00887	0.01	%	88.7	85.0	-	115	Acceptable															

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBDV	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBE	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBDA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBGA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBG	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBD	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
THCV	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
d8THCV	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
THCVA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBN	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
exo-THC	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
d9THC	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
d8THC	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBL	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBC	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
THCA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBCA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBLA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBT	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Page 6 of 8 www.columbialaboratories.com
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	21-014970/D003.R000			
Report Date:	12/29/2021			
ORELAP#:	OR100028			
Purchase Order:				
Received:	12/22/21 12:00			

Revision #: 0.00 Control : CFL-D06

Revision Date: 05/31/2019 Effective Date: 05/31/2019

			Labor	atory (Quality Co	ntrol Results		
J AOAC 2015 \	V98-6				Bato	h ID: 2111473:		
Sample Duplicate			Sample ID: 21-012394-0004					
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBG	0.00367	0.00363	0.003	%	0.919	< 20	Acceptable	
CBD	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBN	0.133	0.133	0.003	%	0.137	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d9THC	0.129	0.129	0.003	%	0.00198	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation NA - Calculation Not Applicable given non-numerical results

Units of Measure:

% - Percent

Page 7 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number: 21-014970/D003.R000 **Report Date:** 12/29/2021 ORELAP#: OR100028 **Purchase Order: Received:** 12/22/21 12:00

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 8 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430