

Rainfinity
Overhead shower 250 3jet with wall connector
 Finish: **Matt White** Article Number: **26233707**



Description

product features

- consists of: overhead shower, wall connector
- shower head size: 250 mm
- spray type: RainStream, PowderRain, Intense PowderRain
- Select button on thermostat
- projection 273 mm
- middle spray disc: 151 mm
- frame: metal
- material spray disc: aluminium
- spray disc surface: graphite
- shower arm vertically inclinable by 10-30°
- maximum flow rate at 3 bar: 9 l/min
- flow rate PowderRain spray (at 3 bar): 9 l/min
- flow rate Intense PowderRain (at 3 bar): 9 l/min
- flow rate RainStream spray (at 3 bar): 9 l/min
- the 3 spray zones must be controlled via 3 valves or a diverter valve with 3 outlets
- overhead shower removable for cleaning
- installation: wall-mounted - based on iBox
- connection dimension: DN15
- not suitable for continuous flow water heaters

Technology



Design awards



reddot award 2019
best of the best




Certificates



Product image




Scale drawing



Rainfinity
Overhead shower 250 3jet with wall connector
 Finish: **Matt White** Article Number: **26233707**



Flowchart




The consumption was measured in combination with the appropriate fittings (thermostat/mixer/in-wall valve) to reflect actual application in practice.

Rainfinity
Overhead shower 250 3jet with wall connector
 Finish: **Matt White** Article Number: **26233707**



Installation examples



iBox universal

Basic set

Finish: Article Number: **01800180**



Description

product features

- suitable for all shower, bath tub and thermostat finish sets for concealed installation
- connection thread Rp 3/4
- connection dimension: DN20
- rotationally-symmetric installation
- sound-decoupled installation
- minimum mounting depth: 80 mm
- maximum mounting depth: 108 mm

Certificates / Sustainability



Product image



Scale drawing

