

Rainmaker Select
Overhead shower 580 3jet with wall connector
 Finish: **White/Chrome** Article Number: **24011400**



Description

product features

- consists of: overhead shower, wall connector
- shower head size: 586 x 258 mm
- spray type: Rain, MonoRain, RainFlow
- material spray disc: plexiglas
- spray disc surface: easy cleanable spray disc in glass optics
- maximum flow rate at 3 bar: 9,5 l/min
- flow rate Rain spray (at 3 bar): 9 l/min
- flow rate RainFlow spray (at 3 bar): 9,5 l/min
- flow rate Mono spray (at 3 bar): 9 l/min
- minimum flow pressure: 2 bar
- the 3 spray zones must be controlled via 3 valves or a diverter valve with 3 outlets
- spray disc removable for cleaning
- installation: wall-mounted - based on iBox
- connection dimension: DN15
- connection type: basic set
- not suitable for continuous flow water heaters

Technology




Certificates



Product image




Scale drawing



Rainmaker Select
Overhead shower 580 3jet with wall connector
 Finish: **White/Chrome** Article Number: **24011400**



Flowchart






The consumption was measured in combination with the appropriate fittings (thermostat/mixer/in-wall valve) to reflect actual application in practice.

Rainmaker Select
Overhead shower 580 3jet with wall connector
 Finish: **White/Chrome** Article Number: **24011400**



Installation examples



iBox universal

Basic set

Finish: Article Number: **01800180**



Description

product features

- suitable for all shower, bath tub and thermostat finish sets for concealed installation
- connection thread Rp 3/4
- connection dimension: DN20
- rotationally-symmetric installation
- sound-decoupled installation
- minimum mounting depth: 80 mm
- maximum mounting depth: 108 mm

Certificates / Sustainability



Product image



Scale drawing

