

Jura Impressa XJ9

Operating & cleaning instructions




My Coffee Shop Pty Ltd
ACN 102 850 037


390 Johnston St
Abbotsford VIC 3067
ph: 03 9946 4160

97/1-5 Harwood Street
Pymont NSW 2009
ph: 02 9034 6580



Control elements



- | | | | |
|---|--|----|---|
| 1 | Bean container with aroma preservation cover | 8 | Filler funnel for ground coffee |
| 2 | Water tank cover | 9 | Storage compartment cover |
| 3 | Water tank | 10 | Grinder adjustment switch |
| 4 | Height-adjustable cappuccino frother | 11 | Measuring spoon for ground coffee |
| 5 | Coffee grounds container | 12 | Hot-water nozzle |
| 6 | Drip tray | 13 | Height- and width-adjustable coffee spout |
| 7 | Cup grille | | |



Top of the machine

- 1  On/Off button
- 2  Rotary Switch
- 3 **P** P button (programming)

Front

- 4 Display
- 5 Buttons (button function depends on what is shown in the display)



Back of the machine

- 1 Power switch
- 2 Mains cable
- 3 Port (under cover)

Operating Instructions – Jura XJ9

Cappuccino

1. Place your cup / mug under the milk / coffee spout on the left.
2. Turn the milk selector to the foam milk position – See diagram below.



3. Press the cappuccino key. Your cappuccino will now be poured

Flat white

1. Place your cup/mug under the spout on the left.
2. Turn the milk selector to the flat milk position – See diagram below.



3. Press the Latte macchiato key. Your flat white will now be poured

Café Latte

1. Follow the procedure for making a cappuccino.
2. When your cup or glass 1/3 full of foam milk, turn the milk selector to the flat milk position.

Espresso or Long Black

1. Place your cup / mug under the middle spouts and press espresso or coffee key. Your drink will now be poured. Press the button twice for a double espresso or two long blacks.

Note: Each key is fully programmed however you can stop the milk and coffee flow short by pressing any key while it is pouring. Adjustments to suit personal preference can also be made using the rotary dial on top of the machine. These changes do not affect the programmed settings.



My Coffee Shop Pty Ltd
ACN 102 850 037

390 Johnston St
Abbotsford VIC 3067
ph: 03 9946 4160

97/1-5 Harwood Street
Pymont NSW 2009
ph: 02 9034 6580

Cleaning Products – Jura Impressa XJ9

Daily

See procedure – Daily milk system clean

Must be performed at the end of each day just before the machine is turned off

Purpose: To ensure the milk system is clean overnight so milk does not go off blocking the pathways



Use Cafetto daily milk cleaner 1 litre bottle (Prod no. 71144)
or Jura Milk System Cleaner Mini Tabs 180g (Prod no. 71150)

Weekly

See procedure – Weekly milk system clean

Performed once per week

Purpose: To remove any build up of milk fats to ensure the milk frother works correctly



Use Cafetto weekly milk cleaner – 1 litre bottle (Prod no. 71145)

When prompted

Clean machine – See procedure (Coffee system clean)

Performed only when prompted (Every 220 coffees)

Purpose: Removes coffee oil from the brewing unit and coffee path to maintain the quality of the coffee



Use Jura cleaning tablets - 6 pk (Prod no. 71111)
- 25 pk (Prod no. 71112)

See procedures – Changing the filter **or** Descaling the machine

Perform a filter change or descale only when prompted.

Purpose: Protects against lime scale build up inside the machine maintaining water & steam paths



Prod no. 71134



9 pk – Prod no. 71121

36 pk – Prod no. 71122



My Coffee Shop Pty Ltd
ACN 102 850 037

390 Johnston St
Abbotsford VIC 3067
ph: 03 9946 4160

97/1-5 Harwood Street
Pymont NSW 2009
ph: 02 9034 6580

IMPRESSA XJ9 Professional



Daily milk system clean

Equipment required:



Prod no. 71144 OR Prod no. 71150



These short instructions do not replace the 'IMPRESSA XJ9 Professional Instructions for Use'. Make sure you read and observe the safety information and warnings first in order to avoid hazards.


Precondition: »Please select product:«





»Maintenance status (1/6)«



»Cleaning agent for milk system.«



»Milk system is being cleaned.«
»Water for cleaning milk system.«



»Milk system is being cleaned.«
»Please select product:«

Weekly milk system clean

Complete this procedure once a week after the daily milk system clean

1. Remove the automatic milk frother from the machine. (Fig 1)
2. Separate the automatic milk frother into 4 parts. (Fig 2)
3. Soak plastic / rubber parts in 250ml of warm water & 15ml of Cafetto red weekly solution for 20 min.
4. Remove the parts from the solution and rinse them under tap water.
5. Re-assemble the auto frother and refit onto the machine.

Important: Do not soak metal / chrome parts to avoid possible damage.



Figure 1



Figure 2



My Coffee Shop Pty Ltd
ACN 102 850 037

390 Johnston St
Abbotsford VIC 3067
ph: 03 9946 4160

97/1-5 Harwood St
Pyrmont NSW 2009
ph: 02 9034 6580

IMPRESSA XJ9 Professional



Coffee system clean

Approximate duration 20 min.

Equipment required:
3-phase cleaning tablets
Prod no. 71112 25pcs
Prod no. 71111 6pcs




These short instructions do not replace the 'IMPRESSA XJ9 Professional Instructions for Use'. Make sure you read and observe the safety information and warnings first in order to avoid hazards.

Precondition: »Please select product:«




»Maintenance status (1/6)«



»Clean«





»Empty drip tray.«



»Please press the Rotary Switch«



»Machine is being cleaned.«
»Add cleaning tablet«



»Please press the Rotary Switch«



»Machine is being cleaned.«
»Empty drip tray.«



»Please select product:«

IMPRESSA XJ9 Professional

Changing the filter

Equipment required:
CLARIS Pro Blue filter
cartridge Prod no. 71134




These short instructions do not replace the 'IMPRESSA XJ9 Professional Instructions for Use'. Make sure you read and observe the safety information and warnings first in order to avoid hazards.


Precondition: »Please select product:«








»Maintenance status (1/6)«



»Change the filter«



»Change filter«



»Filter is being rinsed.«
»Please select product:«

IMPRESSA XJ9 Professional



Descaling the machine

Approximate duration 50 min.

Equipment required:

Descaling tablets

Prod no. 71122 36pcs

Prod no. 71121 9pcs




These short instructions do not replace the 'IMPRESSA XJ9 Professional Instructions for Use'. Make sure you read and observe the safety information and warnings first in order to avoid hazards.


Precondition: »Please select product:«




»Maintenance status (1/6)«





»Descale«




»Empty drip tray.«




»Pour descaling agent into water tank.«





»Please press the Rotary Switch«




»Machine is being descaled.«
»Empty drip tray.«





»Fill water tank.«



»Please press the Rotary Switch«



»Machine is being descaled.«
»Machine is heating.«
»Machine is rinsing.«
»Empty drip tray.«



»Please select product:«

6 Display messages

Message	Cause/Result	Action
'Fill water tank'	The water tank is empty. You cannot prepare any products.	▶ Fill the water tank (see Chapter 1 'Preparing and using for the first time – Filling the water tank').
'Empty coffee grounds container'	The coffee grounds container is full. You cannot prepare any products.	▶ Empty the coffee grounds container and the drip tray (see Chapter 3 'Daily operation – Daily maintenance').
'Empty drip tray'	The drip tray is full. You cannot prepare any products.	▶ Empty the drip tray and the coffee grounds container. ▶ Clean and dry the metal contacts on the back of the drip tray.
'Drip tray not fitted'	The drip tray is not inserted correctly or is not inserted at all. You cannot prepare any products.	▶ Fit the drip tray.
'Please press the Rotary Switch.'	The IMPRESSA is prompting you to perform a rinse or continue a maintenance programme that was already started.	▶ Press the Rotary Switch to start the rinse or to continue the maintenance programme.
'Fill bean container'	The bean container is empty. You cannot prepare any products.	▶ Fill the bean container (see Chapter 1 'Preparing and using for the first time – Filling the bean container').
'Rinse the milk system'	The IMPRESSA is prompting you to rinse the milk system.	▶ Press the Rotary Switch to start rinsing the milk system.
'Please select product:' is displayed. The ☼ symbol is also displayed.	The IMPRESSA is prompting you to perform a maintenance programme.	▶ Press the P button to view the list of maintenance programmes ('Maintenance status (1/6)'). By referring to the bar you can see which maintenance programme is due. When the bar is completely filled with red, your IMPRESSA will prompt you to perform the appropriate maintenance programme.
'Not enough ground coffee'	There is insufficient ground coffee in the machine; the IMPRESSA stops the operation.	▶ The next time you prepare a beverage, add more ground coffee (see Chapter 2 'Preparation – Ground coffee').

Troubleshooting:

Milk flow

- No milk flow
- Milk spluttering
- Not filling cups
- Froth milk is flat & cool

Solution:

1. Select flat milk (Fig 1) and test the milk flow.
2. If milk is flowing normally with a consistent pour go to step 3. If not, go to step 4.
3. Turn the milk selector to the froth position (Fig 2) and test the milk flow. If the milk flow is spluttering, you only getting steam or the milk is flat and cool, replace the air suction (Fig 3) and test again. If the problem has been solved, order in a spare air suction (Part no. 71866) otherwise go to step 4.
4. Remove the auto frother from the machine. (Fig 4)
5. Separate the auto frother into 4 parts. (Fig 5)
6. Soak plastic / rubber parts only in 250ml of warm water and 15 ml of Cafetto red weekly cleaner for 30 min.
7. Clean the milk and air paths with the cleaning brush (Part no. 71161) (Fig 6 – 7)
8. Rinse parts under tap water, re-assemble and refit onto the machine.
9. Test the milk. If the problem has not been solved contact customer support on 1300 365 487.\

Important: Do not soak metal / chrome parts to avoid possible damage.



Figure 1 – Flat milk



Figure 2 – Froth milk



Figure 3



Figure 4



Figure 5



Figure 6 – Milk



Figure 7 – Air



My Coffee Shop Pty Ltd
ACN 102 850 037

390 Johnston St
Abbotsford VIC 3067
ph: 03 9946 4160

97/1-5 Harwood St
Pymont NSW 2009
ph: 02 9034 6580

Welcome to My Coffee Shop!

Our hours of operation are Monday – Friday 9am to 5pm. Visit us at your convenience at www.mycoffeeshop.com.au. Orders and service requests can be placed by:

Phone: 1300 365 487
E-mail: clientservices@mycoffeeshop.com.au
Online: www.mycoffeeshop.com.au
Remittances: accountsreceivable@mycoffeeshop.com.au
Service enquiries: servicecentre@mycoffeeshop.com.au

Next business day delivery via courier to:

Adelaide Canberra Melbourne Sydney

for product orders placed by 1.30pm

Please note you will be advised when ordering if delivery charges apply to your order.

Once again, welcome to My Coffee Shop and remember we are here to help. If you have any questions please don't hesitate to contact us.

We look forward to exceeding your expectations and making your day easier and more enjoyable.

Kind regards,

My Coffee Shop
Client Services
My Coffee Shop Pty Ltd



My Coffee Shop Pty Ltd
ACN 102 850 037

390 Johnston St
Abbotsford VIC 3067
Ph: 03 9946 4160

97 / 1-5 Harwood St
Pymont NSW 2009 Ph:
02 9034 6580