

## Barclay Table Assembly instructions

### Parts:

- Table top
- Table legs x2
- Table span rail
- 70mm JC bolts x2 (for table rail)
- 50mm JC bolts x16 (to attach top)
- 9.5mm dowels x4
- Allen key



1. Put the table top upside down on a clean and soft surface and sit legs in approximate positions, with the holes on the top plate of the legs lining up with the insert nuts in the top. Note: the bottom rail on the legs should have the side with 3 holes facing towards the middle of the table.



2. Insert the dowels into the holes on each end of the support rail and fit in place between the legs (you may need to use a rubber hammer or something similar to knock them together) and use the **70mm JC bolts** to lock in place.

3. Use the **50mm JC bolts** to attach the legs to the top through the leg top plate and into the insert nuts in the top. Tighten with the allen key until firm and bolt is biting into the wood.

4. Turn table over onto its legs and enjoy! (This is a 2-person lift.)



## Barclay Table Assembly instructions

### Parts:

- Table top
- Table legs x2
- Table span rail
- 70mm JC bolts x2 (for table rail)
- 50mm JC bolts x16 (to attach top)
- 9.5mm dowels x4
- Allen key



1. Put the table top upside down on a clean and soft surface and sit legs in approximate positions, with the holes on the top plate of the legs lining up with the insert nuts in the top. Note: the bottom rail on the legs should have the side with 3 holes facing towards the middle of the table.



2. Insert the dowels into the holes on each end of the support rail and fit in place between the legs (you may need to use a rubber hammer or something similar to knock them together) and use the **70mm JC bolts** to lock in place.

3. Use the **50mm JC bolts** to attach the legs to the top through the leg top plate and into the insert nuts in the top. Tighten with the allen key until firm and bolt is biting into the wood.

4. Turn table over onto its legs and enjoy! (This is a 2-person lift.)

