

READ SAFETY DIRECTIONS



Protect-us™

BLATTEX GEL COCKROACH BAIT

ACTIVE CONSTITUENT: 0.5 g/kg FIPRONIL

PROTECT-US AUSTRALIA PTY LTD
ACN 156 662 216
Unit 3, 2 Duck Street AUBURN NSW 2144
www.protect-us.com.au
CUSTOMER SERVICE 1800 420 144
EMERGENCY RESPONSE (ALL HOURS) 1800 420 144

™ Trademark of Protect-us.
APVMA Approval No. 67049/108493

For the control of cockroaches in commercial, industrial and residential premises as per directions for use.



Net contents:

15 g



9 530209 001180

The tube must not be sold separately. Do not destroy box while product still remains.

Batch No:
Date of Manufacture:
L-AU-PROT1012 1.01 07.17

FIRST AID

If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone: Australia 13 11 26. Data Sheet which is available from Protect-us on request. Call Customer Service 1800 420 144 or visit our web site at www.protect-us.com.au.
May irritate the eyes and skin. Avoid contact with eyes and skin. Wash hands after use.

SAFETY DIRECTIONS

Additional information is listed in the Safety Data Sheet (SDS) which is available from Protect-us on request. Call Customer Service 1800 420 144 or visit our web site at www.protect-us.com.au.
Protect-us Australia Pty Ltd (Protect-us) warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness

SAFETY DATA SHEET

NOTICE

for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by Protect-us, or under abnormal conditions.

DIRECTIONS FOR USE:

Restraints
• DO NOT apply to a ground surface which is wet or to areas that are washed.
• DO NOT allow product to directly contact humans, pets, exposed food, food preparation areas or food utensils.
SITUATION
• Commercial, Industrial and Residential Buildings.
• When placing baits remember that the label refers to the full surface area that the cockroaches are likely to traverse e.g. in a kitchen allow for the full surface area of each bench, cupboard etc.
RATE
• Apply as a 2 mm to 4 mm diameter bait spot. Use the larger bait spot for American cockroaches. Apply 12-24 bait spots for a 30 m² treatment area for heavy infestations and 4-6 bait spots for a 30 m² treatment area for light infestations.

• Inspect premises thoroughly and locate all cockroach harbours.
• Place Protect-us BLATTEX Gel Cockroach Bait spots as close as possible to cockroach harbours.
• Place bait spots into cracks and crevices away from where they are likely to be removed by cleaning programs.
• When placing baits remember that the label refers to the full surface area that the cockroaches are likely to traverse e.g. in a kitchen allow for the full surface area of each bench, cupboard etc.
PEST
• German and American cockroaches.
RATE
• Apply as a 2 mm to 4 mm diameter bait spot. Use the larger bait spot for American cockroaches. Apply 12-24 bait spots for a 30 m² treatment area for heavy infestations and 4-6 bait spots for a 30 m² treatment area for light infestations.
• Do not use chemical sprays near bait placements.
• In areas of poor sanitation use more bait

CRITICAL COMMENTS

RETREATMENT:

In areas of high activity the bait may be consumed and further placements needed. Schedule a second inspection about a month after the initial treatment. Retreatment only need to be applied in areas where cockroaches remain or are likely to enter a premises. Protect-us BLATTEX Gel Cockroach Bait is very stable, it does not harden or lose its attractiveness to cockroaches. Only reapply baits when the original bait has been consumed.
NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION
Should not be used in areas accessible to children.
PRECAUTION: Should not be used in areas accessible to children.
• Do not dispose of undiluted chemicals on site. Deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with relevant Local State or Territory government regulations. Do not burn empty containers or product.

STORAGE AND DISPOSAL

• DO NOT contaminate streams, rivers or waterways with the chemical or used containers. DO NOT place baits in locations which are accessible to domestic animals, livestock or birds.
• Cockroach Bait is very stable, it does not harden or lose its attractiveness to cockroaches. Only reapply baits when the original bait has been consumed.
• When placing baits remember that the label refers to the full surface area that the cockroaches are likely to traverse e.g. in a kitchen allow for the full surface area of each bench, cupboard etc.
• Apply as a 2 mm to 4 mm diameter bait spot. Use the larger bait spot for American cockroaches. Apply 12-24 bait spots for a 30 m² treatment area for heavy infestations and 4-6 bait spots for a 30 m² treatment area for light infestations.
• Do not use chemical sprays near bait placements.
• In areas of poor sanitation use more bait

PROTECTION OF LIVESTOCK, WILDLIFE AND OTHERS

• DO NOT contaminate streams, rivers or waterways with the chemical or used containers. DO NOT place baits in locations which are accessible to domestic animals, livestock or birds.
• Cockroach Bait is very stable, it does not harden or lose its attractiveness to cockroaches. Only reapply baits when the original bait has been consumed.
• When placing baits remember that the label refers to the full surface area that the cockroaches are likely to traverse e.g. in a kitchen allow for the full surface area of each bench, cupboard etc.
• Apply as a 2 mm to 4 mm diameter bait spot. Use the larger bait spot for American cockroaches. Apply 12-24 bait spots for a 30 m² treatment area for heavy infestations and 4-6 bait spots for a 30 m² treatment area for light infestations.
• Do not use chemical sprays near bait placements.
• In areas of poor sanitation use more bait