

# GO BEYOND THE IMPOSSIBLES.

**SINCE 2018** 



## FULL DROP STITCH

INFLATABLE KAYAK
USER MANUAL

#### HELLO,

Thank you for purchasing an inflatable kayak...

#### WELCOME TO THE BEYOND MARINA FAMILY!

**Beyond Marina®** was founded with a vision to provide trustworthy gear that o ers an easy ande ortless way for nature lovers to enjoy outdoor activities and embrace challenges. We encourage everyone to explore the world with curiosity and the intention to push their limits - becausewe've all learned that it's part of growing. With our innovative, high-tech equipment, Beyond Marina® will always be the one to support your outdooradventure, giving you the confidence to achieve your goal while allowing you to take joy in the process.

#### Trust in your potential and go beyond the impossibles with Beyond Marina®.

Like what we're doing?


You can let us know by reviewing your iSUP/kayak on Amazon and tagging us on social: **#beyondmarina**It's a great way to help our small business thrive by spreading the word.


Having any issues?

Please contact us immediately so we can help you:

#### info@beyondmarina.com

We work hard to ensure each and every BEYOND MARINA customer is exploring the world on a paddleboard/kayak they love! Happy Paddling,









www.beyondmarina.com

## TABLE OF CONTENTS

Content	Pa	age
DROP STITCH KAYAK SERIES		4
WHAT'S INCLUDED IN YOUR BOX		5
ACCESSORIES		6-7
INSTALLATION		7-8
HOW TO DEFLATE & STORE AN INFLATABLE KAYAK		9
WARRANTY		9

## **DROP STITCH KAYAK SERIES**

INFLATABLE KAYAK				
MODEL	PATHFINDER	EXPLORER	MARINER	
IMAGE	BEYOND MARINA WATER	BEYOND MARINA works	BEYOND MARINA MORTIN	
Person Capacity	SOLO 1 Person	TANDEM 2 Person	Triple 3 Person	
SIZE	12.5'x 29.1" x19.7"	13.77 X 32" X 19.7"	15.1' X 32" X 21.65"	
Recommended PSI	8 PSI			
Maximum Load Capacity	352 LBS	507 LBS	661 LBS	
Storage Compartments	Front and Rear Cargo Areas			

## WHAT'S INCLUDED IN YOUR BOX

IF YOU'RE MISSING ANY OF THESE ITEMS, PLEASE LET US KNOW AS SOON AS POSSIBLE!

Technical Specifications				
FULL DROP STITCH KAYAK	EN AND	BM BM	EM RM RM	
MODEL	PATHFINDER	EXPLORER	MARINER	
PERSON	SOLO	TANDEM	TRIPLE	
BACKPACK	backpack	backpack with wheel* <b>№</b>	backpack with wheel* NEW	
KAYAK SEAT	1	2	3	
3-PIECE ALUMINUM PADDLES	1	2	3	
ADJUSTABLE FOOTREST	1	2	3	
DUAL-ACTION Hand Pump	inflate&deflate	inflate&deflate	inflate&deflate	
REMOVABLE SKEGS	2	2	2	
REPAIR KIT (VALVE WRENCH, PATCHES)				
MANUAL				

### **ACCESSORIES**

#### 1. Backpack

Wheeled backpacks are only available for specific kayak models. Single-person kayaks typically c ome without this feature.



#### 2. Paddle

- 1. Connect the paddle section with the paddle handle section to fix.
- 2. One of the paddle handle sections has 3 mounting holes that can be changed to adjust the direction of the paddle blade.



#### 3. Dual-Action Hand Pump

\*Standard pressure for kayak: 8PSI (please inflate to standard pressure)

- Double-Action pumps air on both up and down stroke to make inflation twice as fast
- Inflates and deflates with one pump!
- Twice as e ective as a regular pump
- Fitted with a gauge for optimum PSI
- Compact, light-weight and easy to use

\*Note that the gauge on your inflatable kayak will not register until the board is at 5 PSI.

#### 4.SKEGS

The skeg improves kayak tracking when paddling in the sea or large open waters in general.

- Removable skeg
- No tools required SKEG
- Easily slides and locks into bottom mount

## BIM BIM

#### \*Note:

Don't sit in the kayak on the ground with the skeg installed.

This can cause damage to the receiving patch and to the floor of the kayak.

#### 5. Seats

- Equipped with 4-way adjustable mounting straps
- Please refer to the installation procedure of P8 product for details



#### 6. Footrest



#### 7. Drainage port

Drain the boat on shore to remove excess water.



8.Repair KIT



9. High Pressure Valves



**Inflate**Upper Position



**Deflate**Lower Position

## **INSTALLATION**

#### 1.HOW TO INFLATE A KAYAK?

Inflate both side chambers (to 1.5PSI)  $\Rightarrow$  Place in inflatable floor  $\Rightarrow$  Inflate floor(to 8PSI)  $\Rightarrow$  Refill both side chambers to 8PSI  $\Rightarrow$  Seat installation  $\Rightarrow$  Footrest installation  $\Rightarrow$  Skeg fin installation  $\Rightarrow$  Paddle installation  $\Rightarrow$  Life jacket donning












## INSTALLATION

## 2.HOW TO ATTACH THE KAYAK SEAT? 1) The Seat

The straps at the top of the seat will attach in front of the seat and the lower straps will attach behind the seat.



#### 2) The Kayak


Locate where you want to attach the straps.



#### 3) Place The Seat Into The Kayak

So that the fold if the seat is resting snugly against the back of the seat area.

## 4) Attach The Clips In The Correct Areas



#### 5) Tighten the straps

It is best to tighten the straps gradually until you are happy with the position of the seat. Make sure that you end up with the straps taught so that the seat does not move while you are using the kayak. If installed correctly the back rest should end up slightly curved.

**TIP:** To get the most power out of your paddling make sure that the back rest as close to vertical as possible.





#### 6) How To Remove The Seat

To remove the seat slightly loosen one of the straps so that you can unclip it. You should then be able to unclip the rest of the straps easily, The next time you put the seat ih it will be a lot quicker as all t he other straps will be correctly set up.

## **HOW TO DEFLATE & STORE**

- 1. Remove accessories and place the kayak on its side: Dismantle the paddle and remove the accessories from the boat making sure that you wash them o with fresh water, particularly any metal work which can seize up if salt water is not washed o . With the drop stitch kayak we find the easiest way to deflate the kayak is by starting with it on its side.
- 2. Open each valve and let the kayak flatten: To open the valve push down the spring loaded pin down.
- 3. Make the first fold just after the finbox.
- 4. Make another fold the same size as the first one.
- 5. Make a small fold to fold in the other nose cone.
- 6. Fold this section on top of the rest of the kayak.
- 7. Secure with the kayak strap.
- 8. Tighten the strap to secure the kayak.
- 9. Place the kayak in the bag with all of the accessories ready for your next adventure.

### WARRANTY

#### **Warranty Information**

We of er a one-year limited warranty against manufacturing defects.

This warranty doesn't cover obvious abuse, such as running over your kayak or dragging it across shardsof glass (c'mon.)

If you suspect something with your purchase isn't quite right or if you are missing an accessory, pleaselet us know right away.

If you notice any damage or malfunction, please email us at:

#### info@beyondmarina.com

#### We love our customers.

We truly appreciate your support and would love to hear from you. We're excited to see where your adventures take you with Beyond Marina!

Follow us on social media and tag us in your own adventures with: #beyondmarina

















MODEL: **EXPLORER** 



MODEL: **VINTAGE** 

## GO **BEYOND** THE IMPOSSIBLES.



Join our adventure and be part of the BEYOND MARINA® family. Get tips, share your journey, and enjoy exclusive content.

**FOLLOW US** 













www.beyondmarina.com



info@beyondmarina.com