


# Plug Diff User Manual

Before using: For Your safety, please read and understand this manual before using your product.



4 Scent Intensity  
Schedules



Up to 30sqm  
Coverage



100ml Oil  
Capacity



Mobile app  
Bluetooth Operated

**Product Name:** Plug Diff

**Coverage:** Up to 30m<sup>2</sup>/90m<sup>3</sup>/3100ft<sup>3</sup>

**Dimensions:** (H) 214 mm x (W) 65 mm x (D) 122 mm

**Net weight:** 0.30 kg

**Gross weight:** 0.40 kg

**Oil Consumption:** 0.07 – 0.30 ml per hour

**Power:** 1.5 w

**Voltage:** AC100v-240v

**Container capacity:** 150ml Oil Capacity

**Suitability:** Room, Office, Kitchen, Meeting Room



MADE IN CHINA



Waste electrical products should not be disposed of with house hold waste. Separate disposal facilities exist, for your nearest facilities see [www.recycle-more.co.uk](http://www.recycle-more.co.uk)


## Specification

---

Our Plug Diff takes home and office scenting and aromatherapy to a whole different level. It is sleek, compact, and durable and looks good against any backdrop. It can easily be taken from one room to another, or you can carry it with you and simply plug and scent.

This wall-mounted plug-in diffuser uses nebulisation, patented ultrasonic technology and is easy to use, modern, healthier and a safer alternative to Bakhoor, Candles and Incense. Unlike other scenting options, our Plug Diff does not require heat or water. The scenting oil is broken down into ultra dry nanoparticles, diffusing it into the air, leaving every room in your house or office smelling of natural aromas.


The Plug Diff comes with an adjustable scent intensity setting and the ability to custom scent schedule your scent diffusion based on your preferred time and day using our dedicated Hydur Scenting Bluetooth Mobile Application.




## How to set it up

---


- 1 Unplug the diffuser from the socket.




- 2 Twist the diffuser case to open.



- 3 Unscrew the scented oil bottle from the atomiser head and fill the bottle with diffuser scented oil




- 4 Plug the diffuser into a socket and turn the power switch ON, the diffuser will beep to indicate its ON and ready to operate.



## Operating your diffuser


- Adjust the desired intensity level by connecting to the Hydur Scenting app bluetooth. The app allows you to control your diffusion levels and settings based on your preferred day and time.

The Hydur Scenting controller app is available to download on IOS or android. You may also configure the setting using the control panel.




## How to set & control your scent intensity settings

- Download and open the Hydur Scenting Controller App.




- Select the Scent Diffuser from the list.



- Log in using the default password '8888.'



- Tap the '+' or 'Add' button to add scenting schedule.



5 Select the desired Start and End Time.



6 Adjust the intensity level and tap 'Save.'



Hydur Scent Diffuser can work continuously or intermittently, depending on your settings. We recommend that you schedule your scent diffusion intermittently between one to three times a day for up to 1 hour at the maximum.

Set your intensity to the maximum level on the first cycle of scenting and reduce the intensity on the next cycles.

### Intensity and Oil Consumption

Intensity Level Indicator Light	Consumption	Interval Between Diffusion
1	0.07 ml	4.75 mins
2	0.15 ml	2.25 mins
3	0.23 ml	1.41 mins
4	0.30 ml	1 min

## Safety Care

---

- Unplug the diffuser immediately and discontinue use in the event of smoke or a burning smell
- Do not wrap the adaptor with cloth, paper, or anything that may result to avoid abrasions, cuts, fraying, crimping, and kinking
- Do not disassemble or attempt to self-repair the diffuser, this will void the warranty. Any damage caused by the user does not qualify for replacement by Hydur
- Disconnect the diffuser from power adaptor before refilling, cleaning or moving the diffuser
- Clean the sensor with a isopropyl alcohol-soaked cotton swab
- Do not use metal objects to clean the sensor; use only a cotton swab or cloth dipped in isopropyl alcohol or a neutral detergent
- Make sure to clean the unit before switching to different scenting oils
- Use only essential oils or Hydur scenting oils. Artificial, synthetic, or impure oils and fragrances can damage the diffuser.
- Avoid placing the diffuser in direct sunlight, close to a refrigerator or fan, or in a hot environment
- When not in use, clean the diffuser and store dry at 0°C—50°C, 5%-95% humidity.

## Taking Care of your Storage

---

To keep your diffuser clean and ensure the best mixture of Hydur Fragrances it is recommended that you perform a cleaning cycle on your diffuser at least once a month, if you use your diffuser daily or in case any of these situation happens:

- Switch or change to another Scenting Oil
- Atomization volume becomes weak or there is no mist or less mist than usual

To do a cleaning cycle on your diffuser, follow these steps:

Step 1: Turn the device off and unplug prior to cleaning.

Step 2: Gently wipe the plate using a cotton swab dipped in rubbing/isopropyl alcohol.

Step 3: Fill a clean bottle with isopropyl alcohol.

Step 4: Install the bottle filled with rubbing alcohol to the diffuser and turn it on. Let it diffuse for 5-20 minutes or until the essential oil scent wears off.

Step 5: Replace the bottle of rubbing/isopropyl alcohol with your scenting oil.

## Disposal

---

Dispose of this product and packaging materials with your local regulation. Waste electrical products should not be disposed with household waste. Separate disposal exist for your nearest facilities, see [www.recycle-more.co.uk](http://www.recycle-more.co.uk)

Condition	Solution
Diffuser is not working.	<p>USB cable or power plugged may not be properly plugged in or your diffuser ran out of battery (if battery operated).</p> <ul style="list-style-type: none"><li>• Check if the power is on or off and or your diffuser is charged or plugged in.</li><li>• Check if there is a scented oil inside the bottle.</li></ul>
No mist coming out of my diffuser.	<p>Your atomizer head might be blocked.</p> <ul style="list-style-type: none"><li>• Check if there is any scented oil build up on the plate. In case there is a buildup, follow the cleaning instructions.</li></ul>
Diffuser is leaking.	<p>Your diffuser head is either displaced or the the diffuser is tilted.</p> <ul style="list-style-type: none"><li>• Check that the diffuser head is screwed properly to the bottle.</li><li>• Make sure that the diffuser is set on a hard, flat surface.</li><li>• Keep the diffuser constantly vertical do not tilt or keep the diffuser horizontal.</li></ul>
Scent is too strong or too weak.	<p>If you find the mist/intensity is too strong or weak, adjust the diffuser intensity to either a higher or lower setting to suit your preference.</p>

### **What is the average oil consumption of a Plug Diff?**

Average scenting oil consumption ranges from 0.07 ml – 0.30 ml per hour.

### **How much area does a Plug Diff covers?**

A Plug Diff will cover up to 30 square meters.

### **How long will my 100ml Scent last?**

A 100ml bottle can last approximately 40 days, depending on the intensity settings and diffusing times.

### **Do I need to put water on the diffuser?**

No. Hydur Diffuser does not use water. It atomize the scenting oils using a series of tubes, dispersing the oils in their purest form.

### **What type of oils can I use on the diffuser?**

Hydur Diffuser diffuses 100% essential oil or Hydur Scenting Oil. Other blends and oils may contain fragrances, base oils or synthetics that could result in malfunction. Hydur Scenting Oils are carefully blended and curated for Hydur Diffusers.

### **Do I need to clean the diffuser?**

Yes. It is recommended that you perform a cleaning cycle at least once a month.

### **How do I reset the password of the Hydur Scenting App?**

In case you forget the password, simply press the reset button to restore to factory settings. The default password is 8888.

### **How do I create a scenting schedule from the Hydur Scenting App?**

The scent scheduling feature is only available on Midi Square, Plug Diff, Grandi Square, Ultra Tower Max and Ultra Cylinder Max.

To create a new scenting schedule using the app, simply:

Step 1: Select “Add New” under the “Schedule” section on the Homepage

Step 2: Choose to create your own schedule, or select one of the pre-set schedules

Step 3: Enter your desired Start time, End time, Name and intensity. If you would like the schedule to repeat, select the day(s) you would like it to repeat.


Step 4: Click “Save”

### **Will my diffuser work even if I am not connected to the Hydur Scenting App?**

Yes. The diffuser will keep the schedules you have set. Once you reconnect via Bluetooth you can change the schedules, adjust the scent intensity or turn the diffuser off manually.

# ديف مع قابس الدليل الإرشادي للاستخدام

قبل الاستخدام: لسلامتك، يُرجى قراءة وفهم هذا الدليل الإرشادي قبل استخدام المنتج الخاص بك



التحكم باستخدام  
تطبيق الهاتف المحمول



100 مل حجم  
استيعاب الزيت  
العطري



تغطية مساحة تصل  
إلى 30 متر مربع



4 مستويات لكثافة  
انتشار الرائحة

- اسم المنتج: ديف مع قابس  
 نطاق الانتشار: لغاية 30 م<sup>2</sup> / 90 م<sup>3</sup> / 3100 قدم<sup>3</sup>  
 الأبعاد: الارتفاع 214مم x العرض 65مم x العمق 122 مم  
 وزن الموزع: 0.30 كجم  
 وزن الموزع مع زجاجة الزيت العطري: 0.40 كجم  
 استهلاك الزيت العطري: 0.07 مل - 0.30 مل في الساعة  
 الطاقة: 1.5 واط  
 نظام الكهرباء: AC100v-240v  
 حجم الاستيعاب: 150 مل  
 أماكن الاستخدام: الغرفة، المكتب، المطبخ، غرفة الاجتماعات



صنع في الصين


لا ينبغي التخلص من نفايات المنتجات الكهربائية مع نفايات المنزل. هناك مرافق منفصلة للتخلص من هذه النفايات، لمعرفة أقرب هذه المرافق، قم بزيارة [www.recycle-more.co.uk](http://www.recycle-more.co.uk)




موزعنا العطري ديف مع قابس يأخذ رائحة المنزل والمكتب والعلاج بالروائح العطرية إلى مرحلة أخرى تماماً. إنه جهاز أنيق وقوي ومناسب لوضعه في خلفية أي مكان. ويمكن نقله بسهولة من غرفة إلى أخرى، أو يمكنك حمله معك وتوصيل القابس بالكهرباء وتشغيله لتستمتع برائحتك المفضلة.

تعتمد طريقة نشر الرائحة في جهازنا المتقدم تقنياً على تقنية الموجات فوق الصوتية الحاصلة على براءة اختراع. سهلة الاستخدام، متطورة، وصحية، كما أنها بديلاً آمناً لأنواع البخور والشموع. على عكس خيارات التعطير الأخرى، لا يتطلب الموزع العطري ديف مع قابس الحرارة أو الماء. ينقسم زيت الرائحة العطرية إلى جزيئات نانوية شديدة الجفاف، وينشرها في الهواء، ليُجعل كل غرفة في منزلك أو مكتبك مفعمة بالروائح الطبيعية.


يأتي ديف مع قابس بإعدادات ضبط كثافة انتشار الرائحة القابلة للتعديل، وإمكانية تخصيص جدول لأوقات انتشار الرائحة حسب الوقت واليوم المفضلين لديك باستخدام تطبيق Hydur Scenting Controller للهاتف المحمول.




2 فك علبة الجهاز بحركة دائرية لإخراج زجاجة الزيت العطري




1 افصل القابس من التيار الكهربائي




4 قم بتوصيل القابس بالتيار الكهربائي وتشغيل مفتاح الطاقة. وسوف يصدر الموزع صوت صفير للإشارة إلى أنه في وضع التشغيل



3 قم بإزالة رأس الموزع العطري من الزجاجة ثم املاها بالزيت العطري






5 اضبط مستوى انتشار الرائحة عن طريق البلوتوث باستخدام تطبيق حيدر للعطور الذي يسمح لك بالتحكم في مستوى الانتشار والإعدادات بناءً على الوقت واليوم المفضل لديك. يتوفر تطبيق Hydur Scentsing Controller على IOS أو Android.


يمكنك أيضاً التحكم في الإعدادات باستخدام لوحة التحكم

## طريقة ضبط إعدادات كثافة انتشار الرائحة

2 حدّد نوع الموزع العطري من القائمة



1 حمّل وافتح تطبيق Hydur Scentsing Controller



4 اضغط على زر "+" أو "Add" لجدولة وقت انتشار الرائحة



3 سجّل الدخول باستخدام كلمة المرور "8888"



## 5 حدد وقت تشغيل وتوقف نشر الرائحة



## 6 قم بتحديد مستوى كثافة الرائحة واضغط على "Save"



يمكن أن يعمل الموزع العطري من حيدر بشكل مستمر أو متقطع، حسب خياراتك في الإعدادات. نوصيك بجدولة انتشار الرائحة بشكل متقطع، بين مرة إلى ثلاث مرات في اليوم لمدة تصل إلى ساعة واحدة كحد أقصى.

اضبط كثافة الرائحة على أعلى مستوى في الدورة الأولى من التعطير وقلل الكثافة في الدورات التالية.

## مستوى انتشار الرائحة وحجم استهلاك الزيت العطري

الفاصل الزمني بين فترات التشغيل	الاستهلاك	مؤشر إضاءة كثافة الرائحة
4.47 دقائق	0.07 مل	1
2.25 دقائق	0.15 مل	2
1.41 دقائق	0.23 مل	3
1 دقيقة	0.30 مل	4

- قم بفصل الموزع العطري عن الطاقة وتوقف عن استخدامه فوراً إذا شاهدت دخاناً يخرج منه أو رائحة حريق
- لا تغطي محول الطاقة بقطعة قماش، ورق أو أي مادة أخرى يمكن أن تؤدي إلى حدوث كشط، قطع، تلف، التواء أو تجعد السلك
- لا تفكك الموزع أو تحاول إصلاحه بنفسك، فهذا سييطل الضمان. أي أن الضرر الذي يسببه المستخدم للجهاز يجعله غير قابل للاستبدال من قبل شركة حيدر للعبور.
- افصل الموزع العطري من محول الطاقة قبل إعادة تعبئة أو تنظيف أو نقل الموزع العطري
- قم بتنظيف المستشعر باستخدام عود قطني مبلل بكحول الإيزوبروبيل
- لا تستخدم أدوات معدنية لتنظيف المستشعر، استخدم فقط عود قطني أو قطعة قماش مبللة بكحول الإيزوبروبيل أو منظم محايد في مكوناته الأساسية
- تأكد من تنظيف الموزع العطري قبل تغيير الزيت العطري المستخدم فيه
- استخدم فقط الزيوت الأساسية أو الزيوت العطرية من حيدر للعبور. الزيوت الصناعية أو غير الطبيعية يمكن أن تتسبب في تلف الجهاز
- تجنب وضع الموزع العطري تحت أشعة الشمس المباشرة، قريباً من الثلجة أو المروحة، أو في الأماكن الحارة
- في حالة عدم الاستخدام، قم بتنظيف الموزع العطري وتخزينه في مكان جاف عند درجة حرارة تتراوح بين 0 - 50 درجة مئوية، ورطوبة تتراوح بين 5% - 95%.

## الطريقة الصحيحة لتخزين الجهاز

للمحافظة على نظافة الموزع العطري والحصول على الرائحة المثالية من الزيت العطري من حيدر للعبور، يجب تنظيف الموزع العطري مرة واحدة شهرياً على الأقل، إذا كنت تستخدم الموزع العطري بصورة يومية أو في حال حدوث أي من التالي:

- تغيير الزيت العطري المستخدم في الموزع العطري
- ضعف قوة انبعاث الرائحة العطرية، انخفاض أو انعدام الرائحة العطرية

يُرجى اتباع الخطوات التالية لتنظيف الموزع العطري:

- الخطوة 1: قم بإيقاف تشغيل الموزع العطري وفصله عن الطاقة قبل بدء التنظيف.
- الخطوة 2: قم بمسح الجزء الخارجي من الموزع العطري برفق باستخدام ممسحة قطنية مبللة بالكحول المعقم/ الأيزوبروبيل
- الخطوة 3: املاؤ زجاجة نظيفة بكحول الأيزوبروبيل
- الخطوة 4: قم بتثبيت الزجاجة بعد ملئها بالكحول في الموزع العطري وتشغيله. دعه يعمل لمدة 5 - 20 دقيقة أو إلى أن تختفي رائحة الزيت العطري الذي ترغب باستبداله.
- الخطوة 5: قم باستبدال كحول المعقم/ الأيزوبروبيل بزيتك العطري.

## التخلص من الجهاز

تخلص من هذا المنتج ومواد التعبئة والتغليف وفقاً للوائح المحلية الخاصة بمكان إقامتك. لا ينبغي التخلص من نفايات المنتجات الكهربائية مع النفايات المنزلية. يمكنك التخلص منه في المرافق المخصصة لذلك الأقرب إليك، قم بزيارة [www.recycle-more.co.uk](http://www.recycle-more.co.uk)

الحل	الحالة
<p>قد لا يكون شاحن USB موصولاً بالكهرباء بطريقة صحيحة أو أن البطارية قد نفذت</p> <ul style="list-style-type: none"> <li>• تأكد من تشغيل الطاقة و/أو أن الموزع العطري مشحون بالطاقة</li> <li>• تأكد من وجود الزيت العطري في الجهاز</li> </ul>	الموزع العطري لا يعمل
<p>قد يكون رأس البخاخة مسدوداً.</p> <ul style="list-style-type: none"> <li>• تحقق من عدم تراكم الزيوت العطرية على غطاء الموزع العطري. في حالة تراكم الزيت، اتبع تعليمات تنظيف الزيت العطري.</li> </ul>	لا يخرج رذاذ من موزعي العطري
<ul style="list-style-type: none"> <li>• قد لا يكون رأس موزعك العطري في موضعه الصحيح أو أن الموزع العطري في وضع مائل.</li> <li>• تأكد من أن رأس الموزع مثبت بشكل صحيح في الزجاجية.</li> <li>• تأكد من وضع الموزع العطري على سطح صلب مسطح.</li> <li>• حافظ على إبقاء الموزع العطري في وضع عمودي باستمرار دون أن يكون مائلاً أو في وضع أفقي.</li> </ul>	هناك تسرب في الموزع العطري
<p>إذا لاحظت أن مستوى الرائحة العطرية قوياً جداً أو ضعيفاً جداً، فقم بضبط مستوى كثافة الرائحة إلى الأعلى أو الأقل حسب خيارك المفضل.</p>	الرائحة العطرية قوية جداً أو ضعيفة جداً

ما هو معدل استهلاك الزيت العطري في الموزع العطري ديف مع قابس؟  
معدل استهلاك الزيت العطري يتراوح بين 0.07 مل - 0.30 مل في الساعة.

ما هي المساحة التي يغطيها الموزع العطري ديف مع قابس؟  
يغطي ديف مع قابس المساحات التي تصل إلى 30 متر مربع.

كم تدوم زجاجة الزيت العطري بحجم 100 مل؟  
يمكن أن تدوم الزجاجة حجم 100 مل حوالي 40 يوم، وفقاً لإعدادات مستوى كثافة الرائحة ومدة التعطير.

هل يجب إضافة الماء إلى الموزع العطري؟  
لا. الموزعات العطرية من حيدر للطور لا تحتاج إلى الماء. إذ أنها تقوم بتفتيت الزيوت العطرية باستخدام سلسلة من الأنابيب، مما يؤدي إلى نشر الزيت العطري في أنقى صورته.

ما هي أنواع الزيوت العطرية التي يمكنني استخدامها مع الموزع العطري؟  
مع موزعاتنا العطرية، يمكن استخدام الزيوت العطرية 100% أو الزيوت العطرية من حيدر للطور. المخلطات والزيوت العطرية الأخرى قد تحتوي على عطور، زيوت أساسية أو صناعية قد تؤثر على أداء الموزع العطري. الزيوت العطرية من حيدر للطور تم خلطها وإعدادها خصيصاً لاستخدامها مع الموزعات العطرية من حيدر للطور.

هل أحتاج إلى تنظيف الموزع العطري؟  
نعم. نوصي بإجراء دورة تنظيف إلى الموزع العطري مرة واحدة على الأقل شهرياً.

كيف يمكنني إعادة إنشاء كلمة المرور في تطبيق Hydur Scenting؟  
في حال نسيت كلمة المرور، ببساطة اضغط على زر إعادة إنشاء كلمة المرور لإعادة ضبط إعدادات المصنع. كلمة المرور الافتراضية هي 8888.

كيف يمكنني جدولة التعطير عبر تطبيق Hydur Scenting؟  
تتوفر خاصية جدولة التعطير في موزعاتنا العطرية التالية فقط: ديف مع قابس، ميدي سكوير، جراند سكوير، ألترا تاور ماكس وألترا سيلندر ماكس.

لجدولة التعطير في هذه الأجهزة، يُرجى اتباع الخطوات التالية:  
الخطوة 1: اختر "Add New" أسفل قسم "Schedule" في الصفحة الرئيسية  
الخطوة 2: اختر تخصيص جدول التعطير حسب رغبتك أو اختر من الجداول المقترحة  
الخطوة 3: أدخل وقت بدء التشغيل، وقت الإيقاف، الاسم ومستوى كثافة الرائحة. إذا رغبت بإعادة الجدولة، اختر اليوم/ الأيام التي ترغب فيها بإعادة الجدولة.  
الخطوة 4: اضغط على "Save"

هل سيعمل موزعي العطري حتى وإن لم أكن متصلاً بتطبيق Hydur Scenting؟  
نعم. سيعمل الموزع العطري حسب الجدول الذي وضعته. بمجرد إعادة الاتصال بالتطبيق عبر خاصية البلوتوث، يمكنك إعادة جدولة أوقات ومستوى كثافة التعطير أو إيقاف تشغيل الموزع العطري بصورة مباشرة يدوياً.