

BOXY R C 92733 DIM8 ◇
6 251 75 811 922 ED8 ◇
 ◇ = B-B / B-MATT / W-B / W-W
BOXY R C 93033 DIM8 ◇
6 251 75 811 932 ED8 ◇
 ◇ = B-B / B-MATT / W-B / W-W
BOXY R C 93533 DIM8 ◇
6 251 75 811 952 ED8 ◇
 ◇ = B-B / B-MATT / W-B / W-W



Application

Ceiling surface suspended
 Installation to a standard 4" octagonal junction box
 For indoor use only

Color Finish

W - White
 B - Black
 MATT - Gold matte

Light source


1x Powered White 10,4 W

Product description

Surface treated aluminum construction
 Input voltage: 120V / 60Hz
 Electronic dimmable power supply included,
 500mA current controlled, Mains dimmable
 Cable suspension single auto 5' included
 Cable 3x18AWG 5' included
 Suitable for dry or damp locations
 Protected against solid objects greater than 12mm ➔ IP20
 Weight: 2,0lbs 0,9kg








Accessories not supplied (option)

201 02 01	HONEYCOMB 78
201 02 04	SOFTENING LENS 78
201 02 05	GLASS SBL 78



INSTALLATION LUMINAIRE

Accessories



 INSTALLATION LUMINAIRE

