


- LASS-OH! 60160 92734 ◇
- 6 24813 9220 ◇
- ◇ = B / GC
- LASS-OH! 60160 93034 ◇
- 6 24813 9320 ◇
- ◇ = B / GC
- LASS-OH! 60160 93534 ◇
- 6 24813 9520 ◇
- ◇ = B / GC



**Application**

Ceiling surface mounted pendant luminaire  
 Installation to a standard j-box with optional coverplate  
 For indoor use only

**Color Finish**

B - BLACK  
 GC - GOLD COLORED

**Light source**

6x DOT.COM S6 MODULES  
 Per module, 6x 1W LED

**Product description**

Powder coated aluminum assembly  
 EXCL. 1050mA-DC Power supply 34,8V typical voltage  
 Class 2 circuits only, current controlled.  
 1x Cable 2x18 AWG  
 4x Suspension cable 9' long included  
 Suitable for damp locations  
 Protected against solid objects greater than 12mm ➔ IP20  
 Weight: 2,6lbs 1,2kg

**Required**

OR	Lass-oh! Powerbox 1050mA-DC / 38W DIM14	6 24814 00614
	LED power supply 1050mA-DC / 50W DIM1	6 300 11 ED1

**Accessories**









Jiha! S	24814 0020
Jiha! R	24814 0030

**Options**

Coverplate R 104	6 204 00 104
Coverplate R 103	6 204 99 103


# INSTALLATION LUMINAIRE

## Accessories





# INSTALLATION LUMINAIRE



De verlichtingsbron van dit verlichtingstoestel zal enkel door de fabrikant of door de fabrikant aangestelde installateur vervangen worden.


La source lumière de cet appareil ne sera remplacée que par l'entrepre-  
se ou par un agent reconnu.

Das enthaltene Leuchtmittel sollte nur durch entsprechendes Fachper-  
sonal ersetzt werden.

The light source contained in this luminaire shall only be replaced by  
the manufacturer or his service agent.

La fuente de iluminación que tiene esta luminaria sólo puede reempla-  
zarse por el fabricante o por un instalador autorizado.

La sorgente luminosa incorporata in questo apparecchio può essere  
sostituita solo dal produt tore, da un suo centro assistenza oppure da  
una persona in possesso della necessaria abilitazione.



3"  
75 mm

3"  
75 mm

**WARNING!**  
The weight of the luminaire must be suspended by the steel cables,  
not by the power cord.

**ATTENTION!**  
Le poids du luminaire doit être suspendu par les cables en acier,  
le cable électrique ne peut pas suspendre le luminaire.