## :Fabbian

## Olympic

### F45G07A01

Lorenzo Truant

• •





#### Description

Pendant lamp with white painted aluminium structure and plastic material diffuser.

Voltage 120V/24V **Dimmable** 0-10V



DRY

#### **Light source**

LED 1x98W-120° 3000K (2700K delivered) 10600lm (5300 delivered lumens) Cri >90

#### Notes

277V Available

#### Included accessories

LED


0-10V Dimmable electronic driver

#### Weight Lamp


Net: 0 lb

#### **Packaging**

Gross weight: 0 lb Volume: 0 ft³ Number of boxes:



#### **Dimensions**



#### Material

Aluminium - Plastic

#### Color

White

#### Other colors available

Check online www.fabbian.us

#### In the same family



Pendant

Multiple pendant

# Olympic F45

Other options

	code	electrification	technical info	
	F45 G01 A 01 F45 G01 A 76	LED 120V/24V x45W-120° 3000K (2700K delivered) 4500lm (2250 delivered lumens) 0-10V Dimming	DRY Cri >90	
1 2 2 3 5 4 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5 7	F45 G02 A 01 F45 G02 A 76	LED 120V/24V 1x45W-120° 2700K (2400K delivered) 4500lm (2250 delivered lumens) ( 0-10V Dimming	DRY Cri >90	
	F45 G03 A 01 F45 G03 A 76	LED 120V/24V x56W-120° 3000K (2700K delivered) 6000lm (3000 delivered lumens) 0-10V Dimming	DRY Cri >90	
2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	F45 G04 A 01 F45 G04 A 76	LED 120V/24V x56W-120° 2700K (2400K delivered) 6000lm (3000 delivered lumens) 0-10V Dimming	© DRY	
	F45 G05 A 01 F45 G05 A 76	LED 120V/24V x76W-120° 3000K (2700K delivered) 8250Im (4125 delivered lumens) C 0-10V Dimming	DRY iversity DRY	
	F45 G06 A 01 F45 G06 A 76	LED 120V/24V x76W-120°	ORY	

0-10V Dimming

3000K (2700K delivered) 8250lm (4125 delivered lumens) Cri >90



F45 G08 A 01 F45 G08 A 76 LED 120V/24V 1x98W-120°

2700K (2400K delivered)

10600lm (5300 delivered lumens) Cri >90

DRY

0-10V Dimming

0-10V Dimming

