



CRI > 90

**SPY FOCUS ON LP**

3500 K LED [Q] 5.9W / 661lm / 350mA  
LED [Q] 8.7W / 914lm / 500mA

FOCUS 8-43° **6 19878 9500** ◇  
◇ = B / FBR / FG / W

3000 K LED [Q] 5.9W / 649lm / 350mA  
LED [Q] 8.7W / 896lm / 500mA

FOCUS 8-43° **6 19878 9300** ◇  
◇ = B / FBR / FG / W

2700 K LED [Q] 5.9W / 606lm / 350mA  
LED [Q] 8.7W / 837lm / 500mA

FOCUS 8-43° **6 19878 9200** ◇  
◇ = B / FBR / FG / W

ADJUSTABLE 0-90° / 355°


1.1 IP20 DAMP

**REQUIREMENT**

LED POWER SUPPLY 350 / 500mA-DC (REMOTE)

**OPTIONS**

- MUD KIT 1** ▶ **6 207 02 01**
- COVER PLATE R 118** ▶ **6 204 00 118 B / W**



**Application**

Finishing section to be used with remote power supply  
For indoor use only

**Color Finish**

- B - Black
- FBR - Flemish Bronze
- FG - Flemish Gold
- W - White

**Light Source**

One Max. 8.7W LED included

**Delivered Lumens**


248lm at 2700K<sup>(1)</sup> at 350mA / 343lm at 500mA  
266lm at 3000K<sup>(1)</sup> at 350mA / 367lm at 500mA  
271lm at 3500K<sup>(1)</sup> at 350mA / 375lm at 500mA

**Power Supply**

Remote Installation

**Specification features**

Housing fabricated of powder coated steel, powder coated steel trim  
Suitable for dry and damp location  
Weight: 1.1 lbs



**PROJECT INFO**


Date \_\_\_\_\_

Client \_\_\_\_\_


Project Name \_\_\_\_\_

Type/Quantity \_\_\_\_\_

REMOTE POWER SUPPLY



ED1 / ED12:  
A:5"-1/8 x B:3" x C:3"  
A:131mm x B:76mm x C:76mm



ED7 / ED8 / ED13:  
A:11"-1/4 x B:2"-1/2 x C:2"-1/2  
A:286mm x B:63mm x C:63mm



Code	Description	Number
6 300 44 ED1	LED POWER SUPPLY 350mA-DC 19W 0-10V Dim 120-277V Remote	3
6 300 45 ED1	LED POWER SUPPLY 500mA-DC 25W 0-10V Dim 120-277V Remote	2
6 300 14 ED7	LED POWER SUPPLY Multi-Power 15W 0-10V Push Dim 120-277V Remote	2 / 1 / -
6 300 46 ED8	LED POWER SUPPLY 350mA-DC 11W Mains Dim 120V Remote	1
6 300 90 ED8	LED POWER SUPPLY 500mA-DC 12W Mains Dim 120V Remote	1
6 300 62 ED8	LED POWER SUPPLY 500mA-DC 23W Mains Dim 120V Remote	2 -> 2
6 300 70 ED12	LED POWER SUPPLY 350mA-DC 13W Hi-Lume 2-Wire <sup>2</sup> 120V Remote	2
6 300 72 ED12	LED POWER SUPPLY 500mA-DC 19W Hi-Lume 2-Wire <sup>2</sup> 120V Remote	2
6 300 41 ED13	LED POWER SUPPLY 350mA-DC 19W Hi-Lume EcoSystem <sup>1</sup> 120-277V Remote	2
6 300 51 ED13	LED POWER SUPPLY 500mA-DC 20W Hi-Lume EcoSystem <sup>1</sup> 120-277V Remote	2
6 300 15	LED POWER SUPPLY Multi-Power 15W 120-277V Remote	2 / 1 / -

<sup>1</sup>DIMMING: Lutron Hi-lume 1% EcoSystem LED driver with Softon, Fade-to-Black dimming technology - PEQ1E

<sup>2</sup>DIMMING: Lutron Hi-lume 1% 2-wire (120V forward phase only) - LTEA2W



CRI > 90

**SPY FOCUS ON MP**

3500  
K

LED [R] 12.1W / 1462lm / 350mA  
LED [R] 17.9W / 2010lm / 500mA



**6 19874 9500** ◇  
◇ = B / FBR / FG / W

3000  
K

LED [R] 12.1W / 1418lm / 350mA  
LED [R] 17.9W / 1950lm / 500mA



**6 19874 9300** ◇  
◇ = B / FBR / FG / W

2700  
K

LED [R] 12.1W / 1364lm / 350mA  
LED [R] 17.9W / 1874lm / 500mA



**6 19874 9200** ◇  
◇ = B / FBR / FG / W

ADJUSTABLE 0-90° / 355°

1.1 IP20 DAMP


**REQUIREMENT**

LED POWER SUPPLY 350 / 500mA-DC (REMOTE)

**OPTIONS**

**MUD KIT 1** ▶ **6 207 02 01**

**COVER PLATE R 118** ▶ **6 204 00 118 B / W**



<sup>(1)</sup>Values based on 3000K standard finish

**Application**

Finishing section to be used with remote power supply  
For indoor use only

**Color Finish**

B - Black  
FBR - Flemish Bronze  
FG - Flemish Gold  
W - White

**Light Source**

One Max. 17.9W LED included

**Delivered Lumens**


447lm at 2700K<sup>(1)</sup> at 350mA / 656lm at 500mA  
531lm at 3000K<sup>(1)</sup> at 350mA / 682lm at 500mA  
540lm at 3500K<sup>(1)</sup> at 350mA / 704lm at 500mA

**Power Supply**

Remote Installation

**Specification features**

Housing fabricated of powder coated steel, powder coated steel trim  
Suitable for dry and damp location  
Weight: 1.1 lbs



**PROJECT INFO**


Date

Client

Project Name

Type/Quantity

REMOTE POWER SUPPLY



Code	Description	Number
6 300 44 ED1	LED POWER SUPPLY 350mA-DC 19W 0-10V Dim 120-277V Remote	1
6 300 45 ED1	LED POWER SUPPLY 500mA-DC 25W 0-10V Dim 120-277V Remote	1
6 300 14 ED7	LED POWER SUPPLY Multi-Power 15W 0-10V Push Dim 120-277V Remote	1 / 0 / -
6 300 62 ED8	LED POWER SUPPLY 500mA-DC 23W Mains Dim 120V Remote	1
6 300 70 ED12	LED POWER SUPPLY 350mA-DC 13W Hi-Lume 2-Wire <sup>2</sup> 120V Remote	1
6 300 41 ED13	LED POWER SUPPLY 350mA-DC 19W Hi-Lume EcoSystem <sup>1</sup> 120-277V Remote	1
6 300 51 ED13	LED POWER SUPPLY 500mA-DC 20W Hi-Lume EcoSystem <sup>1</sup> 120-277V Remote	1
6 300 15	LED POWER SUPPLY Multi-Power 15W 120-277V Remote	1 / 0 / -

<sup>1</sup>DIMMING: Lutron Hi-lume 1% EcoSystem LED driver with Softon, Fade-to-Black dimming technology - PEQ1E

<sup>2</sup>DIMMING: Lutron Hi-lume 1% 2-wire (120V forward phase only) - LTEA2W